# Automated Test Case Document

Jira Ticket: TEST2-73

| | |
|---|---|
| Document Classification: | Company Confidential |
| Document Ref: | Automated Test Case Document |
| Version: | 1.0 |
| Date: | 12/10/2026 |
| Document Author: | Automated TEST2 Evidence Review |
| Document Owner: | Quality Assurance / Metricell |

*This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".*

## Table of Contents

1 Revision History ..... 2
2 Test Cycle Information ..... 3
3 Test Summary ..... 3
4 Test Cases ..... 5
About Metricell ..... 15

# 1 Revision History

| Version | Date | Revision Author | Summary of Changes |
|---|---|---|---|
| **[1.0]** | 12/10/2026 | TEST2 QA Automation | Generated from TEST2 evidence review |
| | | | |
| | | | |

# 2 Test Cycle Information

| | |
|---|---|
| **Tester:** | **Automated** |
| **Jira Ticket:** | TEST2-73 |
| **Environment:** | o2intelligence-v4-dev.metricell.com |
| **Browser Details:** | Google Chrome 155.0.8059.40 |
| **Date of Test:** | 12/10/2026 |
| **Limitations during Testing:** | Criterion 1: The existing ALL Coverage Gap Candidate Areas layer showed 'Unable to load coverage gap candidate areas.' before and after testing. Its selection and the rendered basemap were observable, so catalogue search and preservation assertions could be tested. No data, layers or map settings were altered; the query was cleared. Criterion 2: A text-only wait for placeholder text timed out; direct input inspection and visible catalogue snapshot confirmed the GIS was ready, then testing continued. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero. |
| **Overall review outcome:** | Passed |
| **Browser URL(s) recorded after criteria:** | https://o2intelligence-v4-dev.metricell.com/gis |

# 3 Test Summary

| Area of test | Pass | Fail | Defects (No.) |
|---|---|---|---|
| **1. With a distinctive unmatched query entered in the GIS layer catalogue search, the query remains visible and the catalogue shows no unrelated layer entries as matches.** | Y | N | 0 |

| Area of test | Pass | Fail | Defects (No.) |
|---|---|---|---|
| **2. After the search query is cleared, the GIS layer catalogue shows the original catalogue contents and browsing controls at the same catalogue position recorded before searching.** | Y | N | 0 |
| **3. Searching and clearing the catalogue does not change the active layers that were present before searching.** | Y | N | 0 |
| **4. Searching and clearing the catalogue does not change the visible map state that was present before searching.** | Y | N | 0 |
| **5. After clearing, the catalogue search field is empty and the GIS page is restored to its recorded initial catalogue, map, and active-layer state.** | Y | N | 0 |

# 4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


## 4.1 Tests

| ***Preconditions:*** | V4 access and ticket conditions. | ***Associated Requirements:*** | Ticket criteria below. | Automation Notes: | Screenshots below each criterion; full log retained locally. |
|---|---|---|---|---|---|


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **1.0.0** | With a distinctive unmatched query entered in the GIS layer catalogue search, the query remains visible and the catalogue shows no unrelated layer entries as matches. | With a distinctive unmatched query entered in the GIS layer catalogue search, the query remains visible and the catalogue shows no unrelated layer entries as matches. | criterion-1-before-search.png shows the populated catalogue; criterion-1-after-search.png and criterion-1-final.png show TEST2-showcase-no-match-20261012 still visible with 'No layers match this search.' and no catalogue entries.<br>Evidence: E01, E02 | Passed |

**Criterion 1 evidence: With a distinctive unmatched query entered in the GIS layer catalogue search, the query remains visible and the catalogue shows no unrelated layer entries as matches.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E01 - Before search (criterion-1-before-search.png)**





**E02 - Final (criterion-1-final.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **2.0.0** | After the search query is cleared, the GIS layer catalogue shows the original catalogue contents and browsing controls at the same catalogue position recorded before searching. | After the search query is cleared, the GIS layer catalogue shows the original catalogue contents and browsing controls at the same catalogue position recorded before searching. | criterion-2-before-search.png records the catalogue at the top with Network, RPO, Tests and Measurements, Improvement Areas and Planning controls. criterion-2-after-search.png and criterion-2-before-clear.png show the unmatched query; criterion-2-after-clear.png and criterion-2-final.png restore the same visible entries, controls and scrollbar position with an empty search. The reported text-selector timeout was recovered before this complete sequence.<br>Evidence: E03, E04, E05, E06 | Passed |

**Criterion 2 evidence: After the search query is cleared, the GIS layer catalogue shows the original catalogue contents and browsing controls at the same catalogue position recorded before searching.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E03 - Before search (criterion-2-before-search.png)**





**E04 - After search (criterion-2-after-search.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 2 continued: After the search query is cleared, the GIS layer catalogue shows the original catalogue contents and browsing controls at the same catalogue position recorded before searching. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** | | | | |

**E05 - Before clear (criterion-2-before-clear.png)**





**E06 - Final (criterion-2-final.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **3.0.0** | Searching and clearing the catalogue does not change the active layers that were present before searching. | Searching and clearing the catalogue does not change the active layers that were present before searching. | criterion-3-baseline-layers.png shows the complete one-item active-layer list, ALL Coverage Gap Candidate Areas, with its visibility and controls. criterion-3-after-search.png and criterion-3-before-clear.png retain that list during the unmatched query; criterion-3-after-clear.png and criterion-3-final.png retain it after clearing. criterion-3-baseline-map.png supplies the original visible map comparison. The launcher selector retry did not interrupt the evidenced sequence.<br>Evidence: E07, E03, E04, E08, E09 | Passed |





**Criterion 3 evidence: Searching and clearing the catalogue does not change the active layers that were present before searching.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E07 - Baseline layers (criterion-3-baseline-layers.png)**




**E03 - Before search (criterion-3-before-search.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 3 continued: Searching and clearing the catalogue does not change the active layers that were present before searching.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E04 - After search (criterion-3-after-search.png)**<br>  <br> | | | **E08 - Before clear (criterion-3-before-clear.png)**<br>  <br> | |
| **Criterion 3 continued: Searching and clearing the catalogue does not change the active layers that were present before searching.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E07 - After clear (criterion-3-after-clear.png)**<br>  <br> | | | **E09 - Final (criterion-3-final.png)**<br>  <br> | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **4.0.0** | Searching and clearing the catalogue does not change the visible map state that was present before searching. | Searching and clearing the catalogue does not change the visible map state that was present before searching. | criterion-4-baseline-map.png records the unobscured visible map around Hangleton and West Hove Golf Club, north-up at 300 m scale. criterion-4-after-search.png and criterion-4-before-clear.png retain the same landmarks, extent and controls; criterion-4-after-clear.png and criterion-4-final.png match that baseline after clearing. criterion-4-baseline-layers.png and criterion-4-final.png retain the complete one-item layer list and existing coverage-gap load alert.<br>Evidence: E03, E07, E04, E05, E06 | Passed |



**Criterion 4 evidence: Searching and clearing the catalogue does not change the visible map state that was present before searching.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E03 - Baseline layers (criterion-4-baseline-layers.png)**





**E07 - Before search (criterion-4-before-search.png)**



| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 4 continued: Searching and clearing the catalogue does not change the visible map state that was present before searching.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E04 - After search (criterion-4-after-search.png)**<br>  <br><br>**E05 - Before clear (criterion-4-before-clear.png)**<br>  <br> | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 4 continued: Searching and clearing the catalogue does not change the visible map state that was present before searching.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E06 - Final (criterion-4-final.png)** | | | | |




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **5.0.0** | After clearing, the catalogue search field is empty and the GIS page is restored to its recorded initial catalogue, map, and active-layer state. | After clearing, the catalogue search field is empty and the GIS page is restored to its recorded initial catalogue, map, and active-layer state. | criterion-5-before-search.png, criterion-5-baseline-map.png and criterion-5-baseline-layers.png record the original catalogue position, visible map and complete one-item active-layer list. criterion-5-after-search.png and criterion-5-before-clear.png show the unmatched query; criterion-5-after-clear.png and criterion-5-final.png show an empty search and restore the same visible catalogue entries and controls, map extent at 300 m scale, active layer and existing load alert.<br>Evidence: E03, E04, E08, E10 | Passed |





**Criterion 5 evidence: After clearing, the catalogue search field is empty and the GIS page is restored to its recorded initial catalogue, map, and active-layer state.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E03 - Baseline layers (criterion-5-baseline-layers.png)**




**E03 - Before search (criterion-5-before-search.png)**



| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 5 continued: After clearing, the catalogue search field is empty and the GIS page is restored to its recorded initial catalogue, map, and active-layer state.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E04 - After search (criterion-5-after-search.png)**<br>  <br>**E08 - Before clear (criterion-5-before-clear.png)**<br>  | | | | |
| **Criterion 5 continued: After clearing, the catalogue search field is empty and the GIS page is restored to its recorded initial catalogue, map, and active-layer state.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E10 - After clear (criterion-5-after-clear.png)**<br>  <br>**E03 - Final (criterion-5-final.png)**<br>  | | | | |

metricell
Better Connected

## About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

