Automated Test Case Document

Jira Ticket: TEST2-85

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	26/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 5
4.1 Tests 5
Follow up investigation 34
Zero duration evidence 35
About Metricell 36

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	26/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-85
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 156.0.8078.48
Date of Test:	26/10/2026
Limitations during Testing:	Blocked criterion(s): 1, 6, 7, 9. See the assessment below each criterion. Criteria 8, 10 used simulated UI conditions; see their assessments.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Original reviewed results are retained below. See Follow up investigation for the updated blocker reasons and newly located zero-duration evidence.

Area of test	Pass (Y/N)	Fail (Y/N)	Blocked (Y/N)	Defect No
1. Given a completed Download test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Download Rate, and Wi-Fi connection status.	N	N	Y	0
2. Given Download samples are available, a time-series chart shows Signal Strength in dBm and Download Rate in Mbps across the test duration.	Y	N	N	0
3. Given per-sample Download data is available, each returned sample is shown in a table with its relevant units.	Y	N	N	0
4. Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	Y	N	N	0
5. Given per-sample data is available, filtering the table shows only rows matching the selected filter.	Y	N	N	0
6. Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Download Rate.	N	N	Y	0
7. Given the selected Download point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.	N	N	Y	0
8. Given Download details are loading, the detail presentation shows a loading state.	Y	N	N	0
9. Given Download details are unavailable, the detail presentation shows a no-data state.	N	N	Y	0
10. Given loading Download details fails, the detail presentation shows an error state and does not display incorrect data.	Y	N	N	0



4 Test Cases



Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.



4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Given a completed Download test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Download Rate, and Wi-Fi connection status.	Given a completed Download test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Download Rate, and Wi-Fi connection status.	Automobile Download point 132047153 is loaded in criterion-1-details-loaded.png; criterion-1-summary-middle-fixed.png and criterion-1-final.png complete the summary. Technology 5G NSA, service 5G NSA, serving cell 105_112_4, duration 30.431 s, tested technologies 4G, Download Rate 24.12 Mbps and Wi-Fi Connected No are readable. User, handset and indoor/outdoor values are absent; the result reports those fields were not supplied by the inspected response. A fixture supplying them is required; MSISDN alone does not establish user identity. Evidence: E01, E02, E03, E04, E05, E06	Blocked
Criterion 1 assessment: Testing notes: Real Automobile Download point 132047153 loaded. Technology, service, serving cell, duration, tested technologies, Download Rate and Wi-Fi status are readable. User, handset and indoor/outdoor values were not supplied in the inspected point/analysis response or shown in its summary; MSISDN is not treated as a user identity. A fixture returning those three values is needed to decide the full criterion; no product failure inferred from absent data.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 evidence: Given a completed Download test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Download Rate, and Wi-Fi connection status. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E01 - Test types (criterion-1-test-types.png)**  **E02 - Download config (criterion-1-download-config.png)**  			


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given a completed Download test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Download Rate, and Wi-Fi connection status. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - After add (criterion-1-after-add.png)**  **E04 - Details loaded (criterion-1-details-loaded.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given a completed Download test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Download Rate, and Wi-Fi connection status. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - Summary middle fixed (criterion-1-summary-middle-fixed.png)**  **E06 - Final (criterion-1-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	Given Download samples are available, a time-series chart shows Signal Strength in dBm and Download Rate in Mbps across the test duration.	Given Download samples are available, a time-series chart shows Signal Strength in dBm and Download Rate in Mbps across the test duration.	criterion-2-final.png shows both Signal strength and Download Rate series, dBm and Mbps axes, and Seconds across approximately 0–30 seconds. The criterion-owned loaded summary shows the corresponding test interval. This directly establishes the requested time-series presentation for Automobile Download point 132047153. Evidence: E07, E08, E09, E10	Passed



Criterion 2 evidence: Given Download samples are available, a time-series chart shows Signal Strength in dBm and Download Rate in Mbps across the test duration.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E07 - Test types (criterion-2-test-types.png)



E08 - Download config (criterion-2-download-config.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given Download samples are available, a time-series chart shows Signal Strength in dBm and Download Rate in Mbps across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - After add (criterion-2-after-add.png)**  **E10 - Final (criterion-2-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Given per-sample Download data is available, each returned sample is shown in a table with its relevant units.	Given per-sample Download data is available, each returned sample is shown in a table with its relevant units.	criterion-3-table-wide-01.png through criterion-3-table-wide-06.png (also criterion-3-final.png) provide overlapping coverage from the first sample at 10:38:50 to the last at 10:39:20 for point 132047153. Time, signal strength in dBm, Download Rate in Mbps, technology, cell, size in MB and mobile data state are readable throughout. The tester bounds the complete response to 121 samples and records a 121/121 ordered seven-field reconciliation with zero mismatches; the full visible sequence supports that scope rather than a sampled-row claim. Evidence: E11, E12, E13, E14, E15, E16, E17, E18, E19, E20, E21	Passed





Criterion 3 evidence: Given per-sample Download data is available, each returned sample is shown in a table with its relevant units.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E11 - Test types (criterion-3-test-types.png)





E12 - Download config (criterion-3-download-config.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given per-sample Download data is available, each returned sample is shown in a table with its relevant units. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - After add (criterion-3-after-add.png)**  **E14 - Details loaded (criterion-3-details-loaded.png)** 				
Criterion 3 continued: Given per-sample Download data is available, each returned sample is shown in a table with its relevant units. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E15 - Table 01 (criterion-3-table-01.png)**  **E16 - Table wide 01 (criterion-3-table-wide-01.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given per-sample Download data is available, each returned sample is shown in a table with its relevant units. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E17 - Table wide 02 (criterion-3-table-wide-02.png)**  **E18 - Table wide 03 (criterion-3-table-wide-03.png)** 				
Criterion 3 continued: Given per-sample Download data is available, each returned sample is shown in a table with its relevant units. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E19 - Table wide 04 (criterion-3-table-wide-04.png)**  **E20 - Table wide 05 (criterion-3-table-wide-05.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given per-sample Download data is available, each returned sample is shown in a table with its relevant units. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E21 - Table wide 06 (criterion-3-table-wide-06.png)**  **E21 - Final (criterion-3-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	criterion-4-before-sort.png shows mixed Download Rate values in chronological order; criterion-4-after-sort-ascending.png shows the selected Download Rate column ascending (0.00, then 0.30, 0.56, 1.56 Mbps); criterion-4-final.png shows its descending indicator and 67.92, 63.81, 63.46, 63.28, 62.94, 62.03 Mbps. The settled values directly show the required change in visible order. Evidence: E22, E23, E09, E10, E15, E24, E25	Passed





Criterion 4 evidence: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E22 - Test types (criterion-4-test-types.png)



E23 - Download config (criterion-4-download-config.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - After add (criterion-4-after-add.png)**  **E10 - Details loaded (criterion-4-details-loaded.png)** 				
Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E15 - Before sort (criterion-4-before-sort.png)**  **E24 - After sort ascending (criterion-4-after-sort-ascending.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E25 - Final (criterion-4-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	Given per-sample data is available, filtering the table shows only rows matching the selected filter.	Given per-sample data is available, filtering the table shows only rows matching the selected filter.	criterion-5-before-filter.png supplies the unfiltered baseline. criterion-5-final.png shows filter 105_112_4 and the complete three-row result, all with cell 105_112_4 (0.00, 0.00, 1.77 Mbps). criterion-5-filter-restored.png shows the cleared filter and mixed-cell rows again. The matching-only filtered state is directly visible. Evidence: E26, E27, E09, E10, E15, E28, E29	Passed



Criterion 5 evidence: Given per-sample data is available, filtering the table shows only rows matching the selected filter.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E26 - Test types (criterion-5-test-types.png)



E27 - Download config (criterion-5-download-config.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given per-sample data is available, filtering the table shows only rows matching the selected filter. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - After add (criterion-5-after-add.png)**  **E10 - Details loaded (criterion-5-details-loaded.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome

Criterion 5 continued: Given per-sample data is available, filtering the table shows only rows matching the selected filter.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E15 - Before filter (criterion-5-before-filter.png)



E28 - Final (criterion-5-final.png)








E15 detail enlargement - full screenshot above



E28 detail enlargement - full screenshot above




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given per-sample data is available, filtering the table shows only rows matching the selected filter. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E29 - Filter restored (criterion-5-filter-restored.png)** 				
6.0.0	Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Download Rate.	Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Download Rate.	criterion-6-final.png shows Download Rate immediately followed by Band, with none of the three average-metric rows. The inspected response reportedly did not return average Signal Strength, Signal Quality or SNR. The conditional starting fixture was not established, so presence and consecutive order of returned averages remain blocked; absence here does not establish a defect. Evidence: E30, E31, E13, E10	Blocked
Criterion 6 assessment: Testing notes: Point 132047153 has no returned average Signal Strength, Signal Quality or SNR values and no corresponding summary rows. A genuine Automobile Download fixture returning all three averages is required to verify their presence and order; missing values are not classified as a product failure.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 evidence: Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Download Rate. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E30 - Test types (criterion-6-test-types.png)**  **E31 - Download config (criterion-6-download-config.png)** 				
Criterion 6 continued: Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Download Rate. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - After add (criterion-6-after-add.png)**  **E10 - Final (criterion-6-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	Given the selected Download point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.	Given the selected Download point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.	criterion-7-first-point.png shows a populated genuine chart for point 132618675; criterion-7-second-point.png and criterion-7-final.png show the second populated record, with final duration 31.217 s. The tester reports durations 30.274 s and 31.217 s for the two inspected records. Neither establishes no measurable duration. The required fixture is unavailable in the inspected scope; no conclusion about the no-duration UI can be drawn. Evidence: E32, E33, E13, E34, E35, E36, E37	Blocked





Criterion 7 evidence: Given the selected Download point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E32 - Test types (criterion-7-test-types.png)



E33 - Download config (criterion-7-download-config.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: Given the selected Download point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E13 - After add (criterion-7-after-add.png)**  **E34 - First point (criterion-7-first-point.png)** 				
Criterion 7 continued: Given the selected Download point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E35 - Before second point (criterion-7-before-second-point.png)**  **E36 - Second point (criterion-7-second-point.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: Given the selected Download point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E37 - Final (criterion-7-final.png)** 			
8.0.0	Given Download details are loading, the detail presentation shows a loading state.	Given Download details are loading, the detail presentation shows a loading state.	The recorded check satisfied the criterion; see the assessment below. Evidence: E38, E10, E09	Passed
Criterion 8 assessment: SIMULATED UI STATE: Delayed the selected detail request to check loading. Criterion-owned The evidence establishes the genuine starting record, The evidence the closed-panel transition, The evidence visibly shows the loading message/progress bar without stale analysis, and The evidence shows the recovered chart.				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome

Criterion 8 evidence: Given Download details are loading, the detail presentation shows a loading state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E38 - Final (criterion-8-final.png)




E10 - Genuine recovery (criterion-8-genuine-recovery.png)




Criterion 8 continued: Given Download details are loading, the detail presentation shows a loading state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E10 - Details loaded (criterion-8-details-loaded.png)



E09 - Before delayed load (criterion-8-before-delayed-load.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
9.0.0	Given Download details are unavailable, the detail presentation shows a no-data state.	Given Download details are unavailable, the detail presentation shows a no-data state.	criterion-9-final.png shows a populated Automobile Download chart for point 132047153, not a no-data state. The supplied results describe a successful 121-sample POST /api/platform/automobile/download/test-analysis and establish neither a genuine unavailable fixture nor an authoritative empty-response contract. The prerequisite remains blocked; no missing-module or current backend-failure claim is supported. Evidence: E39, E40, E41, E42, E43	Blocked


Criterion 9 assessment: Testing notes: A genuine POST /api/platform/automobile/download/test-analysis for point 132047153 returned 200 with 121 samples and a populated chart. No actual unavailable response or project-documented empty-response contract was supplied/established. Emptying a successful response would invent the contract, so no no-data simulation was performed. An authoritative empty-response contract or genuine unavailable fixture is required. The supplied sources establish no empty-response contract, and this inspected record is available. Recorded the missing unavailable-data prerequisite; did not simulate an invented empty response.



Criterion 9 evidence: Given Download details are unavailable, the detail presentation shows a no-data state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E39 - Test types (criterion-9-test-types.png)









E40 - Download config (criterion-9-download-config.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: Given Download details are unavailable, the detail presentation shows a no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E41 - After add (criterion-9-after-add.png)**  **E42 - Details loaded (criterion-9-details-loaded.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: Given Download details are unavailable, the detail presentation shows a no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E43 - Final (criterion-9-final.png)** 				
10.0.0	Given loading Download details fails, the detail presentation shows an error state and does not display incorrect data.	Given loading Download details fails, the detail presentation shows an error state and does not display incorrect data.	The recorded check satisfied the criterion; see the assessment below. Evidence: E44, E45, E46, E47, E48, E49	Passed
Criterion 10 assessment: SIMULATED UI STATE: Returned HTTP 503 for the selected detail request to check error handling. The evidence shows target 132047153 at 24.12 Mbps with the error, Retry and no stale chart/table;				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 10 evidence: Given loading Download details fails, the detail presentation shows an error state and does not display incorrect data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E44 - Test types (criterion-10-test-types.png)**  **E45 - Download config (criterion-10-download-config.png)** 				
Criterion 10 continued: Given loading Download details fails, the detail presentation shows an error state and does not display incorrect data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E46 - Before distinct baseline (criterion-10-before-distinct-baseline.png)**  **E47 - Distinct valid baseline (criterion-10-distinct-valid-baseline.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 10 continued: Given loading Download details fails, the detail presentation shows an error state and does not display incorrect data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E46 - Before error load (criterion-10-before-error-load.png)**  **E48 - Final (criterion-10-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 10 continued: Given loading Download details fails, the detail presentation shows an error state and does not display incorrect data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E49 - Genuine recovery (criterion-10-genuine-recovery.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Supporting setup captures - full attempt evidence remains in the local evidence folder				

E50 - Before automobile (criterion-1-before-automobile.png)



E51 - Automobile config (criterion-1-automobile-config.png)



Follow up investigation

26 October 2026. The overall outcome remains Blocked. The preceding summary records the original independently reviewed attempt: six Passed and four Blocked criteria. This follow-up updates the reasons for the outstanding work; it grants no additional pass and changes no retry count.

Criterion 1 Summary information

Source review confirms that the summary must show available or reported test and device information, including Download Rate and Wi-Fi status. Missing optional values not supplied by the selected record are not, by themselves, a rendering defect or a reason to demand another fixture. The checklist needs its availability qualifier clarified before formal reassessment. The original Blocked assessment is retained pending that correction.

Criterion 6 Average signal metrics

Two additional genuine Download analyses were inspected: a 5G NSA record and a 4G record, each with 121 samples. Neither returned the three average signal metrics. Their display and order remain untested. A genuine example returning those values, or clarification of the intended API support, is still required; calculated or fabricated substitutes were not used.

Criterion 7 Zero duration behaviour

Genuine zero-duration Download records were found, so the missing-example explanation is superseded. The UI disables selection rather than opening an empty detail view. VM2ST-104 explicitly requires zero-duration details not to open; VM2ST-107 instead asks for the standard no-data state. Product or developer confirmation is needed on whether the disabled row and its explanation constitute that state. No defect or pass is inferred from this unresolved difference.

Criterion 9 Unavailable details


The additional analyses were populated. Disabled zero-duration rows do not establish an empty analysis response. The available device-ingestion specification does not define the V4 Download analysis empty-response contract. A genuine unavailable-details example or authoritative endpoint contract remains required; no empty response was invented.

Required clarification

Confirm the intended zero-duration presentation, identify an example returning the average metrics, and supply the V4 unavailable-analysis contract or a genuine example. Clarify the summary availability wording before reassessment. No source Jira ticket was changed.

Zero duration evidence

Follow-up evidence F01. Download record 132611563 has testDurationMs 0 and Task TimeOut.
Row selection is blocked. Browser title: Test details require a positive test duration.
Observed Automobile Download cluster view. No simulated response was used.



Observed browser URL: https://o2intelligence-v4-dev.metricell.com/gis

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

