Automated Test Case Document

Jira Ticket: TEST2-87

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	19/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 3
4 Test Cases 5
About Metricell 25

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	19/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-87
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	19/10/2026
Limitations during Testing:	2 blocked; 2 inconclusive criterion(s). Completed independent screenshot assessment of all seven criteria; required zero-duration and Call loading/unavailable/error evidence is unavailable. Criterion 1: Initial screenshot failed because its directory did not exist; created the staging directory and restarted criterion at launcher before continuing. Criterion 2: Attempt to open exact catalog text Surveyor timed out because its label was Surveyor (1); inspected actual layer state before proceeding. Criterion 7: The inspected Call resolves successfully with 110 samples and HTTP 200 for its detail requests. No reproducible unavailable/error Call detail fixture or observable sustained loading state is supplied. Errors on unrelated Automobile/Ping layers do not exercise Call detail error handling; these branches remain untested. Criterion 7: Verified actual Call detail requests succeeded. No Call no-data/error state was observed or manufactured; captured populated state documenting the non-matching prerequisite. Inconclusive evidence is reported as Failed, but is not a confirmed application defect. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.	N	Y	1
2. When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.	N	Y	1
3. When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.	N	Y	0
4. For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.	Y	N	0
5. Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.	N	Y	0
6. When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.	N	N	0
7. While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.	N	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.

4.1 Tests


Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.	When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.	criterion-1-final.png and criterion-1-summary-bottom.png show the summary from Username through Error Message: Success, connection time 1310 and start/end times are present, but duration and handset are absent. Disconnection Cause Code is blank. Evidence: E01, E02, E03, E04, E05, E06, E07, E08	Failed


Criterion 1 evidence: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.





Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E01 - Gis before surveyor (criterion-1-gis-before-surveyor.png)



E02 - Surveyor before call (criterion-1-surveyor-before-call.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Layer options (criterion-1-layer-options.png)**  				
Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E04 - Call layer (criterion-1-call-layer.png)** 				
Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - Before map search (criterion-1-before-map-search.png)** 				
Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E06 - After map search (criterion-1-after-map-search.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E07 - Cluster before open (criterion-1-cluster-before-open.png)**  **E08 - Final (criterion-1-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.	When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.	criterion-2-final.png shows the settled chart with signal strength and Call initiated/Connected/Call ended markers, but no service-technology track or series; 4G appears only in the separate summary and sample row. Evidence: E09, E10, E11, E12, E13	Failed



Criterion 2 evidence: When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E09 - Gis before layer (criterion-2-gis-before-layer.png)



E10 - Before map search (criterion-2-before-map-search.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E11 - Map before point (criterion-2-map-before-point.png)**  **E12 - Cluster before open (criterion-2-cluster-before-open.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Final (criterion-2-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.	When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.	criterion-3-before-sort.png and criterion-3-final.png show identical headers and first sample 08:12:32.797 after the reported Time click. Only the table top is captured; no changed ordering or filtering interaction is demonstrated, and these views do not establish the absence of controls throughout the table. Evidence: E14, E15, E16, E17, E18	Failed



Criterion 3 evidence: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E14 - Before map search (criterion-3-before-map-search.png)



E15 - Map before point (criterion-3-map-before-point.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E16 - Call active (criterion-3-call-active.png)**  **E17 - Call cluster (criterion-3-call-cluster.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E18 - Final (criterion-3-final.png)**  				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.	For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.	criterion-4-resumed-known-cell.png shows Serving Cell 510633_124_4 for the 22/09/2026 call; criterion-4-final.png shows CGI-form value 234-30-3922178 for the 12/10/2026 call. The recovered criterion-owned sequence demonstrates both displayed representations. Evidence: E19, E15, E20, E21, E22, E23, E24, E25, E26	Passed





Criterion 4 evidence: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E19 - Before search (criterion-4-before-search.png)



E15 - Before point (criterion-4-before-point.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E20 - Cluster before open (criterion-4-cluster-before-open.png)**  **E21 - Known cell (criterion-4-known-cell.png)** 				
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E20 - Before second call (criterion-4-before-second-call.png)**  **E22 - Resumed before search (criterion-4-resumed-before-search.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E23 - Resumed before point (criterion-4-resumed-before-point.png)**  **E24 - Resumed known cell (criterion-4-resumed-known-cell.png)** 				
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E25 - Resumed before fallback call (criterion-4-resumed-before-fallback-call.png)**  **E26 - Final (criterion-4-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.	Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.	criterion-5-before-sample.png shows sample 22/09/2026 08:12:32.797 with cell 510633_124_4. criterion-5-final.png shows Selected measurement / Radio details with matching username and cell, but no selected timestamp is visible, so correspondence to the asserted point in time remains unproven. Evidence: E27, E28, E29, E30, E31, E32, E33, E34	Failed





Criterion 5 evidence: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E27 - Before search (criterion-5-before-search.png)



E28 - Before point (criterion-5-before-point.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E29 - Layer options (criterion-5-layer-options.png)**  			**E30 - Call added (criterion-5-call-added.png)** 	
Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E31 - Call map before point (criterion-5-call-map-before-point.png)** 			**E32 - Cluster before call (criterion-5-cluster-before-call.png)** 	

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E33 - Before sample (criterion-5-before-sample.png)**  **E34 - Final (criterion-5-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.	When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.	criterion-6-final.png shows all five available Call events with distinct start/end times, each 20 seconds apart. No zero-duration or unmeasurable-duration Call fixture is identified in the supplied inputs; the required no-data branch could not be tested. Evidence: E35, E36, E37, E38, E39, E40, E41	Blocked





Criterion 6 evidence: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E35 - Before search (criterion-6-before-search.png)



E36 - Before point (criterion-6-before-point.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E37 - Before surveyor (criterion-6-before-surveyor.png)**  **E38 - Surveyor options (criterion-6-surveyor-options.png)** 				
Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E39 - Before call (criterion-6-before-call.png)**  **E40 - Call before point (criterion-6-call-before-point.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E41 - Final (criterion-6-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.	While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.	criterion-7-final.png shows successfully populated Call details. No reproducible Call unavailable/error fixture or captured loading state is supplied; unrelated layer errors do not exercise these Call-detail branches, which remain untested. Evidence: E42, E43, E44, E45	Blocked



Criterion 7 evidence: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E42 - Before search (criterion-7-before-search.png)



E43 - Before point (criterion-7-before-point.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E44 - Before call (criterion-7-before-call.png)**  **E45 - Final (criterion-7-final.png)** 				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

