Automated Test Case Document

Jira Ticket: TEST2-87

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	27/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 5
About Metricell 41

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	27/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-87
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 156.0.8078.48
Date of Test:	27/10/2026
Limitations during Testing:	Blocked criterion(s): 6, 7. See the assessment below each criterion. Unverified criterion(s): 5. See the assessment below each criterion. Criteria 7 used simulated UI conditions; see their assessments. Inconclusive evidence is reported as Failed, but is not a confirmed application defect.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass (Y/N)	Fail (Y/N)	Blocked (Y/N)	Defect No
1. When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.	Y	N	N	0
2. When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.	N	Y	N	1
3. When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.	N	Y	N	1
4. For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.	N	Y	N	1
5. Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.	N	Y	N	0
6. When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.	N	N	Y	0
7. While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.	N	N	Y	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.	When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.	criterion-1-summary-decisive.png and criterion-1-summary-middle.png show the completed Automobile Call summary: Success, duration 70 s, connection time 1888 ms, start 19/08/2026 09:34:39, end 09:35:49, and handset identifier MSISDN 447925375897. Disconnection Cause Code is N/A, consistent with the reported null value; the source requires available fields, not an invented cause or unreturned handset model. Evidence: E01, E02, E03, E04, E05, E06, E07, E08	Passed



Criterion 1 evidence: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E01 - Test type choices (criterion-1-test-type-choices.png)






E02 - Call config (criterion-1-call-config.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Before search (criterion-1-before-search.png)**  **E04 - Search position (criterion-1-search-position.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - Detail open (criterion-1-detail-open.png)**  **E06 - Summary middle (criterion-1-summary-middle.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E07 - Summary end (criterion-1-summary-end.png)**  **E05 - Final (criterion-1-final.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E08 - Summary decisive (criterion-1-summary-decisive.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.	When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.	criterion-2-detail-open.png and criterion-2-final.png show a Signal strength series across approximately 0–120 seconds containing the 70-second call, with initiation, serving-cell-change and end annotations. The hover in criterion-2-final.png shows 12.72 seconds and -104 only. Service technology is absent from the chart despite 5G NSA appearing in its sample table. Event annotations do not establish the complete returned call-state timeline. Evidence: E09, E10, E11, E12, E13, E14	Failed





Criterion 2 evidence: When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E09 - Test type choices (criterion-2-test-type-choices.png)



E10 - Call config (criterion-2-call-config.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E11 - Call layer (criterion-2-call-layer.png)**  **E12 - Search position (criterion-2-search-position.png)** 				
Criterion 2 continued: When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Detail open (criterion-2-detail-open.png)**  **E14 - Final (criterion-2-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.	When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.	criterion-3-descending-readable.png shows the settled Signal Strength down arrow with -76,-77,-80,-82,-83 dBm; criterion-3-ascending-readable.png and criterion-3-final-readable.png show the up arrow with -111,-111,-109,-107,-107 dBm. These later captures repair the clipped rows in criterion-3-final.png. The readable headers and criterion-3-table-end-no-filters.png show the sample table without filtering controls. Sorting of the remaining columns was not demonstrated. Evidence: E15, E16, E11, E17, E18, E19, E20, E21, E22, E23, E24, E25	Failed





Criterion 3 evidence: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E15 - Test type choices (criterion-3-test-type-choices.png)






E16 - Call config (criterion-3-call-config.png)









ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E11 - Call layer (criterion-3-call-layer.png)**  **E17 - Search position (criterion-3-search-position.png)** 				
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E18 - Detail open (criterion-3-detail-open.png)**  **E19 - Table baseline (criterion-3-table-baseline.png)** 				





ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E20 - Sort ascending (criterion-3-sort-ascending.png)**  **E21 - Sort descending (criterion-3-sort-descending.png)** 				
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E22 - Descending readable (criterion-3-descending-readable.png)**  **E23 - Ascending readable (criterion-3-ascending-readable.png)** 				



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E24 - Table end no filters (criterion-3-table-end-no-filters.png)**  **E21 - Final (criterion-3-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E25 - Final readable (criterion-3-final-readable.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.	For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.	criterion-4-samples-1.png through criterion-4-samples-4.png and criterion-4-fallback-samples-1.png through criterion-4-fallback-samples-4.png cover the two complete reported datasets (33 and 36 samples), with overlapping readable times and site/cell values matching the supplied reconciliation. The headers are separate Site and Cell, with no required Serving Cell column. criterion-4-final-fallback.png decisively shows CGI 234-10-131567226 at 09:44:40.04, 09:44:42.54 and 09:44:43.953; known rows retain site/cell identities. At 09:44:12.95 both source identifiers are absent and the displayed value is N/A; no CGI was available to invent. Evidence: E26, E27, E11, E28, E29, E30, E31, E32, E33, E34, E35, E36, E37	Failed
Criterion 4 assessment: Testing notes: Closed the owned test tab and searched the unknown-cell aggregate at 52.19729641975413, 0.10128021240234375. A center click timed out because the search marker intercepted it; reinspected the UI, cleared that marker with its visible search clear control, and opened the actual aggregate. POST cluster-details and test-analysis returned HTTP 200 for the Success test starting 2026-08-19T09:43:34.693 (70 s).				
Criterion 4 evidence: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E26 - Test type choices (criterion-4-test-type-choices.png)**  **E27 - Call config (criterion-4-call-config.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E11 - Call layer (criterion-4-call-layer.png)** 			**E28 - Search position (criterion-4-search-position.png)** 	
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E29 - Detail open (criterion-4-detail-open.png)** 			**E30 - Samples 1 (criterion-4-samples-1.png)** 	

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E31 - Samples 2 (criterion-4-samples-2.png)**  **E32 - Samples 3 (criterion-4-samples-3.png)** 				
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E33 - Samples 4 (criterion-4-samples-4.png)**  **E34 - Final (criterion-4-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E35 - Fallback samples 1 (criterion-4-fallback-samples-1.png)**  **E36 - Fallback samples 4 (criterion-4-fallback-samples-4.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E37 - Final fallback (criterion-4-final-fallback.png)**				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.	Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.	criterion-5-before-select-sample.png shows the intended 09:35:17.33 row, cell 105_120_4 and -91 dBm. criterion-5-after-select-sample.png, criterion-5-service-fields.png and criterion-5-final.png show a new Call detail tab with Service State In Service, Service 4G, Data Technology 5G NSA, cell 105_120_4 and site 105. However, the opened tab's timestamp is truncated and no readable detail timestamp identifies the selected instant. The reported sampleTime request supports the tester's account but does not replace direct visible proof of the exact time; that part remains Unverified. Evidence: E38, E39, E40, E41, E13, E42, E43, E44, E45	Failed
Criterion 5 assessment: Testing notes: An initial cleanup loop timed out after closing one owned tab because its second index changed; reinspected the UI and completed cleanup using the remaining first matching owned tab.				





Criterion 5 evidence: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E38 - Test type choices (criterion-5-test-type-choices.png)




E39 - Call config (criterion-5-call-config.png)











ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E40 - Call layer (criterion-5-call-layer.png)** 			**E41 - Search position (criterion-5-search-position.png)** 	
Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Detail open (criterion-5-detail-open.png)** 			**E42 - Before select sample (criterion-5-before-select-sample.png)** 	





ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E43 - After select sample (criterion-5-after-select-sample.png)**  **E44 - Service fields (criterion-5-service-fields.png)** 				



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E45 - Final (criterion-5-final.png)**				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.	When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.	Required zero/null-duration Call fixture was not established in the inspected Automobile dataset. criterion-6-dropped-call-positive-duration.png shows 47.968 s and criterion-6-setup-failure-positive-duration.png / criterion-6-final.png show 11.941 s. Both contain populated analysis and neither exercises the no-measurable-duration prerequisite. Testing this branch could not be completed; these captures do not prove fixture absence elsewhere or a no-data product defect. Evidence: E46, E47, E48, E17, E49, E50, E51, E52, E53, E54, E55, E56, E57	Blocked
Criterion 6 assessment: Testing notes: No genuine Call point with zero/null measurable test duration was established in the inspected Automobile dataset. The dropped-call fixture has 47.968 s and the setup-failure fixture has 11.941 s. Neither exercises the criterion. Browser simulation is not authorised to manufacture business measurement data or reinterpret a failed call as a failed detail request. Started at the same Cambridge area, then searched the returned failed aggregate at 52.19666510205681, 0.13492584228515625. Initial projected click was blocked by the legend; reinspected and recentered using Search Map, cleared its marker and opened the aggregate. Its 30 September Drop Call test returned 47.968 s, so it is unsuitable for no-duration coverage. Opened the owned layer configuration, scrolled to Test Results and selected only Setup Failures, leaving technologies and other filters unchanged. Applied; Apply closed configuration, so a subsequent Close configuration action timed out; reinspected the settled UI rather than applying again. GET /api/platform/automobile/call/points with testResultFilter=true&testResults=2 returned HTTP 200 and a setup-failure aggregate. Zoomed out three increments to inspect wider coverage, then searched its returned coordinates 52.185720837176895, 0.1490020751953125. Opened the genuine setup failure. POST /api/platform/automobile/call/cluster-details returned point 132307934 and testDurationMs 11941, start 2026-09-09T10:55:53.17, end 10:56:05.11. Analysis returned HTTP 200 with samples; final PNG positively shows 11.941 s, so it cannot prove no-data handling. No zero-duration prerequisite fixture is claimed.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 evidence: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E46 - Test type choices (criterion-6-test-type-choices.png)**  **E47 - Call config (criterion-6-call-config.png)** 				
Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E48 - Call layer (criterion-6-call-layer.png)**  **E17 - Search position (criterion-6-search-position.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E49 - Failure record position (criterion-6-failure-record-position.png)**  **E50 - Failure record before open (criterion-6-failure-record-before-open.png)** 				
Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E51 - Dropped call positive duration (criterion-6-dropped-call-positive-duration.png)**  **E52 - Before setup filter (criterion-6-before-setup-filter.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E53 - Setup failures filter (criterion-6-setup-failures-filter.png)**  **E54 - Setup failures map (criterion-6-setup-failures-map.png)** 				
Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E55 - Setup failures wide (criterion-6-setup-failures-wide.png)**  **E56 - Setup failure before open (criterion-6-setup-failure-before-open.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E57 - Setup failure positive duration (criterion-6-setup-failure-positive-duration.png)**  **E57 - Final (criterion-6-final.png)** 				
7.0.0	While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.	While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.	Testing could not be completed; see the assessment below. Evidence: E58, E59, E60, E61, E13, E62, E63, E64, E65, E66, E67, E68, E69, E70	Blocked
Criterion 7 assessment: SIMULATED UI STATE: This verifies browser-local Automobile Call analysis loading/error UI, not naturally occurring backend failure or the whole dialog becoming unavailable. Supplied request audit scopes the read to POST https://o2intelligence-v4-dev.metricell.com/api/platform/automobile/call/test-analysis, pointId 132307934, excluding sampleTime requests; unmatched requests fall through. Record A is 132006263 (19/08/2026 09:34:39, 70 s); target B is 132307934 (09/09/2026 10:55:53, 11.941 s). criterion-7-prior-record-before-loading.png and criterion-7-prior-record-before-error.png establish A's distinct analysis before each transition. criterion-7-target-genuine-baseline.png establishes B's real populated response/UI. Holding B's original request produced the visible loading message/progress bar in criterion-7-simulated-loading.png; releasing it recovered genuine HTTP 200/22 samples per audit and the matching B analysis in criterion-7-loading-genuine-recovery.png. A separately injected synthetic HTTP 503 Service Unavailable, application/problem+json {title:'Service Unavailable',status:503}, produced the visible error and Retry in criterion-7-simulated-error.png / criterion-7-final.png. Both transitions retain B's correct summary and exclude A's prior chart/table; a failed call measurement is not being treated as a failed analysis request. The populated response establishes endpoint/record identity only. No actual empty response or authoritative empty-response schema was available, so unavailable/no-data behavior and its incorrect-data exclusion remain Blocked; no empty contract was inferred by removing populated arrays. The supplied cleanup audit states all owned pending requests were resolved, zero remained, and only the exact owned pattern/handler was removed and its absence checked before Retry. criterion-7-error-genuine-recovery.png corroborates recovered B analysis after the reported genuine HTTP 200/22 samples; criterion-7-cleanup.png shows removed UI selections. Handler removal is supported by that explicit audit, not proven by a page screenshot. Map viewport was changed and not restored exactly.				



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Testing notes: SIMULATED UI STATE: Within this criterion first loaded distinct valid record A (132006263, 19 August 09:34:39), then normally opened target B (132307934, 9 September 10:55:53) at 52.185720837176895, 0.1490020751953125. Verified its genuine POST test-analysis response HTTP 200 and 22 rows. A wait for visible text 'Call measurements' timed out because this is the table's accessibility name; reinspected and confirmed the table by role, without repeating the action.				
Criterion 7 evidence: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**				



E58 - Test type choices (criterion-7-test-type-choices.png)







E59 - Call config (criterion-7-call-config.png)







ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E60 - Call layer (criterion-7-call-layer.png)**  **E61 - Search position (criterion-7-search-position.png)** 				



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Valid record baseline (criterion-7-valid-record-baseline.png)**  **E62 - Target before open (criterion-7-target-before-open.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E63 - Target genuine baseline (criterion-7-target-genuine-baseline.png)**  **E64 - Prior record before open (criterion-7-prior-record-before-open.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E62 - Before simulated loading (criterion-7-before-simulated-loading.png)**  **E65 - Simulated loading (criterion-7-simulated-loading.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E66 - Loading genuine recovery (criterion-7-loading-genuine-recovery.png)**  **E67 - Prior record before error open (criterion-7-prior-record-before-error-open.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Prior record before error (criterion-7-prior-record-before-error.png)**  **E62 - Before simulated error (criterion-7-before-simulated-error.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E68 - Simulated error (criterion-7-simulated-error.png)**  **E69 - Final (criterion-7-final.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**				

E13 - Prior record before loading (criterion-7-prior-record-before-loading.png)




E70 - Error genuine recovery (criterion-7-error-genuine-recovery.png)




Supporting setup captures - full attempt evidence remains in the local evidence folder

E71 - Before automobile (criterion-1-before-automobile.png)



E72 - Automobile config (criterion-1-automobile-config.png)



metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

