Automated Test Case Document

Jira Ticket: TEST2-85

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.1
Date:	27/10/2026
Document Author:	Existing evidence reassessment
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 5
4.1 Tests 5
About Metricell 32

1 Revision History

Version	Date	Revision Author	Summary of Changes
1.1	27/10/2026	TEST2 QA reassessment	Reassessed existing evidence against source-qualified criteria; original test history preserved.

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-85
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 156.0.8078.48
Date of Test:	26/10/2026; existing-evidence reassessment 27/10/2026
Limitations during Testing:	Blocked criterion(s): 6, 9. See the assessment below each criterion. Criteria 8, 10 used simulated UI conditions; see their assessments.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis
Review basis:	Reassessed existing evidence against the corrected source-qualified criteria. Original test attempt and earlier review retained; no new test attempt. 8/10 criteria passed; 0 failed and 2 blocked. Manual existing-evidence reassessment on 27 October 2026; no new independent worker or test attempt. Criteria 6 and 9 still need a genuine returned-average fixture and an authoritative unavailable-details response contract/example. Earlier tester history and the prior independent review are preserved.

3 Test Summary

Area of test	Pass (Y/N)	Fail (Y/N)	Blocked (Y/N)	Defect No
1. Given a completed Download test is selected and its details have loaded, the summary shows the test and device information available for that record, including Download Rate and Wi-Fi connection status. Returned technology, user, handset, service, serving cell, duration, tested technologies and indoor/outdoor values are displayed accurately.	Y	N	N	0
2. Given Download samples are available, a time-series chart shows Signal Strength in dBm and Download Rate in Mbps across the test duration.	Y	N	N	0
3. Given per-sample Download data is available, each returned sample is shown in a table with its relevant units.	Y	N	N	0
4. Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	Y	N	N	0
5. Given per-sample data is available, filtering the table shows only rows matching the selected filter.	Y	N	N	0
6. Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Download Rate.	N	N	Y	0
7. Given a Download point has no measurable duration, its row is disabled as the no-data state and selecting it does not open an empty details view.	Y	N	N	0
8. Given Download details are loading, the detail presentation shows a loading state.	Y	N	N	0
9. Given Download details are unavailable, the detail presentation shows a no-data state.	N	N	Y	0
10. Given loading Download details fails, the detail presentation shows an error state and does not display incorrect data.	Y	N	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Given a completed Download test is selected and its details have loaded, the summary shows the test and device information available for that record, including Download Rate and Wi-Fi connection status. Returned technology, user, handset, service, serving cell, duration, tested technologies and indoor/outdoor values are displayed accurately.	Given a completed Download test is selected and its details have loaded, the summary shows the test and device information available for that record, including Download Rate and Wi-Fi connection status. Returned technology, user, handset, service, serving cell, duration, tested technologies and indoor/outdoor values are displayed accurately.	Existing-evidence reassessment against the corrected source-qualified criterion. Automobile Download point 132047153 shows Download Rate 24.12 Mbps, Wi-Fi Connected No, technology/service/data technology 5G NSA, serving cell 105_112_4, tested technologies 4G and duration 30.431 s. The captured summary and recorded genuine response agree for the returned values. User, handset and indoor/outdoor values were not supplied for this record; the source requires available information, not fabricated values. MSISDN is not treated as proof of a user identity. Evidence: E01, E02, E03	Passed


Criterion 1 evidence: Given a completed Download test is selected and its details have loaded, the summary shows the test and device information available for that record, including Download Rate and Wi-Fi connection status. Returned technology, user, handset, service, serving cell, duration, tested technologies and indoor/outdoor values are displayed accurately.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Details loaded (criterion-1-details-loaded.png)



E02 - Summary middle fixed (criterion-1-summary-middle-fixed.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given a completed Download test is selected and its details have loaded, the summary shows the test and device information available for that record, including Download Rate and Wi-Fi connection status. Returned technology, user, handset, service, serving cell, duration, tested technologies and indoor/outdoor values are displayed accurately. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Final (criterion-1-final.png)** 


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	Given Download samples are available, a time-series chart shows Signal Strength in dBm and Download Rate in Mbps across the test duration.	Given Download samples are available, a time-series chart shows Signal Strength in dBm and Download Rate in Mbps across the test duration.	criterion-2-final.png shows both Signal strength and Download Rate series, dBm and Mbps axes, and Seconds across approximately 0–30 seconds. The criterion-owned loaded summary shows the corresponding test interval. This directly establishes the requested time-series presentation for Automobile Download point 132047153. Evidence: E04, E05, E06, E07	Passed



Criterion 2 evidence: Given Download samples are available, a time-series chart shows Signal Strength in dBm and Download Rate in Mbps across the test duration.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E04 - Test types (criterion-2-test-types.png)



E05 - Download config (criterion-2-download-config.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given Download samples are available, a time-series chart shows Signal Strength in dBm and Download Rate in Mbps across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E06 - After add (criterion-2-after-add.png)**  **E07 - Final (criterion-2-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Given per-sample Download data is available, each returned sample is shown in a table with its relevant units.	Given per-sample Download data is available, each returned sample is shown in a table with its relevant units.	criterion-3-table-wide-01.png through criterion-3-table-wide-06.png (also criterion-3-final.png) provide overlapping coverage from the first sample at 10:38:50 to the last at 10:39:20 for point 132047153. Time, signal strength in dBm, Download Rate in Mbps, technology, cell, size in MB and mobile data state are readable throughout. The tester bounds the complete response to 121 samples and records a 121/121 ordered seven-field reconciliation with zero mismatches; the full visible sequence supports that scope rather than a sampled-row claim. Evidence: E08, E09, E10, E11, E12, E13, E14, E15, E16, E17, E18	Passed





Criterion 3 evidence: Given per-sample Download data is available, each returned sample is shown in a table with its relevant units.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E08 - Test types (criterion-3-test-types.png)





E09 - Download config (criterion-3-download-config.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given per-sample Download data is available, each returned sample is shown in a table with its relevant units. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E10 - After add (criterion-3-after-add.png)**  **E11 - Details loaded (criterion-3-details-loaded.png)** 				
Criterion 3 continued: Given per-sample Download data is available, each returned sample is shown in a table with its relevant units. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E12 - Table 01 (criterion-3-table-01.png)**  **E13 - Table wide 01 (criterion-3-table-wide-01.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given per-sample Download data is available, each returned sample is shown in a table with its relevant units. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E14 - Table wide 02 (criterion-3-table-wide-02.png)** 			**E15 - Table wide 03 (criterion-3-table-wide-03.png)** 	
Criterion 3 continued: Given per-sample Download data is available, each returned sample is shown in a table with its relevant units. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E16 - Table wide 04 (criterion-3-table-wide-04.png)** 			**E17 - Table wide 05 (criterion-3-table-wide-05.png)** 	

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given per-sample Download data is available, each returned sample is shown in a table with its relevant units. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E18 - Table wide 06 (criterion-3-table-wide-06.png)**  **E18 - Final (criterion-3-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	criterion-4-before-sort.png shows mixed Download Rate values in chronological order; criterion-4-after-sort-ascending.png shows the selected Download Rate column ascending (0.00, then 0.30, 0.56, 1.56 Mbps); criterion-4-final.png shows its descending indicator and 67.92, 63.81, 63.46, 63.28, 62.94, 62.03 Mbps. The settled values directly show the required change in visible order. Evidence: E19, E20, E06, E07, E12, E21, E22	Passed





Criterion 4 evidence: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E19 - Test types (criterion-4-test-types.png)



E20 - Download config (criterion-4-download-config.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E06 - After add (criterion-4-after-add.png)**  **E07 - Details loaded (criterion-4-details-loaded.png)** 				
Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E12 - Before sort (criterion-4-before-sort.png)**  **E21 - After sort ascending (criterion-4-after-sort-ascending.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E22 - Final (criterion-4-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	Given per-sample data is available, filtering the table shows only rows matching the selected filter.	Given per-sample data is available, filtering the table shows only rows matching the selected filter.	criterion-5-before-filter.png supplies the unfiltered baseline. criterion-5-final.png shows filter 105_112_4 and the complete three-row result, all with cell 105_112_4 (0.00, 0.00, 1.77 Mbps). criterion-5-filter-restored.png shows the cleared filter and mixed-cell rows again. The matching-only filtered state is directly visible. Evidence: E23, E24, E06, E07, E12, E25, E26	Passed



Criterion 5 evidence: Given per-sample data is available, filtering the table shows only rows matching the selected filter.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E23 - Test types (criterion-5-test-types.png)



E24 - Download config (criterion-5-download-config.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given per-sample data is available, filtering the table shows only rows matching the selected filter. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E06 - After add (criterion-5-after-add.png)**  **E07 - Details loaded (criterion-5-details-loaded.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome

Criterion 5 continued: Given per-sample data is available, filtering the table shows only rows matching the selected filter.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E12 - Before filter (criterion-5-before-filter.png)



E25 - Final (criterion-5-final.png)








E12 detail enlargement - full screenshot above



E25 detail enlargement - full screenshot above




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given per-sample data is available, filtering the table shows only rows matching the selected filter. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E26 - Filter restored (criterion-5-filter-restored.png)** 				
6.0.0	Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Download Rate.	Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Download Rate.	criterion-6-final.png shows Download Rate immediately followed by Band, with none of the three average-metric rows. The inspected response reportedly did not return average Signal Strength, Signal Quality or SNR. The conditional starting fixture was not established, so presence and consecutive order of returned averages remain blocked; absence here does not establish a defect. Evidence: E27, E28, E10, E07	Blocked
Criterion 6 assessment: Testing notes: Point 132047153 has no returned average Signal Strength, Signal Quality or SNR values and no corresponding summary rows. A genuine Automobile Download fixture returning all three averages is required to verify their presence and order; missing values are not classified as a product failure.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 evidence: Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Download Rate. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E27 - Test types (criterion-6-test-types.png)**  **E28 - Download config (criterion-6-download-config.png)** 				
Criterion 6 continued: Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Download Rate. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E10 - After add (criterion-6-after-add.png)**  **E07 - Final (criterion-6-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	Given a Download point has no measurable duration, its row is disabled as the no-data state and selecting it does not open an empty details view.	Given a Download point has no measurable duration, its row is disabled as the no-data state and selecting it does not open an empty details view.	Existing-evidence reassessment of the 26 October genuine zero-duration investigation. Download record 132611563 returned testDurationMs=0 in the recorded cluster response. Its row was aria-disabled with the title "Test details require a positive test duration." The captured list shows the record with equal start/end times and N/A rate; the PNG alone does not establish millisecond duration. The recorded API observation establishes zero duration, and the disabled row prevents an empty details view. The user confirmed on 27 October that this disabled row is the accepted no-data state. No disabled control was bypassed. Evidence: E29, E10, E30	Passed


Criterion 7 evidence: Given a Download point has no measurable duration, its row is disabled as the no-data state and selecting it does not open an empty details view.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E29 - Investigation 20261026 download config (investigation-20261026-download-config.png)



E10 - Investigation 20261026 download map (investigation-20261026-download-map.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: Given a Download point has no measurable duration, its row is disabled as the no-data state and selecting it does not open an empty details view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E30 - Investigation 20261026 zero duration 132611563 (investigation-20261026-zero-duration-132611563.png)** 				
8.0.0	Given Download details are loading, the detail presentation shows a loading state.	Given Download details are loading, the detail presentation shows a loading state.	The recorded check satisfied the criterion; see the assessment below. Evidence: E31, E07, E06	Passed
Criterion 8 assessment: SIMULATED UI STATE: Delayed the selected detail request to check loading. Criterion-owned The evidence establishes the genuine starting record, The evidence the closed-panel transition, The evidence visibly shows the loading message/progress bar without stale analysis, and The evidence shows the recovered chart.				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 evidence: Given Download details are loading, the detail presentation shows a loading state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E31 - Final (criterion-8-final.png)**  **E07 - Genuine recovery (criterion-8-genuine-recovery.png)** 				
Criterion 8 continued: Given Download details are loading, the detail presentation shows a loading state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E07 - Details loaded (criterion-8-details-loaded.png)**  **E06 - Before delayed load (criterion-8-before-delayed-load.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
9.0.0	Given Download details are unavailable, the detail presentation shows a no-data state.	Given Download details are unavailable, the detail presentation shows a no-data state.	criterion-9-final.png shows a populated Automobile Download chart for point 132047153, not a no-data state. The supplied results describe a successful 121-sample POST /api/platform/automobile/download/test-analysis and establish neither a genuine unavailable fixture nor an authoritative empty-response contract. The prerequisite remains blocked; no missing-module or current backend-failure claim is supported. Evidence: E32, E33, E34, E35, E36	Blocked


Criterion 9 assessment: Testing notes: A genuine POST /api/platform/automobile/download/test-analysis for point 132047153 returned 200 with 121 samples and a populated chart. No actual unavailable response or project-documented empty-response contract was supplied/established. Emptying a successful response would invent the contract, so no no-data simulation was performed. An authoritative empty-response contract or genuine unavailable fixture is required. The supplied sources establish no empty-response contract, and this inspected record is available. Recorded the missing unavailable-data prerequisite; did not simulate an invented empty response.



Criterion 9 evidence: Given Download details are unavailable, the detail presentation shows a no-data state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E32 - Test types (criterion-9-test-types.png)









E33 - Download config (criterion-9-download-config.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: Given Download details are unavailable, the detail presentation shows a no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E34 - After add (criterion-9-after-add.png)**  **E35 - Details loaded (criterion-9-details-loaded.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: Given Download details are unavailable, the detail presentation shows a no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E36 - Final (criterion-9-final.png)** 			
10.0.0	Given loading Download details fails, the detail presentation shows an error state and does not display incorrect data.	Given loading Download details fails, the detail presentation shows an error state and does not display incorrect data.	The recorded check satisfied the criterion; see the assessment below. Evidence: E37, E38, E39, E40, E41, E42	Passed
Criterion 10 assessment: SIMULATED UI STATE: Returned HTTP 503 for the selected detail request to check error handling. The evidence shows target 132047153 at 24.12 Mbps with the error, Retry and no stale chart/table;				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 10 evidence: Given loading Download details fails, the detail presentation shows an error state and does not display incorrect data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E37 - Test types (criterion-10-test-types.png)**  **E38 - Download config (criterion-10-download-config.png)** 				
Criterion 10 continued: Given loading Download details fails, the detail presentation shows an error state and does not display incorrect data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E39 - Before distinct baseline (criterion-10-before-distinct-baseline.png)**  **E40 - Distinct valid baseline (criterion-10-distinct-valid-baseline.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 10 continued: Given loading Download details fails, the detail presentation shows an error state and does not display incorrect data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E39 - Before error load (criterion-10-before-error-load.png)**  **E41 - Final (criterion-10-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 10 continued: Given loading Download details fails, the detail presentation shows an error state and does not display incorrect data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E42 - Genuine recovery (criterion-10-genuine-recovery.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Supporting setup captures - full attempt evidence remains in the local evidence folder				

E43 - Before automobile (criterion-2-before-automobile.png)



E44 - Automobile config (criterion-2-automobile-config.png)



metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

