Automated Test Case Document

Jira Ticket: TEST2-82

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	19/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 5
About Metricell 24

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	19/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-82
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	19/10/2026
Limitations during Testing:	4 blocked; 0 inconclusive criterion(s). Reviewed all six criteria against attempt-001. Two display assertions have direct Ping evidence; four remain blocked by workspace isolation or unavailable Ping fixtures. The unrelated Automobile error is not evidence of a Ping defect. Criterion 1: The first initial capture failed because its directory did not exist; the directory was created, and the criterion restarted with fresh verified evidence. A later screenshot call timed out but its PNG was saved and verified. Cleanup map search restored the approximate original location; exact zoom/search-box restoration was incomplete. Criterion 2: Final evidence directly supports the display assertion. Restoration remained incomplete after the workspace changed to unrelated Automobile and Call state; the test-created Ping layer could not subsequently be distinguished safely from restored layers. Criterion 2: Opened GIS; it restored an existing Download layer and details. Initial exact-text Surveyor lookup timed out because the visible text included a selected-layer count. Criterion 3: The workspace changed outside the recorded criterion actions: Download details and layers became Automobile HTTP Browsing/Call and other layers. The cause was not established. Existing general-technology Ping layers also prevented attributing a subsequent point selection to this criterion's layer. This is an environment isolation blocker, not an observed Ping product failure. Criterion 3: Observed the workspace showing Automobile HTTP Browsing details with Unable to load point details and additional unrelated layers, instead of a reliably isolated Ping detail test. Criterion 4: Unsolicited workspace changes continued across independent starts, so a stable isolated Ping selection/loading transition could not be established. No claim is made about the loading-state implementation. No test-created changes were made in this criterion. Criterion 5: The supplied complete ticket/criteria identify no selectable Ping point whose details are unavailable, and no such fixture was established. An empty map or unrelated Automobile failure cannot prove Ping no-data behavior. Unexpected workspace changes additionally prevented reliable isolation. No data was created or responses altered. Criterion 6: No supplied or discovered fixture reproducibly caused selected Ping details to fail to load. A measurement's Ping Error legend category is not evidence of a detail-request failure, and the unrelated Automobile error cannot support this assertion. Unexpected workspace changes also prevented isolation. No fault was injected and no data was modified. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms).	Y	N	0
2. When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time.	Y	N	0
3. With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state.	N	N	0
4. While Ping details are loading, the detail view shows a loading state.	N	N	0
5. When Ping details are unavailable, the detail view shows a no-data state.	N	N	0
6. When Ping details fail to load, the detail view shows an error state and does not display data as if it belonged to the selected point.	N	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms).	When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms).	criterion-1-cluster.png identifies the selected mm wave 2 event at 06/10/2026 10:36:18; criterion-1-final.png shows the matching Ping detail with Ping Time 24 ms. Evidence: E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13	Passed





Criterion 1 evidence: When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms).
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E01 - Restart surveyor dialog (criterion-1-restart-surveyor-dialog.png)





E02 - Layer options (criterion-1-layer-options.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms). **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Ping selected (criterion-1-ping-selected.png)**  **E04 - After add ping (criterion-1-after-add-ping.png)** 				
Criterion 1 continued: When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms). **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - Configure ping (criterion-1-configure-ping.png)**  **E06 - Survey list (criterion-1-survey-list.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms). **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E07 - Survey selected (criterion-1-survey-selected.png)**  **E08 - Survey applied (criterion-1-survey-applied.png)** 				
Criterion 1 continued: When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms). **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - Filtered map (criterion-1-filtered-map.png)**  **E10 - Before coordinate search (criterion-1-before-coordinate-search.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms). **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E11 - After coordinate search (criterion-1-after-coordinate-search.png)**  **E12 - Cluster (criterion-1-cluster.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms). **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Final (criterion-1-final.png)**				




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time.	When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time.	criterion-2-ping-cluster.png and criterion-2-final.png show the selected 06/10/2026 10:36:18 event with Ping Time 24 ms alongside Jitter 2 ms, Cell ID 33097_110_4 and Data Technology 5G NSA. Evidence: E14, E15, E16, E17, E18, E19, E20, E21, E22, E23, E24, E25, E26	Passed





Criterion 2 evidence: When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E14 - Gis (criterion-2-gis.png)






E15 - Surveyor dialog (criterion-2-surveyor-dialog.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E16 - Options (criterion-2-options.png)**  **E17 - Selected ping (criterion-2-selected-ping.png)** 				
Criterion 2 continued: When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E18 - Added ping (criterion-2-added-ping.png)**  **E19 - Config (criterion-2-config.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E20 - Surveys (criterion-2-surveys.png)**  **E21 - Survey chosen (criterion-2-survey-chosen.png)** 				
Criterion 2 continued: When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E22 - Survey configured (criterion-2-survey-configured.png)**  **E23 - Filter applied (criterion-2-filter-applied.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E24 - Point map (criterion-2-point-map.png)**  **E25 - Ping cluster (criterion-2-ping-cluster.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E26 - Final (criterion-2-final.png)**  				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state.	With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state.	criterion-3-only-5g-nsa.png shows Ping configured with only 5G NSA, but criterion-3-ping-added.png and criterion-3-final.png show multiple existing layers and an Automobile HTTP Browsing error tab. Workspace isolation was unavailable; no selected Ping detail attributable to this configuration was established. Evidence: E27, E28, E29, E30, E31, E32, E33, E34, E35, E36, E37, E38, E39	Blocked





Criterion 3 evidence: With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E27 - Surveyor (criterion-3-surveyor.png)






E28 - Layer options (criterion-3-layer-options.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E29 - Ping selected (criterion-3-ping-selected.png)**  **E30 - Technology options (criterion-3-technology-options.png)** 				
Criterion 3 continued: With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E31 - Deselect 1 (criterion-3-deselect-1.png)**  **E32 - Deselect 2 (criterion-3-deselect-2.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E33 - Deselect 3 (criterion-3-deselect-3.png)**  **E34 - Deselect 4 (criterion-3-deselect-4.png)** 				
Criterion 3 continued: With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E35 - Deselect 5 (criterion-3-deselect-5.png)**  **E36 - Deselect 6 (criterion-3-deselect-6.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E37 - Only 5g nsa (criterion-3-only-5g-nsa.png)**  **E38 - Ping added (criterion-3-ping-added.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E39 - Final (criterion-3-final.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	While Ping details are loading, the detail view shows a loading state.	While Ping details are loading, the detail view shows a loading state.	Unstable restored workspace prevented an isolated Ping loading transition. criterion-4-final.png shows a Surveyor Upload cluster and Automobile tabs, with no Ping detail loading state captured. Evidence: E40	Blocked

Criterion 4 evidence: While Ping details are loading, the detail view shows a loading state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E40 - Final (criterion-4-final.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	When Ping details are unavailable, the detail view shows a no-data state.	When Ping details are unavailable, the detail view shows a no-data state.	No reproducible selectable Ping no-data fixture was supplied or established. criterion-5-final.png shows an Automobile HTTP Browsing load error, not a Ping no-data state; workspace isolation was also unavailable. Evidence: E41	Blocked

Criterion 5 evidence: When Ping details are unavailable, the detail view shows a no-data state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E41 - Final (criterion-5-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	When Ping details fail to load, the detail view shows an error state and does not display data as if it belonged to the selected point.	When Ping details fail to load, the detail view shows an error state and does not display data as if it belonged to the selected point.	No reproducible selected-Ping detail-load-failure fixture was supplied or established. criterion-6-final.png shows an Automobile HTTP Browsing error and Surveyor cluster tabs; it cannot establish Ping error handling or protection against incorrect selected-point data. Evidence: E42	Blocked

Criterion 6 evidence: When Ping details fail to load, the detail view shows an error state and does not display data as if it belonged to the selected point.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E42 - Final (criterion-6-final.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Supporting setup captures - full attempt evidence remains in the local evidence folder				
E43 - Restart after open gis (criterion-1-restart-after-open-gis.png) 				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

