# Automated Test Case Document

Jira Ticket: TEST2-79

| | |
|---|---|
| Document Classification: | Company Confidential |
| Document Ref: | Automated Test Case Document |
| Version: | 1.0 |
| Date: | 19/10/2026 |
| Document Author: | Automated TEST2 Evidence Review |
| Document Owner: | Quality Assurance / Metricell |

*This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".*

## Table of Contents

1 Revision History ..... 2
2 Test Cycle Information ..... 3
3 Test Summary ..... 5
4 Test Cases ..... 7
About Metricell ..... 39

# 1 Revision History

| Version | Date | Revision Author | Summary of Changes |
|---|---|---|---|
| **[1.0]** | 19/10/2026 | TEST2 QA Automation | Generated from TEST2 evidence review |
| | | | |
| | | | |

# 2 Test Cycle Information

| | |
|---|---|
| **Tester:** | **Automated** |
| **Jira Ticket:** | TEST2-79 |
| **Environment:** | o2intelligence-v4-dev.metricell.com |
| **Browser Details:** | Google Chrome 155.0.8059.85 |
| **Date of Test:** | 19/10/2026 |
| **Limitations during Testing:** | 15 blocked; 0 inconclusive criterion(s). Assessment completed against all 16 canonical criteria and attempt-001 evidence. Required Automobile data was unavailable: the run records repeated Download/Upload points HTTP 500 responses. Unrelated Surveyor layers and panels do not verify Automobile behavior; criterion 3 cleanup did not restore the unrelated selections. All 108 referenced PNGs exist and are non-empty. Criterion 2: Required Automobile test-result data was unavailable because the points service repeatedly returned HTTP 500 throughout the run. This is not an established empty dataset. Matching authorised Download points and selectability could not be established. Cleared the selected Download layer after the final capture. Criterion 3: Required Automobile test-result data was unavailable because the points service repeatedly returned HTTP 500 throughout the run. This is not an established empty dataset. Matching authorised Upload points and selectability could not be established. Unrelated Surveyor/Automobile layers, map positions and later result panels appeared during independent criterion execution, preventing a controlled comparison; none was treated as evidence for this criterion. Used Clear map layers after the final capture; this also removed Surveyor layers that appeared during the criterion. Their exact state was not restored by this run. Criterion 4: Required Automobile test-result data was unavailable because the points service repeatedly returned HTTP 500 throughout the run. This is not an established empty dataset. A Download result point could not be selected, so the summary dialog fields were not tested. Unrelated Surveyor/Automobile layers, map positions and later result panels appeared during independent criterion execution, preventing a controlled comparison; none was treated as evidence for this criterion. Initial cleanup locator timed out. Subsequently found and removed this criterion's Download layer using its observed Remove from selected reference; that subsequent cleanup has no separate PNG. Criterion 4: An earlier setup attempt could not locate Automobile; captured criterion-4-blocker.png, then restarted from the launcher before the final evidence sequence. Criterion 4: Initial cleanup locator timed out. Subsequently found and removed this criterion's Download layer using its observed Remove from selected reference; that subsequent cleanup has no separate PNG. Criterion 5: Required Automobile test-result data was unavailable because the points service repeatedly returned HTTP 500 throughout the run. This is not an established empty dataset. An Upload result point could not be selected, so the summary dialog fields were not tested. Unrelated Surveyor/Automobile layers, map positions and later result panels appeared during independent criterion execution, preventing a controlled comparison; none was treated as evidence for this criterion. Removed this criterion's selected Automobile layer using the observed layer-specific Remove from selected reference and saved a separate cleanup PNG. Criterion 6: Required Automobile test-result data was unavailable because the points service repeatedly returned HTTP 500 throughout the run. This is not an established empty dataset. A Download result dialog could not be |

| | |
|---|---|
| | opened; chart axes, series and time coverage were not tested. Unrelated Surveyor/Automobile layers, map positions and later result panels appeared during independent criterion execution, preventing a controlled comparison; none was treated as evidence for this criterion. Removed this criterion's selected Automobile layer using the observed layer-specific Remove from selected reference and saved a separate cleanup PNG. Criterion 7: Required Automobile test-result data was unavailable because the points service repeatedly returned HTTP 500 throughout the run. This is not an established empty dataset. An Upload result dialog could not be opened; chart axes, series and time coverage were not tested. Unrelated Surveyor/Automobile layers, map positions and later result panels appeared during independent criterion execution, preventing a controlled comparison; none was treated as evidence for this criterion. Removed this criterion's selected Automobile layer using the observed layer-specific Remove from selected reference and saved a separate cleanup PNG. Criterion 8: Required Automobile test-result data was unavailable because the points service repeatedly returned HTTP 500 throughout the run. This is not an established empty dataset. The Download details table could not be reached, so its required columns were not tested. Unrelated Surveyor/Automobile layers, map positions and later result panels appeared during independent criterion execution, preventing a controlled comparison; none was treated as evidence for this criterion. Removed this criterion's selected Automobile layer using the observed layer-specific Remove from selected reference and saved a separate cleanup PNG. Criterion 9: Required Automobile test-result data was unavailable because the points service repeatedly returned HTTP 500 throughout the run. This is not an established empty dataset. The Upload details table could not be reached, so its required columns were not tested. Unrelated Surveyor/Automobile layers, map positions and later result panels appeared during independent criterion execution, preventing a controlled comparison; none was treated as evidence for this criterion. Removed this criterion's selected Automobile layer using the observed layer-specific Remove from selected reference and saved a separate cleanup PNG. Criterion 10: Required Automobile test-result data was unavailable because the points service repeatedly returned HTTP 500 throughout the run. This is not an established empty dataset. Applicable result signal-strength/rate values could not be reached. Legend units and unrelated Surveyor values do not verify this criterion. Unrelated Surveyor/Automobile layers, map positions and later result panels appeared during independent criterion execution, preventing a controlled comparison; none was treated as evidence for this criterion. Removed this criterion's selected Automobile layer using the observed layer-specific Remove from selected reference and saved a separate cleanup PNG. Criterion 11: Required Automobile test-result data was unavailable because the points service repeatedly returned HTTP 500 throughout the run. This is not an established empty dataset. No accessible Automobile result with a known null Error Message was available; No Error formatting was not tested. Unrelated Surveyor/Automobile layers, map positions and later result panels appeared during independent criterion execution, preventing a controlled comparison; none was treated as evidence for this criterion. Removed this criterion's selected Automobile layer using the observed layer-specific Remove from selected reference and saved a separate cleanup PNG. Criterion 12: Required Automobile test-result data was unavailable because the points service repeatedly returned HTTP 500 throughout the run. This is not an established empty dataset. No populated Automobile details table was accessible; sorting was not exercised. Unrelated Surveyor/Automobile layers, map positions and later result panels appeared during independent criterion execution, preventing a controlled comparison; none was treated as evidence for this criterion. Removed this criterion's selected Automobile layer using the observed layer-specific Remove from selected reference and saved a separate cleanup PNG. Criterion 13: Required Automobile test-result data was unavailable because the points service repeatedly returned HTTP 500 throughout the run. This is not an established empty dataset. No Automobile details table was accessible; filtering was not exercised. Unrelated Surveyor/Automobile layers, map positions and later result panels appeared during independent criterion execution, preventing a controlled comparison; none was treated as evidence for this criterion. Removed this criterion's selected Automobile layer using the observed layer-specific Remove from selected reference and saved a separate cleanup PNG. Criterion 14: Required Automobile test-result data was unavailable because the points service repeatedly returned HTTP 500 throughout the run. This is not an established empty dataset. No accessible Automobile zero-duration result fixture could be established; no details request for such a result was made. Unrelated Surveyor/Automobile layers, map positions and later result panels appeared during independent criterion execution, preventing a controlled comparison; none was treated as evidence for this criterion. Removed this criterion's selected Automobile layer using the observed layer-specific Remove from selected reference and saved a separate cleanup PNG. Criterion 15: Required Automobile test-result data was unavailable because the points service repeatedly returned HTTP 500 throughout the run. This is not an |

| | |
|---|---|
| | established empty dataset. No Automobile point-details request could be initiated, so its loading state and stale-data handling were not observed. Unrelated Surveyor/Automobile layers, map positions and later result panels appeared during independent criterion execution, preventing a controlled comparison; none was treated as evidence for this criterion. Removed this criterion's selected Automobile layer using the observed layer-specific Remove from selected reference and saved a separate cleanup PNG. Criterion 16: Required Automobile test-result data was unavailable because the points service repeatedly returned HTTP 500 throughout the run. This is not an established empty dataset. The observed failure was the points endpoint, not a result-details request. The required details error state and stale-data handling were not tested. Unrelated Surveyor/Automobile layers, map positions and later result panels appeared during independent criterion execution, preventing a controlled comparison; none was treated as evidence for this criterion. Removed this criterion's selected Automobile layer using the observed layer-specific Remove from selected reference and saved a separate cleanup PNG. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero. |
| **Overall review outcome:** | Blocked |
| **Browser URL(s) recorded after criteria:** | https://o2intelligence-v4-dev.metricell.com/gis |

# 3 Test Summary

| Area of test | Pass | Fail | Defects (No.) |
|---|---|---|---|
| **1. With neither layer selected, the map shows no Download or Upload test-result points.** | Y | N | 0 |
| **2. After selecting Download, the map shows selectable points for matching authorised Download results only.** | N | N | 0 |
| **3. After selecting Upload, the map shows selectable points for matching authorised Upload results only.** | N | N | 0 |
| **4. Selecting a Download result point opens its details dialog with Data Technology, MSISDN, Service, Serving Cell, Test Duration, Test Technologies, Download Rate, and Wi-Fi Connected.** | N | N | 0 |
| **5. Selecting an Upload result point opens its details dialog with Data Technology, MSISDN, Service, Serving Cell, Test Duration, Test Technologies, Upload Rate, and Wi-Fi Connected.** | N | N | 0 |

| Area of test | Pass | Fail | Defects (No.) |
|---|---|---|---|
| **6. The Download result details chart plots Signal Strength in dBm and Download Rate in Mbps over time.** | N | N | 0 |
| **7. The Upload result details chart plots Signal Strength in dBm and Upload Rate in Mbps over time.** | N | N | 0 |
| **8. The Download details table displays MSISDN, Start Time, End Time, Download Rate, Band, Serving Cell, Service, Test Technologies, Data Technology, Wi-Fi Connected, URL, and Error Message.** | N | N | 0 |
| **9. The Upload details table displays MSISDN, Start Time, End Time, Upload Rate, Band, Serving Cell, Service, Test Technologies, Data Technology, Wi-Fi Connected, URL, and Error Message.** | N | N | 0 |
| **10. Where signal strength or rate values are shown, each value includes its applicable unit (dBm or Mbps).** | N | N | 0 |
| **11. For a result whose Error Message is null, the details table displays "No Error".** | N | N | 0 |
| **12. Sorting a supported Download or Upload details-table column changes the displayed row order to match the selected sort.** | N | N | 0 |
| **13. Filtering a supported Download or Upload details-table column displays rows matching the applied filter.** | N | N | 0 |
| **14. Requesting details for a zero-duration test does not open a details dialog.** | N | N | 0 |
| **15. While result details are loading, the interface shows a loading state without stale or misleading detail data.** | N | N | 0 |
| **16. If result details fail to load, the interface shows an error state without stale or misleading detail data.** | N | N | 0 |

# 4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


## 4.1 Tests

| ***Preconditions:*** | V4 access and ticket conditions. | ***Associated Requirements:*** | Ticket criteria below. | Automation Notes: | Screenshots below each criterion; full log retained locally. |
|---|---|---|---|---|---|


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **1.0.0** | With neither layer selected, the map shows no Download or Upload test-result points. | With neither layer selected, the map shows no Download or Upload test-result points. | criterion-1-after-open-gis.png and criterion-1-final.png show the settled unobscured map with no selected layers and no Download/Upload test-result points in the visible viewport; the map remained empty of these points. Evidence: E01, E02, E03, E04 | Passed |



**Criterion 1 evidence: With neither layer selected, the map shows no Download or Upload test-result points.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E01 - Before automobile (criterion-1-before-automobile.png)**




**E02 - After open automobile (criterion-1-after-open-automobile.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 1 continued: With neither layer selected, the map shows no Download or Upload test-result points.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E03 - Test types (criterion-1-test-types.png)**<br>  <br><br>**E04 - Final (criterion-1-final.png)**<br>  <br> | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **2.0.0** | After selecting Download, the map shows selectable points for matching authorised Download results only. | After selecting Download, the map shows selectable points for matching authorised Download results only. | criterion-2-before-add-download.png shows Download selected; criterion-2-final.png shows its layer and legend without established matching selectable results. The run records HTTP 500 from the Download points endpoint, leaving required authorised data unavailable; this does not establish an empty dataset.<br>Evidence: E05, E06, E07 | Blocked |


**Criterion 2 evidence: After selecting Download, the map shows selectable points for matching authorised Download results only.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E05 - Before automobile (criterion-2-before-automobile.png)**




**E06 - After open automobile (criterion-2-after-open-automobile.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 2 continued: After selecting Download, the map shows selectable points for matching authorised Download results only.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E07 - Final (criterion-2-final.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **3.0.0** | After selecting Upload, the map shows selectable points for matching authorised Upload results only. | After selecting Upload, the map shows selectable points for matching authorised Upload results only. | criterion-3-before-add.png and criterion-3-final.png show Upload selected alongside unrelated Surveyor layers. The run records HTTP 500 from the Upload points endpoint, leaving matching authorised selectable results unavailable. Visible Surveyor points do not verify Upload results. Evidence: E08, E09, E10, E11 | Blocked |



**Criterion 3 evidence: After selecting Upload, the map shows selectable points for matching authorised Upload results only.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E08 - Before automobile (criterion-3-before-automobile.png)**




**E09 - Before test type (criterion-3-before-test-type.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 3 continued: After selecting Upload, the map shows selectable points for matching authorised Upload results only.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E10 - Test type options (criterion-3-test-type-options.png)**<br>  <br>**E11 - Final (criterion-3-final.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **4.0.0** | Selecting a Download result point opens its details dialog with Data Technology, MSISDN, Service, Serving Cell, Test Duration, Test Technologies, Download Rate, and Wi-Fi Connected. | Selecting a Download result point opens its details dialog with Data Technology, MSISDN, Service, Serving Cell, Test Duration, Test Technologies, Download Rate, and Wi-Fi Connected. | criterion-4-final.png shows the Download layer and unrelated layers, without a Download result details dialog. The recorded Download points HTTP 500 prevented selection of a required result, so the summary fields could not be tested.<br>Evidence: E12, E13, E14, E15 | Blocked |

**Criterion 4 evidence: Selecting a Download result point opens its details dialog with Data Technology, MSISDN, Service, Serving Cell, Test Duration, Test Technologies, Download Rate, and Wi-Fi Connected.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E12 - Before automobile (criterion-4-before-automobile.png)**





**E13 - Before test type (criterion-4-before-test-type.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 4 continued: Selecting a Download result point opens its details dialog with Data Technology, MSISDN, Service, Serving Cell, Test Duration, Test Technologies, Download Rate, and Wi-Fi Connected. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** | | | | |

**E14 - Test type options (criterion-4-test-type-options.png)**





**E15 - Final (criterion-4-final.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **5.0.0** | Selecting an Upload result point opens its details dialog with Data Technology, MSISDN, Service, Serving Cell, Test Duration, Test Technologies, Upload Rate, and Wi-Fi Connected. | Selecting an Upload result point opens its details dialog with Data Technology, MSISDN, Service, Serving Cell, Test Duration, Test Technologies, Upload Rate, and Wi-Fi Connected. | criterion-5-final.png shows the Upload layer and unrelated layers, without an Upload result details dialog. The recorded Upload points HTTP 500 prevented selection of a required result, so the summary fields could not be tested. Evidence: E16, E17, E18, E19 | Blocked |

**Criterion 5 evidence: Selecting an Upload result point opens its details dialog with Data Technology, MSISDN, Service, Serving Cell, Test Duration, Test Technologies, Upload Rate, and Wi-Fi Connected.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E16 - Before automobile (criterion-5-before-automobile.png)**





**E17 - Before test type (criterion-5-before-test-type.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 5 continued: Selecting an Upload result point opens its details dialog with Data Technology, MSISDN, Service, Serving Cell, Test Duration, Test Technologies, Upload Rate, and Wi-Fi Connected. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** | | | | |

**E18 - Test type options (criterion-5-test-type-options.png)**





**E19 - Final (criterion-5-final.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **6.0.0** | The Download result details chart plots Signal Strength in dBm and Download Rate in Mbps over time. | The Download result details chart plots Signal Strength in dBm and Download Rate in Mbps over time. | criterion-6-final.png shows a Surveyor Call chart, not Download details. The recorded Download points HTTP 500 prevented opening the required Download chart; its signal/rate series, units and time axis could not be tested. Evidence: E20, E21, E22, E23 | Blocked |



**Criterion 6 evidence: The Download result details chart plots Signal Strength in dBm and Download Rate in Mbps over time.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E20 - Before automobile (criterion-6-before-automobile.png)**




**E21 - Before test type (criterion-6-before-test-type.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 6 continued: The Download result details chart plots Signal Strength in dBm and Download Rate in Mbps over time.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E22 - Test type options (criterion-6-test-type-options.png)**<br>  <br><br>**E23 - Final (criterion-6-final.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **7.0.0** | The Upload result details chart plots Signal Strength in dBm and Upload Rate in Mbps over time. | The Upload result details chart plots Signal Strength in dBm and Upload Rate in Mbps over time. | criterion-7-final.png shows a Surveyor Call chart, not Upload details. The recorded Upload points HTTP 500 prevented opening the required Upload chart; its signal/rate series, units and time axis could not be tested. Evidence: E24, E25, E26, E27 | Blocked |



**Criterion 7 evidence: The Upload result details chart plots Signal Strength in dBm and Upload Rate in Mbps over time.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E24 - Before automobile (criterion-7-before-automobile.png)**



**E25 - Before test type (criterion-7-before-test-type.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 7 continued: The Upload result details chart plots Signal Strength in dBm and Upload Rate in Mbps over time.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E26 - Test type options (criterion-7-test-type-options.png)**<br>  <br><br>**E27 - Final (criterion-7-final.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **8.0.0** | The Download details table displays MSISDN, Start Time, End Time, Download Rate, Band, Serving Cell, Service, Test Technologies, Data Technology, Wi-Fi Connected, URL, and Error Message. | The Download details table displays MSISDN, Start Time, End Time, Download Rate, Band, Serving Cell, Service, Test Technologies, Data Technology, Wi-Fi Connected, URL, and Error Message. | criterion-8-final.png shows unrelated Surveyor Call details and the Download layer legend, not a Download details table. The recorded Download points HTTP 500 prevented reaching the required table and checking its columns. Evidence: E28, E29, E30, E31 | Blocked |

**Criterion 8 evidence: The Download details table displays MSISDN, Start Time, End Time, Download Rate, Band, Serving Cell, Service, Test Technologies, Data Technology, Wi-Fi Connected, URL, and Error Message.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E28 - Before automobile (criterion-8-before-automobile.png)**





**E29 - Before test type (criterion-8-before-test-type.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 8 continued: The Download details table displays MSISDN, Start Time, End Time, Download Rate, Band, Serving Cell, Service, Test Technologies, Data Technology, Wi-Fi Connected, URL, and Error Message. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** | | | | |

**E30 - Test type options (criterion-8-test-type-options.png)**





**E31 - Final (criterion-8-final.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **9.0.0** | The Upload details table displays MSISDN, Start Time, End Time, Upload Rate, Band, Serving Cell, Service, Test Technologies, Data Technology, Wi-Fi Connected, URL, and Error Message. | The Upload details table displays MSISDN, Start Time, End Time, Upload Rate, Band, Serving Cell, Service, Test Technologies, Data Technology, Wi-Fi Connected, URL, and Error Message. | criterion-9-final.png shows unrelated Surveyor Call details and the Upload layer legend, not an Upload details table. The recorded Upload points HTTP 500 prevented reaching the required table and checking its columns. Evidence: E32, E33, E34, E35 | Blocked |

**Criterion 9 evidence: The Upload details table displays MSISDN, Start Time, End Time, Upload Rate, Band, Serving Cell, Service, Test Technologies, Data Technology, Wi-Fi Connected, URL, and Error Message.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E32 - Before automobile (criterion-9-before-automobile.png)**





**E33 - Before test type (criterion-9-before-test-type.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 9 continued: The Upload details table displays MSISDN, Start Time, End Time, Upload Rate, Band, Serving Cell, Service, Test Technologies, Data Technology, Wi-Fi Connected, URL, and Error Message. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** | | | | |

**E34 - Test type options (criterion-9-test-type-options.png)**





**E35 - Final (criterion-9-final.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **10.0.0** | Where signal strength or rate values are shown, each value includes its applicable unit (dBm or Mbps). | Where signal strength or rate values are shown, each value includes its applicable unit (dBm or Mbps). | criterion-10-final.png shows legend units and a Surveyor upload table; neither verifies Automobile result values. The recorded Download points HTTP 500 prevented accessing the required signal/rate values and checking their units. Evidence: E36, E37, E38, E39 | Blocked |



**Criterion 10 evidence: Where signal strength or rate values are shown, each value includes its applicable unit (dBm or Mbps).**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E36 - Before automobile (criterion-10-before-automobile.png)**




**E37 - Before test type (criterion-10-before-test-type.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 10 continued: Where signal strength or rate values are shown, each value includes its applicable unit (dBm or Mbps).**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E38 - Test type options (criterion-10-test-type-options.png)**<br>  <br><br>**E39 - Final (criterion-10-final.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **11.0.0** | For a result whose Error Message is null, the details table displays “No Error”. | For a result whose Error Message is null, the details table displays “No Error”. | criterion-11-final.png shows a Surveyor table, not an Automobile result with a known null Error Message. The recorded Download points HTTP 500 left that required fixture unavailable, so No Error rendering could not be tested.<br>Evidence: E40, E41, E42, E39 | Blocked |



**Criterion 11 evidence: For a result whose Error Message is null, the details table displays “No Error”.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E40 - Before automobile (criterion-11-before-automobile.png)**



**E41 - Before test type (criterion-11-before-test-type.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 11 continued: For a result whose Error Message is null, the details table displays “No Error”.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E42 - Test type options (criterion-11-test-type-options.png)**<br>  <br><br>**E39 - Final (criterion-11-final.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **12.0.0** | Sorting a supported Download or Upload details-table column changes the displayed row order to match the selected sort. | Sorting a supported Download or Upload details-table column changes the displayed row order to match the selected sort. | criterion-12-final.png shows a Surveyor table without a criterion-owned Automobile sorting sequence. The recorded Download points HTTP 500 prevented reaching a populated Automobile details table and exercising sorting. Evidence: E43, E44, E45, E46 | Blocked |



**Criterion 12 evidence: Sorting a supported Download or Upload details-table column changes the displayed row order to match the selected sort.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E43 - Before automobile (criterion-12-before-automobile.png)**




**E44 - Before test type (criterion-12-before-test-type.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 12 continued: Sorting a supported Download or Upload details-table column changes the displayed row order to match the selected sort.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E45 - Test type options (criterion-12-test-type-options.png)**<br>  <br><br>**E46 - Final (criterion-12-final.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **13.0.0** | Filtering a supported Download or Upload details-table column displays rows matching the applied filter. | Filtering a supported Download or Upload details-table column displays rows matching the applied filter. | criterion-13-final.png shows a Surveyor table without a criterion-owned Automobile filter sequence. The recorded Download points HTTP 500 prevented reaching the required Automobile details table and exercising filtering. Evidence: E47, E48, E49, E46 | Blocked |



**Criterion 13 evidence: Filtering a supported Download or Upload details-table column displays rows matching the applied filter.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E47 - Before automobile (criterion-13-before-automobile.png)**




**E48 - Before test type (criterion-13-before-test-type.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 13 continued: Filtering a supported Download or Upload details-table column displays rows matching the applied filter.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E49 - Test type options (criterion-13-test-type-options.png)**<br>  <br><br>**E46 - Final (criterion-13-final.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **14.0.0** | Requesting details for a zero-duration test does not open a details dialog. | Requesting details for a zero-duration test does not open a details dialog. | criterion-14-final.png shows unrelated Surveyor data, not an identified zero-duration Automobile result. The recorded Download points HTTP 500 left the required fixture unavailable; no zero-duration details request was made.<br>Evidence: E50, E51, E52, E46 | Blocked |



**Criterion 14 evidence: Requesting details for a zero-duration test does not open a details dialog.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E50 - Before automobile (criterion-14-before-automobile.png)**




**E51 - Before test type (criterion-14-before-test-type.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 14 continued: Requesting details for a zero-duration test does not open a details dialog.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E52 - Test type options (criterion-14-test-type-options.png)**<br>  <br><br>**E46 - Final (criterion-14-final.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **15.0.0** | While result details are loading, the interface shows a loading state without stale or misleading detail data. | While result details are loading, the interface shows a loading state without stale or misleading detail data. | criterion-15-final.png shows an unrelated Surveyor table, not an Automobile details loading transition. The recorded Download points HTTP 500 prevented initiating a point-details request, so loading and stale-data handling could not be tested.<br>Evidence: E53, E54, E55, E56 | Blocked |



**Criterion 15 evidence: While result details are loading, the interface shows a loading state without stale or misleading detail data.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E53 - Before automobile (criterion-15-before-automobile.png)**



**E54 - Before test type (criterion-15-before-test-type.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 15 continued: While result details are loading, the interface shows a loading state without stale or misleading detail data.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E55 - Test type options (criterion-15-test-type-options.png)**<br>  <br><br>**E56 - Final (criterion-15-final.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **16.0.0** | If result details fail to load, the interface shows an error state without stale or misleading detail data. | If result details fail to load, the interface shows an error state without stale or misleading detail data. | criterion-16-final.png shows an unrelated Surveyor table, not an Automobile details failure state. The recorded HTTP 500 concerns the Download points endpoint and prevented a details request; it does not demonstrate details error or stale-data behavior.<br>Evidence: E50, E57, E58, E46 | Blocked |



**Criterion 16 evidence: If result details fail to load, the interface shows an error state without stale or misleading detail data.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E50 - Before automobile (criterion-16-before-automobile.png)**



**E57 - Before test type (criterion-16-before-test-type.png)**



| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 16 continued: If result details fail to load, the interface shows an error state without stale or misleading detail data.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E58 - Test type options (criterion-16-test-type-options.png)**<br>  <br><br>**E46 - Final (criterion-16-final.png)**<br>  <br> | | | |

metricell
Better Connected

## About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

