



Automated Test Case Document

Jira Ticket: TEST2-64

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	08/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell



This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History.....2

2 Test Cycle Information3

3 Test Summary.....3

4 Test Cases5

About Metricell11

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	08/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review



2 Test Cycle Information

Tester:	Automated
Jira Ticket:	TEST2-64
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.40
Date of Test:	08/10/2026
Limitations during Testing:	No testing limitations recorded. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Passed
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. With GIS open, the Search layers field accepts Surveyor, keeps the entered text visible, shows the Surveyor catalogue entry in the filtered results, and keeps the map visible.	Y	N	0
2. Replacing the search text with zzqa_no_layer_match_20261008 keeps that text visible, shows no matching layer entries, and leaves GIS usable with the map visible rather than an application-error page or sign-in screen.	Y	N	0

Area of test	Pass	Fail	Defects (No.)
3. Clearing Search layers with its normal UI control leaves the field empty, restores the baseline visible catalogue groups and Surveyor entry, and preserves the baseline Map layers entries and order, including leaving the list absent when it was absent at baseline.	Y	N	0
4. After the no-match search has been cleared, entering Surveyor again keeps the text visible, shows the Surveyor catalogue entry, and keeps the map visible.	Y	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.

4.1 Tests


Preconditions:		V4 access and ticket conditions.	Associated Requirements:	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.
ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path		Outcome	
1.0.0	With GIS open, the Search layers field accepts Surveyor, keeps the entered text visible, shows the Surveyor catalogue entry in the filtered results, and keeps the map visible.	With GIS open, the Search layers field accepts Surveyor, keeps the entered text visible, shows the Surveyor catalogue entry in the filtered results, and keeps the map visible.	Criterion 1 baseline shows empty Search layers; final shows retained Surveyor text and the Surveyor entry under Tests and Measurements with the map visible. Cleanup restores the empty search. Evidence: E01, E02		Passed	
Criterion 1 evidence: With GIS open, the Search layers field accepts Surveyor, keeps the entered text visible, shows the Surveyor catalogue entry in the filtered results, and keeps the map visible. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis						
E01 - After open before search (criterion-1-after-open-before-search.png)						
E02 - Final (criterion-1-final.png)						

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	Replacing the search text with zzqa_no_layer_match_20261008 keeps that text visible, shows no matching layer entries, and leaves GIS usable with the map visible rather than an application-error page or sign-in screen.	Replacing the search text with zzqa_no_layer_match_20261008 keeps that text visible, shows no matching layer entries, and leaves GIS usable with the map visible rather than an application-error page or sign-in screen.	Criterion 2 sequence shows Surveyor replaced by zzqa_no_layer_match_20261008; final retains the exact text and displays No layers match this search with no catalogue entries. The map and GIS controls remain visible without an error or sign-in screen. Evidence: E03, E04	Passed


Criterion 2 evidence: Replacing the search text with zzqa_no_layer_match_20261008 keeps that text visible, shows no matching layer entries, and leaves GIS usable with the map visible rather than an application-error page or sign-in screen.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>


E03 - After surveyor before no match (criterion-2-after-surveyor-before-no-match.png)




E03 detail enlargement - full screenshot above



E04 - Final (criterion-2-final.png)



E04 detail enlargement - full screenshot above




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Clearing Search layers with its normal UI control leaves the field empty, restores the baseline visible catalogue groups and Surveyor entry, and preserves the baseline Map layers entries and order, including leaving the list absent when it was absent at baseline.	Clearing Search layers with its normal UI control leaves the field empty, restores the baseline visible catalogue groups and Surveyor entry, and preserves the baseline Map layers entries and order, including leaving the list absent when it was absent at baseline.	Criterion 3 own sequence shows the baseline, Surveyor search, no-match state and clear. Final has an empty search, the same visible Network, Area Summary, RPO, Tests and Measurements, SMIP and CET Scanner Data, Improvement Areas and Planning groups, and restored Surveyor. Map layers is absent before and after and the map view matches. Evidence: E03, E04, E05	Passed


Criterion 3 evidence: Clearing Search layers with its normal UI control leaves the field empty, restores the baseline visible catalogue groups and Surveyor entry, and preserves the baseline Map layers entries and order, including leaving the list absent when it was absent at baseline.


Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E03 - After surveyor before no match (criterion-3-after-surveyor-before-no-match.png)



E04 - After no match before clear (criterion-3-after-no-match-before-clear.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
	Criterion 3 continued: Clearing Search layers with its normal UI control leaves the field empty, restores the baseline visible catalogue groups and Surveyor entry, and preserves the baseline Map layers entries and order, including leaving the list absent when it was absent at baseline. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis E05 - Final (criterion-3-final.png) 			

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	After the no-match search has been cleared, entering Surveyor again keeps the text visible, shows the Surveyor catalogue entry, and keeps the map visible.	After the no-match search has been cleared, entering Surveyor again keeps the text visible, shows the Surveyor catalogue entry, and keeps the map visible.	Criterion 4 own ordered sequence shows Surveyor, no-match, clear to an empty search with restored catalogue, then Surveyor again. Final retains Surveyor text, shows the Surveyor entry and keeps the map visible; cleanup clears the search. Evidence: E03, E04, E05, E06	Passed


Criterion 4 evidence: After the no-match search has been cleared, entering Surveyor again keeps the text visible, shows the Surveyor catalogue entry, and keeps the map visible.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E03 - After surveyor before no match (criterion-4-after-surveyor-before-no-match.png)



E04 - After no match before clear (criterion-4-after-no-match-before-clear.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------


Criterion 4 continued: After the no-match search has been cleared, entering Surveyor again keeps the text visible, shows the Surveyor catalogue entry, and keeps the map visible.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E05 - After clear before repeat search (criterion-4-after-clear-before-repeat-search.png)



E06 - Final (criterion-4-final.png)





About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

