Automated Test Case Document

Jira Ticket: TEST2-92

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	19/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 3
4 Test Cases 7
About Metricell 26

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	19/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-92
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	19/10/2026
Limitations during Testing:	12 blocked; 1 inconclusive criterion(s). Completed independent review of all 15 criteria from attempt-001; required multi-field fixtures and controlled shared-browser execution were unavailable for blocked criteria. Criterion 1: Observed Load Time [s], Error, 2G, 3G, 4G, 5G NSA, 5G SA and Out of Threshold; distinct circles, triangles, diamonds, outlined and filled pentagons, colours and thresholds were visible. Criterion 2: Legend visibility toggled and was restored, but matching Error-category map-point disappearance/restoration was not established. The browser state changed outside this attempt, preventing a reliable map comparison. No empty-map or matching-data assertion is made. The test-created layer was subsequently absent when the browser session restarted. Criterion 2: Added default HTTP Browsing, selected Hide Error and verified its accessible label changed to Show Error. Criterion 2: Selected Show Error and verified Hide Error was restored, then captured the final PNG. Criterion 12: Independent execution is blocked by uncontrolled shared-browser changes. The criterion has no launcher baseline or completed action/final assertion sequence; its PNG documents only the reachable environmental blocker. No pass/failure is inferred. Inconclusive evidence is reported as Failed, but is not a confirmed application defect. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. With a standard Automobile layer active, the legend shows the titled groups and items defined by that layer's selected legend section, using the configured categories, thresholds, colours, shapes and outlines.	N	Y	0
2. When a visible legend item is selected, matching points in the active layer are hidden and the item is visibly muted; selecting it again restores the points and normal item appearance.	Y	N	0
3. When a legend item is double-clicked, that item remains visible and all other items in its group are hidden; items in other groups retain their visibility.	N	Y	1
4. Legend filtering and legend edits change only the active layer's presentation; other layers, underlying data, and form-based filters retain their prior state.	N	N	0
5. When a layer supplies one Colour By field, its title is displayed as a label; when it supplies multiple fields, a dropdown displays exactly those fields.	N	N	0
6. When Colour By changes on a consuming layer that supplies multiple fields and measurements, the displayed groups, map classification, markers and linked-context visibility follow the selected field, form filters remain unchanged, and the same points are not fetched again. This end-to-end behavior requires a multi-field consuming layer; current Automobile types provide only one field.	N	N	0
7. Restoring a layer's state restores its selected Colour By field and that field's saved overrides independently of other layers.	N	N	0

Area of test	Pass	Fail	Defects (No.)
8. In Edit Legend, changing labels, colours or numeric boundaries creates drafts for the active field only; the map remains unchanged until Save, while Cancel or Close discards drafts. After Save, refreshed values remain visible in the open dialog.	N	N	0
9. After a valid legend edit is saved, the legend and cached map points use the same labels, colours and classification; saved overrides for other fields and layers remain unchanged.	N	N	0
10. In a numeric generation group, the add control below the marker column adds a range row, eligible rows have delete controls, at least one range remains, and editing a value does not reorder Automobile rows.	N	N	0
11. Numeric Value fields use number inputs. Empty, non-finite, out-of-limit or incorrectly ordered boundary values show an inline error immediately and disable Save. HTTP Browsing boundaries accept 0–10,000; Ping and Video Streaming boundaries have a minimum of zero and no additional maximum. Video Streaming categories cannot be changed.	N	N	0
12. Reset displays default labels, colours, boundaries, categories and visibility as drafts; saving applies defaults to the active field only, preserving other fields and layers.	N	N	0
13. Linked-site and linked-cell display settings use the shared Network context and follow visible result categories; linked cells are disabled when linked sites are off, and settings persist per layer.	N	N	0
14. With or without a details tab, the legend remains scrollable when the map pane is resized and does not overlap Reset North or other map controls.	N	N	0

Area of test	Pass	Fail	Defects (No.)
15. For existing consumers of the shared legend, established markers, visibility, editor actions and default behavior remain unchanged unless a consumer opts into the new options.	N	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	With a standard Automobile layer active, the legend shows the titled groups and items defined by that layer's selected legend section, using the configured categories, thresholds, colours, shapes and outlines.	With a standard Automobile layer active, the legend shows the titled groups and items defined by that layer's selected legend section, using the configured categories, thresholds, colours, shapes and outlines.	criterion-1-final.png shows titled HTTP Browsing groups, thresholds and distinct marker shapes/colours; Out of Threshold is clipped and no complete scrolled view or independent configured-definition reference establishes exact agreement. Evidence: E01, E02	Failed

Criterion 1 evidence: With a standard Automobile layer active, the legend shows the titled groups and items defined by that layer's selected legend section, using the configured categories, thresholds, colours, shapes and outlines.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - After open form (criterion-1-after-open-form.png)




E02 - Final (criterion-1-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	When a visible legend item is selected, matching points in the active layer are hidden and the item is visibly muted; selecting it again restores the points and normal item appearance.	When a visible legend item is selected, matching points in the active layer are hidden and the item is visibly muted; selecting it again restores the points and normal item appearance.	criterion-2-before-hide.png shows black square Error points and a normal Error legend item; criterion-2-after-hide.png shows those points removed and Error muted; criterion-2-final.png restores the black points and normal item. This criterion-owned sequence retains the same visible map extent and layer list despite the tester's broader interference concern. Evidence: E03, E04, E05, E06	Passed



Criterion 2 evidence: When a visible legend item is selected, matching points in the active layer are hidden and the item is visibly muted; selecting it again restores the points and normal item appearance.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E03 - Before open form (criterion-2-before-open-form.png)



E04 - Before hide (criterion-2-before-hide.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: When a visible legend item is selected, matching points in the active layer are hidden and the item is visibly muted; selecting it again restores the points and normal item appearance. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis E05 - After hide (criterion-2-after-hide.png)  E06 - Final (criterion-2-final.png) 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	When a legend item is double-clicked, that item remains visible and all other items in its group are hidden; items in other groups retain their visibility.	When a legend item is double-clicked, that item remains visible and all other items in its group are hidden; items in other groups retain their visibility.	From criterion-3-before-isolate.png to criterion-3-final.png, 2G <=8 remains visible but >8, >12 and >20 remain unmuted with open-eye icons. The repeated sequence criterion-3-before-repeat-isolate.png / criterion-3-repeat-final.png and label sequence criterion-3-before-label-isolate.png / criterion-3-label-final.png show the same contradiction after the reported double-clicks. Evidence: E07, E08, E09, E10	Failed



Criterion 3 evidence: When a legend item is double-clicked, that item remains visible and all other items in its group are hidden; items in other groups retain their visibility.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E07 - Before open form (criterion-3-before-open-form.png)



E08 - Before isolate (criterion-3-before-isolate.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: When a legend item is double-clicked, that item remains visible and all other items in its group are hidden; items in other groups retain their visibility. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - Before repeat isolate (criterion-3-before-repeat-isolate.png)**  **E10 - Repeat final (criterion-3-repeat-final.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: When a legend item is double-clicked, that item remains visible and all other items in its group are hidden; items in other groups retain their visibility. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - Label final (criterion-3-label-final.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Legend filtering and legend edits change only the active layer's presentation; other layers, underlying data, and form-based filters retain their prior state.	Legend filtering and legend edits change only the active layer's presentation; other layers, underlying data, and form-based filters retain their prior state.	criterion-4-blocker.png shows Automobile alongside Surveyor Ping/Call at the contaminated map extent. Shared-browser interference prevented execution; no criterion-owned filtering/edit baseline and final comparison exists for other layers, data or form filters. Evidence: E11	Blocked

Criterion 4 evidence: Legend filtering and legend edits change only the active layer's presentation; other layers, underlying data, and form-based filters retain their prior state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E11 - Blocker (criterion-4-blocker.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	When a layer supplies one Colour By field, its title is displayed as a label; when it supplies multiple fields, a dropdown displays exactly those fields.	When a layer supplies one Colour By field, its title is displayed as a label; when it supplies multiple fields, a dropdown displays exactly those fields.	criterion-5-final.png shows the single Load Time [s] field as a label. The required multi-field consuming-layer fixture and its supplied options were unavailable, so the dropdown branch could not be assessed. Evidence: E12, E13	Blocked

Criterion 5 evidence: When a layer supplies one Colour By field, its title is displayed as a label; when it supplies multiple fields, a dropdown displays exactly those fields.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E12 - Before open form (criterion-5-before-open-form.png)




E13 - Final (criterion-5-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	When Colour By changes on a consuming layer that supplies multiple fields and measurements, the displayed groups, map classification, markers and linked-context visibility follow the selected field, form filters remain unchanged, and the same points are not fetched again. This end-to-end behavior requires a multi-field consuming layer; current Automobile types provide only one field.	When Colour By changes on a consuming layer that supplies multiple fields and measurements, the displayed groups, map classification, markers and linked-context visibility follow the selected field, form filters remain unchanged, and the same points are not fetched again. This end-to-end behavior requires a multi-field consuming layer; current Automobile types provide only one field.	criterion-6-final.png shows only Load Time [s], with unrelated Surveyor layers also present. A consuming layer with multiple fields and measurements was unavailable; switching, cached-point reuse and linked-context changes could not be exercised. Evidence: E14, E15, E16	Blocked


Criterion 6 evidence: When Colour By changes on a consuming layer that supplies multiple fields and measurements, the displayed groups, map classification, markers and linked-context visibility follow the selected field, form filters remain unchanged, and the same points are not fetched again. This end-to-end behavior requires a multi-field consuming layer; current Automobile types provide only one field.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E14 - Before open form (criterion-6-before-open-form.png)



E15 - After add layer (criterion-6-after-add-layer.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: When Colour By changes on a consuming layer that supplies multiple fields and measurements, the displayed groups, map classification, markers and linked-context visibility follow the selected field, form filters remain unchanged, and the same points are not fetched again. This end-to-end behavior requires a multi-field consuming layer; current Automobile types provide only one field. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E16 - Final (criterion-6-final.png)** 

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	Restoring a layer's state restores its selected Colour By field and that field's saved overrides independently of other layers.	Restoring a layer's state restores its selected Colour By field and that field's saved overrides independently of other layers.	criterion-7-blocker.png records the interfered GIS state only. The required multi-field layer and saved field-specific overrides were unavailable, and no controlled restoration sequence was executed. Evidence: E11	Blocked

Criterion 7 evidence: Restoring a layer's state restores its selected Colour By field and that field's saved overrides independently of other layers.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E11 - Blocker (criterion-7-blocker.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
8.0.0	In Edit Legend, changing labels, colours or numeric boundaries creates drafts for the active field only; the map remains unchanged until Save, while Cancel or Close discards drafts. After Save, refreshed values remain visible in the open dialog.	In Edit Legend, changing labels, colours or numeric boundaries creates drafts for the active field only; the map remains unchanged until Save, while Cancel or Close discards drafts. After Save, refreshed values remain visible in the open dialog.	criterion-8-blocker.png shows the ordinary legend with Edit Legend closed. Shared-browser interference prevented the draft/edit/Cancel/Close/Save sequence; no map comparison or refreshed open-dialog evidence was captured. Evidence: E17	Blocked

Criterion 8 evidence: In Edit Legend, changing labels, colours or numeric boundaries creates drafts for the active field only; the map remains unchanged until Save, while Cancel or Close discards drafts. After Save, refreshed values remain visible in the open dialog.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E17 - Blocker (criterion-8-blocker.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
9.0.0	After a valid legend edit is saved, the legend and cached map points use the same labels, colours and classification; saved overrides for other fields and layers remain unchanged.	After a valid legend edit is saved, the legend and cached map points use the same labels, colours and classification; saved overrides for other fields and layers remain unchanged.	criterion-9-blocker.png shows the ordinary legend only. Shared-browser interference prevented saving an edit and comparing cached point classification or other fields/layers' saved overrides. Evidence: E17	Blocked

Criterion 9 evidence: After a valid legend edit is saved, the legend and cached map points use the same labels, colours and classification; saved overrides for other fields and layers remain unchanged.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E17 - Blocker (criterion-9-blocker.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
10.0.0	In a numeric generation group, the add control below the marker column adds a range row, eligible rows have delete controls, at least one range remains, and editing a value does not reorder Automobile rows.	In a numeric generation group, the add control below the marker column adds a range row, eligible rows have delete controls, at least one range remains, and editing a value does not reorder Automobile rows.	criterion-10-blocker.png shows no numeric editor. Shared-browser interference prevented executing add/delete/minimum-row and value-edit ordering checks. Evidence: E11	Blocked

Criterion 10 evidence: In a numeric generation group, the add control below the marker column adds a range row, eligible rows have delete controls, at least one range remains, and editing a value does not reorder Automobile rows.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E11 - Blocker (criterion-10-blocker.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
11.0.0	Numeric Value fields use number inputs. Empty, non-finite, out-of-limit or incorrectly ordered boundary values show an inline error immediately and disable Save. HTTP Browsing boundaries accept 0–10,000; Ping and Video Streaming boundaries have a minimum of zero and no additional maximum. Video Streaming categories cannot be changed.	Numeric Value fields use number inputs. Empty, non-finite, out-of-limit or incorrectly ordered boundary values show an inline error immediately and disable Save. HTTP Browsing boundaries accept 0–10,000; Ping and Video Streaming boundaries have a minimum of zero and no additional maximum. Video Streaming categories cannot be changed.	criterion-11-blocker.png shows no Value inputs or validation state. Shared-browser interference prevented the numeric input, invalid-boundary, limits and fixed-category checks. Evidence: E11	Blocked

Criterion 11 evidence: Numeric Value fields use number inputs. Empty, non-finite, out-of-limit or incorrectly ordered boundary values show an inline error immediately and disable Save. HTTP Browsing boundaries accept 0–10,000; Ping and Video Streaming boundaries have a minimum of zero and no additional maximum. Video Streaming categories cannot be changed.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E11 - Blocker (criterion-11-blocker.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
12.0.0	Reset displays default labels, colours, boundaries, categories and visibility as drafts; saving applies defaults to the active field only, preserving other fields and layers.	Reset displays default labels, colours, boundaries, categories and visibility as drafts; saving applies defaults to the active field only, preserving other fields and layers.	criterion-12-blocker.png records the interfered GIS state. Shared-browser interference prevented the Reset draft/Save journey and independent default and other-field/layer comparisons. Evidence: E11	Blocked

Criterion 12 evidence: Reset displays default labels, colours, boundaries, categories and visibility as drafts; saving applies defaults to the active field only, preserving other fields and layers.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E11 - Blocker (criterion-12-blocker.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
13.0.0	Linked-site and linked-cell display settings use the shared Network context and follow visible result categories; linked cells are disabled when linked sites are off, and settings persist per layer.	Linked-site and linked-cell display settings use the shared Network context and follow visible result categories; linked cells are disabled when linked sites are off, and settings persist per layer.	criterion-13-blocker.png shows the ordinary legend with Display Settings closed. Shared-browser interference prevented linked-site/cell toggles, category comparison and per-layer persistence checks. Evidence: E11	Blocked

Criterion 13 evidence: Linked-site and linked-cell display settings use the shared Network context and follow visible result categories; linked cells are disabled when linked sites are off, and settings persist per layer.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E11 - Blocker (criterion-13-blocker.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
14.0.0	With or without a details tab, the legend remains scrollable when the map pane is resized and does not overlap Reset North or other map controls.	With or without a details tab, the legend remains scrollable when the map pane is resized and does not overlap Reset North or other map controls.	criterion-14-blocker.png records a single map layout without a details tab. Shared-browser interference prevented the required resize and with/without-details sequence; scrollability and control avoidance across those states were not assessed. Evidence: E11	Blocked

Criterion 14 evidence: With or without a details tab, the legend remains scrollable when the map pane is resized and does not overlap Reset North or other map controls.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E11 - Blocker (criterion-14-blocker.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
15.0.0	For existing consumers of the shared legend, established markers, visibility, editor actions and default behavior remain unchanged unless a consumer opts into the new options.	For existing consumers of the shared legend, established markers, visibility, editor actions and default behavior remain unchanged unless a consumer opts into the new options.	criterion-15-blocker.png records the interfered GIS state only. Shared-browser interference prevented exercising existing consumers and comparing their markers, visibility, editor actions and defaults against prior behavior. Evidence: E11	Blocked

Criterion 15 evidence: For existing consumers of the shared legend, established markers, visibility, editor actions and default behavior remain unchanged unless a consumer opts into the new options.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E11 - Blocker (criterion-15-blocker.png)



metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

