Automated Test Case Document

Jira Ticket: TEST2-81

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	19/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 3
4 Test Cases 5
About Metricell 30

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	19/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-81
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	19/10/2026
Limitations during Testing:	3 blocked; 3 inconclusive criterion(s). Reviewed all nine canonical criteria against attempt-001 evidence: 3 Passed, 3 Unverified and 3 Blocked. Video Streaming representative data and available Ping details were unavailable; full HTTP/Ping rendering and complete common-context evidence remain inconclusive. Criterion 1: Navigated to the launcher and saved the initial PNG. An initial screenshot save failed because its directory was absent; created the directory and restarted from the launcher successfully. Criterion 2: Observed the detail error, captured final state/URL, closed the detail and removed the test layer. Criterion 3: Representative Video Streaming data was unavailable in the tested area/range (criterion 3: 2026-07-21T14:53Z to 2026-10-19T14:53Z). This does not establish absence in other areas/ranges. Criterion 6: Waited for the visible error; confirmed repeated HTTP 500 responses, captured final state/URL. Criterion 7: Representative Video Streaming data was unavailable in the tested area/range (criterion 7: 2026-07-21T15:00Z to 2026-10-19T15:00Z). No data was created and absence in other areas/ranges is not claimed. Criterion 8: Captured the map and legend showing black error squares and successful technology markers; inspected the failed marker category. Criterion 8: Selected the failed marker using its observed map pixel 669,800; waited for the HTTP details. Criterion 8: Read Failed, Page Load Time 0 and Task TimeOut; captured final state/URL. Criterion 9: Selected that marker and waited for 'Unable to load point details.'; confirmed the active Ping tab and zero visible Selected test details elements. Inconclusive evidence is reported as Failed, but is not a confirmed application defect. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map.	N	Y	0
2. Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map.	N	Y	0
3. Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map.	N	N	0
4. Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context.	N	Y	0
5. Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time.	Y	N	0
6. Given a Ping point is selected and its details are available, the dialog displays that result's Ping Time.	N	N	0
7. Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count.	N	N	0
8. Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success.	Y	N	0
9. Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed.	Y	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map.	Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map.	criterion-1-after-add-http.png shows coloured HTTP map points and criterion-1-final.png shows a selected point's HTTP details. The captures do not reconcile every supplied result with a selectable point, so complete per-result coverage is unverified. Evidence: E01, E02, E03	Failed


Criterion 1 evidence: Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Before automobile (criterion-1-before-automobile.png)



E02 - After add http (criterion-1-after-add-http.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Final (criterion-1-final.png)**  				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map.	Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map.	criterion-2-after-add-ping.png shows Ping map points and criterion-2-final.png shows a selection opening a Ping detail error. Evidence does not reconcile all 30 reported source features with selectable points; full per-result coverage is unverified. Evidence: E04, E05, E06, E07, E08	Failed



Criterion 2 evidence: Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E04 - Before automobile (criterion-2-before-automobile.png)



E05 - After automobile (criterion-2-after-automobile.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E06 - Before select ping (criterion-2-before-select-ping.png)**  **E07 - After add ping (criterion-2-after-add-ping.png)**  				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E08 - Final (criterion-2-final.png)** 			


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map.	Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map.	criterion-3-final.png shows the selected Video Streaming layer with no visible result points. The run records an empty successful points response in the tested area and 90-day range; representative results needed to assess rendering were unavailable. Evidence: E09, E10, E11, E12, E13	Blocked



Criterion 3 evidence: Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E09 - Before automobile (criterion-3-before-automobile.png)




E10 - After automobile (criterion-3-after-automobile.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E11 - Before select video (criterion-3-before-select-video.png)**  **E12 - After add video (criterion-3-after-add-video.png)**  				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Final (criterion-3-final.png)**				




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context.	Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context.	criterion-4-after-add-http.png and criterion-4-final.png show HTTP selection opening test 132412571 with test type, time, 4G service and serving cell. Location and lower technology rows are outside the saved view, so complete common context and point-to-result matching remain inconclusive. Evidence: E09, E14, E15	Failed


Criterion 4 evidence: Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E09 - Before automobile (criterion-4-before-automobile.png)



E14 - After add http (criterion-4-after-add-http.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E15 - Final (criterion-4-final.png)** 


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time.	Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time.	After the independent restart and layer addition in criterion-5-before-add-http-restarted.png and criterion-5-after-add-http.png, criterion-5-final.png visibly shows HTTP result 132412571 with Page Load Time (s) 1.535. Evidence: E16, E17, E18, E19, E20, E15	Passed





Criterion 5 evidence: Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E16 - Before reset (criterion-5-before-reset.png)



E17 - After reset close (criterion-5-after-reset-close.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E18 - After reset remove (criterion-5-after-reset-remove.png)**  **E19 - Initial restarted (criterion-5-initial-restarted.png)** 				
Criterion 5 continued: Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E20 - Before automobile restarted (criterion-5-before-automobile-restarted.png)**  **E17 - After add http (criterion-5-after-add-http.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E15 - Final (criterion-5-final.png)**  				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	Given a Ping point is selected and its details are available, the dialog displays that result's Ping Time.	Given a Ping point is selected and its details are available, the dialog displays that result's Ping Time.	criterion-6-after-add-ping.png shows Ping points; criterion-6-final.png shows 'Unable to load point details.' and Retry, with no Ping Time. The run records repeated HTTP 500 detail responses, leaving the available-details prerequisite unmet. Evidence: E04, E21, E22, E23, E08	Blocked



Criterion 6 evidence: Given a Ping point is selected and its details are available, the dialog displays that result's Ping Time.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E04 - Before automobile (criterion-6-before-automobile.png)



E21 - After automobile (criterion-6-after-automobile.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: Given a Ping point is selected and its details are available, the dialog displays that result's Ping Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E22 - Before select ping (criterion-6-before-select-ping.png)**  **E23 - After add ping (criterion-6-after-add-ping.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: Given a Ping point is selected and its details are available, the dialog displays that result's Ping Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E08 - Final (criterion-6-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count.	Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count.	criterion-7-final.png shows the selected Video Streaming layer without result points. The run records an empty points response for the tested area and 90-day range, so no representative selectable result was available to inspect Rebuffer Count. Evidence: E04, E24, E25, E12, E13	Blocked



Criterion 7 evidence: Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E04 - Before automobile (criterion-7-before-automobile.png)



E24 - After automobile (criterion-7-after-automobile.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E25 - Before select video (criterion-7-before-select-video.png)**  **E12 - After add video (criterion-7-after-add-video.png)**  				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Final (criterion-7-final.png)**  				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
8.0.0	Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success.	Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success.	criterion-8-after-add-http.png shows black square error markers distinct from coloured successful-result markers and a matching Error legend. criterion-8-after-select-error.png and criterion-8-final.png show the selected failed HTTP result 132585390 with Page Load Time 0 and Task TimeOut; the error remains a black square rather than a successful load-time colour. Evidence: E04, E14, E26	Passed


Criterion 8 evidence: Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E04 - Before automobile (criterion-8-before-automobile.png)



E14 - After add http (criterion-8-after-add-http.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 continued: Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E26 - Final (criterion-8-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
9.0.0	Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed.	Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed.	criterion-9-after-select-valid-http.png shows valid HTTP result 132585862 with Page Load Time 0.801. criterion-9-after-add-ping.png retains that HTTP tab before Ping selection; criterion-9-final.png shows a new active Ping tab with 'Unable to load point details.' and Retry, with no stale HTTP fields displayed. Evidence: E27, E28, E29, E30, E31, E32, E33, E34, E35	Passed





Criterion 9 evidence: Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E27 - Before automobile http (criterion-9-before-automobile-http.png)




E28 - After add http (criterion-9-after-add-http.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E29 - Before select valid http (criterion-9-before-select-valid-http.png)**  **E30 - After select valid http (criterion-9-after-select-valid-http.png)** 				
Criterion 9 continued: Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E31 - Before automobile ping (criterion-9-before-automobile-ping.png)**  **E32 - After automobile ping (criterion-9-after-automobile-ping.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E33 - Before select ping (criterion-9-before-select-ping.png)**  **E34 - After add ping (criterion-9-after-add-ping.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E35 - Final (criterion-9-final.png)** 				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

