

## DEMO: CSDL Quản lý đề án Công ty

### PHẦN 1:

#### Câu 1:

```
select 'tra loi'=case
    when exists(select *
        from nhanvien
        where manv='nv5' and luong=(select max(luong) from nhanvien))
then 'co'
    else 'khong'
end
```

#### Câu 2:

```
select tenpb, tennv
from phongban as pb, nhanvien as nv ,
(select mapb
    from nhanvien
    where phai='nu'
    group by mapb
    having count(*)>=all(select count(*)
        from nhanvien
        where phai='nu'
        group by mapb)
) as phong_max_nu
where (pb.mapb=phong_max_nu.mapb)
and (truongphong=manv)
```

### PHẦN 2:

#### Câu 1:

```
create proc c1 @x real ,@y real
as
select * from nhanvien
where luong between @x and @y
```

#### Câu 2:

```
create proc c2 @tenpb varchar (30)
as
select nhanvien.manv,case when
nhanvien.manv in(select truongphong from
phongban ) then 'truong phong ' else 'nhan
vien' end ,tenpb
from phongban,nhanvien
where phongban.mapb=nhanvien.mapb and
tenpb=@tenpb
```

#### Câu 3:

```
create proc c3
as
select tenda, 'so luong'=count(*)
```

```
from
(select distinct mada
from phancong
where mada not in
(select mada
    from nhanvien nv, phancong pc
    where nv.manv=pc.manv and phai='nu')) as
dean_nam, dean, phancong
where dean_nam.mada=phancong.mada and
dean_nam.mada=dean.mada
group by tenda
```

### PHẦN 3:

#### create trigger r1

```
on nhanvien
for insert, update
as
declare @tuoi int
select @tuoi=year(getdate())-year(i.ngaysinh)
```

```

from inserted as i
--
if not ((@tuoi>=20) and (@tuoi<=30))
begin
    rollback transaction /* huy bo thao tac
them, sua */
    print 'nhan vien nay co tuoi khong o trong
khoang 20-30'
end
--
create trigger r2
on nhanvien
for update
as
declare @luongcu money, @luongmoi
money
--lay tri luong cu
select @luongcu=luong
from deleted
-- lay tri luong moi
select @luongmoi=luong
from inserted
--
if (@luongmoi<@luongcu)
begin
    rollback transaction /* huy bo sua */
    print 'luong nhan vien khong duoc giam'
end
--
create trigger r3
on phongban
for insert, update
as
declare @tuoi int
select @tuoi=year(getdate())-
year(nv.ngaysinh)
from nhanvien as nv, inserted
where manv=truongphong
if @tuoi<35
begin
    rollback transaction
    print 'nhan vien nay chua du tuoi lam
truong phong'
end
--
create trigger r4

```

```

on phancong
for insert, update
as
declare @manv char(5), @mada char(5)
select @manv=manv, @mada=mada
from inserted
if @manv in(select manv
    from nhanvien
    where mapb in (select mapb
        from phongban
        where tenpb='quan ly')
    ) and
@mada in(select mada
    from dean
    where mapb in (select mapb
        from phongban
        where tenpb='nghien cuu')
    )
begin
    rollback transaction
    print 'khong phan cong nhan vien phong ql thuc hien
de an cua phong ncuu'
end

```