Project 1 Due 04/05/2017

1 Introduction

The aim of this project is to implement different classifiers to achieve face recognition. You are given a set of faces and their corresponding labels. You need to split the data into training and testing data and use the training data to train your classifier. The whole pipeline is described in the following section.

2 Classifiers

In this project, you are requested to implement the following classifiers for face recognition. You can try different scenarios. For example, you can test the effect of expressions, illumination variations, ...etc. Besides, you can vary the ratio between training data and testing data. Feel free to play with the data!

- Bayes Rule Assuming the underlying distribution is Gaussian, you need to implement Maximum-likelihood estimation with Gaussian assumption followed by Bayes rule.
- **K-NN Rule** Implement the K nearest neighbor rule to determine the class label of a test data. You can vary K to see the effect and discuss in the report.
 - **PCA** Implement Principal Component Analysis and apply it to the data before feeding into the Bayes classifier and NN rule.
 - LDA Similar to PCA, you have to implement LDA followed by Bayes rule and NN rule.

3 Datasets

You are provided with the following datasets (.mat files). Please run experiments over at least ONE of the datasets. You are encouraged to experiment with as many datasets as possible! No matter which dataset is used, you should divide it into two disjoint sets, one for training and another for testing.

- **DATA** Cropped images of 200 subjects, 3 images each, each image of size 24x21. The file data.mat has a variable face of size (24x21x600). The images corresponding to the person labeled n, n = 1, . . . , 200 can be indexed in Matlab as face(:,:,3*n-2), face(:,:,3*n-1) and face(:,:,3*n). The first image is a neutral face, the second image is a face with facial expression, and the third image has illumination variations.
- **POSE** Cropped images of 68 subjects under 13 different poses. You can access the i_{th} pose of the j_{th} subject as pose(:, :, i, j).
- **ILLUMINATION** Cropped images of 68 subjects under 21 different illuminations. You can access the i_{th} illumination of the j_{th} subject as illum(:, i, j). Note that each image has been already reshaped to a vector.

OTHERS You can also try other datasets like YALE dataset (which has expression variations) and PIE dataset.

4 Submission Guidelines

In this project, you can use any programming language you want, such as Matlab(recommend), C++, Python, ...etc. You should not use any online toolbox that provides these classifiers. You need to submit your project in the following structure: A zip file with the name **YourDirectoryID_Proj1.zip** on to ELMS/Canvas. A main folder with the name **YourDirectoryID_P1** and the following sub-folders/files:

Code A folder contains all your code

Report Your report should be in pdf format and no more than 5-6 pages(excluding figures). You don't need to explain ML estimation, Bayes rule, NN rule, PCA and LDA in detail. Just concentrate on the experiments and discuss the result you have obtained.

Readme A .txt file describing how to run your code.