

[This question paper contains 12 printed pages.]

Your Roll No.....

Sr. No. of Question Paper : 1235 F

Unique Paper Code : 2342011203

Name of the Paper : Probability for Computing

Name of the Course : B.Sc. (H) Computer Science

Semester / Type : II / DSC

Duration : 3 Hours Maximum Marks : 90

Instructions for Candidates

1. Write your Roll No. on the top immediately on receipt of this question paper.
2. First question is compulsory and attempt any four questions from remaining.
3. Part of the questions to be attempted together.
4. Attempt all questions from **Section A**.
5. Attempt any four questions from **Section B**.
6. Use of non-programmable scientific calculator is allowed.

SECTION A

1. (a) State the Central Limit Theorem. (2)

(b) A box contains six red, four orange, and two blue balls. Two balls are randomly selected. What is the sample space of this experiment? Let X represent the number of orange balls selected. What are the possible values of X ? Calculate $P\{X = 0\}$. (5)

(c) (i) For any two random variables X and Y , prove that :

$$\text{Cov}(X, Y) = E[XY] - E[X]E[Y]$$

(ii) Calculate the expected sum obtained when three fair dice are rolled. (4+3)

(d) Coming home from work, Neha always encounters traffic signal. The probability that she makes it through a traffic signal is 0.2. How many traffic

signals can she expect to hit before making it through one? What is the probability of the third traffic light being the first one that is green? (5)

(e) Assume that each child who is born is equally likely to be a boy or a girl. If a family has two children, what is the probability that both are girls given that :

(i) the eldest is a girl?

(ii) at least one is a girl? (2+2)

(f) (i) When are two states of a Markov chain said to communicate with each other?

(ii) For the given transition probability matrix of a four-state Markov chain with states 0,1,2, and 3, answer the following :

$$P = \begin{vmatrix} \frac{1}{2} & \frac{1}{2} & 0 & 0 \\ \frac{1}{2} & \frac{1}{2} & 0 & 0 \\ \frac{1}{2} & \frac{1}{2} & \frac{1}{4} & \frac{1}{4} \\ \frac{1}{4} & \frac{1}{4} & \frac{1}{4} & \frac{1}{4} \\ 0 & 0 & 0 & 1 \end{vmatrix}$$

- (a) Which state is an absorbing state?
- (b) Do states 0 and 2 communicate?
- (c) Do states 0 and 1 communicate? (2+3)
- (g) Name and define one technique to generate pseudorandom numbers. (2)

SECTION B

4. (a) Suppose the joint density of two random variables X and Y is given by :

$$f(x,y) = \begin{cases} 6xy(2-x-y), & 0 < x < 1, 0 < y < 1 \\ 0, & \text{otherwise} \end{cases}$$

Compute the conditional expectation $E[X| Y = y]$, where $0 < y < 1$. (7)

(b) Calculate $E[X]$ for a Poisson distribution with parameter λ . (3)

(c) Consider two bags. The first contains two white and seven black balls, and the second contains five white and six black balls. We flip a fair coin and then draw a ball from the first bag or the second bag depending on whether the outcome was heads or tails. What is the conditional probability that the outcome of the toss was heads given that a white ball was selected? (5)

3. (a) Prove that for all discrete random variables X and Y : $E[X] = E[E[X|Y]]$. (5)

(b) Suppose that we toss two coins. What is the sample space for this experiment? What is the probability that either the first or the second coin falls heads? (3)

(c) Derive the expectation of a uniform random variable with interval $[a,b]$. (3)

(d) A manufacturer produces medicine bottles out of which 0.1% are defective. Bottles are contained in a box containing 500 bottles. A drug company buys 100 boxes. Using Poisson distribution, find out how many boxes will contain no defective bottles. (4)

(a) Explain the n-step transition probabilities of a Markov chain using Chapman Kolmogorov equations. (6)

(b) A company pays dividends on a monthly basis when it is earning profits, and suspends the dividend payments in unprofitable times. Suppose that after a dividend has been paid in the current month, the dividend is paid in the next month with probability 0.9, while after a dividend is suspended the next one will be suspended with probability 0.6.

(i) What is the one-step transitional probability matrix for the above problem?

(ii) What will be the probability that dividend is paid in March 2023, given dividend is suspended in January 2023? (4+5)

a) Let X denote the number of hours you spend in lab doing programming during a randomly selected college day. The probability that X can take on x values has the following form, where k is some unknown constant :

$$P(X=x) = \begin{cases} 0.1, & \text{if } x = 0 \\ kx, & \text{if } x = 1 \text{ or } x = 2 \\ k(5-x), & \text{if } x = 3 \text{ or } x = 4 \\ 0, & \text{otherwise} \end{cases}$$

(i) Find value of k.

(ii) What is the probability that you spend time on programming in lab for at least 3 hours?

(3+2)

(b) Let c be a constant. For a continuous random variable X, show the following :

$$(i) \text{Var}(cX) = c^2\text{Var}(X)$$

$$(ii) \text{Var}(c + X) = \text{Var}(X) \quad (3+3)$$

(c) Ram and Shyam go target shooting together. Both shoot at a target at the same time. Suppose Ram hits the target with probability 0.7, whereas

Shyam, independently, hits the target with probability 0.4.

- (i) Given that exactly one shot hit the target, what is the probability that it was Shyam's shot?
- (ii) Given that the target is hit, what is the probability that Shyam hit it? (2+2)

- Q. 6. (a) Consider the Markov chain consisting of the three states 0, 1, 2 and having transition probability matrix P given as :

$$P = \begin{vmatrix} \frac{1}{2} & \frac{1}{2} & 0 \\ \frac{1}{2} & \frac{1}{2} & \frac{1}{2} \\ 0 & \frac{1}{3} & \frac{2}{3} \end{vmatrix}$$

List the classes of the above Markov chain. Verify whether this Markov chain is irreducible or not. (4)

P.T.O.

(b) Suppose that 5 percent of men and 0.25 percent of women are colour-blind. A colour-blind person is chosen at random. What is the probability of this person being male? Assume that there are an equal number of males and females. (4)

(c) Consider two random variables X and Y. Their joint probability mass function is defined as :

$$p(-1,1)=1/3$$

$$p(0,1)=1/3$$

$$p(1,1)=1/3$$

(i) Compute the conditional probability mass function of X given that $Y = 1$ i.e., $p_{X|Y}(x|1)$.

(ii) Compute probability mass function of X i.e., $p_X(x)$. (4+3)

7. (a) State and prove Chebyshev's Inequality. (5)

(b) A miner is trapped in a mine containing three doors.

The first door leads to a tunnel that takes him to safety after two hours of travel. The second door leads to a tunnel that returns him to the mine after three hours of travel. The third door leads to a tunnel that returns him to his mine after five hours. Assuming that the miner is at all times equally likely to choose any one of the doors, what is the expected length of time until the miner reaches safely? (5)

(c) Suppose that whether or not it rains today depends on previous weather conditions through the last two days. Specifically, suppose that if it has rained for the past two days, then it will rain tomorrow with probability 0.7; if it rained today but not yesterday, then it will rain tomorrow with probability 0.5; if it rained yesterday but not today, then it will rain tomorrow with probability 0.4; if it has not rained in the past two days, then

1235

12

it will rain tomorrow with probability 0.2.
Transform this process into a Markov chain. How
many states will it have after transformation?
Provide the transition probability matrix for the
same. (5)

(1000)

[No. of Printed Pages - 6]

STAT233

Enrol. No.

[ST]

END SEMESTER EXAMINATION : APRIL - MAY, 2018

PROBABILITY AND STATISTICS

Time : 3 Hrs.

Maximum Marks : 70

Note: Attempt questions from all sections as directed.

Use of Scientific Calculator is allowed.

SECTION - A (30 Marks)

Attempt any five questions out of six.

Each question carries 06 marks.

1. An urn contains 10 white and 3 black balls while another urn contains 3 white and 5 black balls. Two balls are drawn from first urn and put into the second urn and then a ball is drawn from the latter. Find the probability that
 - (a) It is a white ball
 - (b) It is a black ball
2. Find out the standard deviation of the following frequency distribution :

P.T.O.

(1962)

Age in years	25–30	30–35	35–40	40–45	45–50	50–55
Number of labourers	70	51	47	31	29	22

3. Calculate the coefficient of correlation between the age of husband and wife from the following data :

Age of husband	35	34	40	43	56	20	38
Age of wife	32	30	31	32	53	20	33

0.99↑

4. Mean and standard deviation (S.D.) calculated from the weights in kg. of students of two groups taken from two universities are given below :

	Mean	S.D.	Size
University A	55	10	400
University B	57	15	100

Test the significance of the difference between the means at 5% level.

5. A company manufactures scooters at two plants, A and B. Plant A produces 80% and plant B produces 20% of the total product. 85% of the scooters

produced at plant A and 65% of the scooters produced at the plant B are of standard quality. A scooter produced by the company is selected at random and it is found to be the standard quality. What is the probability that it was manufactured at plant A?

0.83^a

6. Ten competitors in a beauty contest are ranked by three judges in the following orders :

1st Judge	1	6	5	10	3	2	4	9	7	8
2nd Judge	3	5	8	4	7	10	2	1	6	9
3rd Judge	6	4	9	8	1	2	3	10	5	7

Use the correlation coefficient to determine which pair of judges has the nearest approach to common taste in beauty.

SECTION - B (20 Marks)

Attempt any two questions out of three.

Each question carries 10 marks.

7. (a) A purse contains 2 silver and 4 copper coins. A second purse contains 4 silver and 3 copper coins.

P.T.O.

(1962)

Visit www.aminotes.com for more

If a coin is pulled out at random from one of the two purses. What is the probability that is a silver coin. (5)

(b) The mean life time of sample of 100 fluorescent light bulbs produced by a company is computed to be 1570 hours with standard deviation of 120 hours. The company claims that the average life of the bulbs produced by it is 1600 hours. Using the level of significance of 0.05, is the claim acceptable? (5)

8. (a) Calculate the first four moments about the mean of the following data :

0.0156	X	0	1	2	3	4	5	6	7	8
1.9315	f	1	8	28	56	70	56	28	8	1

(6)

0.25
10 (b) If the first four moments of a distribution about the value 5 are -4, 22, -117 and 560. Obtain the moments about mean. (4)

$0, 16, 275, 32$

9. For the following distribution, find the first four moments about mean. Also find the value of β_1 . It is a symmetrical distribution ?

(1962)

x	2	3	4	5	6
f	1	3	7	3	1

0, 0.933, 0.253

SECTION – C (20 Marks)
(Compulsory)

10. (a) The following table gives age (x) in years of cars and annual maintenance cost (y) in hundred rupees :

x	1	3	5	7	9
y	15	18	21	23	22

$b_{yx} = 0.95$
 17.85

Estimate the maintenance cost for a 4 year old car after finding the regression equation. (10)

- (b) To test the effectiveness of inoculation against cholera, the following table was obtained :

χ^2 test

	Attached	Not attached	Total
Inoculated	30	160	190
Not inoculated	140	460	600
Total	170	620	790

P.T.O.

Use t -test to defend or refuse the statement that the inoculation prevents attack from cholera.

(10)



(2400)

(1962)

Visit www.aminotes.com for more