

## Practical – 3

Write AJAX script to display the student details like Enrollment number and Name (in tabular form) from XML file stored on the same web server. After displaying student details, when enrolment number is clicked then it fetches city, address, pincode and other details for the student.

### CODE :

Index.html :-

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Practical 3</title>
  <style>
    table {
      border-collapse: collapse;
      width: 60%;
    }

    th,
    td {
      border: 1px solid black;
      padding: 8px;
      text-align: center;
    }

    a {
      cursor: pointer;
      color: blue;
      text-decoration: underline;
    }
  </style>
</head>

<body>
  <h3>Q1. Write AJAX script to display the student details like Enrollment number and
  Name (in tabular
```

form) from XML file stored on the same web server. After displaying student details, when

enrolment number is clicked then it fetches city, address, pincode and other details for the

```
student</h3>
<h2>Student List</h2>
<table id="studentTable">
  <tr>
    <th>Enrollment No</th>
    <th>Name</th>
  </tr>
</table>
```

```
<h2>Student Full Details</h2>
```

```
<div id="details"></div>
```

```
<script>
```

```
  let xmlData;
```

```
  function loadStudents() {
```

```
    let xhr = new XMLHttpRequest();
```

```
    xhr.open("GET", "students.xml", true);
```

```
    xhr.send();
```

```
    xhr.onreadystatechange = function () {
```

```
      if (xhr.readyState === 4 && xhr.status === 200) {
```

```
        xmlData = xhr.responseXML;
```

```
        displayStudents();
```

```
      }
```

```
    };
```

```
  }
```

```
  function displayStudents() {
```

```
    let students = xmlData.getElementsByTagName("student");
```

```
    let table = document.getElementById("studentTable");
```

```
    for (let i = 0; i < students.length; i++) {
```

```
      let enroll = students[i].getElementsByTagName("enrollment")[0].textContent;
```

```
      let name = students[i].getElementsByTagName("name")[0].textContent;
```

```
      let row = table.insertRow();
```

```
      let cell1 = row.insertCell(0);
```

```
      let cell2 = row.insertCell(1);
```

```

        cell1.innerHTML = `<b>City:</b> ${city}</p>
        <p><b>Address:</b> ${address}</p>
        <p><b>Pincode:</b> ${pincode}</p>`;
}

loadStudents();
</script>
</body>

</html>

```

Students.xml :-

```

<?xml version="1.0" encoding="UTF-8"?>
<students>
    <student>
        <enrollment>12302080501005</enrollment>
        <name>Bhavya Patel</name>
        <city>Anand</city>
        <address>Spec clg</address>
        <pincode>388120</pincode>
    </student>

    <student>
        <enrollment>12302080501015</enrollment>
        <name>Harsh Patel</name>
        <city>Undel</city>
        <address>Khambhat</address>
    </student>

```

```
<pincode>388640</pincode>
</student>
</students>
```

## OUTPUT :

Q1. Write AJAX script to display the student details like Enrollment number and Name (in tabular form) from XML file stored on the same web server. After displaying student details, when enrolment number is clicked then it fetches city, address, pincode and other details for the student

### Student List

Enrollment No	Name
<a href="#">12302080501005</a>	Bhavya Patel
<a href="#">12302080501015</a>	Harsh Patel

### Student Full Details

City: Anand

Address: Spec clg

Pincode: 388120

Q1. Write AJAX script to display the student details like Enrollment number and Name (in tabular form) from XML file stored on the same web server. After displaying student details, when enrolment number is clicked then it fetches city, address, pincode and other details for the student

### Student List

Enrollment No	Name
<a href="#">12302080501005</a>	Bhavya Patel
<a href="#">12302080501015</a>	Harsh Patel

### Student Full Details

City: Undel

Address: Khambhat

Pincode: 388640