

// Q1. Find sum of Array Elements

```
import java.util.Scanner;

public class Q_01 {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        System.out.print("Enter the size of array: ");

        int n = sc.nextInt();

        int[] arr = new int[n];

        System.out.println("Enter " + n + " elements:");

        for (int i = 0; i < n; i++) {

            arr[i] = sc.nextInt();

        }

        int sum = 0;

        for (int i = 0; i < n; i++) {

            sum = sum + arr[i];

        }

        System.out.println("Sum of array elements: " + sum);

        sc.close();

    }

}
```

Output:



The screenshot shows a PowerShell terminal window with the following content:

```
Problems 2 Output Debug Console Terminal Ports powershell + v [ ] [ ] ... | [ ] [ ] X

PS C:\Users\harsh\OneDrive\Desktop\Java\Assignment_6> java Q_01.java
Enter the size of array: 5
Enter 5 elements:
1
2
3
4
5
Sum of array elements: 15
PS C:\Users\harsh\OneDrive\Desktop\Java\Assignment_6> |
```

// Q2. Find Largest Element in an Array

```
import java.util.Scanner;

public class Q_02 {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        System.out.print("Enter the size of array: ");

        int n = sc.nextInt();

        int[] arr = new int[n];

        System.out.println("Enter " + n + " elements:");

        for (int i = 0; i < n; i++) {

            arr[i] = sc.nextInt();

        }

        int largest = arr[0];

        for (int i = 1; i < n; i++) {

            if (arr[i] > largest) {

                largest = arr[i];

            }

        }

        System.out.println("Largest element: " + largest);

    }

}
```

Output:



The screenshot shows a PowerShell terminal window with the following content:

```
PS C:\Users\harsh\OneDrive\Desktop\Java\Assignment_6> java Q_02.java
Enter the size of array: 3
Enter 3 elements:
12
45
26
Largest element: 45
PS C:\Users\harsh\OneDrive\Desktop\Java\Assignment_6>
```

The terminal window has a title bar with "powershell" and standard window controls. The output of the Java program is displayed in the terminal, showing the user input for the array size and elements, and the resulting largest element.

// Q3. Search an Element in an Array

```
import java.util.Scanner;

public class Q_03 {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        System.out.print("Enter the size of array: ");

        int n = sc.nextInt();

        int[] arr = new int[n];

        System.out.println("Enter " + n + " elements:");

        for (int i = 0; i < n; i++) {

            arr[i] = sc.nextInt();

        }

        System.out.print("Enter the element to search: ");

        int search = sc.nextInt();

        boolean found = false;

        for (int i = 0; i < n; i++) {

            if (arr[i] == search) {

                System.out.println("Element found at index: " + i);

                found = true;

                break;

            }

        }

        if (!found) {

            System.out.println("Element not found");

        }

    }

}
```

Output:



```
PS C:\Users\harsh\OneDrive\Desktop\Java\Assignment_6> java Q_03.java
Enter the size of array: 5
Enter 5 elements:
21
15
7
31
56
Enter the element to search: 31
Element found at index: 3
PS C:\Users\harsh\OneDrive\Desktop\Java\Assignment_6> 
```

// Q4. Reverse an Array

```
import java.util.Scanner;

public class Q_04 {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        System.out.print("Enter the size of array: ");

        int n = sc.nextInt();

        int[] arr = new int[n];

        System.out.println("Enter " + n + " elements:");

        for (int i = 0; i < n; i++) {

            arr[i] = sc.nextInt();

        }

        System.out.println("Reversed array:");

        for (int i = n - 1; i >= 0; i--) {

            System.out.print(arr[i] + " ");

        }

        sc.close();

    }

}
```

Output:



The screenshot shows a terminal window with the following content:

```
PS C:\Users\harsh\OneDrive\Desktop\Java\Assignment_6> java Q_04.java
Enter the size of array: 5
Enter 5 elements:
7
12
8
15
6
Reversed array:
6 15 8 12 7
PS C:\Users\harsh\OneDrive\Desktop\Java\Assignment_6>
```

The terminal window has tabs for Problems (4), Output, Debug Console, Terminal (selected), and Ports. The title bar indicates it is a powershell window.

// Q5. Count Occurrence of an Element in an Array

```
import java.util.Scanner;

public class Q_05 {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        System.out.print("Enter the size of array: ");

        int n = sc.nextInt();

        int[] arr = new int[n];

        System.out.println("Enter " + n + " elements:");

        for (int i = 0; i < n; i++) {

            arr[i] = sc.nextInt();

        }

        System.out.print("Enter the element to count: ");

        int search = sc.nextInt();

        int count = 0;

        for (int i = 0; i < n; i++) {

            if (arr[i] == search) {

                count++;

            }

        }

        System.out.println(search + " occurs " + count + " time(s)");

        sc.close();

    }

}
```

Output:



The screenshot shows a terminal window with a dark background and light text. The window has a title bar with 'powershell' and standard window controls. The terminal content shows a PowerShell prompt at a specific directory where a Java file is executed. The program prompts for an array size and elements, then counts the occurrences of a specified element.

```
PS C:\Users\harsh\OneDrive\Desktop\Java\Assignment_6> java Q_05.java
Enter the size of array: 5
Enter 5 elements:
12
7
21
12
45
Enter the element to count: 12
12 occurs 2 time(s)
PS C:\Users\harsh\OneDrive\Desktop\Java\Assignment_6> 
```