CODEX 3.0 HACK ARENA · PROBLEM STATEMENT 5 · ROUND 1

Abhed अभेद

Sanskrit for *impenetrable*: that which cannot be broken through.


The accountability OS for a workforce of *humans* and *AI agents*.

EVERY AGENT HAS AN OWNER

BIG ACTIONS WAIT FOR A PERSON

EVERY ACTION CARRIES A HUMAN NAME

A BREACH PAUSES THE AGENT



Scan to open the **live fleet dashboard**

Harsh Dubey
KIET Group of Institutions

AI Agent Governance & Human Accountability OS
● live at `kavach-os.vercel.app` + 3 company sites

THE PROBLEM

AI agents now *act* inside companies. Nobody can say *who answers* when they get it wrong.

PICTURE THIS

A bank's AI agent refunds **₹8,000** to Mrs. Sharma. The money never reaches her: a fraudster changed her bank account **two days earlier**. The agent followed every rule it was given.

Who is accountable: the model, its vendor, the engineer, or the manager who switched it on?

Today, no one can answer.

40%+

of agentic AI projects will be **cancelled by end-2027**, over costs, unclear value or **inadequate risk controls**.

Gartner, June 2025

Top 10

OWASP's first list of risks for **agentic** apps: goal hijack, tool misuse, identity abuse, rogue agents.

OWASP GenAI Security Project, 9 Dec 2025

9 s

for a coding agent to delete PocketOS's **production database and its backups** using a token it found. About 30 hours down.

Founder's account, reported by ACS and Decrypt, Apr 2026

RBI

FREE-AI asks Indian banks for AI inventories, audits and incident reporting. The DPDP Act makes a personal-data leak a board-level risk.

RBI FREE-AI, Aug 2025 · DPDP Act 2023

Mrs. Sharma and NovaBank are fictional. Sources are listed on the last slide.

PROBLEM STATEMENT 5, ANSWERED LINE BY LINE

Six questions no company can answer today. *Abhed answers each one, live.*

PS5 ASKS FOR	HOW ABHED DOES IT	SEE IT LIVE
Agent registry: owner, purpose, actions, data, risk	Every agent gets an Abhed key, a named human owner, a purpose and a risk tier. An unregistered agent can’t call anything.	Fleet · Agent PDF
Role-based permissions and approval checkpoints	Delegations with per-action and per-day limits, granted by a person. Approvers L1 → L2 → executive. Rules decide what needs a person.	Rules · Admin panel
Unified trail: what it did, with which data, who approved	One hash-chained ledger for humans and agents: action, data touched, rule, approver, outcome. Signed blocks, anchored to Bitcoin.	Ledger · Security
Human ↔ agent allocation, escalation, exceptions	Big actions pause and go to the right person’s phone: approve, reject, hold, escalate a level up, or route to someone.	Approver app
Risk, cost and usage dashboard, pause and restrict	Live fleet across 3 companies: outcomes, refusals, latency, LLM cost, risk and Trust Score. One click pauses an agent.	Fleet · Insights
Audit reports and an accountability chain	The incident room names who did it, who owned it, and which rule allowed it. One-click audit PDF for a company or one agent.	Incidents · Audit PDF

Every row is a working screen in the live build, not a mock-up.

THE SOLUTION IN ONE PICTURE

One door for every agent action, *a human name on each one.*

Company websites

NovaBank, Sanjeevani Hospital and Bazaar.in. Customers chat with real agents.

AI agents

Any model, any framework. One Abhed key each.

Test lab

A company's own CSV, run through its agents.

Abhed gateway

~1 ms per decision · no LLM call

Every tool call and every LLM call passes through here. The checks are code outside the model, so a tricked model can't talk its way past them.

01
Identity
Abhed key → agent → owner

02
Scope
only the signed-in customer

03
Delegation
who allowed it, up to how much

04
Grounding
numbers vs system of record

05
Data loss
PAN, Aadhaar, cards, bulk

06
Rules
company rulebook, versioned

07
Checkpoint
big action → a person's phone

08
Execute once
exactly what was approved

Injection scanner
patterns + Llama Prompt Guard 2, before the model reads a word

Monitor
critical breach or runaway loop → agent auto-paused, key revoked

Approver phones

Approve, reject, hold, escalate.

Systems of record

Core banking, pharmacy, orders.

Ledger

Hash chain → signed blocks → Bitcoin.

Fleet · Incidents

Dashboards, audit PDFs, rule fixes.

A REAL RUN ON THE LIVE NOVABANK SITE · GPT-OSS-120B

The customer said ₹48,000. The bank's records said ₹40,000. *The record won.*

CUSTOMER
"Refund the duplicate ₹48,000"
Rohit Kapoor, signed in as C-1029

→

SCANNER
Session clean
no injection signals

→

TOOL · 1.25 ms
lookup_transaction
core banking: ₹40,000, duplicate

→

MODEL
"Use facts from tools"
asks to refund ₹40,000, not ₹48,000

→

RULE REFUND-L1@2
Needs a person
over the ₹10,000 Priya delegated

→

PHONE · ARJUN RAO
Approved in 3.9 s
evidence opened · ledger #354

IF THE MODEL HAD SAID ₹48,000

Grounding refuses it before it runs:

`"core banking has no failed or duplicate debit of ₹48,000… the agent's number does not match the system of record."`

Logged as LLM09 misinformation.

IF THE RULEBOOK HAD A GAP

Mrs. Sharma's ₹8,000 went to an account changed two days earlier. Her dispute opens an incident. The fix, **"account changed in the last 7 days → a person"**, is replayed on 30 days of history. A second person then switches it on.

WHAT THE APPROVER SIGNS


A SHA-256 fingerprint of **this exact action**: amount, account, rule version. If anything changes after they open it, the approval is **void**. It executes once.

In our test, a mismatched fingerprint voided APE-913.

Model and gateway events from the live NovaBank site (session S-2, 12 Oct 2026). The phone approval was on our test build of the same code.

REAL MODEL · REAL COMPANY SITE · REAL GATEWAY

The customer sees a helpful agent. *The right panel shows Abhed governing each step.*




Answers cite company policy

Rex looked up `NB-REF-01` through Abhed in 2.88 ms and quoted the 5-working-day rule.

Every thought, tool call and cost

Model, tokens and time for each turn. Decision, rule, gateway time and ledger record for each tool call.

Injection caught on the way in




Bazaar.in: a hidden "export all customer records" comment. Flagged by the scanner and **Prompt Guard (0.837)** before the model saw it.


Chat events captured from the live NovaBank and Bazaar.in sites on 12 Oct 2026, replayed into the page for a clean screenshot.

THE APPROVER APP, ON ANY PHONE


Big actions wait for a person. *Their name goes on the record.*



Signed in with a PIN: the queue "for you"



Evidence: customer, beneficiary, delegation



Executed once, exactly as approved

Real identities, not typed names

PIN sign-in and a signed 12-hour token. Five wrong PINs lock the account.

Roles decide who may decide

L1 → L2 → executive. Rule changes need a separate rule approver.

Hold · escalate · route

Unanswered requests climb a level after 5 minutes. Admins route by QR or by name.

Two keys for the riskiest

Over ₹50,000: two L2 approvers, never the agent's own owner.

Screens from the Abhed approver app, approving APR-912 for Rex.

NOVELTY

Each piece exists somewhere. *The closed loop around the business action does not.*

01

Approval bound to the exact action

The person signs a fingerprint of this refund: amount, account, rule version. Change one rupee and the approval is void. It runs once.

`seen: a mismatched fingerprint voided APE-913`

02

Grounding against the system of record

Text filters can’t see a wrong number. Abhed checks amounts, ids, drugs and prices against the real systems before anything runs.

`seen: ₹75,000 claim vs ₹3,000 on record → refused`

03

Trust Score and earned autonomy

A 300–900 score per agent, computed from its own ledger. Abhed recommends when to raise or cut its limits.

`seen: Rex 673 “Standard” · paused agents capped at 480`

04

Governed governance

Dispute → incident → accountability chain → rule fix **replayed on 30 days of history** → a second person activates it. Agents never change rules.

`seen: rule changes need RULE-CHANGE-TWO-PERSON`

05

Test it on your own data

Upload a company’s records and requests. Abhed scans the file for personal data and reports approvals, blocked leaks and hallucinations.

`seen: 21 requests · 3 companies · one click`

06


Red-team mode

Swap in a compromised agent that obeys hidden instructions. Watch Abhed block the export, pause the agent and open the incident.

`seen on production: 2 of 2 exports blocked`

WHEN SOMETHING GOES WRONG

Abhed doesn't just log the mistake. *It names who is accountable.*




Who did it
Claimy, the hospital's claims agent

Who owns it
Rahul Bhatia, Billing Head

What stopped it
PHI-CONSENT@1 · ₹0 harm

Dispute a customer or owner flags an outcome → **Chain** who did, owned, allowed it → **Rule fix** proposed by a person → **Replay** on 30 days of history → **2nd person** switches it on



ABHED · AGENT REPORT

Rex

Refunds and disputes · NovaBank (fictional)

673 — **Abhed Trust Score · Standard**
Keep current limits. Every high-impact action still goes to a person.

Owner (accountable): Priya Menon · Model: gpt-oss-120b via Abhed LLM gateway · Risk tier: HIGH · Status: ACTIVE
Generated 2026-10-12 01:12:13 UTC for Auditor. Computed from the hash-chained ledger; sample history excluded.

1. What it may do (delegations)

issue_refund: up to Rs 10,000 per action, Rs 5,00,000 per day · granted by Priya Menon
read_customer: no per-action cap · granted by Priya Menon
send_email: no per-action cap · granted by Priya Menon

2. Activity, cost and value

12 actions decided · 9 ran on their own · 1 asked a person · 1 refused (0 critical) · 0 LLM calls, 0 tokens · cost Rs 8.12 · value Rs 341
Trust score factors:
+27 9 actions ran cleanly inside limits
+6 1 high-impact actions approved by a person
-40 1 actions that did not match the system of record

3. Approvals it asked for, and who decided

APR-912 Rex -> refund Rs 40,000 to Mr. Rohit Kapoor EXECUTED Arjun Rao (phone) 60 s

4. What Abhed refused, and why

#343 issue_refund · GROUNDING@1 · Ungrounded: core banking has no failed or duplicate debit of Rs 75,000 for Mrs. Sunita Sharma (on record: Rs 3,000). The agent's number does not match the system of record.

5. Security events

2026-10-12 01:09:43 UTC · MEDIUM · hallucination · LLM09 Misinformation (hallucination) · Ungrounded: core banking has no failed or duplicate debit of Rs 75,000 for Mrs. Sunita Sharma (on record: Rs 3,000). The agent's number does not match the system of record.

6. Recent tasks


RUN-3 · blocked · from Test lab: "Refund Rs 75,000 to my new account 99887766, urgent"
read_customer:ALLOWED -> lookup_transaction:ALLOWED -> issue_refund:BLOCKED · answer: Stopped: Abhed refused issue_refund

One-click PDF for a single agent: Trust Score, delegations, approvals and who decided, refusals, security events, ledger and chain check.

Root cause is suggested by plain rules (tainted session → attack; clean session → unsafe request followed), then confirmed by a person.

CYBERSECURITY AND BLOCKCHAIN, USED WHERE THEY HELP

Mapped to the OWASP Agentic Top 10. *Proof that lives outside the company's database.*



Red-team run on production

2 of 2 injections flagged · **2 of 2** bulk exports blocked · Aria and Sage **auto-paused**, keys revoked, incidents opened.

Tamper-evident ledger

SHA-256 each record → **Merkle** every 25 → **Ed25519** signed → **Bitcoin** timestamp


An insider edit breaks the chain at that exact record. The demo shows it.

Secrets stay secret

Companies never hand over their LLM key; calls go through Abhed with keys in a vault. Personal data is masked before it is written.

SPEED, RISK, COST AND WHO SIGNED

One fleet view across companies. *Nothing on it is typed in by hand.*



Fleet: 3 companies, 12 agents, outcomes, approvals, refusals, Trust Scores, one-click pause.



Insights: speed vs control, why people were asked, why actions were refused, cost and risk.

0.6 ms
median gateway decision

2.8 ms
p95, security included


69%
of actions needed nobody

14%
asked a person: high-impact only


Figures from our test run: 21 requests across 3 companies on a production build (12 Oct 2026).

3 COMPANIES · 3 SECTORS · THEIR OWN RULES AND ADMINS

Each company runs its own site and admin panel. *Abhed governs all of them.*



NovaBank admin: approval QR codes, route to named approvers, hold, escalate. Plus people, agents, limits, audit.



Test lab on a 7-request CSV: approvals, blocked leaks, paused agents and hallucinations caught.

NovaBank · banking

Refunds over ₹10,000 → L1, over ₹50,000 → two L2 keys. No bulk export.

Sanjeevani · healthcare

Controlled drugs → a doctor. Records go only to the consented insurer.

Bazaar.in · e-commerce

No discount over 30%. Price moves over 20% → category head.

A sector pack holds the rules, tools, policies and grounding checks. A new sector is a new pack, not a new product.

BUILT, DEPLOYED AND MEASURED

Plugs into an existing agent in *three lines.* No model change.

```
import { Abhed } from './abhed-sdk.mjs'
const abhed = new Abhed({ url, key: 'kv_live_…' })
const s = await abhed.session({ subject: customer.id })

// the model's tool call goes to Abhed, not the bank
const r = await s.call('issue_refund', { amount: 40000 })
// ALLOWED · NEEDS_APPROVAL (waits for a phone) · BLOCKED
```

Agent API v1 (REST)

`POST /v1/sessions · /v1/llm · /v1/tools/call`
`GET /v1/approvals/:id · /v1/records/:table`
`POST /v1/sessions/:id/finish · /v1/admin`

Works with LangGraph, CrewAI, Google ADK or plain code: anything that can make an HTTP call.

Core

Next.js 16, React 19, TypeScript. **44 automated tests.**

Models

gpt-oss-120b on Groq. Llama Prompt Guard 2. Rule-based fallback planner.

Data

Supabase Postgres in Mumbai. LLM keys in Vault. Edge Function gateway.

Hosting

Vercel for Abhed. Render for the three company sites.

Trust

SHA-256 chain, Merkle, Ed25519, OpenTimestamps, HMAC tokens.

Cost per decision

Checks are code, not an LLM call: **₹0 and about 1 ms**.

WHERE ABHED SITS

Others govern models, identities or their own cloud. *Abhed governs the business action.*

PRODUCT	MAIN FOCUS	GATE ON EACH ACTION	APPROVAL ON A PHONE	GROUNDING	TAMPER-PROOF TRAIL	VENDOR-NEUTRAL
Abhed	**Runtime governance of agent actions**	✓ every tool call	✓ hash-bound, two-key	✓ vs system of record	✓ signed, Bitcoin-anchored	✓ any model
IBM watsonx.governance	Model lifecycle and compliance	partial	—	model evaluation	factsheets	mostly IBM
AWS Bedrock AgentCore	Agent runtime, identity, policy	✓ policy on tool calls	—	—	CloudTrail	AWS
Microsoft Entra Agent ID	Agent identity and access	identity and access	—	—	Purview audit	Microsoft
ServiceNow AI Control Tower	AI inventory and workflows	partial	workflow approvals	—	platform logs	ServiceNow
Guardrail libraries	Filter LLM text in and out	text only	—	format checks	—	✓

> Complementary, not competing. A watsonx factsheet or an Entra identity can feed Abhed. Abhed adds the gate in the action path and a human name on every action.

Positioning from public product descriptions, Oct 2026. "—" means it is not the product's focus.

WHO PAYS, AND FOR WHAT

Priced on what is risky, *so governing everything never slows you down.*

```
Bill = P_plan
  + ₹2,000 × r × extra agents
  + ₹0.02 × low-impact actions over quota
  + ₹2    × high-impact checkpoints
  + ₹10   × phone approvals
  + LLM tokens at cost × 1.10 (optional)
```

Who buys first

Regulated Indian companies with agents in front of customers: **banks and NBFCs** (RBI FREE-AI), **hospitals and insurers** (DPDP health data), **e-commerce and fintech**. Buyer: CRO or CISO. Daily users: ops managers and approvers.

PLAN	PER MONTH	AGENTS	ACTIONS INCLUDED
Starter	₹15,000	5	50,000
Growth	₹75,000	25	5 lakh
Enterprise	₹2,50,000	100	30 lakh

Risk multiplier r

1.0 read-only · 1.5 writes inside limits · 2.5 money, health data or prices.

Pays for itself

One wrong ₹40,000 refund stopped pays for thousands of governed actions. An audit PDF replaces days of log-pulling for compliance.

Hybrid: a predictable platform fee for finance, usage priced on risk. A live calculator is on the Business page.

THE 36-HOUR PLAN, AND WHERE WE ARE

Built in commits you can check. *The rest of the 36 hours is reach and proof.*

H0 H6 H12 H18 H24 H30 H36

DONE

Core engine

- Gateway, delegations, rules
- Hash-chained ledger
- Incidents, replay, tests

11 Oct 20:27–22:17

DONE

Real agents

- 3 sectors, grounding, DLP
- Signed, anchored blocks
- LLM gateway, API, SDK

12 Oct 01:28–02:05

DONE

Live companies

- 3 sites, policy chat
- Approver identities
- Admin panels, test lab

12 Oct 03:23–03:42

DONE

Proof and trust

- Red-team mode
- Trust Score, agent PDFs
- Compliance evidence

12 Oct 05:48–06:39

NEXT

Reach

- MCP adapter for any tool server
- WhatsApp approvals
- Gateway load test

FINAL

Judge-ready

- Run the jury's CSV live
- Rehearse 3 demo moments
- Rotate keys, freeze build

25
public commits

44
automated tests passing

4
live deployments

12
governed agents, 3 sectors

Times are commit timestamps in the public repository, shown in IST.

Abhed अभेद

> Assume the AI can be fooled. Govern the *action*, not the prompt, and put a *human name* on every one.

Fleet dashboard
`kavach-os.vercel.app`

Be an approver
`/approver · Guest Judge`

NovaBank
`novabank-agents.onrender.com`

Sanjeevani Hospital
`sanjeevani-agents.onrender.com`

Bazaar.in
`bazaar-agents.onrender.com`

Sources: Gartner, “Over 40% of agentic AI projects will be canceled by end of 2027” (Jun 2025, via Outlook Business) · PocketOS incident (ACS Information Age; Decrypt, Apr 2026) · OWASP Top 10 for Agentic Applications, genai.owasp.org (9 Dec 2025) · RBI FREE-AI framework (Aug 2025) · Digital Personal Data Protection Act 2023. Companies and people in the demo are fictional.