

New Syllabus 2019-20

- Term-wise Guide as per the New Syllabus for the year 2019-20, for Term - I
- Complete Solutions to Textbook Exercises.
- Exhaustive Additional Questions in all Units.
- Chapter-wise Unit Tests with Answers.







Mathematics

7th Standard

Based on the New Textbook & New Syllabus for 2019-20

Term - I Padasalai

Salient Features:

- Term-wise Guide as per the New Textbook for the year 2019-20, for Term I
- Complete Solutions to Textbook Exercises.
- Exhaustive Additional Questions in all Units.
- Chapter-wise Unit Tests.



Chennai

www.TrbTnpsc.com for Full Book order online and available at All Leading Bookstores

2019 - 20 Edition

© Reserved with Publishers

ISBN: 978-81-8449-696-3 Code No.: T1-7-M-EM

Author:

Published by:

S. P. Rajini, M.Sc., M.Com., B.Ed., M.Phil.

Mr. Subash Raj, B.E., M.S.

Chennai

Head Office:

1620, 'J' Block, 16th Main Road, Anna Nagar, **Chennai - 600 040. Phones**: 044-26162173, 26161099. **Mob :** 81242 01000/ 81243 01000

Fax: (91) 44-26162173
e-mail: orders @surabooks.com
website: www.surabooks.com

Our Guides for Std. IX

TERMWISE GUIDES (for each Term)

- Sura's Tamil Guide
- Sura's English Guide
- Sura's Maths Guide (EM & TM)
- Sura's Science Guide (EM & TM)
- Sura's Social Science Guide (EM & TM).
- Sura's 5-in-1
 with all 5 subjects in one guide (EM & TM)

FULL YEAR GUIDES for 3 Terms together

- Sura's Tamil Guide
- Sura's English Guide
- Sura's Maths Guide (EM & TM)
- Sura's Science Guide (EM &TM)
- Sura's Map Workbook (EM & TM)

Sura's English Guide

→ Sura's Mathematics Guide (EM & TM)

Our Guides for Std. X

GUIDES

- 💠 சுராவின் தமிழ் உரைநூல்
- → Sura's Will to Win English Guide
- → Sura's Science Guide (EM & TM)
- → Sura's Social Science Guide (EM & TM)

QUESTION BANKS

- Sura's PTA Solution Book & Exam Refresher (EM & TM)
- Sura's 5-in-1 Question Bank (EM & TM)
- Sura's Sigaram Thoduvom 5-in-1 One Mark (EM & TM)
- Sura's Sigaram Thoduvom (EM & TM) for each subject
- → Sura's Will to Win 1 Mark Q & A English Paper I & II
- Sura's Map Workbook (EM & TM)

(ii)

NOTE FROM PUBLISHER

It gives me great pride and pleasure in bringing to you **Sura's Mathematics Guide** for 7th **Standard Term** - **I**. It is prepared as per the New Syllabus and New Textbook for Term-I for the year 2019-20.

This guide encompasses all the requirements of the students to comprehend the text and the evaluation of the textbook.

- Additional questions have been provided exhaustively for clear understanding of the units under study.
- Chapter-wise Unit Test are given.

In order to learn effectively, I advise students to learn the subject section-wise and practice the exercises given. It will be a teaching companion to teachers and a learning companion to students.

Though these salient features are available in this Guide, I cannot negate the indispensable role of the teachers in assisting the student to understand the subject thoroughly.

I sincerely believe this guide satisfies the needs of the students and bolsters the teaching methodologies of the teachers.

I pray the almighty to bless the students for consummate success in their examinations.

Subash Raj, B.E., M.S.
- Publisher
Sura Publications

All the Best

TO ORDER WITH US

SCHOOLS and TEACHERS:

We are grateful for your support and patronage to 'SURA PUBLICATIONS' Kindly prepare your order in your School letterhead and send it to us.

For Orders contact: 81242 01000 / 81243 01000

DIRECT DEPOSIT

A/c Name : Sura Publications

Our A/c No. : **36550290536**

Bank Name : STATE BANK OF INDIA

Bank Branch: PADI

IFSC : SBIN0005083

A/c Name : **Sura Publications**

Our A/c No. : **6502699356**Bank Name : **INDIAN BANK**Bank Branch : ASIAD COLONY

IFSC : IDIB000A098

A/c Name : Sura Publications

Our A/c No. : **21000210001240**

Bank Name : UCO BANK

Bank Branch: Anna Nagar West IFSC: UCBA0002100

A/c Name : Sura Publications

Our A/c No. :

1154135000008804

Bank Name: KARUR VYSYA

BANK

Bank Branch: Anna Nagar IFSC: KVBL0001154

After Deposit, please send challan and order to our address. email: orders@surabooks.com/Whatsapp: 81242 01000.

DEMAND DRAFT / CHEQUE

Please send Demand Draft / cheque in favour of 'SURA PUBLICATIONS' payable at Chennai.

The Demand Draft / cheque should be sent with your order in School letterhead.

STUDENTS:

Order via Money Order (M/O) to

SURA PUBLICATIONS

1620, 'J' Block, 16th Main Road, Anna Nagar,

Chennai - 600 040.

Phones: 044-26162173, 26161099.

Mobile: 96001 75757/81242 01000/81243 01000.


email: orders@surabooks.com Website: www.surabooks.com

CONTENTS

1.	Number System
2.	Measurements
3.	Algebra
4.	Direct and Inverse Proportion
5.	Geometry
6.	Information Processing

For More Information - Contact

Doubts in Our Guides : enquiry@surabooks.com
For Order : orders@surabooks.com
Contact : 96001 75757 / 8124301000
Whatsapp : 8124201000 / 9840926027
Online Site : www.surabooks.com
For Free Study Materials Visit http://tnkalvi.in



Chapter 1

Number System

IMPORTANT POINTS

INTEGERS:

- → Collection of the natural numbers, zero and the negative numbers gives integers. The collection of integers are denoted by Z.
- → Negative integers are represented on the number line to the left of zero and the positive integers to the right of zero.
- **t** Every integers on the number line is placed in an increasing order from left to right.

ADDITION OF INTEGERS:

★ The sum of two positive integers is positive.

E.g:
$$(+5) + (+4) = +9$$

→ The sum of two negative integers is negative.

E.g:
$$(-2) + (-5) = -7$$

The sum of a positive and a negative integer is the difference of the two numbers in value and has the sign of the greater integer.

E.g:
$$(-3) + (+5) = +2$$

$$(+3) + (-5) = -2$$

PROPERTIES OF ADDITION:

Closure Property:

The sum of two integers is always an integer i.e. for any two integers a and b; a + b is also an integer. This property is known as 'closure property' of integers on addition.

Commutative Property:

For any two integers a and b; a + b = b + a. This property is known as 'commutative property' of integers.

Associative Property:

For any three integers a, b, and c; a + (b + c) = (a + b) + c. This property is known as Associative property of integers under addition.

Additive Identity:

- ♦ When '0' is added to an integer, we get the same integer.
 - i.e. For any integer a, a + 0 = a = 0 + a
 - Due to this property zero is called the additive identity.

Sura's O Mathematics O 7th Std O Term - I

Additive Inverse

When opposites are added together always give the value zero.

E.g.
$$(-5) + (+5) = 0$$

In this case either of the pair of opposites is known as the additive inverse of the other.

i.e. For any integer a, -a is the additive inverse.

$$a + (-a) = 0 = (-a) + a$$

Subtraction of Integers:

To subtract an integer from another, we add the additive inverse of the integer which is to be subtracted

E.g. (i)
$$7 - (-5) = 7 + (+5)$$

= 12

(ii)
$$(-7) - (+5) = (-7) + (-5)$$

= -12

Every subtraction statement has a corresponding addition statement.

E.g. 8 - 5 = 3; Subtraction statement.

3 + 5 = 8; Addition statement.

Properties of Subtraction:

- The difference of two integers is always an integer.
 - i.e. For any two integers a, b; a b is also an integer. Closure property is true for integers on subtraction.
- For any two integers a, b; $a b \neq b a$. Commutative property does not hold for subtraction of integers.

$$3 - (-1) = 3 + 1 = 4$$

$$(-1) - (3) = -1 + (-3) = -4$$

$$3 - (-1) \neq (-1) - 3$$



(Text book Page No. 1)

Write the following integers in ascending order: -5, 0, 2, 4, -6, 10, -10

Sol: Plotting the points on the number line, we get



The numbers are placed in an increasing order from left to right.

 \therefore Ascending order: -10 < -6 < -5 < 0 < 2 < 4 < 10

2. If the integers -15, 12, -17, 5, -1, -5, 6 are marked on the number line then the integer on the extreme left is .

Sol: The least number will be on the extreme left.

 \therefore -17 will be on the extreme left.

Sura's O Mathematics O 7th Std O Term - I

3. Complete the following pattern:

50, , 30, 20, , 0, -10, , , -40, , .

Sol: The difference between the consecutive number is 10.

50, 40, 30, 20, 10, 0, -10, -20, -30, -40, -50, -60

Compare the given numbers and write "<", ">" or "=" in the boxes. 4.

- (a) -65 | 65
- **(b)** 0 1000
- (c) -2018 | -2018

Sol: (a) $-65 \le 65$, A positive number is greater than a negative number.

- **(b)** $0 \le 1000$, 0 is less than all positive integers.
- (c) -2018 = -2018

5. Write the given integers in descending order, -27, 19, 0, 12, -4, -22, 47, 3, -9, -35.

Sol: Separating positive and the negative integers, we get -27, -4, -22, -9, -35

Arranging the numbers in descending order -4 > -9 > -22 > -27 > -35

The positive numbers are 19, 12, 47, 3

Arranging in descending order, we get 47 > 19 > 12 > 3

0 stands in the middle.

 \therefore Descending order: 47 > 19 > 12 > 3 > 0 > -4 > -9 > -22 > -27 > -35



(Text book Page No. 3)

Find the value of the following using the number line activity. 1.

- (i) (-4) + (+3) (ii) (-4) + (-3) (iii) (+4) + (-3)


Sol: (i) (-4) + (+3)

To find the sum of (-4) and (+3), we start at zero facing positive direction continuing in the same direction and move 4 units backward to represent (-4).

Since the operation is addition we maintain the same direction and move three units forward to represent (+3)

We land at -1

So
$$(-4) + (+3) = -1$$



(ii) (-4) + (-3)

From zero move 4 steps backward to represent (-4)

From the same direction again move 3 units backward to represent (-3)

We land at -7

So
$$(-4) + (-3) = -7$$

(iii) (+4) + (-3)



We start at zero facing positive direction and move 4 steps forward to represent (+4) Since the operation is addition we maintain the same direction and move three units backward to represent (-3).

We land at +1.

So
$$(+4) + (-3) = +1$$



Number System

= -8

PROPERTIES OF ADDITION

(Text book Page No. 6)

- 1. Complete the given table and check whether the sum of two integers is an integer or not?
 - (i) 7 + (-5)=(+2)
- (ii) (-6) + (-13)=(-19)

- (iii) 25 + 9
- = 34

= (+37)

- (v) 41 + 32= 73
- (vi) (-19) + (-15) = (-34)

(vii) 52 + (-15)

- = (-7)(viii)(-7) + 0
- (ix) 0 + 12=12
- (x) 14 + 0 = 14

(iv) (-12) + 4

- (xi) (-6) + (-6)=(-12)
- (xii)(-27) + 0= -27

Sol: The sum of two integers is an integer.



TRY THESE

(Text book Page No. 7)

- 1. Fill in the blanks:
 - (i) 20 + (-11) = -(11) + 20
 - (ii) (-5) + (-8) = (-8) + (-5)
 - (iii) (-3) + 12 = 12 + (-3)

- [: Addition is commutative]
- [: Addition is commutative]
- [: Addition is commutative]

- Say True or False.
 - (i) (-11) + (-8) = (-8) + (-11)
 - (ii) -7 + 2 = 2 + (-7)
 - (iii) (-33) + 8 = 8 + (-33)
- True, because addition is commutative for integers.
- **True,** by commutative property on integers.
- True, by commutative property on integers.
- 3. Verify the following.
 - [(-2) + (-9)] + 6 = (-2) + [(-9) + 6](i)
 - (ii) [7 + (-8)] + (-5) = 7 + [(-8) + (-5)]
 - (iii) [(-11) + 5] + (-14) = (-11) + [5 + (-14)]
 - (iv) (-5) + [(-32) + (-2)] = [(-5) + (-32)] + (-2)
- **Sol**: (i) [(-2) + (-9)] + 6 = (-2) + [(-9) + 6]
 - [(-2) + (-9)] + 6 = (-11) + 6 = -5
 - Also (-2) + [(-9) + 6] = (-2) + (-3) = -5

Both the cases the sum is -5.

- [(-2) + (-9)] + 6 = (-2) + [(-9) + 6]
 - [7 + (-8)] + (-5) = 7 + [(-8) + (-5)]
- Here [7 + (-8)] + (-5) = (-1) + (-5) = -6
- Also 7 + [(-8) + (-5)] = 7 + (-13) = 7 13 = -6

In both the cases the sum is -6.

- [7 + (-8)] + (-5) = 7 + [(-8) + (-5)]
- (iii) [(-11) + 5] + (-14) = (-11) + [5 + (-14)]
- Here [(-11) + 5] + (-14) = (-6) + (-14) = (-20)(-11) + [5 + (-14)] = (-11) + (-9) = (-20)

In both the cases the sum is -20.

(ii)

$$[(-11) + 5] + (-14) = (-11) + [5 + (-14)]$$

$$(iv)(-5) + [(-32) + (-2)] = [(-5) + (-32)] + (-2)$$

$$(-5) + [(-32) + (-2)] = (-5) + (-34) = -39$$

Also
$$[(-5) + (-32)] + (-2) = (-37) + (-2) = -39$$

In both the cases the sum is -39.

$$(-5) + [(-32) + (-2)] = [(-5) + (-32)] + (-2)$$

4. Find the missing integers:

(i)
$$0 + (-95) = -95$$

(ii)
$$-611 + 0 = -611$$

(iv)
$$0 + (-140) = -140$$

5. Complete the following:

(i)
$$-603 + 603 = 0$$

(ii)
$$9847 + (-9847) = 0$$

(iii)
$$1652 + (-1652) = 0$$

$$(iv) -777 + 777 = 0$$

(v)
$$-5281 + 5281 = 0$$

Exercise 1.1

1. Fill in the blanks:

- (i) $(-30) + \underline{\hspace{1cm}} = 60$ [Ans: 90]
- (ii) $(-5) + \underline{\hspace{1cm}} = -100$ [Ans: -95]
- (iii) (-52) + (-52) = [Ans: -104]
- (iv) $\underline{\hspace{1cm}} + (-22) = 0$ [Ans: 22]
- (v) $\underline{\hspace{1cm}} + (-70) = 70$ [Ans: 140]
- (vi) $20 + 80 + \underline{\hspace{1cm}} = 0$ [Ans: -100]
- (vii) 75 + (-25) = [Ans: 50]
- (viii) $171 + \underline{\hspace{1cm}} = 0$ [Ans: -171] (ix) $[(-3) + (-12)] + (-77) = \underline{\hspace{1cm}} + [(-12) + (-77)]$ [Ans: -3]
- (x) (-42) + [+ (-23)] = [+ 15] + [Ans: +15; -42; -23]

2. Say True or False.

- (i) The additive inverse of (-32) is -32 [Ans: False]
- (ii) (-90) + (-30) = 60 [Ans: False]
- (iii) (-125) + 25 = -100 [Ans: True]

- (i) 8 and -12 using number line.
- Sol: Starting at zero on the number line facing positive direction and move 8 steps forward reaching 8.



backward to represent -12

and reach at -4.

$$\therefore 8 + (-12) = -4$$

- (ii) (-3) and (-5) using number line.
- Sol: Starting at zero on the number line facing positive direction and move 3 steps backward reaching -3.

Then we move 5 steps backward to represent -5 and reach -8.



$$(-3) + (-5) = -8$$

(iii)
$$(-100) + (-10)$$

Sol:
$$(-100) + (-10) = -100 - 10 = -110$$

(iv)
$$20 + (-72)$$

Sol:
$$20 + (-72) = 20 - 72 = -52$$

(v)
$$82 + (-75)$$

Sol:
$$82 + (-75) = 82 - 75 = 7$$

$$(vi)$$
 $-48 + (-15)$

Sol:
$$-48 + (-15) = -48 - 15 = -63$$

$$(vii) - 225 + (-63)$$

- **Sol**: -225 + (-63) = -225 63 = -288
- Thenmalar appeared for competitive exam which has negative scoring of 1 mark for each incorrect answers. In paper I she answered 25 question incorrectly and in paper II 13 questions incorrectly. Find the total reduction of marks.
- **Sol:** For each incorrect question the score

In paper I, score for 25 incorrect questions
$$= 25 \times (-1) = -25$$

In paper II, for 13 incorrect question the score

$$= 13 \times (-1) = -13$$

The total marks get reduced

$$=(-25)+(-13)=-38$$

- -38 marks will be reduced.
- **5.** In a quiz competition, Team A scored +30, -20, 0 and team B scored -20, 0,+30 in three successive rounds. Which team will win? Can we say that we can add integers in any order?

Total score of team A = [(+30) + (-20)] + 0 = (+10) + 0 = 10Sol: Total score of team B = [(-20) + 0] + (+30)

$$= -20 + 30 = +10$$

Score of team A = Score of team B.

Yes, we say that we can add integers in any order.

Sol: First we take (11 + 7) + 10 = 18 + 10 = 28

Now
$$11 + (7 + 10) = 11 + 17 = 28$$

In both the cases the sum is 28. \therefore (11 + 7) + 10 = 11 + (7 + 10)

This property is known as associative property of integers under addition.

7. Find 5 pairs of integers that added to 2.

Sol:
$$0+2 = 2$$

$$1 + 1 = 2$$

$$-1 + 3 = 2$$

$$-2 + 4 = 2$$

-3 + 5 = 2 (and many more.)

OBJECTIVE TYPE QUESTIONS

- 8. The temperature at 12 noon at a certain place was 18° above zero. If it decreases at the rate of 3° per hour at what time if would be 12° below zero?
 - (i) 12 mid night

(ii) 12 noon

(iii) 10 am

- (iv) 10 pm
- [Ans: (iv) 10 pm]
- Sol: Temperature at 12 noon = 18° above zero = $+18^{\circ}$ Rate of decrease per hour = -3°
 - Temperature 12° below zero = -12°
 - -12 is 30 units to the left of +18°

Time at which it reach $-12^{\circ} = \frac{30}{3} = 10 \text{ h}$

10 hrs after 12 noon = 10 pm

9. Identify the problem with negative numbers as its answer.

(i)
$$-9 + (-5) + 6$$

(ii)
$$8 + (-12) - 6$$

(iii)
$$-4 + 2 + 10$$

(iv)
$$10 + (-4) + 8$$

Sol: (i)
$$-9 + (-5) + 6 = -14 + 6 = -8$$

(ii)
$$8 + (-12) + 6 = -4 + 6 = +2$$

(iii)
$$-4 + 2 + 10 = -2 + 10 = 8$$

(iv)
$$10 + (-4) + 8 = 6 + 8 = 14$$

[Ans: (i)
$$-9 + (-5) + 6$$
]

- **10.** (-10) + (+7) = ____
 - (i) +3
- (ii) −3
- (iii) −17
- (iv) +17
- [Ans: (ii) -3]

- 11. (-8) + 10 + (-2) =
 - (i) 2
- (ii) 8
- (iii) 0
- (iv) 20
- [Ans: (iii) 0]

- **12.** 20 + (-9) + 9 = ____
 - (i) 20
- (ii) 29
- (iii) 11
- (iv) 38
- [Ans: (i) 20]

ADDITIONAL QUESTIONS

- 1. When Malar woke up her temperature was 102°F. Two hours later it was 3° lower, what was her temperature then?
- Initially Malar's temperature = 102°F Sol:

After two hours it lowered $3^{\circ} \Rightarrow -3^{\circ}F$

- Here present temperature = $102^{\circ} + (-3^{\circ}) = 99^{\circ}F$
- An elevator is on the twentieth floor. It goes down 11 floors and then up 5 floors. 2. What floor is the elevator on now?
- Present location of the elevator = 20th floor Sol:

If it goes down 11 floor \Rightarrow (-11)

= 20 + (-11) = 9th floor

 \Rightarrow 9 + 5 If it goes up 5 floor = 14th floor

16 + = 16. The property expressed here is 3.

Sol: 16 + 0 = 16.

0 is the additive identity on integers.

SUBTRACTION OF INTEGERS



TRY THESE


(Text book Page No. 11)

- Do the following by using number line.
 - (i) (-4) (+3)
- **Sol:** We start at zero facing positive direction move 4 units backward to represent (-4). Then turn towards negative side and move 3 units forward.

We reach –7

$$\therefore$$
 (-4) - (+3) = -7.

(ii) (-4) - (-3)



Sol: We start at zero facing positive direction. Move 4 units backward to represent –4. Then turn towards the negative side and move 3 units backwards.

We reach at -1.

$$\therefore$$
 (-4) - (-3) = -1.

- Find the values and compare the answers. 2.

(i) (-6) - (-2) and (-6) + 2

(-6) - (-2) = -6 + (Additive inverse of -2)Sol: = -6 + (+2) = -4

Also
$$(-6) + 2 = -4$$

$$\therefore (-6) - (-2) = (-6) + 2$$

(ii) 35 - (-7) and 35 + 7.

Sol:

$$35 - (-7) = 35 + (Additive inverse of -7) = 35 + (+7) = 42$$

Also $35 + 7 = 42$; $35 - (-7) = 35 + 7$

(iii) 26 - (+10) and 26 + (-10)

Sol:
$$26 - (+10) = 26 + (Additive inverse of +10) = 26 + (-10) = 16$$

Also
$$26 + (-10) = 16$$
; $26 - (+10) = 26 + (-10)$

Put the suitable symbol <, > or = in the boxes. 3.

(i)
$$-10 - 8 < -10 + 8$$

Sol:
$$-10 - 8 = -18 & -10 + 8 = -2$$

(ii)
$$(-20) + 10 = (-20) - (-10)$$

(ii)
$$(-20) + 10$$
 = $(-20) - (-10)$ Sol: $(-20) + 10 = -10 & (-20) - (-10) = -10$
(iii) $(-70) - (-50)$ > $(-70) - 50$ Sol: $(-70) - 50 = (-70) + (-50) = -120$

(iii)
$$(-70) - (-50)$$
 \geq $(-70) - 50$

Sol:
$$-70 - 50 = (-70) + (-50) = -120$$

(iv)
$$100 - (+100)$$
 < $100 - (-100)$

(iv)
$$100 - (+100)$$
 < $100 - (-100)$ Sol: $100 - (+100) = 0 & 100 - (-100) = 100 + (+100) = 200$

(v)
$$-50 - 30$$
 $\boxed{=}$ $-100 + 20$

Sol:
$$-50 - 30 = -50 + (-30) = -80$$

Also
$$-100 + 20 = -80$$



(Text book Page No. 14)

Fill in the blanks. 1.

(i)
$$(-7) - (-15)$$
 = -4

$$-7 - (-15) = -7 + (Additive inverse of -15)$$

= -7 + 15 = +8

$$12 - (-7) = 19$$

(iii)
$$-4 - (-5)$$

$$= 1$$

2. Find the values and compare the answers.

(i)
$$15 - 12$$
 and $12 - 15$

(ii)
$$-21 - 32$$
 and $-32 - (-21)$

Sol: (i)
$$15 - 12 = 3 & 12 - 15 = 12 + (-15) = -3$$

(ii)
$$-21 - 32 = (-21) + (-32) = -53$$
Also
$$-32 - (-21) = (-32) + (+21) = -11; -53 < -11$$

$$-21 - 32 < (-32) - (-21)$$



Think

(Text book Page No. 14)

1. Is associative property true for subtraction of integers. Take any three examples and check.

Sol: Consider the numbers 1, 2 and 3. Now (1-2) - 3 = -1 - 3 = -4

Also
$$1 - (2 - 3) = 1 - (-1) = 1 + 1 = 2$$

$$\therefore$$
 $(1-2)-3 \neq 1-(2-3)$

Associative property is not true for subtraction of integers. ...

Exercise 1.2

- 1. Fill in the blanks.
 - -44 + = -88(i)

[Ans: -44]

(ii) -75 = -45

[Ans: 30]

(iii) -(+50) = -80

[Ans: -30]

- 2. Say True or False.
 - (i) (-675) (-400) = -1075

[Ans: False]


(ii) 15 - (-18) is the same as 15 + 18

[Ans: True] [Ans: False]

- 3. Find the value of the following.
 - (i) -3 (-4) using number line.

(iii) (-45) - (-8) = (-8) - (-45)

Sol: We start at zero facing positive direction. Move 3 units backward to represent (-3). Then turn towards the negative side and move 4 units backwards. We reach +1.



$$(-3) - (-4) = +1.$$

(ii) 7 - (-10) using number line

Sol:



We start at zero facing positive direction. Move 7 units forward to represent (+7). Then turn towards the negative side and move 10 units backwards.

We reach +17

$$\therefore 7 - (-10) = +17$$

$$(iii)$$
 25 (64)

(iii) 35 - (-64)

Sol: 35 - (-64) = 35 + (Additive inverse of -64) = 35 + (+64) = 99

$$\therefore 35 - (-64) = 99$$

(iv) -200 - (+100)

Sol:
$$-200 - (+100) = -200 + (Additive inverse of +100) = -200 + (-100) = -300$$

 $-200 - (+100) = -300$

Kabilan was having 10 pencils with him. He gave 2 pencils to senthil and 3 to 4. Karthick. Next day his father gave him 6 more pencils, from that he gave 8 to his sister. How many pencils are left with him?

Sol:

Total pencils Kabilan had = 10

No. of pencils given to Senthil = 2

No. of pencils given to Karthick = 3.

Now number of pencils left with Kabilan = 10 - 2 - 3 = 8 - 3 = 5

Number of pencils got from his father = 6

No. total pencils Kabilan had = 5 + 6 = 11

Number of pencils given to his sister = 8

Number of pencils left with Kabilan = 11 - 8 = 3 5. A lift is on the ground floor. If it goes 5 floors down and then moves up to 10 floors from there, then in which floor will the lift be?

Sol: Initially the lift will be in the ground floor representing '0'

It goes to 5 floors down
$$\Rightarrow -5$$

Then it moves 10 floors up
$$\Rightarrow +10$$
.

Now the lift will be
$$= 0 - 5 + 10 = -5 + 10$$

When Kala woke up, her body temperature was 102°F. She took medicine for 6. fever. After 2 hours it was 2°F lower. What was her temperature then?

Kala's temperature initially = 102°F Sol:

After two hours the temperature decreased =
$$-2$$
°F

Now the final temperature =
$$102$$
°F – 2 °F = 100 °F

What number should be added to (-17) to get -19? 7.

Sol: According to the problem =
$$-17 + A$$
 number = -19

The number =
$$-19 + 17 = -2$$

$$\therefore$$
 -2 should be added to -17 to get -19

A student was asked to subtract (-12) from -47. He got -30. Is he correct? Justify. 8.

$$-47 - (-12) = -47 + (Additive inverse of -12)$$

$$=-47+(+12)=-35$$

But the students answer is -30.

So he is not correct

OBJECTIVE TYPE QUESTIONS

- 9. (-5) - (-18)
 - (i) 23
- (ii) -13
- (iii) 13
- (iv) -23 [Ans: (iii) 13]

- 10. (-100) - 0 + 100 =
 - (i) 200
- (ii) 0
- (iii) 100
- (iv) -200 [Ans: (ii) 0]

ADDITIONAL QUESTIONS

- Roman civilization began in 509 BC and ended in 476 AD. How long did Romans 1. civilization last.
- **Sol:** From the start of common era no. of years upto 476 AD = 476

From 509 BC to start of common era years = 509

Total years Roman civilization last

$$=476 + 509 = 985$$
 years.

A submarine was situated 450 feet below sea level. If it descends 300 feet. What is 2. its new position?

Sol: Position of submarine =
$$-450$$
 ft.

Again it descends 300 feet
$$\Rightarrow$$
 -300 feet

$$\therefore$$
 New position = $-450 + (-300) = -750$ ft.

: It was 750 feet below sea level.

- 3. In January the high temperature recorded was 90°F and the low temperature was -2°F. Find the difference between the high and the low temperatures?
- Sol: The high temperature recorded = 90° F The low temperature recorded = -2° F

Difference = $90^{\circ}F - (-2^{\circ}F)$

 $= 90^{\circ}\text{F} + \text{(Additive inverse of } -2^{\circ}\text{F)}$

 $= 90^{\circ}F + (+2^{\circ}F) = 92^{\circ}F$

MULTIPLICATION OF INTEGERS



(Text book Page No. 16)

- 1. Find the product of the following
 - (i) $(-20) \times (-45) = +900$ [As we know the product of two negative integers is positive, the answer is +900.]
 - (ii) $(-9) \times (-8) = 72$

[: Product of two negative integers is positive]

(iii) $(-30) \times 40 \times (-1) = (+1200)$

[Product of two integers with opposite sings is negative integer.

$$(-30) \times 40 \times (-1) = (-1200) \times (-1) = +1200)$$

- (iv) $(-50) \times 2 \times (-10) = -1000$ [Product of two integers with opposite signs is negative.
 - $(+50) \times 2 \times (-10) = 100 \times (-10) = -1000)$
- 2. Complete the following table by multiplying the integers in the corresponding row and column headers.

			_				
X	-3	-2	-1	0	1	_2	3
-3							
-2							
-1							
0							
1							
2							
3							

- **Sol:** We know that (i) product of two positive integers is positive
 - (ii) product of two negative integers is positive
 - (iii) product of integers with opposite sign is negative.
 - ... The table will be as follows:

X	-3	-2	-1	0	1	2	3
-3	+9	+6	+3	0	-3	-6	-9
-2	+6	+4	+2	0	-2	-4	-6
-1	+3	+2	+1	0	-1	-2	-3
0	0	0	0	0	0	0	0
1	-3	-2	-1	0	1	2	3
2	-6	-4	-2	0	2	4	6
3	-9	-6	-3	0	3	6	9

3. Which of the following is incorrect?

- $(-55) \times (-22) \times (-33) < 0$ (i)
- $(-1521) \times 2511 < 0$ (ii)

(iii) 2512 - 1525 < 0

(iv) $(1981) \times (+2000) < 0$

Sol: (iii) and (iv) are incorrect because 2512 – 1252 is a positive integer.

Also $(+1981) \times (+2000)$ is a positive integer.



(Text book Page No. 18)

1. Find the product and check for equality

- $18 \times (-5)$ and $(-5) \times 18$
- Sol: Here $18 \times (-5) = -90$ Also $(-5) \times 18 = -90$ $18 \times (-5) = (-5) \times 18$
 - $31 \times (-6)$ and $(-6) \times 31$ (ii)
- Sol: Here $31 \times (-6) = -186$ Also $(-6) \times 31 = -186$ $\therefore 31 \times (-6) = (-6) \times 31$
 - (iii) 4×51 and 51×4
- Sol: Here 4×51 204 Also $51 \times 4 = 204$ · 4 × 51 51×4

Prove the following. 2.

- $(-20) \times (13 \times 4) = [(-20) \times 13] \times 4$ (i)
- Sol: LHS = $(-20) \times (13 \times 4) = (-20) \times 52 = -1040$ RHS = $[(-20) \times 13] \times 4 = (-260) \times 4 = -1040$ LHS = RHS $(-20) \times (13 \times 4) = [(-20) \times 13] \times 4$
 - (ii) $[(-50) \times (-2)] \times (-3) = (-50) \times [(-2) \times (-3)]$
- Sol: LHS = $[(-50) \times (-2)] \times (-3)$ = $100 \times (-3) = -300$ RHS = $(-50) \times [(-2) \times (-3)]$ = $(-50) \times 6$ = -300LHS = RHS
 - $[(-50) \times (-2)] \times (-3) = (-50) \times [-2) \times (-3)$
 - (iii) $[(-4) \times (-3)] \times (-5) = (-4) \times [(-3) \times (-5)]$
- Sol: LHS = $[(-4) \times (-3)] \times (-5) = 12 \times (-5) = -60$ RHS = $(-4) \times [(-3) \times (-5)] = (-4) \times 15 = -60$ LHS = RHS $[(-4) \times (-3)] \times (-5) = (-4) \times [(-3) \times (-5)]$

(Text book Page No. 19)

1. Find the values of the following and check for equality:

(i)
$$(-6) \times (4 + (-5))$$
 and $((-6) \times 4) + ((-6) \times (-5))$

Sol:
$$(-6) \times (4 + (-5)) = (-6) \times (-1) = 6$$

 $((-6) \times 4) + ((-6) \times (-5)) = (-24) + 30 = 6$

Hence
$$(-6) \times (4 + (-5)) = ((-6) \times 4) + ((-6) \times (-5))$$

(ii)
$$(-3) \times [2 + (-8)]$$
 and $[(-3) \times 2] + [(-3) \times 8]$

Sol:
$$(-3) \times [2 + (-8)] = (-3) \times (-6) = 18$$

Also
$$[(-3) \times 2] + [(-3) \times 8] = (-6) + (-24) = -30$$

 $(-3) \times [2 + (-8)] \neq [(-3) \times 2] + [(-3) \times 8]$

2. Prove the following.

(i)
$$(-5) \times [(-76) + 8] = [(-5) \times (-76)] + [(-5) \times 8]$$

Sol: LHS =
$$(-5) \times [(-76) + 8] = (-5) \times (-68)$$

= $+340$

$$- +340$$

PHS = $[(-5) \times (-76)] + [(-5) \times 8]$

RHS =
$$[(-5) \times (-76)] + [(-5) \times 8]$$

= $+380 + (-40) = +380 - 40$

$$= +340$$

$$LHS = RHS$$

$$(-5) \times [(-76) + 8] = [(-5) \times (-76)] + [(-5) \times 8]$$

$$42 \times [7 + (-3)] = (42 \times 7) + [42 \times (-3)]$$

Sol: LHS =
$$42 \times [7 + (-3)]$$

RHS =
$$(42 \times 7) + [42 \times (-3)] = 294 - 126$$

$$LHS = RHS$$

$$\therefore 42 \times [7 + (-3)] = (42 \times 7) + [42 \times (-3)]$$

(iii)
$$(-3) \times [(-4) + (-5)] = [(-3) \times (-4)] + [(-3) \times (-5)]$$

Sol: LHS =
$$(-3) \times [(-4) + (-5)] = (-3) \times (-9)$$

RHS =
$$[(-3) \times (-4)] + [(-3) \times (-5)] = 12 + 15 = 27$$

$$LHS = RHS$$

$$(-3) \times [(-4) + (-5)] = [(-3) \times (-4)] + [(-3) \times (-5)]$$

(iv)
$$103 \times 25 = (100 + 3) \times 25 = (100 \times 25) + (3 \times 25)$$

Sol: First consider
$$103 \times 25 = 2575$$

Now
$$(100 + 3) \times 25 = 103 \times 25 = 2575$$

Also
$$(100 \times 25) + (3 \times 25) = 2500 + 75$$

= 2575

All the three are same.

$$103 \times 25 = (100 + 3) \times 25 = (100 \times 25) + (3 \times 25)$$

:.

Exercise 1.3

1. Fill in the blanks.

(i)	$-80 \times \underline{\hspace{1cm}} = -80$
(ii)	$(-10) \times _{} = 20$
(iii)	100 × = -500

(iv)
$$\underline{} \times (-9) = -45$$

(v)
$$_ \times 75 = 0$$

[Ans: -2]

[Ans: -5] [Ans: 5]

[Ans: 0]

2. **Sav True or False:**

(i)
$$(-15) \times 5 = 75$$

(ii) $(-100) \times 0 \times 20 = 0$
(iii) $8 \times (-4) = 32$

[Ans: False]

[Ans: True] [Ans: False]

3. What will be the sign of the product of the following:

- 16 times of negative integers.
- (ii) 29 times of negative integers.

Sol: (i) 16 is an even interger.

If negative integers are multiplied even number of times, the product is a positive

.. 16 times a negative integer is a positive integer.

29 times negative integer. (ii)

> If negative integers are multiplied odd number of times, the product is a negative integer. 29 is odd.

:. 29 times negative integers is a negative integer.

4. Find the product of

(i)
$$(-35) \times 22$$

Sol:
$$-35 \times 22 = -770$$

(ii)
$$(-10) \times 12 \times (-9)$$

Sol:
$$(-10) \times 12 \times (-9) = (-120) \times (-9) = +1080$$

(iii)
$$(-9) \times (-8) \times (-7) \times (-6)$$

Sol:
$$(-9) \times (-8) \times (-7) \times (-6) = (+72) \times (-7) \times (-6)$$

= $(-504) \times (-6) = +3024$

(iv)
$$(-25) \times 0 \times 45 \times 90$$

Sol:
$$(-25) \times 0 \times 45 \times 90 = 0 \times 45 \times 90 = 0 \times 90 = 0$$

(v)
$$(-2) \times (+50) \times (-25) \times 4$$

Sol:
$$(-2) \times (+50) \times (-25) \times 4 = (-100) \times -25 \times 4$$

$$= 2500 \times 4 = 10,000$$

Check the following for equality and if they are equal, mention the property.

(i)
$$(8-13) \times 7$$
 and $8-(13 \times 7)$

Sol: Consider
$$(8-13) \times 7 = (-5) \times 7 = -35$$

Now
$$8 - (13 \times 7) = 8 - 91 = -83$$

$$\therefore \qquad (8-13)\times 7 \neq 8-(13\times 7)$$

(ii)
$$[(-6) - (+8)] \times (-4)$$
 and $(-6) - [8 \times (-4)]$

Sol:

$$[(-6) - (+8)] \times (-4) = [(-6) + (-8)] \times (-4) = (-14) \times (-4) = +56$$

Now
$$(-6) - [8 \times (-4)] = (-6) - (-32) = (-6) + (+32) = +26$$

$$[(-6)-(+8)] \times (-4) \neq (-6)-[8 \times (-4)]$$

(iii)
$$3 \times [(-4) + (-10)]$$
 and $[3 \times (-4) + 3 \times (-10)]$

Sol:

Consider
$$3 \times [(-4) + (-10)] = 3 \times -14 = -42$$

Now
$$[3 \times (-4)]$$

Now
$$[3 \times (-4) + 3 \times (-10)] = (-12) + (-30) = -42$$

Here
$$3 \times [(-4) + (-10)] = [3 \times (-4) + 3 \times (-10)]$$

It is the distributive property of multiplication over addition.

6. During summer, the level of the water in a pond decreases by 2 inches every week due to evaporation. What is the change in the level of the water over a period of 6 weeks?

Sol:

Level of water decreases a week = 2 inches.

Level of water decreases in 6 weeks = $6 \times 2 = 12$ inches

7. Sol:

Factor of 50 are 1, 2, 5, 10, 25, 50.

Possible pairs of integers that gives product -50:

$$(-1 \times 50)$$
, $(1 \times (-50))$, (-2×25) , $(2 \times (-25))$, (-5×10) , $(5 \times (-10))$

OBJECTIVE TYPE QUESTIONS

Which of the following expressions is equal to -30.

(i)
$$-20 - (-5 \times 2)$$

(ii)
$$(6 \times 10) - (6 \times 5)$$

(iv) $(-6) \times (+5)$ [Ans: (iv) $(-6) \times (+5)$]

(iii)
$$(2 \times 5) + (4 \times 5)$$

Hint: (i) $-20 + (10) = -10$

(ii)
$$60 - 30 = 30$$

(iii)
$$10 + 20 = 30$$

(iv)
$$(-6) \times (+5) = -30$$

9.

(1V)
$$(-6) \times (+5) = -30$$

(i) commutative

Which property is illustrated by the equation: $(5 \times 2) + (5 \times 5) = 5 \times (2 + 5)$

(iii) distributive

(ii) closure (iv) associative

[Ans: (iii) distributive]

 $11 \times (-1) =$ 10.

(i) -1

(ii)

(iii) +1

(iv) -11 [Ans: (iv) -11]

11.

 $(-12) \times (-9) =$

(i) 108

(ii) -108

(iii) +1

(iv) -1 [Ans: (i) 108]

Additional Questions

1. Ani is scuba diving. She descends 5 feet below sea level. She descends the same distance 4 more times. What is Anis final elevation?

Sol: Ani descends 5 feet below sea level once she descends 4 more times

 \therefore She descends $(5 \times 4) + 5$ feet in total = 20 + 5 = 25 feet below sea level

- 2. The price of a plant reduced ₹ 6 per week for 7 weeks. By how much did the price of the plant change over the 7 weeks?
- **Sol:** The price of plant reduced in a week = $\mathbf{\xi}$ 6
 - The price reduced in 7 weeks = $7 \times 6 = 42$
- 3. The product of three integers is -3. Determine all of the possible values for the three factors?
- **Sol**: Product of three integers = -3
 - Possible factors are $(1 \times -1 \times 3)$, $(-1 \times -1 \times -3)$, $(1 \times 1 \times -3)$

DIVISION OF INTEGERS



TRY THESE

(Text book Page No. 22)

- (i) $(-32) \div 4 =$
- (ii) $(-50) \div 50 =$
- $30 \div 15 =$ (iii)
- $-200 \div 10 =$ (iv)
- $-48 \div 6 =$ **(v)**

[Ans: -8]

- [Ans: -1] [Ans: 2]
- [Ans: -20]
- [Ans: -8]

Exercise 1.4

- 1. Fill in the blanks.
 - (i) $(-40) \div = 40$
 - (ii)
 - (iii) $\div (-4) = 9$
 - (iv) $(-62) \div (-62) =$
- [Ans: -1] [Ans: -5]
 - [Ans: -36]
 - [Ans: 1]

- Say True or False:
 - $(-30) \div (-6) = -6$ (i)
 - (ii) $(-64) \div (-64)$ is 0

[Ans: False] [Ans: False]

- 3. Find the values of the following.
 - $(-75) \div 5$ (i)

Sol: $\frac{-75}{5} = -15$

(ii) $(-100) \div (-20)$

Sol: $\frac{-100}{-20} = 5$

(iii) $45 \div (-9)$

Sol: $\frac{45}{-9} = -5$

(iv) $(-82) \div 82$

- Sol: $\frac{-82}{82} = -1$
- The product of two integers is -135. If one number is -15. Find the other integer.
- **Sol**: Given the product of two integers = -135
 - One of them = -15
 - \therefore -15 × Another number = -135
 - Other number = $\frac{-135}{-15} = 9$
 - The other number 9.

Sura's O Mathematics O 7th Std O Term - I

5. In 8 hours duration, with uniform decrease in temperature, the temperature dropped 24°C. How many degrees did the temperature drop each hour?

In 8 hours the drop in temperature = 24Sol:

In 1 hour the drop in temperature =
$$\frac{24}{8} = 3^{\circ}$$

The temperature dropped 3°C every hour.

6. An elevator descends into a mine shaft at the rate of 5 m/min. If the descent starts from 15 m above the ground level, how long will it take to reach -250 m?

Sol: The elevator's position = 15 m above ground level = +15 m

It should reach =
$$-250 \text{ m}$$

The distance to be travelled =
$$15 - (-250) \text{ m} = 15 + (+250) \text{ m} = 265 \text{ m}$$

Time taken to descend 5 m = 1 min

∴ Time required to descend 265 m =
$$\frac{265 \text{ m}}{5 \text{ m}}$$
 = 53 min

7. A person lost 4800 calories in 30 days. If the calory loss is uniform, calculate the loss of calory per day.

Loss of calory in 30 days =4800Sol:

$$\therefore$$
 Loss of calory in 1 day = $\frac{4800}{30}$ = 160 calories

:. 160 calories lost per day.

Given $168 \times 32 = 5376$ then find $(-5376) \div (-32)$. 8.

Given $168 \times 32 = 5376$ $\frac{5376}{32} = 168$ Sol:

$$\frac{5376}{32} = 168$$

Also
$$\frac{-5376}{-32} = 168$$

9.

How many -4's are there is (-20)? Sol: Number of -4's in (-20) =
$$\frac{-20}{-4}$$
 = 5

(-400) divided into 10 equal parts gives 10.

Sol:
$$\frac{-400}{10} = -40$$

OBJECTIVE TYPE QUESTIONS

11. Which of the following does not represent an integer?

(i)
$$0 \div (-7)$$

(iii)
$$(-9) \div 3$$

(iv)
$$12 \div 5$$

[Ans: (iv) $12 \div 5$]

 $(-16) \div 4$ is the same as 12.

(i)
$$-(-16 \div 4)$$
 (ii) $-(16) \div (-4)$ (iii) $16 \div (-4)$

(iv)
$$-4 \div 16$$
 [Ans: (iii) $16 \div (-4)$]

13. $(-200) \div 10$ is

14. The set of integers is not closed under

- (i) Addition
- (ii)Subtraction
- (iii) Multiplication (iv) Division

[Ans: (iv) Division]

Statement Problems on Integers using all Fundamental Operation

Exercise 1.5

- One night in Kashmir, the temperature is -5°C. Next day the temperature is 9°C. 1. What is the increase in temperature?
- Sol: Temperature in the first day = -5° C

Temperature in the next day = 9° C

Increase in temperature = $9^{\circ}\text{C} - (-5^{\circ}\text{C})$:.

 $= 9^{\circ}C + (+5^{\circ}C) = 14^{\circ}C$

- An atom can contain protons which have a positive charge (+) and electrons which 2. have a negative charge (-). When an electron and a proton pair up, they become neutral (0) and cancel the charge at. Now determine the net charge:
 - (i) 5 electrons and 3 protons \rightarrow -5 + 3 = -2 that is 2 electrons $\Theta\Theta$
 - (ii) 6 protons and 6 electrons \rightarrow
 - (iii) 9 protons and 12 electrons \rightarrow
 - (iv) 4 protons and 8 electrons \rightarrow
 - (v) 7 protons and 6 electrons \rightarrow
- **Sol:** (ii) 6 protons and 6 electrons \rightarrow (+6) + (-6) = 0
 - (iii) 9 protons and 12 electrons \rightarrow (+9) + (-12) = 9 12 = -3 \Rightarrow 3 electrons $\bigcirc\bigcirc\bigcirc$
 - (iv) 4 protons and 8 electrons \rightarrow (+4) + (-8) = +4 8 = -4 \Rightarrow 4 electrons $\bigcirc\bigcirc\bigcirc\bigcirc$
 - (v) 7 protons and 6 electrons \rightarrow (+7) + (-6) = +1 \Rightarrow 1 proton \bigoplus
- Scientists use the Kelvin scale (K) as an alternative temperature scale to degrees **3.** celsius (°C) by the relation $T^{\circ}C = (T + 273)K$. Convert the following to Kelvin:
 - −275°C (i)
- (ii) 45°C
- (iii) -400°C
- (iv) -273° C

- **Sol**: (i) $-275^{\circ}C = (-275 + 273)K = -2K$
 - (ii) $45^{\circ}\text{C} = (45 + 273)\text{K} = 318 \text{ K}$
 - (iii) $-400^{\circ}\text{C} = (-400 + 273) \text{ K} = -127 \text{ K}$
 - (iv) $-273^{\circ}C = (-273 + 273) K = 0K$.
- 4. Find the amount that is left in the student's bank account, if he has made the following transaction in a month. His initial balance is ₹ 690.
 - (i) Deposit (+) of ₹ 485
 - (ii) Withdrawal (–) of ₹ 500
 - (iii) Withdrawal (–) of ₹ 350
 - (iv) Deposit (+) of ₹ 89
 - (v) If another ₹ 300 was withdrawn, what would the balance be?
- Sol: (i) Initial balance of student's account = ₹ 690

Deposited amount = ₹ 485 (+)

Amount left in the account = ₹ 690 + ₹ 485 = ₹ 1175 :.

(ii) Balance in the account = ₹ 1175

Amount left = ₹
$$1175 - ₹ 500 = ₹ 675$$

(iii) Balance in the account = ₹ 675

Amount withdrawn = ₹ 500 (–)

Amount left = ₹
$$675 - ₹ 350 = ₹ 325$$

(iv) Balance in the account = ₹ 325

(v) Balance in the account = ₹ 414

- **5.** A poet Tamizh Nambi lost 35 pages of his 'lyrics' when his file had got wet in the rain. Use integers, to determine the following.
 - (i) If Tamil Nambi wrote 5 pages per day, how many day's work did he lose?
 - (ii) If four pages contained 1800 characters, (letters) how many characters were lost?
 - (iii) If Tamil Nambi is paid ₹ 250 for each page produced, how much money did he lose?
 - (iv) If Kavimaan helps Tamizh Nambi and they are able to produce 7 pages per day, how many days will it take to recreate the work lost?
 - (v) Tamizh Nambi pays Kavimann ₹ 100 per page for his help. How much money does Kavimaan receive?

Sol: (i)

One day work
$$=$$
 5 page

35 pages =
$$\frac{35}{5}$$
 = 7 days work

7 day's work he lost.

(ii) Number of characters in four pages = 1800

Number of characters in one page =
$$\frac{1800}{4}$$
 = 450

:. Number of characters in 35 pages = 450×35

(iii)

Number of pages recreated a day = 7(iv)

∴ To recreate 35 pages day's needed =
$$\frac{35}{7}$$
 = 5 days

(v) Payment of Kavimaan = ₹ 100 per page

for 35 pages payment =
$$\stackrel{?}{=} 100 \times 35 = \stackrel{?}{=} 3,500$$

6. Add 2 to me. Then multiply by 5 and subtract 10 and divide new by 4 and I will give you 15! Who am I?

Sol: According to the problem $\{[(I+2) \times 5] - 10\} \div 4 = 15$

$$\{[(I+2) \times 5] - 10\} = 15 \times 4 = 60$$

 $I+2 = \frac{70}{5} = 14$
 $(I+2) \times 5 = 60 + 10 = 70$
 $I = 14 - 2$; $I = 12$

7. Kamatchi, a fruit vendor sells 30 apples and 50 pomegranates. If she makes a profit of ₹ 8 per apple and loss ₹ 5 per pomegranate. What will be her overall profit or loss?

Sol: Number of apples Kamatchi sold = 30

Profit per apple =
$$\mathbf{\xi} 8(+)$$

∴ Profit for 30 apples =
$$30 \times 8 = ₹240$$

Number of pomegranates sold 50

Loss per pomegranate =
$$\mathbf{\xi} 5(-)$$

Loss on selling 50 pomegranates =
$$50 \times (-5) = \sqrt[3]{-250}$$

Overall loss =
$$-250 + 240 = 700$$

i.e. loss ₹ 10.

8. During a drought, the water level in a dam fell 3 inches per week for 6 consecutive weeks. What was the change in the water level in the dam at the end of this period?

Sol:

Water level fall per week = -3 inches

... Water level decrease for 6 weeks =
$$6 \times (-3) = -18$$
 inches

... decrease of 18 inches of water level.

9. Buddha was born in 563 BC (BCE) and died in 483 BC (BCE). Was he alive in 500 BC (BCE)? and find his life time. (Source: Compton's Encyclopedia)

Sol: Years in BCC (BCE) are taken as negative integers.

Buddha was born in –563

and died in -483

So he was alive in 500 BC (BCE)

Life time =
$$-483 - (-563) = -483 + 563 = +80$$

Buddha's life time = 80 years.

Exercise 1.6

Miscellaneous Practice Problems

1. What should be added to -1 to get 10?

Sol:
$$(-1) + a$$
 number = 10

... The number
$$=10 + 1 = 11$$

-10

LHS =
$$-70 + 20 = -50$$

RHS = $-10 \Rightarrow = -50 + 10 = -40$
 $-70 + 20 = -40 - 10$

3. **Substract 94860 from (–86945)**

Sol:
$$-86945 - (94860) = -86945 + (Additive inverse of 94860)$$

= $-86945 + (-94860) = -1.81.805$

4. Find the value of (-25) + 60 + (-95) + (-385)

Sol:
$$(-25) + 60 + (-95) + (-385) = 35 + (-95) + (-385) = -60 + (-385) = -445$$

5. Find the sum of (-9999) (-2001) and (-5999).

Sol:
$$(-9999) + (-2001) + (-5999) = -12,000 + (-5999) = -17,999$$

6. Find the product of $(-30) \times (-70) \times 15$.

Sol:
$$(-30) \times (-70) \times 15 = (+2100) \times 15 = 31,500$$

7. Divide -72 by 8.

Sol:
$$\frac{-72}{8} = -9$$

Find two pairs of integers whose product is +15.

Sol: (i)
$$(+3) \times (+5)$$

(ii)
$$(-3) \times (-5)$$

- Check the following for equality. 9.
 - (11+7)+10 and 11+(7+10)(i)
 - $(8-13) \times 7$ and $8-(13 \times 7)$ (ii)
 - (iii) $[(-6) (+8)] \times (-4)$ and $(-6) [8 \times (-4)]$
 - $3 \times [(-4) + (-10)]$ and $[3 \times (-4) + 3 \times (-10)]$

Sol: (i) LHS =
$$(11 + 7) + 10 = 18 + 10 = 28$$

RHS =
$$11 + (7 + 10) = 11 + (17) = 28$$

$$LHS = RHS$$

$$\therefore (11+7)+10=11+(7+10)$$

(ii) LHS =
$$(8-13) \times 7 = -5 \times 7 = -35$$

RHS =
$$8 - (13 \times 7) = 8 - 91 = -83$$

$$LHS \neq RHS$$

$$(8-13) \times 7 \neq 8 - (13 \times 7)$$

(iii) LHS =
$$[(-6) - (+8)] \times (-4) = [(-6) + (-8)] \times (-4) = (-14) \times (-4) = +56$$

RHS =
$$(-6)$$
 - $[8 \times (-4)]$ = -6 - (-32) = -6 + $(+32)$ = $+26$

$$LHS \neq RHS$$

$$[(-6) - (+8)] \times (-4) \neq (-6) - [8 \times (-4)]$$

(iv) LHS =
$$3 \times [(-4) + (-10)] = 3 \times (-14) = -42$$

RHS = $[3 \times (-4) + 3 \times (-10)] = (-12) + (-30) = -42$
LHS = RHS
 $3 \times [(-4) + (-10)] = [3 \times (-4) + 3 \times (-10)]$

- Kalaivani had ₹ 5000 in her bank account on 01.01.2018. She deposited ₹ 2000 in 10. January and withdrew ₹ 700 in February. What was Kalaivani's bank balance on 01.04.2018, if she deposited $\stackrel{?}{\sim}$ 1000 and withdraw $\stackrel{?}{\sim}$ 500 in March.
- Sol: Initial bank balance = ₹ 5000; Total deposits: January: ₹ 2000; March: ₹ 1000

Total deposits upto March = ₹ 5000 + ₹ 2000 + ₹ 1000 = ₹ 8000

Amount withdrawn: February: ₹ 700 (–)

March: ₹ 500 (-)
∴ Total amount withdrawn =
$$(-700) + (-500) = ₹ -1200$$

Net bank balance = ₹ 8000 - ₹ 1200 = ₹ 6800

- 11. The price of an item x increases by $\stackrel{?}{\sim}$ 10 every year and an item y decreases by ₹ 15 every year. If in 2018, the price of x is ₹ 50 and y is ₹ 90, then which item will be costlier in the year 2020?
- **Sol**: Amount increases for *x* every year = $\mathbf{\xi}$ 10.

Price of x in 2018 = 300; Price of x in 2019 = 300 = 300

Price of x in 2020 = ₹60 + ₹10 = ₹70Amount decreases for *y* per year = ₹ 15

Price of v in 2018 = 790

Price of *y* in 2019 = 790 - 715 = 75

Price of *v* in 2020 = 75 - 15 = 60

Here 70 > 60. : Item x will costlier in year 2020.

Match the statements in Column A and Column B. 12.

S.No.	A	В
(i)	For any two integers 72 and 108, 72	(a) Distributive property of
	+ 108 is also an integer	multiplication over addition.
(ii)	For any three integers 68, 25 and 99	(b) Multiplicative identity
	$68 \times (25 + 99) = (68 \times 25) + (68 \times 99)$	
(iii)	0 + (-138) = (-138) = (-138) + 0	(c) Commutative property under multiplication.
(iv)	For any two integers	(d) Closed under addition
	(-5) and 10	
	$(-5) \times 10 = 10 \times (-5)$	
(v)	$1 \times (-1098) = (-1098) = (-1098) \times 1$	(e) Additive identify.

[Ans: i - d, ii - a, iii - e, iv - c, v - b]

CHALLENGE PROBLEMS

- 13. Say True or False.
 - The sum of a positive integer and a negative integer is always a positive [Ans: False] integer.
 - The sum of two integers can never be zero (ii)

[Ans: False]

The product of two negative integers is a positive integer. (iii)

[Ans: True]

The quotient of two integers having opposite sign is a negative integer. (iv)

[Ans: True]

The smallest negative integer is -1. (v)

[Ans: False]

14. An integer divided by 7 gives a result –3. What is that integer?

According to the problem $\frac{\text{An integer}}{7} = -3$ \therefore The integer = -3 × 7 Sol:

The required integer = -21.

Replace the question mark with suitable integer in the equation. 15.

72 + (-5) - |?| = 72

Sol:

$$72 + (-5) - \frac{?}{?} = 72$$

$$67 - \frac{?}{?} = 72$$

$$72 + (-5) - \frac{?}{?} = 72$$

72 + (-5) - |-5|

16. Can you give 10 pairs of single digit integers whose sum is zero?

Sol: 1 + (-1) + 2 + (-2) + 3 + (-3) + 4 + (-4) + 5 + (-5) = 0

If P = -15 and Q = 5 find $(P - Q) \div (P + Q)$.

Sol: Given P = 15; Q = 5

$$(P-Q) \div (P+Q) = \frac{(-15)-5}{(-15)+5} = \frac{(-15)+(-5)}{-10} = \frac{-20}{-10} = 2$$

18. If the letters in the English alphabets A to M represent the number from 1 to 13 respectively and N represents 0 and the letters O to Z correspond from -1 to -12, find the sum of integers for the names given below. For example,

 $MATH \rightarrow Sum \rightarrow 13 + 1 - 6 + 8 = 16$

(i) YOUR NAME (ii) SUCCESS

Sol: Given

A	В	C	D	E	F	G	Н	I	J	K	L	M
1	2	3	4	5	6	7	8	9	10	11	12	13
N	Ο	P	Q	R	S	T	U	V	W	X	Y	Z

-8 -9 -10 -11 -12

(i) My name LEENA \rightarrow 12 + 5 + 5 + 0 +1 = 23

(ii) SUCCESS
$$\rightarrow$$
 (-5) + (-7) + 3 + 3 + 5 + (-5) + (-5)
= -12 + 6 + 5 + (-10) = -6 + 5 + (-10) = (-1) + (-10)

19. From a water tank 100 litres of water is used every day. After 10 days there is 2000 litres of water in the tank. How much water was there in the tank before 10 days?

Sol: Water used for one day = 100 litres.

Water used for 10 days =
$$100 \times 10 = 1000$$
 litres.

After 10 days water left in the tank = 2000 litres

 \therefore Initially amount of water will be = 2000 + 1000 = 3000 litres

20. A dog is climbing down into a well to drink water. In each jump it goes down 4 steps. The water level is in 20th step. How many jumps does the dog take to reach the water level?

Sol: The water in the well is at 20th step.

For each jump the dog goes low 4 steps.

Number of jumps the dog to reach the water = $\frac{5}{\cancel{x}} = 5$ jumps

21. Kannan has a fruit shop. He sells 1 dozen banana at a loss of ₹ 2 each because it may get rotten next day. What is his loss?

Sol:

For 1 banana loss = ₹ 2

∴ For 12 bananas loss $= ₹ 2 \times 12 = ₹ 24$

22. A submarine was situated at 650 feet below the sea level. If it descends 200 feet, what is its new position?

Sol:

Position of submarine =
$$650$$
 feet below sea level = -650 feet

Again the depth it descends = 200 feet below = -200 feet

.. Position of submarine = (-650) + (-200) = -850 feet

The submarine will be 850 feet below the sea level.

23. In a magic square given below each row, column and diagonal should have the same sum. Find the values of x, y, and z.

1	-10	х		
y	-3	-2		
-6	4	Z		

Sol:

$$\therefore 1 + y + (-6) = (-10) + (-3) + 4$$
$$y + (-5) = -13 + 4$$

$$v = -9 + 5$$

$$v = -4$$

Sura's O Mathematics O 7th Std O Term - I

So
$$1 + (-10) + x = y + (-3) + (-2)$$

 $-9 + x = (-4) + (-3) + (-2)$
 $-9 + x = -9$
 $x = -9 + 9$
 $x = 0$
Now $x + (-2) + z = (-10) + (-3) + 4$
 $0 + (-2) + z = (-13) + 4$
 $-2 + z = -9$
 $z = -9 + 2 = -7$
 $z = -7$
 $x = 0, y = -4, z = -7$

ADDITIONAL QUESTIONS

1. Simplify the following using suitable properties.

(a)
$$(-1650) \times (-2) + (-1650) \times (-98)$$

(b)
$$(9150 \times 405) - (8150 \times 405)$$

 $(-1650) \times (-2) + (-1650) \times (-98)$ **Sol** :(a)

=
$$1650 [(-1) \times (-2) + (-1) \times -98] = 1650 (2 + 98)$$
 [Distributive property]
= $1650 \times 100 = 1,65,000$

(b)
$$(9150 \times 405) - (8150 \times 405)$$

= $405 (9150 - 8150) = 405 \times 1000$
= $4.05.000$

Which is greater: $(9 + 7) \times 1000$ or $9 + 7 \times 1000$? 2.

$$(9+7) \times 1000 = 16 \times 1000 = 16,000$$

 $9+7 \times 1000 = 9+7000 = 7,009$
 $16,000 > 7009$

$$\therefore (9+7) \times 1000 > [9+7 \times 1000]$$

3. Simiplify: $80 \div [240 \div (-24)] + 7$

Sol: We have

$$80 \div [240 \div (-24)] + 7$$

$$= 80 \div \left[\frac{240}{-24}\right] + 7$$

$$= 80 \div (-10) + 7 = -\left[\frac{80}{10}\right] + 7 = (-8) + 7 = -1$$



UNIT TEXT

Time: 1 hrs Max Marks: 25

I. Choose the best answer from the options given below.

 $5 \times 1 = 5$

- 1. The additive identity for integers is
 - (a) -1
- (b) 0
- (c) 1
- (d) None of these

- 2. When 5 is multiplied by 0 we get
- (b) -5
- (c) 10
- (d) 0
- 3. What is the quotient when zero is divided by a non-zero integer?
- (b) -1
- (c) 0
- (d) The integer itself
- Name the property which says that "if two integers are added or subtracted, the answer 4. is always an integer".
 - (a) Closure property

- Associative property (b)
- Distributive property
- (d) Identity
- 5. The product of 5 and -3 is
 - (a) 0
- (b) 15
- (c) -15
- (d) 8

II. Fill in the blanks

 $5 \times 1 = 5$

- The additive inverse of 0 is **6.**
- 7. 300 + (-300) =
- 2+0+(-15)=+0+28.
- 50 × ____ = 0 9.
- The product of and -1 is -15. 10.

III. Answer the following question

 $5 \times 2 = 10$

- 11. If the product of two integers is -84. One of them is -6, then what is the other integer?
- **12.** Find the product of $(-1) \times (-1) \times (-2) \times (-2)$
- 13. Use >, < or = in the boxes.

(a)
$$(-5) + (-3) \bigsqcup (-5) - (-3)$$

(a)
$$(-5) + (-3) \square (-5) - (-3)$$
 (b) $(-3) + 7 - (19) \square 15 - 8 + (-9)$

- 14. Write a negative integer and a positive integer whose difference is –4?
- Write a pair of integers whose sum is smaller than both the integers. 15.

IV. Answer the following

 $1 \times 5 = 5$

16. (a) An elevator descends into a mine shaft at the rate of 6m/min. If the descend starts from 10 m above the ground level. How long will it take to reach –350 m?

(b) Write five pairs of integers a, b such that $\frac{a}{b} = -3$

Sura's O Mathematics O 7th Std O Term - I

Answers

I.

- **1.** (b) 0
- **2.** (d) 0
- **3.** (c) 0
- **4.** (a) closure property
- 5. (c) -15

II.

- **6.** 0
- **7.** 0
- **8.** −15
- 9. 0
- **10.** 15

III.

- **11.** 14
- **12.** 4
- 13. (a) < (b) <
- **14.** -2, 2
- **15.** –25, 3

IV.

- **16.** (a) 1 hour
 - (b) (9, -3), (-3, 1), (-18, 6) (6, -2) (-15, 5)

