
Lower Limb V.imp topics

PART-1 | April



JOHARI MBBS | YOUTUBE

1) Femoral Triangle
2) Femoral canal
3) Adductor canal
4) Popliteal fossa
5) Femoral Artery
6) Femoral nerve
7) Obturator nerve
8) Sciatic nerve
9) Arches of foot
10) Venous Drainage of lower limb

Scanned by TapScanner

Lower Limb V.imp topics

PART-2 | April

JOHARI MBBS | YOUTUBE

11) Hamstring Muscle

12) Adductor Magnus Muscle

13) Gluteal Muscle & iliotibial tract

14) Sole muscles layer

15) Extensor Retinaculum

16) Flexor Retinaculum

17) Common Peroneal nerve

18) Hip Joint

19 Knee Joint

20) locking and Unlocking of knee

21) Inversion & Eversion of foot

Scanned by TapScanner

HOME VIDEOS PLAYLISTS COMMUNITY CHAN



HEAD & NECK ANATOMY
Johari MBBS
40 videos



STUDY TIPS
Johari MBBS
4 videos



THORAX ANATOMY
Johari MBBS
22 videos




#SHORTS
Johari MBBS
9 videos



LOWER LIMB ANATOMY
Johari MBBS
22 videos



NERVE ANATOMY
Johari MBBS
9 videos



UPPER LIMB ANATOMY
Johari MBBS
25 videos

Home Shorts Subscriptions Library

ALL TOPIC LECTURES VIDEOS AVAILABLE ON *JOHARI MBBS* | YOUTUBE CHANNEL

WITH 3D ANATOMY MODEL AND HAND WRITTEN NOTES

Scanned by TapScanner

Johari MBBS

HOME VIDEOS PLAYLISTS COMMUNITY CHA




Johari MBBS
8.17K subscribers
SUBSCRIBED

STUDY TIPS



How To Study For MBBS 1st Year Exam | How To Study In MBBS First Ye...
Johari MBBS
5.8K views · 5 months ago



How To Study Anatomy In MBBS 1st year effectively | Anatomy k...
Johari MBBS
3.6K views · 6 months ago



How To Study Biochemistry In MBBS 1st Year | How To Stud...
Johari MBBS
2.2K views · 6 months ago



How to study physiology in medical school | How to pass physiology exa...
Johari MBBS
2.8K views · 6 months ago

Scanned by TapScanner

FEMORAL TRIANGLE...


↳ Δ depression → Front of upper 1/3rd thigh below the inguinal ligament

Bounderies —
Lat. — Med. border sartorious MS.
Med. — Med. border of adductor longus.
Base. — Inguinal ligament.
Apex - Lat. & med. border cross.
~~Giro~~ Roof - Skin, superficial fasica & deep fasica.
superficial fasica → content → superficial inguinal LN.
Femoral branch of genitofemoral nerve.
Ilioinguinal nerve.
Girt saphenous vein.
superficial branch of femoral artery

Floor. — Med. — Adductor longus
Pectineus Ms.
Lat. - Psas major
Iliacus.


Content — 1. Femoral artery & its branches.
Transverse the Δ from its base at midinguinal point to apex.
Give 3 superficial & 3 deep branch.
2. Femoral veins & its tributies.
vein is medial to arteries.
Receive → great saphenous vein
circumflex vein
vein correspound to the branches.
3. Femoral sheath — enclose upper 4 cm of femoral vessel.
4. Deep inguinal LN lie → deep to deep fasica.
Med. to upper part of femoral vein.
receive → Lymph from superficial inguinal LN.
Deep lymphatics of lower limb.
from glans penis & clotries.
5. Nerves —
o- Femoral nerve. lie lat. to femoral artery outside of femoral sheath.
o- Nerve to pectineus — arise from femoral nerve pass behind femoral sheath.
o- femoral branch of genicfemoral nerve — occupy lat. compartmen to femoral sheath along femoral artery.

Scanned by TapScanner




Scanned by TapScanner

FEMORAL TRIANGLE



Scanned by TapScanner



Scanned by TapScanner

FEMORAL SHEATH & CANAL...

Femoral sheath — Fumel shape sleeve of fasica — enclosing upper 4cm of femoral vessel.

↳ Sheath is form downward extension of fasica.

↳ Ant. wall - Form by fasica transversalis — lie. ant. abdominal wall. deep to transversus abdominis

↳ Post. wall — Fasica iliaca cover iliacus.

Inferiorly - sheath emerg with connective tissue sourround femoral vessel.

Asymmetrical — lat. wall is vertical.
Med. wall is oblique.

Sheath is divided into 3 compartment by septa.

1. Lat. or ant. compartment → content → Femoral artery.
   Femoral branch of genitofemoral nerve.
2. Intermediate or venous compartment — Femoral vein.
3. Med. or lymphatic compartment known as femoral canal.

FEMORAL CANAL...

↳ Med. compartment of femoral sheath.
↳ conical in shape — wide above
Narrow below.


↳ Base or upper end of femoral canal klw as **femoral ring.**

Bounded —
Ant. — Inguinal lig.
Post. — Pectinius.
Med — lacunar lig. (part of inguinal lig.)
lat. — septa seprate femoral vein.

Content — LN of Rosenmuller & small amount of areolar tissue.
Drain → glans penis in male.
clitoris in female.

JOHARI MBBS

Scanned by TapScanner



Scanned by TapScanner

Adductor / Hunter's canal ...

↳ Intermuscular space situated on medial side middle 1/3 of thigh..

Extend — Apex of femoral △ —two→ tendinous opening of adductor magnus.

Boundaries —

Anteriolateral — Vastus medialis.

Posteriomedial — Adductor longus above.
or
Floor — Adductor magnus below.

Medial wall — Sartorius
or
Roof — sub-sartorius plexus nerve —lie→ under sartorius.
↳ form → By branch from
MSO 1. Medial cutaneous nerve of thigh.
2. Saphenous nerve.
3. Ant. division of Obturator nerve

Content — 1. Femoral artery. ⟶ Enter the canal at the apex of femoral △.
↳ Give of muscular branch & descending genicular branch.
Muscular artery. Saphenous artery

2. Femoral vein —lie→ Post. to femoral artery in upper part.
Lat. to artery in lower part.


3. Saphanous nerve —cross→ Femoral artery ant. from lat. to medial side.

4. Nerve to vastus medialis —lie→ lat. to femoral artery.

5. Branch of two division of obturator nerve.
ant. division → emerge at lower border of adductor magnus.
post. division → Run on the ant. surface of adductor

TheJohari

Scanned by TapScanner



Scanned by TapScanner

POPLITEAL FOSSA...

↳ Diamond shape depression ⟶ behind knee joint.
Lower part of femur & upper part of Tibia.

Bounderies —
Superolateral — Bicep femoris MS.
Superomedial — semitendinosus MS.
semimembranosus MS.
Inferiolateral — Lat. head gastrocnemius MS.
plantaris MS.
Inferiomedial — Med. head of gastrocnemius.


Roof — Deep fasica.
superficial fasica — small saphenous vein.
1. Post. cutaneous nerve of thigh.
2. Post. division of medial cutaneous nerve of thigh.
3. Peroneal or sural communica-ting nerve.

Floor — Popliteal surface of femur.
capsule of knee joint.
Popliteal Ms.

Content — Popliteal
~~Femoral~~ artery.
Popliteal vein.
Tibial nerve.
common paroneal nerve ⟶ branches ⟶ short head of biscep femoris
o- sup. lat. genicular nerve.
o- lat. cutaneous nerve of calf.
o- Inf. genicular nerve
Genicular branch of obturator nerve.
poplitcal LN.


Upper part of fossa medial to lat. (A,V,N).
Middle part of fossa ——— (N, V, A)
Lower part of fossa ——— (N, V, A)


Scanned by TapScanner



Structure in Roof of Popliteal fossa

Scanned by TapScanner





Scanned by TapScanner

FEMORAL ARTERY...

Origin :- Continuation of external iliac artery.

↳ Begin behind the inguinal ligament — mid inguinal point.

Course :- Pass downward medially — I^st in femoral △ than adductor canal.
Pass — opening in adductor magnus — become popliteal artery.

Relation:-

Ant. — Skin
Superficial fasica
Deep fasica
Ant. wall of femoral sheath.

Post. — Post. wall of femoral sheath.
Psoas major
Pectinius
Adductor longus.

Med. - Femoral vein.

Lat. - Femoral nerve.

Branches :-

3 superficial 3 deep.

superficial branch — superficial ext. pudendal —supply→ skin of ext. genitalial organ.

EEC

↳ superficial epigastric ⟶ skin → lower part of ant. abdominal wall.

↳ Superficial circumflex iliac →skin along iliac crest.


Deep branches — Profunda iliac femoral artery → largest branch & chief artery of supply all the 3 compartment of thigh.

Deep external pudendal artery → passes deep to spermatic cord or round lig. of uterus.
supply → scrotum or labium majus.


Muscular branch ⟶ supply Ms. of thigh.

TheJohari

Scanned by TapScanner



Scanned by TapScanner



Scanned by TapScanner

FEMORAL NERVE...

→ Chief nerve of ant. compartment of thigh.

Origin — Largest branch of lumber plexus.
Form by dorsal division of L2L3L4.

Course — Enter the femoral Δ — passing behind inguinal ligament lat. to femoral artery — Not including femoral sheath.
↳ After short course of about 2.5 cm below inguinal ligament nerve divicle. — Ant
Post.

Branches —
Muscular — Ant. division supply → Sartorius
Post. division supply → Rectus femoris.
3 vasti.

cutaneous — Ant. division → two cutaneous branch
Intermediate cutaneous nerve of thigh.
Medial cutaneous nerve of thigh.
Post. division → lat. cutaneous branch.

Vascular — Femoral artery & its branches.
Articular — Hip joint supply → Retus femoris.
Knee joint → 3 vasti nerve.

TheJohar

Scanned by TapScanner

Obturator Nerve...

↳ chief nerve of medial compartment of thigh.

Origin — Branch of lumber plexus
forms by ventral division of L_2 L_3 L_4.
Enter the thigh — passing through obturator canal.

Course — within obturator canal.— Nerve divided into Ant, Post.

Ant. — Pass downward infront of obturator externus.
Than descend behind pectineus & ~~obturator~~.
Adductor longus.

Ant. division supply - pectineus
Adductor longus
Gracilius.
Adductor brevis. (If not supply by post. division.)

PGI ARO LO Bhai

Post. — Enter the thigh by piercing obturator externus Ms.
& descend behind ~~obturator externus~~.
Adductor brevis.


o - Infront of adductor magnus.

Post. division — obturator externus.
Adductor magnus.
Adductor brevis (If not supply by ant. division.)


OMB

TheJohari

Scanned by TapScanner



Scanned by TapScanner



Scanned by TapScanner

Sciatic Nerve..

Thickest nerve in the body.
Begin in pelvis — terminate at superior angle of poplitcal fossa by dividing into Tibial & common Peroneal.

Origin :-

Largest branch of sacral plexus.
Root value $L_{4-5} S_1 S_2 S_3$ — made by 2 part — Tibial
— Common peroneal.
Tibial part — form by — Ventral division of $L_{4-5} S_{1-3}$
Common peroneal part — form by — Dorsal division of $L_{4-5} S_{1-2}$

Course :-

In pelvis - lie infront of piriformis ms. under cover of its fasica.
In gluteal region - Enter through greater sciatic foramen.

Relation in gluteal region.
superficial - Gluteal maximus.
Deep - Body of ischism
Tendon of obturator internus. with the gemelli
Quadratus femoris.
Obturator Internus.
Adductor magnus.

In thigh — Enter back of thigh.
Run vertically downward upto superior angle of popliteal fossa.

Relation in Thigh.
superficial — Cross long head of biceps femoris.
Deep — Adductor magnus.
Medial — Semimembrosus & Semitendenious.
Lat. — Biceps femoris.

Branches —
o- Articulating branch of hip joint.
o- Muscular branch of Tibial part — semitendinosus
semimembranosus.
Long head of
Biceps femoris.

common peroneal part - short head
of Biceps femoris

Scanned by TapScanner

Arches of foot...

↳ Arches of foot help in fast walking, running & jumping.

Classification of arches :—

1. Longitudinal
   - Medial
   - Lat.
2. Transverse.
   - Anterior.
   - Posterior.

Medial longitudinal arch:— Arch is consider higher, more mobile.

↳ It consider as big arch of more bone & more joint.

Ends :— Ant. end → head of 1, 2nd, 3rd metatarsal bone.
Post. end → medial tubercity of calcanium.

Summit :— Sup. articular surface of body of talus.

Pillars :—

Ant. pillar — long & week.
form by talus, the navicular & 3 cuniform bones.

Post. pillar — short & strong
form by medial part of calcanium.

Main joint :- Talocalcaneonavicular joint.

Lat. longitudinal arch:— characteristically low with less bone & joint & mobility.

End:— Ant. end → Head of 5th & 4th metatarsle bone.
Post. end →
lat. tubercle of calcanium.

Summit :— sup. surface of calcanium.

Pillars :—

Ant. pillar — long & week.
form by cuboidal bone, 4th & 5th metatarsal.

Post. pillar — short & strong.
form by lat. half of calcanium.

Main joint :- calcaneocuboidal joint.

TheJohar

Scanned by TapScanner

ummit :- sup. surface of calcanium.

Pillars :-

Ant. pillar – long & week.
Form by cuboid bone, 4th & 5th metatarsal.

Post. pillar – short & strong.
Form by lat. half of calcanium.

Main joint :- calcaneocuboidal joint.

terior Transverse arch

→ formed by five metatarsal bones
↳ Complete because head of 1st and 5th metatarsal come in contact with grou

sterior Transverse arch

→ formed by greater part of tarsal and base of metatarsus
→ Incomplete because only the lateral end come in contact with ground

Scanned by TapScanner

Venous Drainage of Lower limb...

Vein of Lower Limb classified → superfical — Deep - perforating vein.

Deep vein — Med. plantar, lat. plantar, Dorsalis pedis, Ant & post. Tibial — paroneal, poplitcal & femoral vein.

- o— Valve are more numerous in deep vein.
- ☆o— They are more efficient channel because driving force of muscular contraction

Superfical vein include → Great & small saphenous vein.
lie in superficial fasica
Valve are more in distal part.
Large portion of blood drained → into deep vein through perforating vein.

Long saphenous vein.

Formation — Union of med. End of dorsal venous arch with medial marginal veins.

Coorse — Pass upward in the front of medial malleous.
- o— Cross lower 1/3rd of medial surface of tibia. to reach knee joint.
- o— In thigh it incline forward to reach sephaneous opening. (where it pairs)
  - ↓
  - Cribriform fasica & open into femoral vein.

Connection — To deep vein by perforating vein.
- o— 3 medial perforator just above ankle.
- o— 1 perforator just below knee.
- o— Another one in adductor canal.

Tributaries —
- o— At the commencement (begining) - Medial marginal vein.
- o— Leg - communicate with small saphenous vein & deep vein.
- o — Post. arch vein
  - vein from calf.
- o— Thigh - Accessory saphenous vein.
  - Ant. cutaneous vein.

Scanned by TapScanner

o- Just before piercing the cribriform fasica ...

* sup. epigastric
* sup. circumflex iliac
* sup. external pudendal.

o- Just befor termination

* Deep external pudendal vein.

Small Saphenous Vein.

Formation — union of lat. end of dorsal venous arch with lat. marginal vein.

Course — It enter the back of leg by passing behind the lat. malleous to lower part of popliteal fossa.
o- pierce the deep fasica & open into popliteal vein.

Drain — Lat. border of foot — heel & back of leg.

Perforating vein.

Indirect perforating vein — Connect sup. vein with deep vein through muscular vein.

Direct perforating vein — Connect sup. vein with directly with deep vein.

o- In thigh — Adductor canal perforator. connect → great sapheous with femoral vein.


o- Below the knee — 1. perforator connect → great sapheous vein with post. tibial vein.

o- In leg


Lat. perforator connect → small saphenous vein with paroneal vein.

Med. there are 3 perforators connect → post. arch vein with post. Tibial vein.
upper medial perforator.
Middle med. perforator.
Lower med. perforator.


Scanned by TapScanner



Scanned by TapScanner



Scanned by TapScanner



Scanned by TapScanner

Telegram

GO TO MY YOUTUBE CHANNEL ABOUT FOR WORKING LINKS

Scanned by TapScanner

HAMSTRING MUSCLE...

↳ Origin from ischial tuberosity.
Nerve supply — Tibial part of sciatic nerve.

↳ Ms. act as flexor knee & extensor of hip.

Semitendinous - origin — inferomedial impression on the upper part of the ischial tuberosity.
Insertion — Upper medial surface of tibia
Nerve supply — Tibial part of sciatic nerve
Action — flexion of knee.
Medial rotation of leg.
week extensor of hip


Semimembranosus — origin — superiolateral impression — ischial tuberosity.
Insertion — Post. surface of medial condyle of tibia.
Nerve supply — Tibial part of sciatic nerve.
Action — Flexion of knee.
Medial rotation of leg.
week extensor of hip

Biceps femoris — origin — Long head — Inferomedical impression — ischial tuberosity.
short head — Lat. lip of linea aspera.
Insertion — Head of Fibula.
Nerve supply — Long head — Tibial part of sciatic nerve.
short head — Common peroneal nerve.
Action — Lat. rotation of knee.
week extensor of hip.

Adductor magnus — origin — lower lat. part of ischial tuberosity.
Inf. ramus of pubis.
Insertion — Medial margin of gleatrical tuberosity
Linea aspera
Medial supra chondylar line.
Adductor tubercle.
Nerve supply — Double nerve supply.
o- Tibial part of sciatic nerve.
o- obturator nerve.
Action — Extensor of hip.
Adductor part cause adduction of thigh.

TheJob

Scanned by TapScanner



Scanned by TapScanner

Gluteus maximus....

Origin - Dorsal segment of iliac crest
Posterior part of gluteal surface of ilium behind the posterior gluteal line
Dorsal surface of lower part of sacrum
Sacrotuberous ligament

Insertion → Deep fibres - gluteal tuberosity
greater part - iliotibial tract

nerve→ Inferior gluteal nerve

Action→ Extensor of thigh at hip joint
Lateral rotation of thigh
Abduction of thigh

Structure under cover of Gluteus maximus...

Muscles:- Gluteus medius
Gluteus minimus
Piriformis
Obturator internus with 2 gemelli
Quadratus femoris
Obturator Externus
4x hamstrings
Abductor magnus

Game me
P
O
Q
ham
Aage

JOHARI MBBS | YOUTUBE

Bone - ilium

Scanned by TapScanner

Muscles:- Gluteus medius
Gluteus minimus
Piriformis
Obturator internus with 2 gemelli
Quadratus femoris
Obturator Externus
4x hamstrings
ABductor magnus

Game me
P
O
Q
ham
Aage

Bone - ilium
ischium
Upper end of femur
Sacrum and coccyx

Joints - Hip joint
Sacroiliac joint

Ligament- Sacrotububerous
Sacrospinous
Ischiofemoral

SSI

SI
Papu
TC
Pele


Vessel - Superior gluteal vessel
Inferior gluteal vessel
Internal pudendal vessel
Trochanteric anastomoses
Cruciate anastomoses
first perforating artery

SP


Nerve :- Superior gluteal nerve
Inferior gluteal nerve
Pudendal nerve
Nerve to quadratus femoris
Nerve to obturator internus
Sciatic nerve
Posterior cutaneous nerve of thigh

Scanned by TapScanner


Origin



Scanned by TapScanner



Scanned by TapScanner



ILIOTIBIAL TRACT....

Origin - Anterior lateral iliac tubercle

Insertion - Lateral condyle of tibia

Muscle insert upon the tract - Gluteus maximus GT!
tensor fasciae latae

form by - lateral thickening of fascia lata (deep fascia of thigh)

↳ Run on lateral side of thigh

Scanned by TapScanner

Quadratus plantae...

Origin - Calcaneus - medial process of tuberosity

Insertion - lateral side of tendon of FDL

Layer -2

Lumbricals...

Origin - Tendon of FDL

Insertion - Extensor expansion
(Base of proximal phalanx



Lamba
g

Layer 2

Layer-1

flexor Digitorum brevis...

Origin - Medial tubercle of calcaneum

Insertion - 4 x tendons for lateral 4 x toes → divide into 2 slips
↳ slips are inserted into middle Phalanx

Abductor hallucis...

Origin - Medial tubercle of Calcaneum


Insertion - Base of proximal phalanx of great toe

Abductor digiti minimi...

Origin - Medial and lateral tubercle of calcaneum

Insertion - Base of proximal phalanx of little toe

Y



Abs ↗ H
↘ D
friend → DB

Layer 1

TheJ

Scanned by TapScanner

Flexor hallucis brevis...
Origin- medial, intermediate cuneiform
cuboid

Insertion - muscle splits into medial & lateral parts
Base of proximal phalanx of great toe

Flexor digiti minimi brevis...
Origin- Base of 5th metatarsal bone
Insertion- Base of proximal phalanx of little toe

Adductor hallucis...
Origin- oblique head - Large - base of 2,3,4 metatarsal
Transverse head - Small - metatarsophalangeal joints of 3,4 and 5 toes

Insertion- Base of proximal phalanx of big toe

Layer - 3



Interossei
TP
PL

Layer 4

Interossei...
Origin- Metatarsal bone
Insertion- Base of proximal phalanges

Layer -4



friend → H
→ O
add cinema hall
OT

Layer 3

Scanned by TapScanner

MEDIAL PLANTAR NERVE

4 Muscles supplied by medial plantar nerve

layer-1

1. Abductor hallucis
2. Flexor digitorum brevis

layer - 3

3. Flexor hallucis brevis

layer - 2

4. First lumbrical

2, 3, 4 → lateral Plantar nerve



lateral Planta nerve


L1 - Abductor digit minimi

L2 - 2,3,4 lumbrical
- Quadratus Plantae

L3 - Adduction hallu
~~Abduction digit~~
Flexor digit m

L4 - Interossei

Scanned by TapScanner




Layer 1

Scanned by TapScanner




Layer 2

Scanned by TapScanner




Layer 3

Scanned by TapScanner




Layer 4

Scanned by TapScanner




Layer 1

Scanned by TapScanner




Scanned by TapScanner



Layer 3

Scanned by TapScanner



Scanned by TapScanner

EXTENSOR RETINACULUM ...

Sup. Extensor Retinaculum.

Attachment :–

Medial – Lower part of ant. border of tibia.
Lat. – Lower part of ant. border of fibula.

Relation :–

Med. – Enclose tendon of tibialis ant. & its synovial sheath

Inf. Extensor Retinaculum.

↳ Y-shape band of deep fasica – situated in front of ankel joint.
↳ The stem of Y lie lat.
↳ Upper & lower band medially.

Attachment –

stem – Ant. non-articulating part of sup. surface of calcanium.
upper band – Upward medially – ant. border of med. malleolus.
Lower band – Downward med. – Planter aponurosis.


Relation –


stem – Loop around extensor digitorum longus & Peroneus tertius tendon.
upper band – Enclose tibialis anterior & extensor hallucis longus.
Lower band – Pass sup. to tendon of tibialis ant.
Extensor hallucis longus
Dorsal pedis artery.
Deep peroneal nerve.

Structure passing under Retinaculum :–

- Tibialis Ant.
- Extensor hallucis longus.
- Ant. Tibial vessel.
- Deep peroneal nerve.
- Extensor digitorum longus.
- Pronabor
- Peroneus tertius.

Scanned by TapScanner





Scanned by TapScanner

FLEXOR RETINACULUM ...

Attachment :-

Ant - Post border of medial malleolous.


Post - Med. tuberde of calcanium.

structure passing deep to retinaculum :- TDH

- Tendon of tibialis post.
- Tendon of digitorum longus.
- Post. tibial artery & its terminal branches.
- Tibial newe & its branches.
- Tendon of hallucis longus.

This structure lie in tarsal tunnel.

If newe get press — lead to tarsal tunnel syndrom.



Scanned by TapScanner

HIP JOINT...

Type :- Ball & Socket of synovial joint

Articulating surface :— Head of femur with acetabulum of Hip joint.

↳ Hip joint is unique having high degree of stability as well as mobility.

↳ Stability depend upon — depth of acetabulum tension & strength of ligament.

↳ strength of surrounding muscle.

↳ Length and obliquity of neck of femur.

Ligament :- Fibrous capsule.
Iliofemoral ligament] Anterior
Pubofemoral ligament]
Ischiofemoral ligament] Posterior
Ligament of Head of femur.
Acetabular labrum.
Transverse Acetabular ligament.

I2P
Headache

Fibrous capsule — Attached on Hip joint bone to acetabulum labrum
↳ On femur to the intertrochlear line infront.
capsule made up of 2 fibrous → outer longitudinal
→ Inner Circular.

Iliofemoral ligament or Y - shaped (inverted) ligament. Δ shape. strongest ligament of body.
↳ Apex is attach to — Ant. inferior iliac spine.
↳ Base — Interprochanteric line.

Pubofemoral ligament — support the joint intro inferiorly.
↳ Δ in shape -
↳ Superior attach — Iliopubic eminence
Obturator crust.
↳ Inferiorly - anteriinferior part of capsule.
lower border of iliofemoral ligament.

Scanned by TapScanner

Ischiofemoral ligament — Cover the joint posteriorly.

↳ Fibrous are twisted extend from ischium to Acetabulum.

↳ some Fibrous attach to greater Trochanter.

Ligament of Head of Femur — △ in shape.

↳ Apex attach — Fovea capitis.

↳ Base - margin of acetabulum notch.

Acetabulum Labrum — Fibro cartilagenous rim.

↳ Attach to margin of acetabulum.

Relation :—

Ant. — Tendon of iliopsoas.
Bursa
Femoral vein
Femoral artery.
femoral nerve

Post. — Piriformis
Sciatic nerve.
Obturator internus & gemeli.
Quadratus femoris.
Gluteus maximus.

Sup. — Gluteus maximus
Gluteus minimus
Glufeus medius.

Inf. — Obturator externus.
Hamstring Ms.

Blood Supply :— Obturator artery.
2 circumflex femoral
2 Gluteal artery.


Nerve supply :— Femoral nerve through nerve to rectus femoris.

Scanned by TapScanner


Ant. division of obturator nerve.
Nerve to Quadratus femoris.
Sup. Gluteal nerve.

Movement — Flexion & Extension — Transverse axis.
Adduction & Abduction — Ant. Post. axis.
Medial & Lat. Rotation — vertical axis.
circumduction


Scanned by TapScanner



Scanned by TapScanner



Scanned by TapScanner



Scanned by TapScanner

Knee joint...

Type:- condylar synovial joint.

↳ 2 condylar joint b/w condyle of femur & tibia.
↳ 1 saddle joint b/w femur & patella.

Articular surface :- condyle of femur.
Patella
condyle of Tibia.

↳ Femoral condyle articulate with tibial condyle below behind & with patella infront.

Ligament :-

- Fibrous capsule.
- Ligamentum patellae.
- Tibial collateral or medial ligament.
- Fibular collateral or lateral ligament.
- Oblique popliteal ligament.
- Arcuate poplitеal ligament.
- Ant. cruciate ligament.
- Medial meniscus.
- Lat. meniscus
- Transverse ligament

Fibrous capsule — Thin & deficient anteriorly.
- Replace by quadricep femoris & ligamentum patellae.

Femoral attachment — Ant - Deficient
Post - Intercondylar line.

Tibial attachment — Ant - Gole Tibial tubersity.
Post - Intercondylar ridge.

Ligamentum patellae — Post surface of apex. of patella above.
below — Tibial tubersity.

Tibial collateral ligament — sup. — medial condyle of femur.
Inf. — Ant — medial surface of shaft of Tibia
Post — medial condyle of fibula

Fibular collateral — sup. — attachment lat. epicondyle of femur.
Inf. — Head of ~~femula~~ fibula.

Scanned by TapScanner

Oblique popliteal ligament – Extension from semimembranosus.
↳ Run lat. with post. surface of capsule.
↳ Attachment – Intercondylar line & lat. condylofemur

Arcuate popliteal ligament – Extend backward from head of Fibula to post. border intercondylar area of Tibia.

Cruciate ligament – Ant. cruciate ligament
Ant. intercondylar area of Tibia to post. part of lat. condyle of femur.
Post– cruciate ligament.
Post. part of intercondylar area of Tibia.
To ant. part of medial condyle of femur.

PM


Meniscus – To cartilagenous disc.
2 – lat. / Med. meniscus.

Transverse lig. – Connect ant. end of lat. & med. meniscus.


Blood supply :–
- 5 genicular branch of popliteal artery.
- Descending genicular branch of femoral artery.
- descending branch of lat. circumflex artery.
- 2 Recurrent branch of ant. Tibial artery.
- circumflex fibular branch of past. tibial artery.

Nerve supply :–
- Femoral nerve branch to vast. especially vastus medialis.
- sciatic nerve through genicular branch of the tibial & common peroneal nerves.
- Obturator nerve through → post. division.

Scanned by TapScanner



Scanned by TapScanner



Scanned by TapScanner

Inversion & Eversion of the Foot...

Inversion — Movement in which medial border of foot is elevated
↳ Sole face medially.

Eversion — Movement in which lat. border of foot is elevated.
↳ Sole face laterally.

Perform voluntary only when the foot is off the ground.
↳ When foot is on the ground this movement help to adjust the uneven ground.

In both movement entire part of foot below talus move together.

Movement take place mainly at subtalar & talocalca -neo navicular joint & partially at transverse line.

Inversion — Accompanied by plantar flexion of foot.
IP ↳ Adduction of fore foot.

Eversion — Accompanied by dorsi flexion of foot.
↳ Abduction of fore foot.

TheJoha

Scanned by TapScanner

Dorsiflexion & Plantar flexion....

Dorsiflexion → forefoot is raised
→ Angle b/w front of leg and dorsum of the foot is diminished

Wider anterior trochlear surface of talus fits into narrow posterior part of lower end of tibia

No chance of dislocation


Plantar flexion → forefoot is depressed
→ Angle b/w leg and foot is increase

Narrow posterior part of trochlear surface of talus lossely fits ⟶ into anterior part of lower end of tibia


Chance of dislocation

TheJo


Scanned by TapScanner




Scanned by TapScanner



Scanned by TapScanner



Scanned by TapScanner




Scanned by TapScanner

Retromandibular
Superficial temporal vein
Maxillary vein
Deep facial vein
Supratrochlear vein
Supraorbital vein
Facial
Common facial vein
lingual vein
occipital vein
PD
PD
PTS
Posterior External jugular vein
Transverse cervical vein
Suprascapular vein
EJV
IJV
superior sagittal sinus
inferior sagittal sinus
sphenoparietal sinus
straight sinus
CRCV
confluence sinuses
Cavernous sinus
superior petrosal sinus
inferior petrosal vein
Transvere sinus
Sigmoid sinus
Internal jugular vein
Left brachiocephalic vein
internal jugular vein
External jugular vein
left subclavian vein
right
superior middle Thyroid vein
vein
vein
SM
left marginal
oblique vein
Coronary sinus
Small cardiac vein
middle cardiac vein
Great cardiac vein
Left superior intercostal vein
Accessory hemiazygos vein
Azygos vein
RSIV
Basilic
1
2
3
4
5
6
7
8
9

Scanned by TapScanner

Posterior External jugular vein
PTS
Transverse cervical vein
Suprascapular vein
EJV
Superior
Middle
Thyroid vein
Right subclavian vein
Axillary vein
Brachial vein
Cephalic
Median cubital
Basilic
Basilic vein
Radial vein
Ulnar vein
Deep
Superior
Palmar vein
Dorsal venous arch
superficial vein
L
Dorsal
L ⟷ M
Ventral
Deep vein
common facial vein
lingual vein
IJV
Cavernous sinus
Occi
confluence sinuses
Superior
inferior
Petrosal vein
Transverse sinus
Sigmoid sinus
Internal jugular vein
Left Brachiocephalic vein
internal jugular vein
External jugular vein
right
left subclavian vein
left marginal
oblique vein
Coronary sinus
Small cardiac vein
middle cardiac vein
Great cardiac vein
Azygos vein
left Superior intercostal vein
accessory hemiazygos vein
Hemiazygos vein
left subcostal vein
left ascending lumbar vein
lumbar azygos vein
Right ascending lumbar vein
left inferior phrenic vein
Left Suprarenal vein
Left renal vein
Hepatic vein
Right gonadal vein
lumbar vein
Paraumbilical vein
oesophageal vein
Left
Right
gastric vein
cystic vein
Superior Pancreaticoduodenal vein
Splenic vein
inferior mesenteric vein
median sacral vein
common iliac vein
Superior Mesenteric vein
EIJV
IIJV
Internal iliac vein
External iliac vein
Superficial epigastric vein
Superficial external pudendal vein
Superficial circumflex vein
Profunda femoris vein
femoral vein

Scanned by TapScanner



Scanned by TapScanner

Johari MBBS

HOME VIDEOS PLAYLISTS COMMUNITY CHA



Johari MBBS

8.17K subscribers

SUBSCRIBED


STUDY TIPS



How To Study For MBBS 1st Year Exam | How To Study In MBBS First Ye...

Johari MBBS

5.8K views · 5 months ago



How To Study Anatomy In MBBS 1st year effectively | Anatomy k...

Johari MBBS

3.6K views · 6 months ago



How To Study Biochemistry In MBBS 1st Year | How To Stud...

Johari MBBS

2.2K views · 6 months ago




How to study physiology in medical school | How to pass physiology exa...

Johari MBBS

2.8K views · 6 months ago

Scanned by TapScanner

HOME VIDEOS PLAYLISTS COMMUNITY CHAN



HEAD & NECK ANATOMY
Johari MBBS
40 videos



STUDY TIPS
Johari MBBS
4 videos




THORAX ANATOMY
Johari MBBS
22 videos




#SHORTS
Johari MBBS
9 videos



LOWER LIMB ANATOMY
Johari MBBS
22 videos



NERVE ANATOMY
Johari MBBS
9 videos



UPPER LIMB ANATOMY
Johari MBBS
25 videos

ALL TOPIC LECTURES VIDEOS AVAILABLE ON *JOHARI MBBS* | YOUTUBE CHANNEL

WITH 3D ANATOMY MODEL AND HAND WRITTEN NOTES


Scanned by TapScanner



Scanned by TapScanner

Histology 34w

Layout by instagram ›



@johari_mbbs_lectures

General Histology slides




@johari_mbbs_lectures

Lymphatic system




@johari_mbbs_lectures



johari_mbbs_lectures Urinary & Respiratory system Histology slides...

Lymphatic system


GIT Histology slides



johari_mbbs_lectures Female & Male Reproductive system Histology slides...

Reproductive system

Urinary & Respiratory system Histology



johari_mbbs_lectures Endocrine System Histology slides 1) Thyroid Gland...

Endocrine system Histology slides

ALL SYSTEMS HISTOLOGY SLIDES

@JOHARI_MBBS_LECTURES

@_THE_JOHARI_
@_MAAN_SAHAB_
@SOMESHMALEWAR
@ADRENALINE_RUSSHH
@DEVESHRAJE589
@SOBIAFATIMA18

Scanned by TapScanner