

```
In [1]: # Imports the Pandas Library and stores the dataset into a dataframe
import pandas as pd
poll_url = 'http://projects.fivethirtyeight.com/general-model/president_general_
polls = pd.read_csv(poll_url)
```

```
In [2]: # Displays the first 5 rows of the data
polls.head()
```

```
Out[2]:
```

	cycle	branch	type	matchup	forecastdate	state	startdate	enddate	
0	2016	President	polls-plus	Clinton vs. Trump vs. Johnson	11/8/16	U.S.	11/3/2016	11/6/2016	News/We
1	2016	President	polls-plus	Clinton vs. Trump vs. Johnson	11/8/16	U.S.	11/1/2016	11/7/2016	Google C
2	2016	President	polls-plus	Clinton vs. Trump vs. Johnson	11/8/16	U.S.	11/2/2016	11/6/2016	
3	2016	President	polls-plus	Clinton vs. Trump vs. Johnson	11/8/16	U.S.	11/4/2016	11/7/2016	
4	2016	President	polls-plus	Clinton vs. Trump vs. Johnson	11/8/16	U.S.	11/3/2016	11/6/2016	Gravis M

5 rows × 27 columns

```
In [6]: # Sorts the dataframe according to column name 'state' and displays first 2 rows
polls.sort_values('state', inplace=True)
polls.head(2)
```

Out[6]:

	cycle	branch	type	matchup	forecastdate	state	startdate	enddate
12475	2016	President	polls-only	Clinton vs. Trump vs. Johnson	11/8/16	Alabama	10/21/2016	11/2/2016
4610	2016	President	now-cast	Clinton vs. Trump vs. Johnson	11/8/16	Alabama	11/1/2016	11/7/2016

2 rows × 27 columns

Clean the data

In [7]:

polls.sort_values('state', ascending=False).head

```

Out[7]: <bound method NDFrame.head of
matchup \
5595    2016  President    now-cast  Clinton vs. Trump vs. Johnson
9368    2016  President  polls-only  Clinton vs. Trump vs. Johnson
11204   2016  President  polls-only  Clinton vs. Trump vs. Johnson
1336    2016  President  polls-plus  Clinton vs. Trump vs. Johnson
10098   2016  President  polls-only  Clinton vs. Trump vs. Johnson
...      ...      ...      ...      ...
3318    2016  President  polls-plus  Clinton vs. Trump vs. Johnson
9971    2016  President  polls-only  Clinton vs. Trump vs. Johnson
3304    2016  President  polls-plus  Clinton vs. Trump vs. Johnson
3165    2016  President  polls-plus  Clinton vs. Trump vs. Johnson
12475   2016  President  polls-only  Clinton vs. Trump vs. Johnson

      forecastdate    state    startdate    enddate    pollster \
5595      11/8/16  Wyoming  10/24/2016  10/30/2016  SurveyMonkey
9368      11/8/16  Wyoming  10/25/2016  10/31/2016  Google Consumer Surveys
11204     11/8/16  Wyoming   8/24/2016   8/30/2016  Google Consumer Surveys
1336      11/8/16  Wyoming  10/25/2016  10/31/2016  SurveyMonkey
10098     11/8/16  Wyoming  10/10/2016  10/14/2016  Google Consumer Surveys
...      ...      ...      ...      ...
3318     11/8/16  Alabama   8/17/2016   8/23/2016  Google Consumer Surveys
9971     11/8/16  Alabama   9/30/2016  10/20/2016  Ipsos
3304     11/8/16  Alabama   7/29/2016   8/18/2016  Ipsos
3165     11/8/16  Alabama   8/24/2016   8/30/2016  Google Consumer Surveys
12475     11/8/16  Alabama  10/21/2016  11/2/2016  Ipsos

      grade    ...  adjpoll_clinton  adjpoll_trump  adjpoll_johnson \
5595    C-    ...      21.66060      62.70650      4.911339
9368    B    ...      32.16531      63.84652      2.557269
11204    B    ...      29.19806      52.00241      5.173976
1336    C-    ...      20.71510      62.43554      7.034882
10098    B    ...      22.26467      60.78201      9.642412
...      ...    ...      ...      ...
3318    B    ...      25.24864      65.91230      1.211924
9971    A-    ...      37.21149      53.39428      NaN
3304    A-    ...      35.64400      56.35091      NaN
3165    B    ...      24.57778      64.97036      3.560686
12475    A-    ...      40.48323      53.28125      NaN

      adjpoll_mcmullin  multiversions \
5595                NaN                NaN
9368                NaN                NaN
11204               NaN                NaN
1336                NaN                NaN
10098               NaN                NaN
...      ...      ...
3318                NaN                NaN
9971                NaN                NaN
3304                NaN                NaN
3165                NaN                NaN
12475               NaN                NaN

      url  poll_id \
5595  https://www.surveymonkey.com/elections/map?pol...  47844
9368  https://datastudio.google.com/u/0/#/org//repor...  47992
11204  https://drive.google.com/drive/u/0/folders/0B2...  45540
1336  https://www.surveymonkey.com/elections/map?pol...  47933
10098  https://datastudio.google.com/u/0/#/org//repor...  47006
...      ...      ...

```

```

3318 https://drive.google.com/drive/u/0/folders/0B2... 45542
9971 http://www.reuters.com/statesofthenation/ 47185
3304 http://www.reuters.com/statesofthenation 44940
3165 https://drive.google.com/drive/u/0/folders/0B2... 45491
12475 http://www.reuters.com/statesofthenation/ 48213

```

```

      question_id  createddate      timestamp
5595         74867    10/31/16  09:24:53  8 Nov 2016
9368         75051    11/1/16  09:14:14  8 Nov 2016
11204        70925     9/9/16  09:14:14  8 Nov 2016
1336         74989    11/1/16  09:35:33  8 Nov 2016
10098        73495   10/17/16  09:14:14  8 Nov 2016
...          ...      ...      ...      ...
3318         70927     9/9/16  09:35:33  8 Nov 2016
9971         73862   10/22/16  09:14:14  8 Nov 2016
3304         68973    8/24/16  09:35:33  8 Nov 2016
3165         70809     9/9/16  09:35:33  8 Nov 2016
12475        75514    11/3/16  09:14:14  8 Nov 2016

```

[12624 rows x 27 columns]>

Keep only the rows with "now-cast" in the type column

```
In [8]: polls = polls.query('type=="now-cast"')
polls.head()
```

```
Out[8]:
```

	cycle	branch	type	matchup	forecastdate	state	startdate	enddate	
4610	2016	President	now-cast	Clinton vs. Trump vs. Johnson	11/8/16	Alabama	11/1/2016	11/7/2016	
5997	2016	President	now-cast	Clinton vs. Trump vs. Johnson	11/8/16	Alabama	10/27/2016	11/2/2016	S
7530	2016	President	now-cast	Clinton vs. Trump vs. Johnson	11/8/16	Alabama	8/17/2016	8/23/2016	
4369	2016	President	now-cast	Clinton vs. Trump vs. Johnson	11/8/16	Alabama	11/1/2016	11/7/2016	S
5504	2016	President	now-cast	Clinton vs. Trump vs. Johnson	11/8/16	Alabama	7/19/2016	7/19/2016	

5 rows x 27 columns

