


Inbound Email Actions in ServiceNow enable the instance to automatically process incoming emails—either creating/updating records or sending an automated reply back.

Here is a breakdown of all the fields visible on the **New Record** form in your screenshot:

Header / General Fields

- **Name**: The display name for this Inbound Email Action.
-
- **Target table**: The table where records will be created or modified (e.g., Incident [incident], User [sys_user]).
-
- **Action type**:
-
    - **Record Action**: Performs operations directly on target table records (e.g., inserts a new incident or updates existing ones).
    -
    - **Reply Email**: Automatically triggers an outbound email response back to the sender without altering database records.
    -
- **Application**: The application scope under which this action is created (currently set to *TechSphere Services*).
-
- **Active**: Checkbox to enable or disable the action.
-

- **Stop processing**: If checked, ServiceNow stops evaluating any subsequent inbound actions (evaluated by Order) once this action executes.
-

"When to run" Tab Fields

- **Type**: Defines what kind of email triggers this action:
-
    - **New**: Used for incoming emails that do not contain a recognized watermark or existing record match.
    - **Reply**: Used when an incoming email contains a valid watermark or subject tag matching an existing record.
    - **Forward**: Used when an email has been forwarded (typically starting with `FW:` or `Fwd:`).
- **Execution Order**: Numerical evaluation order (e.g., `100`). Actions run in ascending order (lowest number first).
-
- **Required roles**: Restricts execution so that only emails sent from users holding specific ServiceNow roles will trigger the action.
-
- **From**: Restricts execution to emails coming from a specific email address or user.
-
- **Conditions**: Filter condition builder (e.g., `Subject contains Urgent` or `Body contains IT Support`) that must evaluate to **True** for the action to execute.
-

How Inbound Actions Work (Core Execution Flow)

1. **Email Processing**: An email arrives at the ServiceNow mail server.
2.
3. **Watermark / Target Check**: ServiceNow checks the subject line and body for a watermark (e.g., `Ref:MSG123456`) or subject match to figure out if it's a **New**, **Reply**, or **Forward** email.
4.
5. **Action Matching**: The system iterates through active Inbound Email Actions matching the table and type in order of **Execution Order**.
6.
7. **Condition Check**: If the **From**, **Required roles**, and **Conditions** match:
8.
    - **Record Action**: Executes script logic or field mappings to insert/update a record in the **Target table**.
    - **Reply Email**: Sends an automated reply using template/script definitions.

    ○
9. **Stop Processing Check**: If **Stop processing** is checked on the matched action, no further Inbound Email Actions will execute for that incoming email.

What Does "Reply Email" Do?

When **Action type** is set to **Reply Email**, ServiceNow sends an automated email response back to the sender instead of creating or updating a database record.

- **Example Scenario:** An external vendor emails support@company.com asking for business hours. The system matches an Inbound Email Action configured as **Reply Email** with condition Subject contains Hours. ServiceNow immediately sends an automated response containing the business hours, without creating an Incident record.

What Does "Stop Processing" Do?

ServiceNow processes active Inbound Email Actions sequentially based on **Execution Order** (lowest number first). If **Stop processing** is checked on an action that runs, ServiceNow halts evaluation and skips all subsequent inbound actions for that specific email.

- **Without Stop Processing:** Action 1 (Order 100) runs → Action 2 (Order 200) runs → Action 3 (Order 300) runs.
- **With Stop Processing on Action 1:** Action 1 (Order 100) runs → Processing stops completely. Action 2 and Action 3 are ignored.

The **Type** field tells ServiceNow how to classify an incoming email based on its headers, subject line, and watermark.

- **New**: An email sent without any existing ticket references or watermarks (e.g., `Ref:MSG...`). ServiceNow treats it as a fresh request.
    - *Example:* You email `helpdesk@company.com` with subject *"Laptop won't turn on"*. ServiceNow runs a **New** type action to create a brand-new Incident ticket.
- **Reply**: An incoming email sent in response to a previous ServiceNow notification, identified by a watermark in the email body/header or `Re:` in the subject.
    - *Example:* **ServiceNow emails you:** You have an open ticket (`INC0010001`), and ServiceNow sends you an email update. At the very bottom of that email, ServiceNow automatically hides a watermark code like `Ref:MSG1234567`.
    - **You reply back:** You click **Reply** in Gmail/Outlook and type: *"I already tried restarting, it didn't help."*
    - **ServiceNow processes it as a "Reply":** Because the incoming email contains that watermark (`Ref:MSG1234567`), ServiceNow recognizes it as a **Reply**. Instead of opening a brand-new ticket, it attaches your message directly into the existing `INC0010001` ticket as a comment.

- **Forward**: An email sent from a mail client using the forward action, typically identified by `FW:` or `Fwd:` in the subject or forwarded headers.
    - *Example:* An employee forwards an email thread from an external client to `support@company.com`. ServiceNow runs a **Forward** type action to create a record while preserving the original sender's details in the description.

Inbound Email Action me script parameter function wrapping and common methods/objects explain kiye gaye hain:

1. Script Function Parameters Explained

JavaScript

```
None
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event,
/*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger,
/*EmailClassifier*/ classifier) {

    // Implement email action here

})(current, event, email, logger, classifier);
```

- **current** (GlideRecord): **Target record** ko represent karta hai jo create ya update ho raha hai (e.g., incident record).
- **event** (GlideRecord): Email receive hone par generate hone waale sysevent record ko reference karta hai.
- **email** (EmailWrapper): **Incoming email object** hai. Iske dwara email ka subject, body, sender email, attachments, etc. access kar sakte ho.
- **logger** (ScopedEmailLogger): Custom logs log karne ke liye use hota hai (e.g., logger.info()). Ye logs Email Logs (sys_email_log) me dikhte hain.
- **classifier** (EmailClassifier): Inbound email matching and classification rules evaluate karta hai.

2. Most Commonly Used Objects & Methods in Inbound Actions

A. email Object (Reading Email Details)

Method / Property	What It Does	Example Usage
email.subject	Incoming email ka subject line fetch karta hai.	if (email.subject.indexOf("URGENT") != -1) { ... }
email.from	Sender email address return karta hai.	gs.log("Email sent by: " + email.from);
email.to	Recipient email address return karta hai.	if (email.to.indexOf("helpdesk@company.com") != -1) { ... }
email.origemail	Original sender email fetch karta hai (especially useful in forward scenarios).	current.caller_id = email.origemail;
email.body_text	Email ki plain-text body poori	current.description = email.body_text;

	fetch karta hai.	
email.body_html	Email ki HTML body fetch karta hai.	current.u_html_description = email.body_html;
email.body.<variable_name>	Email body me se key-value pair extract karta hai (key: value format).	current.short_description = email.body.issue; *(reads issue: High priority from body)*

B. current Object (Creating or Updating Target Record)

Method / Property	What It Does	Example Usage
current.insert()	Target table me naya record insert karta hai (typically for New type actions).	current.insert();
current.update()	Existing record ko update karta hai (typically for Reply type actions).	current.update();
current.comments	Additional comments/activity stream entry add karta hai.	current.comments = "Received email: " + email.body_text;

current.work_notes	Work notes stream entry add karta hai (internal).	current.work_notes = "Processed via Inbound Action";

C. sys_email & event Execution Helpers

Variable / Method	What It Does	Example Usage
sys_email.instance	Linked target record ka Sys ID store karta hai.	sys_email.instance = current.sys_id;
sys_email.target_table	Linked target table ka name set karta hai.	sys_email.target_table = current.getTableName();
event.parm1	First event parameter (usually email sender user ID).	gs.log("Parm1: " + event.parm1);

KEY NOTE :

`email.body.<key>` extract na hone ka exact reason ServiceNow ka **HTML Body vs Plain Text Parsing** rule hai.


Why `email.body.sd` Failed


ServiceNow `email.body` variable parsing **Plain Text Body** par execute karti hai. Agar mail client HTML formatted body bhejt hai, toh lines me hidden `<p>` ya `<div>` tags aur special newline characters (`\n` vs `<br>`) ki wajah se built-in parser fails silently and evaluates `email.body.sd` as `undefined`.

Solution: Regex (Regular Expressions) Body Parsing

Inbound Actions me `email.body_html` par String Regex matches run karna sabse reliable replacement method hai:

DEMO EXAMPLE : New type , record action






```
(function runAction(current, event, email, logger, classifier) {

    if (email.subject.toLowerCase().indexOf('new work order') != -1) {

        // Plain text / HTML content extract karne ke liye
        var bodyText = email.body_text || email.body_html;

        // 1. Extract Amount (matches 'amount: 300' or 'amount:300')
        var amountMatch = bodyText.match(/amount\s*:\s*(.*)/i);
        if (amountMatch && amountMatch[1]) {
            current.setValue('total_amount', amountMatch[1].trim());
        }

        // 2. Extract State (matches 'state: 2')
```

```
        var stateMatch = bodyText.match(/state\s*:\s*(.*)/i);
        if (stateMatch && stateMatch[1]) {
            current.setValue('state', stateMatch[1].trim());
        }


        // 3. Extract Short Description (matches 'sd: this is sd okay')
        var sdMatch = bodyText.match(/sd\s*:\s*(.*)/i);
        if (sdMatch && sdMatch[1]) {
            current.setValue('short_description', sdMatch[1].trim());
        }

        // Description & Work Notes mapping
        current.setValue('description', email.from + ' || ' + email.to + ' || ' + email.body + ' || ' + email.body_text + ' || ' + email.body_html);
        current.setValue('work_notes', 'Created via Inbound Email');


        // Target record insert
        current.insert();
    }

})(current, event, email, logger, classifier);
```

// ye code parse krlega email ki body se. Ye aise body deni hogi :



Ye record create hui :



IMPORTANT NOTES :

YE USE MAT KARNA TO CREATE NEW RECORD :

```
//      var gr = new GlideRecord('x_2177328_techsp_0_work_order');

//      gr.initialize();

//      gr.setValue('total_amount', email.body.amount);

//      gr.setValue('state', email.body.state);

//      gr.setValue('short_description', email.body.sd);

//      gr.setValue('description', email.body_html);

//      gr.setValue('stripe_link_id', email.from);

//      gr.setValue('work_notes', email.body);

//      var id = gr.insert();
```

KYUKI YE CURRENT OBJECT CREATE KE LIYE HI HAI ISSILIYE DIRECT CODE ME CURRENT.INSERT() KRNE PAR RECORD CREATE HUA, GR.INITIALIZE() KRKE NHI HOGA.

NOTE : logger.info() ye system logs me show krega logs.

NOTE: body_text me data nhi aayega. Kyuki email me vo body box html ka hai, usme hidden br , p, etc tags hai. Issliye use body_html

QUESTION : // 3. Extract Short Description (matches 'sd: this is sd okay')

```
var sdMatch = bodyText.match(/sd\s*:\s*(.*)/i);

if (sdMatch && sdMatch[1]) {

    current.setValue('short_description', sdMatch[1].trim());

}, ye code me [1] kyu krna hai ? in very short
```

Answer : Javascript me `.match()` function ek array return karta hai:

- `sdMatch[0]`: Poori matched line store karta hai (e.g., `"sd: this is sd okay"`).
-
- `sdMatch[1]`: Regex ke group `(.*)` me captured value store karta hai—yani colon (`:`) ke baad waala actual content (e.g., `"this is sd okay"`).
-

Aapko Short Description me `"sd:"` prefix nahi chahiye, sirf uske aage ka text chahiye, isliye `sdMatch[1]` use karte hain.

Breakdown samjho:

1. `sd`: Text me `sd` dhoondhta hai.
2.
3. `\s*:\s*`: `sd` ke baad ke colon (`:`) aur aage-piche ke spaces ko skip karta hai.
4.
5. `(.*)`: Colon ke baad ka **poora bacha hua line ka text** select karke group 1 me daal deta hai.
6.

Example:

Agar email me line hai: `sd: My internet is slow and router is red`

- Regex pehle `sd:` check karega.
-
- Uske baad `My internet is slow and router is red` ko extract kar ke `match[1]` me save kar dega.
-

Agar line me pehle `sd:` nahi milega, toh regex fail ho jayega aur zero match return karega.

`/i` *Regex me* ***Case-Insensitive Modifier*** *(or Flag) hota hai.*

Ye code ko instruct karta hai ki capital aur small letters ki checking ko ignore kare.

Example:


`(/sd\s*:\s*(.*)/i)` *Match kar lega chaotic inputs ko:*

- `sd: hello`
-
- `SD: hello`
-
- `Sd: hello`

/i *flag* ***poore regex pattern*** *par apply hota hai.*


- *Ye* sd *(jaise* SD*,* Sd*), colon (*:*), aur uske aage* (.*) *me aane waale* ***poore line ke content*** *sabhi ko case-insensitive bana deta hai.*
-
- *Halanki,* (.*) *me lowercase/uppercase sabhi characters match ho jaate hain, isliye main effect* sd *ke matching par hi dikhta hai.*


MOST MOST IMPORTANT CATCH :
Passing reference value through its display name :





```
        var assignMatch = bodyText.match(/assign\s*:\s*(.*)/i);
        if (assignMatch && assignMatch[1]) {
            var userName = assignMatch[1].trim();

            // setDisplayValue automatically sys_user table me "Abel Tuter" dhoond kar sys_id bind kar dega
            current.assign.setDisplayValue(userName);
            // current.setDisplayValue('assign', userName); // ye nhi chalta ye wrong hai isko execute karne se tumhara record create hi nhi hoga kyuki ye silently return krdega
        }
```






IMPORTANT DOUBT :
iss sys tattachment me mai aone attachemenrs add nhi krskta? invery short



Answer : Direct list page (sys_attachment_list.do) se aap manual attachments add **nahi** kar sakte kyunki har attachment kisi specific record (jaise Email ya Work Order) se linked hota hai.

Attachments attach karne ka sahi tareeka:

1. **Email Record Form** par jao (sys_email tab).
2.
3. Top bar me **Paperclip Icon (📎)** par click karke file attach karo.
4.
5. System automatically is sys_attachment table me background entries link kar dega!



Question : ye watermark kase bntaye?
Answer : **Summary:**

1. **Watermarks are Automatic:** ServiceNow standard notifications me automatically Ref:MSGxxxxxxx append kar deta hai.
2.
3. **Purpose:** Re-reply aane par system watermark read karke exact record (e.g., INC0010008) find-out karta hai.
4.
5. **Manual Test:** Testing ke liye body ke bottom me manually Ref:MSG0000001 format likha ja sakta hai.

Question : yha fred ludy servicenow ko reply kar rha hai ? to kya starting me bhi hmm reply karke bhej skte hai ya iss se phle new ya hmare paass new mail aana chahiye ? in veyr hsort

Answer : **Pehle ServiceNow se email aana zaroori hai!**

- **Flow:** Pehle ServiceNow kisi Incident par user ko mail bhejta hai (jisme **Watermark** Ref:MSG... hota hai).
-
- **Reply:** Iske baad hi Fred Luddy us mail ka reply karega.
-
- Direct pehli baar me **Reply** nahi bhej sakte kyunki bina pehle bheje gaye mail aur **Watermark** ke system ko pata nahi chalega ki kis Incident par update karna hai.

Questin : ye watermark bhejna jruri hai ky aupdate ke liye ? and isko subject me bheje ya body me with eg btao in vey rhsort

Answer : **Haan, watermark bhejna zaroori hai** agar aap reply email se exact record (e.g., Incident) update karna chahte ho. Isi se system ko pata chalta hai ki kis record par update apply karna hai.

Kahan Bhejna Hai?

Watermark **Body** me bheja jata hai (standard OOTB behavior footer me hota hai), lekin ServiceNow ise **Subject** aur **Body** dono jagah se detect kar sakta hai. Best practice **Body ke bottom** me rakhna hai.

Example:

Subject:

Re: Network issue resolved


Body:

Our engineers fixed the issue. Priority can be reduced now.

priority: 3

Ref:MSG0000034 *(<- Watermark in body)*

****



YE HAI USER KO VALIDATE KRNE VALA CODE .


HANDS ON :

1. Khudse ek create ke liye inbound action bnana. Ussi me ek bnde ko and ek group ko mail bhejna ki ye create kardiya hai record iss table ka using inbound action.
2. Ek or inbound action banana, update ke liye jisme Reply type ka use karna. Jisme vo reference/watermark bhejke ussi created record ko update krke dekhna. Ek baar with watermark bhejna and ek baar without watermark bhejna. And dekhna kya hota hai.
3. Delete karne ke liye bhi ek 3rd inbound action bnana. (isme ek new se bnana and ek 4th bnana jo reply pe delete kre)
4. Ek 5th orr bnana jo normal create or update dono kare. (new and reply dono pe hi dekh lena)

NOTE: code likhna pta hai to copy paste krlena code jyada time mat lgana.

IMPORTANT :
Required roles de diya and From field me ek user dediya, but required role ki jyada priority hai, to vo chalega. Agar from me abel tuter hai and uss pe vo role nhi hai jo required role me diya hai hmne to nhi run hoga. (i did it pracically)

1. CREATE WORK ORDER :



CODE :

```
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event,
/*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger,
/*EmailClassifier*/ classifier) {

    // Implement email action here
    if(email.subject.toLowerCase().indexOf('create work order') !=
-1){
        var descData = email.body_html.match(/sd\s*:\s*(.*)/i);
        if(descData && descData[1]){
            current.setValue('short_description',
descData[1].trim());
        }

        var amountData =
email.body_html.match(/amount\s*:\s*(.*)/i);
        if(amountData && amountData[1]){
            current.setValue('total_amount', amountData[1].trim());
        }

        var priorityData =
email.body_html.match(/prior\s*:\s*(.*)/i);
        if(priorityData && priorityData[1]){
```

```
            current.setValue('priority', priorityData[1].trim());
        }

        var assignData =
email.body_html.match(/assignData\s*:\s*(.*)/i);
        if(assignData && assignData[1]){
            current.assign.setDisplayValue(assignData[1].trim());
        }

        var bodyData = email.body_html;
        if(bodyData){
            current.setValue('description', bodyData);
        }

        var id = current.insert();
        logger.info('work order is created : ' + id);


        // gs.eventQueue('x_2177328_techsp_0.learning_create',
current, 'naomi.greenly@example.com', 'technovaQA@gmail.com');


        // 1. Define your array of email addresses
        var emailList = ['naomi.greenly@example.com',
'technovaQA@gmail.com', 'another.user@example.com'];


        // 2. Convert the list into a comma-separated string and
pass it to parm1
        gs.eventQueue('x_2177328_techsp_0.learning_create', current,
emailList.join(','));

    }

})(current, event, email, logger, classifier);
```



servicenow
All
Favorites
History
Workspaces
Work Order - WO0001358
Search
Work Order
WO0001358
Discuss
Follow
Update
Delete
Number
WO0001358
Priority
3 - Moderate
Configuration item
Total Amount
112
Active
State
Open
Parent
Short description
this is short description
Description
sd : this is short description
amount : 112
assignData : Abel Tuter
prior : 3
Stripe link ID
Work notes
Contract details
End Date
Company Requesting
Start Date
Activate Windows
Go to Settings to activate Windows.


servicenow
All
Favorites
History
Workspaces
Admin
Emails
Search
Emails
Created
Search
Actions on selected rows...
New
All > Created on Today
Created
Recipients
Subject
Type
Notification type
User ID
2026-10-31 12:38:01
naomi.greenly@example.com,technovaQA@gma...
send-ready
SMTP
(empty)
2026-10-31 12:38:01
jewel.agresta@example.com
Incident INC0010210 was created
send-ready
SMTP
(empty)
2026-10-31 12:38:00
jewel.agresta@example.com
Total Incidents Counts
send-ready
SMTP
(empty)
2026-10-31 12:37:53
lucius.bagnoli@example.com
create work order
received
SMTP
(empty)
1 to 4 of 4
Activate Windows
Go to Settings to activate Windows.



2. UPDATE INBOUND ACTION (MOST IMPORTANT HERE I USED REPLY)
   First i create one work order by create work order inbound action. Then in email i got one mail which i sent in my create inbound action code to a list of emails. In that email i got one reference message i.e. Ref:MSG0004928_qRN5ThyGAfxhXaszZi9w

   I copied it.
   Then i create one inbound email action of reply type :



CODE:

```
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event,
/*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger,
/*EmailClassifier*/ classifier) {

    // Implement email action here
    if(email.subject.toLowerCase().indexOf('update work order') !=
-1){
        var descData = email.body_html.match(/desc\s*:\s*(.*)/i);
        if(descData && descData[1]){
            current.setValue('description', descData[1].trim());
        }

        var priorityData = email.body_html.match(/pri\s*:\s*(.*)/i);
        if(priorityData && priorityData[1]){
            current.setValue('priority', priorityData[1].trim());
        }


        current.update();

        var emailList = ['lucius.bagnoli@example.com',
'naomi.greenly@example.com', 'technovaQA@gmail.com'];
```

```
        gs.eventQueue('x_2177328_techsp_0.learning_create', current,
emailList.join(','));
    }

})(current, event, email, logger, classifier);
```


Then, the most important part starts now :
I create one received email :




Here i keep reply type, or i can put new type this won't be any problem. But the main thing is i must put this reference msg in the body. Only then this update inbound action run and update that particular record which is linked with this ref message.


I don't need to give Re: in the subject, i don't need to concern abount this reply or new type , or ready state, just give this ref message

And my work order record will update :



And most important thing is i can put this ref in the subject too and it worked







MOST IMPORTANT THING WHICH KEEP IN MIND IN UPDATE OR REPLY INBOUND ACTION TYPE :


When i make the type from reply to new and then i tried to update the record by giving the ref message . then it won't work. So keep in mind that ref message will only work on reply type inbound actions.

I did this :







But still my work order record not updated :




So keep in mind use reply for this.


Even most important thing is: agar tum received se inbox bhi kardoge to bhi reply me vo update hojayega just ye ref mesage dena jruri hia :
Eg :


dev249469.service-now.com/now/nav/ui/classic/params/target/sysevent_in_email_action.do%3Fsys_id%3D486da0198314171013 6f6060cea...
servicenow
All
Favorites
History
Admin
Inbound Email Actions - learning up...
Search
Inbound Email Actions
learning update
Update
Delete
Inbound email actions specify how ServiceNow creates or updates task records in a table when the instance receives an email. The inbound email action looks for a watermark in the email to associate it with a specific task. If the conditions specified in the inbound action are met, the script is run. More Info
Name
learning update
Target table
Work Order [x_2177328_techsp_0_...
Action type
Record Action
Application
TechSphere Services
Active
Stop processing
When to run
Actions
Description
Only emails of the selected Type will trigger this inbound action.
Type
Reply
Order determines when to run relative to other inbound actions. The inbound action with the lowest order runs first.
Execution Order
100
All of the following conditions must be true, to trigger this inbound action.
Conditions
Add Filter Condition
Add OR Clause
-- choose field --
-- oper --
-- value --
Only emails from senders with the Required roles will trigger this inbound action.
Required roles
Only emails from this sender will trigger this inbound action.
From
Activate Windows
Go to Settings to activate Windows.


dev249469.service-now.com/now/nav/ui/classic/params/target/sys_email.do%3Fsys_id%3De4f03c1183541710136f6060ceaad3c2%26syspar...
servicenow
All
Favorites
History
Admin
Email - update work order Ref:MSG...
Application scope: TechSphere Servic...
Update set: Default [TechSphere Ser...
Email
update work order Ref:MSG0004928_qRN5ThyGAfxhXaszZi9w View: Inbox
Update
Reprocess Email
Delete
Mailbox
Inbox
State
Ready
Receive type
New
Target
Work Order: WO0001365
User
lucius.bagnoli@example.com
Subject
update work order Ref:MSG0004928_qRN5ThyGAfxhXaszZi9w
Recipients
jewel.agresta@example.com
Body
desc : update wo tanwar bhia
pri : 3
Content type
Headers
UID
Created
2026-10-31 13:26:12
Deleted
Weight
0
Importance
Activate Windows
Go to Settings to activate Windows.



3. Now , mujhe chahiye ki mai body me work order ka number bhejunga and usko update karna hai , new type se hi. Koi reply nhi bhej rha mai. :



CODE :

```
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event,
/*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger,
/*EmailClassifier*/ classifier) {

    // Implement email action here
    if(email.subject.toLowerCase().indexOf('update work order') !=
-1){
        var num = email.body_html.match(/num\s*:\s*(.*)/i);
        var numData = num[1].trim();
        var gr = new GlideRecord('x_2177328_techsp_0_work_order');
        gr.addQuery('number', numData);
        gr.query();

        if(gr.next()){
            var descData =
email.body_html.match(/desc\s*:\s*(.*)/i);
            if(descData && descData[1]){
                gr.setValue('description', descData[1].trim());
            }

            var priorityData =
email.body_html.match(/pri\s*:\s*(.*)/i);
            if(priorityData && priorityData[1]){
                gr.setValue('priority', priorityData[1].trim());
            }


            gr.update();


            var emailList = ['lucius.bagnoli@example.com',
'naomi.greenly@example.com', 'technovaQA@gmail.com'];

            gs.eventQueue('x_2177328_techsp_0.learning_create', gr,
emailList.join(','));
        }


    }


})(current, event, email, logger, classifier);
```


Classic | Unified Nav
learning update | Ini
update work order
Work Orders | Servic
WO0001365 | Work
Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/sys_email.do%3Fsys_id%3De4f03c1183541710136f6060ceaad3c2%26syspar...
servicenow
All
Favorites
History
Workspaces
Email - update work order
Application scope: TechSphere Servic...
Update set: Default [TechSphere Ser...
Email
update work order View: Inbox
Update
Reprocess Email
Delete
Mailbox
Inbox
UID
State
Processed
Created
2026-10-31 13:26:12
Receive type
New
Deleted
Target
Incident: INC0010226
Weight
0
User
lucius.bagnoli@example.com
Importance
Subject
update work order
Recipients
jewel.agresta@example.com
Body
num : WO0001365
desc : harsh tanwar
pri : 5
Content type
Headers
Activate Windows
Go to Settings to activate Windows.


Classic | Unified Nav
learning update | Ini
update work order
Work Orders | Servic
WO0001365 | Work
Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/x_2177328_techsp_0_work_order.do%3Fsys_id%3D0bb07411835417101361...
servicenow
All
Favorites
History
Workspaces
Work Order - WO0001365
Application scope: TechSphere Services
Update set: Default [TechSphere Services] ...
Work Order
WO0001365
Discuss
Follow
Update
Delete
Number
WO0001365
Priority
5 - Planning
Configuration item
Total Amount
112
Active
State
Open
Parent
Short description
this is short description
Description
harsh tanwar
Stripe link ID
Work notes
Contract details
End Date
Company Requesting
Start Date
Category
Electrical
Activate Windows
Go to Settings to activate Windows.

Done

4. Delete ka bna rha hu (phle new type se) :



Code :

```
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event,
/*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger,
/*EmailClassifier*/ classifier) {

    // Implement email action here
    if(email.subject.toLowerCase().indexOf('delete work order') !=
-1){
        var num = email.body_html.match(/num\s*:\s*(.*)/i);
        var numData = num[1].trim();
        var gr = new GlideRecord('x_2177328_techsp_0_work_order');
        gr.addQuery('number', numData);
        gr.query();

        if(gr.next()){
            gr.deleteRecord();


            var emailList = ['lucius.bagnoli@example.com',
'naomi.greenly@example.com', 'technovaQA@gmail.com'];


            gs.eventQueue('x_2177328_techsp_0.learning_create', gr,
emailList.join(','));
```


```
        }


    }

})(current, event, email, logger, classifier);
```








Record Deleted successfully

NOW PERFORM THIS SAME THING BY REPLY, PUTTING REF MESSAGE.:




Code :


```
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event,
/*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger,
/*EmailClassifier*/ classifier) {


    // Implement email action here
    if(email.subject.toLowerCase().indexOf('delete work order') !=
-1){
        current.deleteRecord();
    }

})(current, event, email, logger, classifier);
```

// yha gr nhi karna pda kyuki ref message se automatically record fetch karliya isne


servicenow
All
Favorites
History
Admin
Email - delete work order Ref:MSG0...
Application scope: TechSphere Servic...
Update set: Default [TechSphere Ser...
Email
delete work order Ref:MSG0004988_KLMwO3uEbZ8xGMQHXP1J View: Inbox
Update
Reprocess Email
Delete
Mailbox
Received
State
Processed
Receive type
Reply
Target
User
lucius.bagnoli@example.com
Subject
delete work order Ref:MSG0004988_KLMwO3uEbZ8xGMQHXP1J
Recipients
jewel.agresta@example.com
Body
num : WO0001379
Content type
Headers
UID
Created
2026-10-31 14:54:18
Deleted
Weight
0
Importance
Activate Windows
Go to Settings to activate Windows.



servicenow
All
Favorites
History
Workspaces
Work Orders
Application scope: TechSphere Services
Update set: Default [TechSphere Services]
Work Orders
Created
Search
New
Req4 Bulk Update Priority
All
Number
Priority
State
Short description
Task type
Contract details
Company Requesting
Comments and Work notes
Work notes
Assign
No records to display
Activate Windows
Go to Settings to activate Windows.



Activate Windows
Go to Settings to activate Windows.

---

5. CREATE AND UPDATE ka generic code bhi aise hi hoga:
NOTE MOST IMP : agar ref message bhej rhe ho to ye must hai ki inbound action me type reply ho. And agar ref message nhi bhej rhe ho to ye must hai ki inbound action me type new ho. TABHI CHALEGA VARNA NHI CHALTA YE. (i did practically)



Activate Windows
Go to Settings to activate Windows.

Self written code ;

```
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event,
/*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger,
/*EmailClassifier*/ classifier) {


    // Implement email action here
    if(email.subject.toLowerCase().indexOf('create or update work
order') != -1){
        var desc =
email.body_html.match(/desc\s*:\s*(.*)/i)[1].trim();
        var prior =
email.body_html.match(/prior\s*:\s*(.*)/i)[1].trim();
        var assign =
email.body_html.match(/assign\s*:\s*(.*)/i)[1].trim();
        var num =
email.body_html.match(/num\s*:\s*(.*)/i)[1].trim();
        if(num != undefined){
            var gr = new
GlideRecord('x_2177328_techsp_0_work_order');
            gr.addQuery('number', num);
            gr.query();


            if(gr.next()){
                gr.setValue('description', desc);
                gr.setValue('priority', prior);
                gr.assign.setDisplayValue(assign);
                gr.update();
            }
            else{
                current.setValue('description', desc);
                current.setValue('priority', prior);
                current.assign.setDisplayValue(assign);
                current.insert();
            }
        }




    }
```


```
})(current, event, email, logger, classifier);
```



ServiceNow
learning update | Inl
create or update wo
Work Orders | Servic
WO0001382 | Work
Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/sys_email.do%3Fsys_id%3Dbbf84195831817101361f6060ceaad336%26syspa...
servicenow
All
Favorites
History
Admin
Email - create or update work order
Application scope: TechSphere Servic...
Update set: Default [TechSphere Ser...
Email
create or update work order View: Inbox
Update
Reprocess Email
Delete
Event created to reprocess email "create or update work order"
Mailbox
Inbox
State
Processed
Receive type
New
Target
Incident: INC0010232
User
lucius.bagnoli@example.com
Subject
create or update work order
Recipients
jewel.agresta@example.com
Body
desc : final touch work order
assign : Abel Tuter
prior : 3
num : WO0001380
Content type
Headers
UID
Created
2026-10-31 15:12:15
Deleted
Weight
0
Importance
Activate Windows
Go to Settings to activate Windows.



ServiceNow
learning update | Inl
create or update wo
Work Orders | Servic
WO0001382 | Work
Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/x_2177328_techsp_0_work_order_list.do%3Fsysparm_query%3D%26sysparm...
servicenow
All
Favorites
History
Workspaces
Work Orders
Application scope: TechSphere Services
Update set: Default [TechSphere Services]
Work Orders
Created
Search
Actions on selected rows...
New
Req4 Bulk Update Priority
All
Number
Priority
State
Short description
Task type
Contract details
Company Requesting
Comments and Work notes
Work notes
Assign
WO0001382
3 - Moderate
Open
Work Order
(empty)
(empty)
Abel Tuter
1 to 1 of 1
Activate Windows
Go to Settings to activate Windows.



Ye create hogya new work order, abb issi ka number bhejta hu taaki ye existing ko update kre, naa ki new work order create kre.


ServiceNow
learning update | Inl
create or update wo
Work Orders | Servic
WO0001382 | Work
Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/sys_email.do%3Fsys_id%3Dbbf84195831817101361f6060ceaad336%26syspa...
servicenow
All
Favorites
History
Admin
Email - create or update work order
Application scope: TechSphere Servic...
Update set: Default [TechSphere Ser...
Email
create or update work order View: Inbox
Update
Reprocess Email
Delete
Mailbox
Inbox
State
Processed
Receive type
New
Target
User
lucius.bagnoli@example.com
Subject
create or update work order
Recipients
jewel.agresta@example.com
Body
desc : tanwar harsh updated this
assign : Abel Tuter
prior : 5
num : WO0001382
Content type
Headers
UID
Created
2026-10-31 15:12:15
Deleted
Weight
0
Importance
Activate Windows
Go to Settings to activate Windows.


ServiceNow
learning update | Inl
create or update wo
Work Orders | Servic
WO0001382 | Work
Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/x_2177328_techsp_0_work_order_list.do%3Fsysparm_query%3D%26sysparm...
servicenow
All
Favorites
History
Workspaces
Work Orders
Application scope: TechSphere Services
Update set: Default [TechSphere Services]
Work Orders
Created
Search
Actions on selected rows...
New
Req4 Bulk Update Priority
All
Number
Priority
State
Short description
Task type
Contract details
Company Requesting
Comments and Work notes
Work notes
Assign
WO0001382
5 - Planning
Open
Work Order
(empty)
(empty)
Abel Tuter
1 to 1 of 1
Activate Windows
Go to Settings to activate Windows.



Finally it worked and changed details successfully!!!

NOTE : Agar issiko reply ke liye chalana hota, to ref message daalna pdta. And type reply karna pdta inbound action me. (ye ref message isko tab milta jab mai koi email bhejta kisi member ko ki ye create hua hai work order, then uss email me milta ref message, and usko reply ke email me daalkar reply krne par ye kaam hota)