
What is ITSM in ServiceNow?

ITSM stands for IT Service Management. It is a way for an IT team to manage IT services, resolve technical problems, handle service requests, and make sure employees can use systems such as laptops, email, networks, and business applications without unnecessary disruption.

In simple Hinglish: ITSM ek process hai jiske through company ki IT team incidents solve karti hai, users ki requests complete karti hai, problems ka root cause find karti hai aur IT changes ko safely implement karti hai.

For example, suppose an employee cannot log in to their company laptop. They raise a ticket in ServiceNow. The IT team investigates, fixes the issue, and closes the ticket. This is an ITSM process.



Checking Favorites status

linkedin

1. How does ITSM work in ServiceNow?

Step 1 — User reports an issue

Example: Email is not working.

Step 2 — Ticket is created

ServiceNow records the incident and its details.

Step 3 — IT team investigates

The ticket is assigned, prioritized, and investigated.

Step 4 — Issue is resolved

The fix is applied, and the ticket is resolved or closed according to the process.

ServiceNow provides the platform for these workflows through forms, tables, assignment rules, business rules, notifications, approvals, SLAs, and automation.

2. How many topics are there in ServiceNow ITSM?

There is no fixed number of ITSM topics. ServiceNow ITSM includes core applications, supporting capabilities, and advanced features. For learning and interview preparation, you can organize them into these 15 major topics. This is a practical learning list, not an official fixed count.




ServiceNow

+1

3. Complete ITSM topics list

Start with topics 1–8 first. They provide the foundation for understanding ITSM workflows.



Checking Favorites status


1. Incident Management

Core

Purpose: Restore a service as quickly as possible.

Example: A user's laptop or email stops working.

Learn: Incident lifecycle, priority, impact, urgency, assignment groups, escalation, major incidents, SLAs, and incident closure.




Checking Favorites status

2. Problem Management

Purpose: Find the root cause of recurring incidents.

Example: The same server crashes every day.

Learn: Problem records, root cause analysis, known errors, workarounds, and permanent fixes.




Checking Favorites status

3. Change Management

Purpose: Introduce changes while controlling risk.

Example: Upgrading a production database.

Learn: Standard, normal and emergency changes; risk assessment, approvals, change calendar, CAB, implementation, and rollback plans.




Checking Favorites status

4. Service Catalog

Purpose: Let users request IT services through a catalog.

Example: Request a laptop, software installation, or system access.

Learn: Catalog items, variables, variable sets, record producers, order guides, and catalog UI policies.




Checking Favorites status

5. Request Management

Purpose: Manage and fulfill users' service requests.

Example: An employee requests access to a company application.

Learn: Request (`sc_request`), Requested Item (`sc_req_item`), Catalog Tasks (`sc_task`), approvals, and fulfillment workflows.




Checking Favorites status

6. CMDB — Configuration Management Database

Purpose: Store information about IT components and their relationships.

Example: Identify which business application depends on a failed server.

Learn: Configuration Items (CIs), CI classes, relationships, discovery, service mapping, and data quality.



Checking Favorites status

7. Knowledge Management

Purpose: Store reusable solutions and instructions.

Example: An article explaining how to reset a password.

Learn: Knowledge bases, articles, approval, publishing, user criteria, and article feedback.



Checking Favorites status

8. Service Level Management (SLA)

Purpose: Track agreed response and resolution targets.

Example: A critical incident must receive a response within 15 minutes.

Learn: SLA definitions, start and stop conditions, pause conditions, schedules, breach notifications, and SLA reports.

9. Asset Management

Tracks hardware and software assets, ownership, lifecycle, and inventory.

Example: Track a laptop from purchase to retirement.

10. Release Management

Coordinates the planning, testing, scheduling, and deployment of releases.

Example: Deploying a new version of a business application.

11. Major Incident Management

Coordinates the response to high-impact service outages, including communications, escalation, and recovery.

12. Service Portfolio Management

Organizes services and offerings, including their lifecycle and business value.

13. Reporting and Performance Analytics

Builds reports, dashboards, KPIs, and trends for ticket volume, SLA performance, and resolution times.

14. Employee Center and Virtual Agent

Provides self-service portals and conversational assistance for finding answers and submitting requests.

15. Automation and AI in ITSM

Uses workflow automation, recommended actions, and AI capabilities to reduce repetitive manual work.

The exact features available depend on your ServiceNow release, applications, configuration, and licensing. The official product includes more capabilities than this learning list.



ServiceNow

+1

4. Important differences between the main topics

These concepts are commonly confused in interviews.

Topic	Main question	Example
Incident	How do we restore service?	Email is down.
Problem	Why does the issue keep happening?	Email server crashes repeatedly.

Change	How do we safely modify the system?	Upgrade the email server.
Request	What service does the user need?	Give an employee email access.
Knowledge	Is there a documented solution?	Password reset instructions.
CMDB	Which components and services are affected?	Which apps depend on the failed server?

The key distinction is that an incident focuses on restoring service, while problem management investigates the underlying cause. Change management controls the implementation of modifications.



ServiceNow

+1

5. What should you learn practically in ServiceNow?

Since ITSM is process-driven, don't just memorize definitions. Learn how each process works in the platform.

ITSM learning checklist

0 of 8

1. Incident Management

Create incidents, configure assignment and priority, understand lifecycle and SLAs.

2. Request Management

Build a catalog item with variables, approval, and fulfillment tasks.

3. Problem Management

Link related incidents to a problem and document a workaround.

4. Change Management

Create a change with risk assessment, approvals, implementation and rollback.

5. CMDB

Understand CI classes, relationships and impact analysis.

6. Knowledge Management

Create an article and configure its publishing and access.

7. SLA and Reporting

Configure an SLA and build reports for breaches and open tickets.

8. ITSM Scripting and Automation

Practice Business Rules, Client Scripts, Flow Designer, notifications and ACLs.

Copy checklist

6. Where should you start?

My recommendation is to learn in this order:

1. Incident Management — understand tickets, states, assignment, priority, and escalation.
2. Request Management and Service Catalog — understand requests, catalog items, variables, and approvals.
3. SLA and Knowledge Management — learn service targets and documented solutions.
4. Problem and Change Management — understand root causes and controlled changes.
5. CMDB and Asset Management — understand IT components, relationships, and assets.
6. Automation and reporting — build workflows, notifications, approvals, and dashboards.

Official starting point: ServiceNow ITSM documentation.

One important point: ITSM and ServiceNow are not the same thing. ITSM is the service-management discipline; ServiceNow is a platform that implements ITSM processes and automates their workflows.

INCIDENT MANAGEMENT

Sabse pehle samajhte hain **Incident Lifecycle (Ticket ka safar)**:

1. **Creation:** Kisi ko problem aayi aur usne IT ko bataya (Ticket ban gayi).
2.
3. **Classification & Prioritization:** Problem kya hai aur kitni urgent hai, yeh set karna.
4.
5. **Assignment:** Sahi IT team ya insaan ko ticket dena.
6.
7. **Investigation:** IT wala check karega ki dikkat kahan hai.
8.
9. **Resolution:** Problem ko theek kar dena.
10.
11. **Closure:** Kuch din baad, jab confirm ho jaye ki sab theek chal raha hai, toh ticket hamesha ke liye band (close) kar dena.
12.

Ek Aasan Kahani (Real-Life Scenario)

Aap maan lijiye **Sarah** ek Sales Manager hai. Wo apna "CRM software" login nahi kar paa rahi. Wo IT Helpdesk ko call karti hai. Wahan **John** (IT Support) phone uthata hai aur ek Incident ticket banata hai.

Ab dekhiye John in fields ka use kaise karega:

- **Channel (**`contact_type`**):** Sarah ne call kiya tha, toh John isme "Phone" select karega. Yeh batata hai ki user ne help ke liye approach kaise kiya.
-
- **Correlation ID (**`correlation_id`**):** Maan lo IT ke ek software ne auto-detect kar liya tha ki server down hai aur ek 'Alert ID' generate ki. John wo Alert ID yahan daal dega taaki dono system link ho jayein.
-
- **Service (**`business_service`**):** Kaunsi badi service ruki hui hai? John yahan "Sales CRM" select karega.
-
- **Service Offering (**`service_offering`**):** Us service ka kaunsa specific part kharab hai? Jaise "CRM Premium Login".
-
- **Configuration Item (**`cmdb_ci`**):** Exact kaunsi cheez (hardware/software) kharab hui hai? John check karta hai aur pata chalta hai ki ek specific database server ruka hua hai. Wo uska naam (jaise Server-001) yahan daalega.
-

- **Related Search:** Jaise hi John "CRM login failed" title mein likhega, niche **Related Search** mein automatic purane solutions aur articles (Knowledge Base) dikhne lagenge. Isse John ko issue jaldi theek karne mein help milti hai.
-
- **Parent (**parent**):** Socho agar 50 log aur call karein same CRM issue ke liye. IT team har ek ki ticket alag se solve nahi karegi. Wo ek badi "Master" (Parent) ticket banayenge. John, Sarah ki ticket ko us badi ticket se 'Parent' field ke through link kar dega. Jaise hi master ticket theek hogi, Sarah ki ticket apne aap resolve ho jayegi.
-

Niche wale Related Tabs (Bottom Section)

Jab John issue fix kar raha hota hai, wo niche ke tabs use karta hai:

- **Notes:** Yeh baatcheet (communication) ke liye hai.
-
    - *Work notes (Yellow):* Yeh sirf IT waalo ke aapas mein baat karne ya technical updates likhne ke liye hota hai (Sarah ko yeh nahi dikhega).
    -
    - *Comments (Customer visible):* John yahan likhega, "Hi Sarah, humne issue dhund liya hai, 10 minute mein theek ho jayega." Yeh Sarah ko email me chala jayega.
    -
- **Related Records:** Agar John dekhta hai ki yeh server toh har hafte crash ho raha hai, toh wo yahan se is incident ko ek nayi "Problem" ticket (root cause dhundne ke liye) se link kar dega.
-
- **Resolution Information:** Jab software chalne lagega, tab ticket resolve karte time John isme batayega ki usne "Kaise theek kiya" (Resolution notes).
-
- **Ticket metrics:** Yeh ek tarah ki stopwatch (SLA timers) hoti hai. Yeh track karti hai ki John ne kitni jaldi reply kiya aur kitni jaldi issue theek kiya, taaki IT ki performance check ho sake.

Caused by Change: IT mein kai baar log system update ya naya software install karte hain (jise 'Change' kehte hain). Agar us naye update ki wajah se koi system kharab ho jaye ya nayi problem aa jaye, toh us original 'Change ticket' ka number is field mein link kiya jata hai. Iska seedha matlab hai ki "Yeh incident kis change/update ke karan (caused by) aaya hai". Yeh track karne mein help karta hai ki kaunse changes risk wale hain.

Resolution Information Tab ke Fields: Jab aap kisi problem ko fix kar dete hain (resolve kar dete hain), toh final details record karne ke liye is tab ka use hota hai. Isme yeh fields hote hain:

- **Knowledge (Checkbox):** Agar aapne issue theek karne ka koi naya aur badhiya tareeqa dhunda hai, toh is box ko tick kar dein. Isse automatic ek naya 'Knowledge Base' article banne ka process shuru ho jayega, taaki agli baar agar kisi aur ko same problem aaye toh wo aaram se theek kar sake.
-
- **Resolution code (Dropdown):** Yeh batata hai ki problem kis *category* mein theek hui. Isme aap select kar sakte hain ki kya aapne issue permanently theek kar diya (Permanent fix), koi jugaad lagaya (Workaround), ya user ka issue apne aap theek ho gaya.
-
- **Resolution notes (Text box):** Yahan IT agent detail mein likhega ki usne exact kya steps liye system ko theek karne ke liye. Yeh notes customer ko bhi dikhte hain taaki unhe pata chale ki kya fix hua hai.
-
- **Resolved by:** Jis IT insaan ne (jaise aapne) is ticket ko theek kiya hai, uska naam yahan aayega. Yeh field batata hai ki final fix kisne apply kiya.
-
- **Resolved (Date/Time):** Kis exact date aur time par yeh problem theek hui, wo yahan record hota hai. Yeh automatic fill ho jata hai jab aap ticket ko 'Resolve' state mein dalte hain.

Caused by Change: IT mein kai baar log system update ya naya software install karte hain (jise 'Change' kehte hain). Agar us naye update ki wajah se koi system kharab ho jaye ya nayi problem aa jaye, toh us original 'Change ticket' ka number is field mein link kiya jata hai. Iska seedha matlab hai ki "Yeh incident kis change/update ke karan (caused by) aaya hai". Yeh track karne mein help karta hai ki kaunse changes risk wale hain.

Resolution Information Tab ke Fields: Jab aap kisi problem ko fix kar dete hain (resolve kar dete hain), toh final details record karne ke liye is tab ka use hota hai. Isme yeh fields hote hain:

- **Knowledge (Checkbox):** Agar aapne issue theek karne ka koi naya aur badhiya tareeqa dhunda hai, toh is box ko tick kar dein. Isse automatic ek naya 'Knowledge Base' article banne ka process shuru ho jayega, taaki agli baar agar kisi aur ko same problem aaye toh wo aaram se theek kar sake.
-
- **Resolution code (Dropdown):** Yeh batata hai ki problem kis *category* mein theek hui. Isme aap select kar sakte hain ki kya aapne issue permanently theek kar diya (Permanent fix), koi jugaad lagaya (Workaround), ya user ka issue apne aap theek ho gaya.
-
- **Resolution notes (Text box):** Yahan IT agent detail mein likhega ki usne exact kya steps liye system ko theek karne ke liye. Yeh notes customer ko bhi dikhte hain taaki unhe pata chale ki kya fix hua hai.

-
- **Resolved by:** Jis IT insaan ne (jaise aapne) is ticket ko theek kiya hai, uska naam yahan aayega. Yeh field batata hai ki final fix kisne apply kiya.
-
- **Resolved (Date/Time):** Kis exact date aur time par yeh problem theek hui, wo yahan record hota hai. Yeh automatic fill ho jata hai jab aap ticket ko 'Resolve' state mein dalte hain.

Change Request: Agar is incident (problem) ko theek karne ke liye system mein koi bada badlaav, naya update, ya hardware change karna zaroori ho, toh ek nayi 'Change ticket' banakar is field mein link kar di jati hai.

Seedha matlab: *"Yeh problem tab theek hogi jab hum system mein wo naya Change (update) apply karenge."*

Correlation ID ka sabse simple matlab hai **"Dusre system ka Ticket Number ya Alert Number"**.

Isko ek aasan example se samajhte hain:

Maan lijiye aapki company mein do alag-alag software kaam kar rahe hain:


1. **ServiceNow:** Jahan aapne incident ticket (jaise INC0010167) banai hai.
2.
3. **Datadog / SolarWinds:** Ek auto-monitoring software jo servers pe nazar rakhta hai.
4.


Jab server band hua, toh Datadog ne automatically ek alert generate kiya jiska number tha **"ALT-999"**.

Aap us **"ALT-999"** ko copy karke ServiceNow ke is **Correlation ID** field mein paste kar denge.


Kyon?
Taaki ServiceNow aur us external monitoring software ke beech ek connection (link) ban jaye. Is number se IT team ko pata chal jayega ki ServiceNow ka ticket (INC0010167) aur Datadog ka alert (ALT-999) dono ek hi problem ke hain.

IMAGES :


servicenow
All
Favorites
History
Workspaces
Incident - Create INC0010170
Application scope: Global
Update set: Default [Global]
Incident
New record
Submit
Resolve
Number
INC0010170
Channel
Chat
Caller
State
New
Correlation ID
Impact
3 - Low
Category
Inquiry / Help
Urgency
3 - Low
Subcategory
-- None --
Priority
5 - Planning
Service
Assignment group
Service offering
Assigned to
Configuration item
Short description
Description
Related Search Results
Related Search
Knowledge & Catalog (All)
No results to display
Activate Windows
Go to Settings to activate Windows.


servicenow
All
Favorites
History
Workspaces
Incident - Create INC0010170
Application scope: Global
Update set: Default [Global]
Incident
New record
Submit
Resolve
Related Search
Knowledge & Catalog (All)
No results to display
Related Section
-- None --
Jira ID
Parent
Notes
Related Records
Resolution Information
Ticket metrics
Parent Incident
Change Request
Problem
Caused by Change
Submit
Resolve
Activate Windows
Go to Settings to activate Windows.

For adding new tab or related list



INCIDENT LIFECYCLE:

Yes, you are exactly right. Those are the standard **States** (status values) an incident moves through during its lifecycle in ServiceNow:

- **New:** The ticket is just created and no one is working on it yet.
- **In Progress:** An IT agent is actively investigating and working on the issue.
- **On Hold:** The work is paused (e.g., waiting for the user to reply, waiting for a vendor, or waiting for a related change request). If you choose this then on hold reason becomes mandatory which is a choice type with : awaiting caller, awaiting change, awaiting problem, awaiting vendor.
- **Resolved:** The IT team has applied a fix and restored the service. When you choose it then in “Resolution information” section : resolution code and resolution notes become mandatory
- **Closed:** After a set number of days in the "Resolved" state without any complaints, the system permanently shuts the ticket. Again when you choose it then in “Resolution information” section : resolution code and resolution notes become mandatory

PROBLEM MANAGEMENT

Sabse pehle Incident aur Problem ka farq samajhte hain.

- **Incident:** "Aag lag gayi, jaldi bujhao" (Quick fix ya temporary solution jisse user apna kaam wapas shuru kar sake).
-
- **Problem:** "Aag baar-baar kyun lag rahi hai, uska *Root Cause* (jad) dhundo taaki aage kabhi aag na lage" (Permanent fix).
-

Problem ka Lifecycle (Form ke upar wale steps):

1. **New:** Nayi problem ticket ban gayi (PRB0040001).
2.
3. **Assess:** IT team check karti hai ki kya sach mein isko deeply investigate karne ki zaroorat hai aur yeh ticket kisko assign karni chahiye.
4.
5. **Root Cause Analysis (RCA):** Asli bimari (jad) dhundhne ka kaam chalu hota hai.
6.
7. **Fix in Progress:** Bimari mil gayi hai aur ab uska permanent ilaaj (solution) system mein apply kiya ja raha hai.
8.
9. **Resolved & Closed:** Permanent fix lagne ke baad ticket ko resolve aur phir close kar diya jata hai.
10.

Ek Aasan Kahani (Real-Life Scenario)

Story: Office mein pichle 3 din se roz subah 10 baje HR team ka Wi-Fi disconnect ho jata hai. IT team roz router restart karke 5 minute mein theek kar deti hai (Yeh sab *Incidents* the). Par ab John (IT Support) sochta hai, "Main roz-roz router thodi restart karunga, iski jad (root cause) dhundni padegi." Toh wo ek nayi **Problem** ticket banata hai.

Aapke form ke hisaab se fields ka use dekhiye:

- **Origin task:** Jis Incident ticket ki wajah se John ne yeh problem banai, wo us pichle incident ka number (jaise INC00123) yahan daal dega. Isse pata chalta hai ki yeh problem kahan se paida hui.
-
- **Problem statement:** Yeh ticket ka main title ya summary hai. (Note: Aapki image mein kisi ne "Reset my password" likha hai, jo real life mein galat practice hai kyunki password reset ek chota Incident ya Request hota hai. Hamari story mein John yahan likhega: "HR Wi-Fi disconnecting daily at 10 AM").
-

- **Configuration item (CI):** Jis main machine ya device par shaq hai. John yahan us router ka naam "HR-Floor-Router-01" select karega.
-

Niche wale Tabs (Bottom Section)

Jab John is problem par kaam karta hai, wo in tabs ka use karta hai:

- **Analysis Information (Sabse important tab):** John 2 din tak investigation (RCA) karta hai. Usko pata chalta hai ki theek 10 baje ek heavy data backup chalta hai jiski wajah se router hang ho jata hai. Yeh **Root Cause** wo is tab mein record karega. Agar backup time change hone mein 1 hafta lagega, toh wo ek **Workaround** (temporary jugaad) likhega ki "Jab tak fix nahi hota, tab tak 9:55 AM par router ko manually refresh kar do."
-
- **Resolution Information:** Jab John permanent solution nikal leta hai (jaise network team ne us router ka load dusre server par shift kar diya), toh wo apna **Fix Notes** (kaise theek kiya) is tab mein likh kar Problem ticket ko resolve kar dega.

Assignment aur Assess mein Fark:

- **Assignment group / Assigned to:** Yeh simply batata hai ki is Problem ticket par **kaun** kaam karega (konsi team ya konsa IT agent).
-
- **Assess (Button & State):** Yeh ticket ka ek phase (kadam) hai. Jab ticket kisi ko assign ho jati hai, toh wo insaan upar diya gaya **'Assess' button** dabata hai. Iska matlab hai: *"Maine ticket dekh li hai aur ab main isko evaluate (assess) kar raha hu ki yeh problem kitni badi hai aur kya humein iski gahrai (Root Cause Analysis) mein jana chahiye ya nahi."*
-

Upar wale Buttons ka Kaam:

- **Discuss:** Isko click karne se ServiceNow ke andar hi ek chat window khul jati hai, jahan aap apni team ke baaki logon ke saath is problem ke baare mein internal discussion kar sakte hain.
-
- **Follow:** Agar aap is ticket par nazar rakhna chahte hain, toh ise click karein. Jab bhi koi is ticket mein kuch naya update karega, aapko notification mil jayega (jaise social media par follow karna).
-
- **Update:** Form mein koi bhi change karke use save karne ke liye.
-


- **Delete:** Is record ko system se hamesha ke liye udane (delete) ke liye.
-


Analysis Information ke Fields:

- **Workaround (Temporary Jugaad):** Jab bimari badi ho aur permanent ilaaj dhundne mein hafton lag sakte hain, toh user ka ruka hua kaam chalu karwane ke liye IT ek temporary solution yahan likhti hai. *Example: "Jab tak naya Wi-Fi router nahi aata, log LAN cable ka use karein."*
-
- **Cause notes (Asli Jad/Root Cause):** Jab investigation poori ho jati hai, toh IT agent yahan detail mein likhta hai ki problem actually kis wajah se aayi thi. *Example: "Purane router ki RAM kam thi, isliye load badhne par wo hang ho jata tha."*

Bohot short mein inka matlab yeh hai:

- **Primary Known Error article:** Agar is problem ke baare mein pehle se system mein koi article (KB) bana hua hai jisme iska detail aur 'temporary ilaaj' (workaround) likha ho, toh us article ko yahan link karte hain taaki reference mil sake.
-
- **Work notes list**: Yeh ek tarah se email ka 'CC' (carbon copy) hai. Jab bhi aap niche *Work notes* mein koi technical update likhenge, toh jin logon ke naam is list mein add honge, unko automatically notification/email chala jayega. (Yeh mostly baaki IT team members ko update rakhne ke liye hota hai).





NOTE : Aapko us user ko itil role dena hoga.


ServiceNow mein kisi bhi user ko Incident, Problem, ya Change tickets dekhne aur uspar kaam karne ke liye itil sabse standard aur zaroori role hota hai.


Kaise karein?

Admin account se us user ("ashish cyntexa") ki profile open karein aur niche 'Roles' tab mein jaakar usko itil role add kar dein. (Agar aap sirf problem ka access dena chahte hain toh problem_user role bhi de sakte hain).

Discuss button:


- **Agar Check kiya:** Chat "Private" ho jayegi. Iska matlab sirf wahi log is chat ko dekh aur usme baat kar payenge jinko aapne upar list mein add kiya hai (jaise "ashish cyntexa").
-
- **Agar Uncheck chhod diya (jaise image mein hai):** Chat open rahegi. Jis bhi IT insaan ke paas is Problem ticket ko dekhne ka access hoga, wo is discussion ko dekh sakta hai aur join kar sakta hai.







Confirm: Yeh button tab dabate hain jab IT agent check karke bolta hai, *"Haan, yeh ek actual problem hai aur ab hum iski janch (Root Cause Analysis) shuru kar rahe hain."* Ise click karte hi ticket 'Assess' state se aage badhkar 'Root Cause Analysis' state mein chali jati hai.


Mark Duplicate: Agar aap dekhte hain ki kisi aur ne pehle se hi same issue ke liye ek aur problem ticket bana di hai, toh aap yeh button dabate hain. Yeh is naye ticket ko us purane ticket se link kar dega (as a duplicate), taaki do alag log ek hi problem par time waste na karein.







So when i click on cancel it will closed this problem
Jab mai closed phase pe hu and maine reanalyze button click kiya to ye RCA(root cause analyses) pe chala jayega:




Fix Button: Iska matlab aapne investigation poori kar li hai aur problem ki jad (root cause) mil gayi hai. Jaise hi aap is par click karenge, ticket agle step "Fix in Progress" mein chali jayegi, jiska matlab hai ab team solution apply kar rahi hai.


Accept Risk Button: Kai baar kisi problem ko theek karne ka kharcha ya risk us issue se bhi bada hota hai. Agar management decide karti hai ki "humein iska permanent fix nahi chahiye, hum is problem ke saath hi kaam chala lenge", tab yeh button dabate hain. Isse problem ticket bina fix apply kiye hi close ho jati hai.

RCA phase mein details kahan daalte hain? Haan, is step mein aapko niche **Analysis Information** tab ka use karna hota hai. Jab aapki investigation (RCA) khatam ho jaye, tab 'Fix' dabane se pehle:


- Aapko **Cause notes** field mein detail mein likhna hota hai ki problem aakhir aayi kyun thi (Root Cause).
-
- Agar aapne user ko koi temporary jugaad diya hai, toh wo **Workaround** field mein likhna hota hai.



Ye tab aaya jab maine accept risk dabaya and accept ye fill karte hi ye closed phase me chala jayega.




Jab fix button dabaya to ye dikhega below vala and isme fix notes dalna hoga hme:




(cause notes dono buttons me aata hai)

Resolved: Iska matlab hai ki IT team ne problem ka solution nikal kar apply kar diya hai (jaise aapki image mein Resolution code 'Fix Applied' dikh raha hai). Lekin ticket abhi puri tarah lock nahi hui hai. Yeh kuch din ke liye "observation" mein rehti hai taaki confirm ho sake ki problem wapas toh nahi aa rahi. Agar user ka issue wapas aata hai, toh wo ticket ko dubara open karwa sakta hai.

Closed: Jab 'Resolved' hone ke kuch din baad tak (usually 3 se 7 din) sab kuch theek chalta hai aur koi complain nahi aati, toh system ticket ko automatically 'Closed' state mein daal deta hai. Iska matlab case hamesha ke liye khatam. Ek baar ticket 'Closed' ho gayi, toh usme koi changes nahi ho sakte aur na hi use wapas reopen kiya ja sakta hai.





Yahan un sabhi naye buttons ki list hai jo har stage (phase) mein specifically form ke top-right par appear hue the (common buttons jaise Update, Delete, Discuss aur Follow ko chhodkar):


* **New Stage:** `Assess` (Ticket ki janch shuru karne ke liye)

* **Assess Stage:** `Confirm`, `Mark Duplicate`, `Cancel`


* **Root Cause Analysis (RCA) Stage:** `Fix`, `Accept Risk`

* **Resolved Stage:** `Complete`, `Re-Analyze`

* **Closed Stage:** (Koi naya button nahi aata, bas purana `Re-Analyze` button bacha rehta hai)




Agar tum bina assigned to diye hi new se assess me jaoge to vo possible nhi h, kyuki assigned to mandatory hai dena new me




assigned to me delta hi ye chala jayega asseess me.


CHANGE MANAGEMENT



Activate Windows
Go to Settings to activate Windows.



Activate Windows
Go to Settings to activate Windows.



Change Request ka seedha sa matlab hai system, hardware, ya software mein koi bada badlaav (update, upgrade, ya replacement) karna bina doosre systems ko roke ya kharab kiye. Jab aap naya change banate hain, toh aapko alag-alag types (models) milte hain:

Models Tab

Yahan aapko do main ITIL categories dikh rahi hain:

- **Normal:** Yeh un regular changes ke liye hai jinme thoda time aur risk hota hai. Isme proper step-by-step planning hoti hai aur management ya Change Advisory Board (CAB) se approval lena padta hai. *(Example: Company ke saare laptops ka Windows version update karna).*
-
- **Emergency:** Yeh tab use hota hai jab koi badi emergency aa jaye aur system ko turant theek karna ho. Isme regular lambe approvals ka wait nahi karte taaki kaam jaldi ho sake. *(Example: Main server crash ho gaya hai aur naya hard drive turant lagana hai).*
-

Preapproved Tab

Inko IT ki bhasha mein **Standard Changes** kehte hain.


- Yeh wo chote-mote, low-risk kaam hain jo IT team roz karti hai.
-

- Kyunki yeh kaam itni baar ho chuke hain, management inko pehle se hi approval de kar rakhti hai (Preapproved) taaki har baar nayi permission na leni pade.
-
- Aapki image mein iske examples hain: 'Replace printer toner', 'Reboot Windows Server', ya 'Change VLAN'.
-
- In cards par "Success rate" (jaise 100%) bhi likha hota hai, jo batata hai ki pichli baar jab yeh change kiya gaya tha toh kitna successful raha.
-

Pinned Tab

Yeh aapka 'Favorites' ya shortcut section hai.

- Agar aap roj ek hi tarah ka change (jaise server reboot) banate hain, toh aap us preapproved card ke upar bane chote se "pin" icon ko daba sakte hain.
-
- Aisa karne se wo model is Pinned tab mein save ho jayega taaki agli baar aapko use dhundhna na pade.
-
- Abhi aapko "No pinned models" dikh raha hai kyunki aapne abhi tak kisi change ko apne favorites mein add nahi kiya hai.



Jo fields aapne mark kiye hain, unka matlab yeh hai:

* **Model:** Yeh batata hai ki ticket kis tarah ka approval aur workflow process follow karegi. Kyunki aapne 'Normal' select kiya tha, toh yahan 'Normal' Model set ho gaya hai.

* **Type:** Yeh ServiceNow ka ek thoda purana field hai jo ab Model ke sath sync hokar chalta hai. Yeh bhi change ki category (Normal) dikha raha hai.

* **State:** Yeh ticket ka current phase batata hai. Ticket abhi bilkul fresh hai, isliye yeh 'New' par set hai.


* **Conflict status:** Jab aap koi change plan karte hain (jaise server reboot karna), toh ServiceNow check karta hai ki kya us same time par kisi aur team ne bhi ussi server par koi kaam toh schedule nahi kiya hua, taaki clash na ho. Kyunki abhi tak aapne schedule time set karke check nahi kiya hai, isliye yeh 'Not Run' (abhi check nahi hua) dikha raha hai.

* **Conflict last run:** Jab system clashes (conflicts) check kar leta hai, toh yahan wo exact date aur time record ho jata hai jab aakhri baar checking hui thi. Abhi ke liye yeh khali hai.

Knowledge Search (Lightbulb aur Book Icons) kaise add karein:
Yeh icons "Description" ke nahi, balki **"Short description"** field ke bagal mein hain. Inhe ServiceNow mein **"Contextual Search"** kehte hain.

Agar aapko inhe kisi form par manually add ya configure karna hai, toh aapko Admin access chahiye hota hai:

1. Form ke top gray bar (jahan Change Request likha hai) par right-click karein.
2. **Configure > Related Search Results** (ya Table Configuration) par click karein.
3. Yahan ServiceNow ka "Contextual Search" setup khul jata hai, jahan aap bata sakte hain ki kis field (jaise Short Description) mein likhne par system automatically Knowledge Base articles dhoondh kar laye.
4. Agar yeh form layout se hat gaya hai, toh aap **Configure > Form Layout** mein jaakar "Related Search Results" ko wapas form par drag and drop kar sakte hain.




Yeh ServiceNow ka backend configuration page hai jahan ek **"Change Model"** (is case mein 'Normal' model) ki settings set ki jati hain.

Aasan shabdo mein, yeh ek "rulebook" ya template hai jo system ko batata hai ki jab koi user 'Normal' Change Request banaye, toh wo ticket kaise behave karni chahiye.

Is page par jo main settings dikh rahi hain, unka matlab yeh hai:


- **Name & Description:** Yeh model ka naam (Normal) aur uski choti si detail (ITIL Mode 1 Normal Change) batata hai.
-
- **Available in 'Create New' (Checkbox):** Kyunki yeh tick (✓) hai, isiliye yeh 'Normal' wala card aapko pichli baar "Create Change Request" wale page par dikh raha tha. Agar isko uncheck kar denge, toh wo wahan se gayab ho jayega.
-
- **Record preset:** Yeh auto-fill ka kaam karta hai. Yahan set kiya gaya hai ki jaise hi koi is model ko select karke nayi ticket banayega, us ticket ka 'Type' field automatically 'Normal' set ho jayega.
-
- **Security (Niche wala section):** Yahan 'Read Roles' mein `itil` aur `sn_change_read` likha hai. Iska matlab hai ki sirf wahi IT agents is model ko dekh aur use kar sakte hain jinke paas yeh roles (access) hain.



Planning Tab: Yeh section management (approvers) ko detail deta hai ki aap yeh bada badlaav (change) kaise aur kyun karne wale hain, taaki wo isko approve kar sakein.

In fields ka short matlab yeh hai:

- **Justification:** Yeh change karna kyun zaroori hai? (Iska reason aur fayda kya hai).
- **Implementation plan:** Is change ko actual mein kaise apply karenge? (Kaam karne ke step-by-step technical instructions).
- **Risk and impact analysis:** Is update/change se kya khatra (risk) hai aur kin systems ya logon par asar (impact) padega?.
- **Backout plan:** Sabse important! Agar aapka change fail ho gaya ya system crash ho gaya, toh sab kuch wapas pehle jaisa kaise karenge? (Aapka 'Undo' plan ya Plan B).
- **Test plan:** Change apply hone ke baad, aap kaise test/check karenge ki sab kuch successfully theek chal raha hai?.



Yeh **Schedule Tab** aapke change ki timing aur CAB (Change Advisory Board) meeting ki details ko manage karne ke liye hota hai.

In fields ka matlab bohot short mein yeh hai:


Planning Dates (Left Side):

- **Planned start date & Planned end date:** Aap is change (badlaav) ko kab shuru aur kab khatam karne ka *plan* kar rahe hain. Is time period ko "Change Window" kehte hain jisme system down reh sakta hai.
-
- **CAB required (Checkbox):** Kya is change ko approve karne ke liye **CAB** (Senior IT managers aur leads ki ek committee) ki meeting zaroori hai?
-
- **CAB date/time:** Agar meeting zaroori hai, toh wo meeting kis din aur kitne baje hogi?
-

Actual Dates & Meeting Details (Right Side):

- **Actual start date & Actual end date:** Plan chahe jo bhi ho, kaam *asli* mein kis time shuru hua aur kis time khatam hua. Yeh tab fill hota hai jab IT agent actually fix implement karna shuru karta hai.
-
- **CAB delegate:** CAB meeting mein is change request ko present karne (samjhane) kaunsa insaan jayega?
-


- **CAB recommendation:** CAB ki team ne meeting ke baad is change ke liye kya final decision ya advice di, wo yahan likhi jati hai.




Conflicts Tab: Yeh tab check karta hai ki aap jo update/change karne ja rahe hain, uska time kisi aur team ke kaam ya server ke maintenance time ke sath takra (clash) toh nahi kar raha.

Inka matlab bohot short mein yeh hai:

- **Yellow Warning Message:** Yeh system bata raha hai ki wo takrao (conflict) tab tak check nahi kar sakta, jab tak aap form mein **Configuration item** (kis device par kaam hona hai) aur **Planned dates** (kab kaam hona hai) fill nahi karte.
-
- **Check Conflicts (Button):** Jab aap dates aur CI bhar denge, tab yeh button active ho jayega. Isko dabane se system apni checking shuru karega.
-
- **Conflicts Detected (Niche ki list):** Agar checking ke baad koi clash milta hai (jaise same time par 2 log ek hi server par update daal rahe hain), toh uski details is table mein aa jayegi taaki aap apna plan badal sakein.






Closure Information Tab: Jab aapka change (badlaav) ka kaam poora ho jata hai, tab is tab ko bhara jata hai ticket ko band karne ke liye.

- **Close code:** Yahan dropdown se select karte hain ki change ka final result kya raha (jaise: 'Successful' raha, 'Unsuccessful' (fail) hua, ya 'Successful with issues').
-

- **Close notes:** Yahan detail mein likhte hain ki final kaam kaisa hua, kya steps liye, aur agar koi dikkat aayi toh wo kya thi.
-

Niche wale important sections:

- **Calculate Risk (Related Link):** Ise dabane se ServiceNow automatically check karke bata dega ki is change mein kitna khatra (Risk) hai (jaise High, Medium, Low).



Change Task ka seedha matlab hai ek bade 'Change' ko chhote-chhote hisson (tasks) mein baantna taaki alag-alag teams apna-apna hissa poora kar sakein.

Ek badi Change Request ke andar kai saare chhote **Change Tasks (CTASK)** hote hain.


Ek Aasan Example:
Maan lijiye aapka Change Request hai "Naya Server Install aur Setup karna".
Yeh akele ek insaan ka kaam nahi hai, isliye aap alag-alag tasks banayenge:

- **Task 1:** "Purane data ka backup lo" (Yeh task Database Team ko assign hoga).
-
- **Task 2:** "Nayi IP address configure karo" (Yeh task Network Team ko jayega).
-
- **Task 3:** "Physical server rack mein lagao" (Yeh task Hardware Team ko milega).
-


Aapki image mein right side par jo blue color ka **"New"** button hai, usko dabakar aap aise naye tasks bana sakte hain. Har task ko ek alag 'Assignment group' aur 'Assigned to' (person) diya ja

sakta hai. Jab saari teams apne-apne tasks poore kar lengi (Closed state mein daal dengi), tabhi aapka main Change Request final close hone ke liye ready hoga.

Outages Tab: Outage ka matlab hai "System ka down (band) hona". Jab aap koi bada change karte hain (jaise main server ko update karna), toh obviously thodi der ke liye wo system band rahega jisse logon ka kaam rukega. Us band rehne ke time (system kab se kab tak down raha) ka record is tab mein rakha jata hai taaki company ko pata chale ki is badlaav ki wajah se kitna downtime aaya



Request approval button pe click kiya, (assigned group mandatory tha)



Assess me aate hi ye approval ban gya ek.


Assess Stage mein kya hua? Jab ticket 'New' se 'Assess' mein aati hai, toh iska matlab aapne initial planning (details, dates) bhardi hai aur ab ticket *first level technical approval* (Peer review ya Manager approval) ke liye chali gayi hai. Aapki image mein blue box exactly yahi bata raha hai ki "Change is waiting for approval". Jab tak approver isko 'Approve' nahi karega, yeh aage nahi badhegi.


Normal Change ke poore Lifecycle Stages (Phases)

:


- **New:** Ticket first time banayi ja rahi hai aur saari details (Planning, Schedule, Risk) fill ki ja rahi hain.
- **Assess:** Pehla approval phase, jahan technical manager/team check karti hai ki change request theek se form hui hai aur isme kitna risk hai.
- **Authorize:** Doosra aur sabse bada approval phase. Yahan CAB (Change Advisory Board) meeting karti hai aur company ke asar (business impact) ko dekh kar final green signal deti hai.
- **Scheduled:** Sab approvals mil gaye. Ab system aur team bas plan kiye hue 'Planned start date' ka wait kar rahe hain.
- **Implement:** Asli kaam shuru! Is phase mein IT team system par actual badlaav (update/install/reboot) karna start karti hai.
- **Review:** Kaam poora hone ke baad yeh check karna ki change 100% successful raha ya koi dikkat aayi (isko Post Implementation Review ya PIR bolte hain).
- **Closed:** Jab confirm ho jaye ki sab perfectly chal raha hai aur 'Closure Information' bhar di gayi hai, toh ticket hamesha ke liye band ho jati hai.
- **Canceled:** Agar beech mein kabhi CAB plan ko reject kar de ya problem aane par process drop karna pade, toh ticket Cancelled state mein chali jati hai.

'Assess' stage mein approval zyada tar us **Technical Team (Assignment Group) ke Manager** ya peer reviewers ke paas jata hai, jise wo ticket assign ki gayi hai. Yeh ek basic technical check hota hai CAB (Authorize stage) ke paas jaane se pehle.






Inme se kisi bhi ek cab approval ne approve kardiya to next step me chala jayega



Ab aapko upar top-right corner mein dikh raha **Implement** button dabana hai.

Isse kya hoga?


Jab aapki IT team actual mein system par badlaav (kaam) karna shuru karne ke liye ready hoti hai (apne plan kiye hue time par), tab yeh button dabaya jata hai. Isko dabate hi ticket 'Implement' phase mein chali jayegi, jiska matlab hai ki officially kaam shuru ho gaya hai.



Ab aapki ticket **Implement** state mein hai, jiska matlab hai ki IT team filhal system par actual kaam (changes) kar rahi hai.

Jab aapki team apna saara kaam (jaise server update ya fix karna) poora kar le, tab aapko upar diya gaya **Review** button dabana hai.

Review dabane se kya hoga?
Ticket agle phase (Review stage) mein chali jayegi. Wahan aapse poocha jayega ki "Kaam kaisa raha?" (Post Implementation Review). Phir aapko 'Closure Information' tab mein jaakar batana hoga ki change successful raha ya fail ho gaya, taaki ticket ko final 'Closed' state mein bheja ja sake.




Inhe ServiceNow mein **Activity Stream** (ya Activity Formatter) kaha jata hai. Yeh ek tarah ki audit history hoti hai jo track karti hai ki form par kisne, kab, aur konsi field change ki (jaise State 'Implement' se 'Review' ho gaya).

Upar jo "Work notes" ka input box hai jisme aap type karte hain, usko banane ka tarika yeh hai:


- **Data Type:** Ise Journal Input (ya sirf Journal) data type kaha jata hai.
-
- **Kaise Create Karein:**
-


1. Form ke top bar par right-click karein aur **Configure > Form Design** (ya Form Layout) mein jayein.
2.
3. Ek nayi field create karein aur uska 'Type' dropdown se **Journal** select karein.
4.
5. Niche jo purani history (Activities) dikh rahi hai, usko show karne ke liye form layout mein hi **Activities (filtered)** naam ka ek 'Formatter' drag and drop karna hota hai.
6.

(Journal fields ki khaasiyat yeh hoti hai ki aap jo bhi save karte hain wo form par permanent history ban jata hai aur use delete ya edit nahi kiya ja sakta).



review me close click krne se phle ye closure information important hai







"Closed" state mein aane ke baad aapko is ticket par **kuch nahi karna hota hai**. Yeh Change Request ka bilkul aakhri step (end of lifecycle) hai.

Iska seedha matlab yeh hai ki:

- **Ticket Locked:** Ab kaam 100% poora ho chuka hai aur yeh form ab lock ho gaya hai. Aap isme koi naya change, edit, ya update nahi kar sakte.
-
- **Historical Record:** Yeh ticket ab sirf audit, reporting, aur future reference ke liye system mein hamesha save rahegi.
-
- **Naya Issue:** Agar is change (badlaav) ko apply karne ke baad future mein system mein koi dikkat aati hai, toh is closed ticket ko wapas reopen nahi kiya jata. Aapko us nayi dikkat ke liye ek naya 'Incident' ya naya 'Change Request' banana padega.
-


Basically, aapka is ticket ka safar yahan khatam ho gaya hai. Aap apni main list mein wapas jaakar apne dusre pending tickets par kaam shuru kar sakte hain.






To assess me reject hone par ye vapas new me aajata hai

SAME CHIJ JAB CAB USER KOI REJECT KRTA HAI TO BHI VO NEW PE HI JATA HAI:





Schedule me aane ke baad yha abb tum piche nhi jaa skte and tumko state me canceled ka bhi option milta hai




NOTE : YE CANCEL KA OPTION BASS NEW, SCHEDULE AND IMPLEMENT ME HI RHTA HAI, REVIEW ME BASS CLOSED KA AATA HAI. AND ASSESS AND AUTHORIZE ME TO STATE HI READ ONLY HOJATI HAI, USME YE STATE APPROVER PE DEPEND KRTI HAI.

JAISE HI CANCELD SLECT KIYA SCHEDULE ME TO YE POPUP AATA HAI:







NOTE 👍





YE PROCESS FLOW EXPLORE KARO

EMERGENCY CHANGE REQUEST:




ServiceNow
Create CHG0030007 | Change
Classic | Unified Navigation Ap
Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/chg_model.do%3Fsys_id%3D62d10fa1c303101035ae3f52c1d3aec1%26sysp...
servicenow
All
Favorites
History
Workspaces
Change Model - Emergency
Application scope: Global
Update set: Default [Global]
Change Model
Emergency
Update
Delete
Name
Emergency
Application
Global
Default change model
Active
Available in 'Create New'
Color
#ea3423
Description
ITIL Mode 1 Emergency Change
Implementation states
Implement
Record preset
Type
Emergency
-- choose field --
-- value --
Security
Advanced Security
Read Roles
Write Roles
itil, sn_change_read
Update
Delete
Activate Windows
Go to Settings to activate Windows.


ServiceNow
CHG0030007 | Change Request
Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/change_request.do%3Fsys_id%3D3efe73b383f74714136f6060ceaad3ed%26...
servicenow
All
Favorites
History
Admin
Change Request - CHG0030007
Application scope: Global
Update set: Default [Global]
Change Request
CHG0030007
Discuss
Follow
Request Approval
Update
Delete
New
Assess
Authorize
Scheduled
Implement
Review
Closed
Canceled
Number
CHG0030007
Requested by
System Administrator
Category
Other
Service
Service offering
Configuration item
Priority
4 - Low
Risk
-- None --
Impact
3 - Low
Model
Emergency
Type
Emergency
State
New
New
Authorize
Canceled
Conflict status
Conflict last run
Assignment group
Account Clerk Group
Assigned to
Short description
Description
Planning
Schedule
Conflicts
Notes
Closure Information
Activate Windows
Go to Settings to activate Windows.



Note: new se jaise hi request approval button select kiya assign group krke to isme assess ke phase ko hi skip kardiya. And direct authorize me chala gya. Baki sab kuch as it is normal jaisa hi hai.

Aapne bilkul sahi notice kiya! Emergency Change ka main purpose hi yahi hota hai ki urgent situations (jaise company ka main database down ho jana) mein jaldi se jaldi action liya ja sake.

Jab aisi emergency hoti hai, toh peer-review ya lambi technical janch (**Assess** phase) karne ka time nahi hota. Isliye system mein yeh workflow set hota hai:

- **Assess Skipped:** ServiceNow intentionally 'Assess' phase ko bypass kar deta hai taaki time waste na ho.
-
- **Direct Authorize:** Ticket seedha approval ke liye jati hai. Normal CAB ki jagah, emergency cases mein usually ek special committee hoti hai jise **ECAB (Emergency Change Advisory Board)** kehte hain. Yeh log turant (kabhi-kabhi on-call ya chat par hi) approval de dete hain taaki fix jaldi apply ho sake.
-

Baaki aapne sahi pakda, approval milne ke baad aage ka poora safar (Implement → Review → Closed) bilkul Normal Change ki tarah hi chalta hai. Aap ServiceNow ka logic bilkul perfectly samajh rahe hain!

OVERALL SUMMARY :

1. Incident Management (Bimari ka turant ilaaj)

- **Purpose:** User ki ruki hui service ko jaldi se jaldi wapas chalu karna (Quick fix).
- **Lifecycle:** New → In Progress → On Hold (agar user ki info ka wait hai) → Resolved → Closed.
- **Important Points:**
    - **Resolved vs Closed:** IT team solution dekar 'Resolved' karti hai. Kuch din baad system automatically ise 'Closed' kar deta hai. Closed ke baad ticket edit ya reopen nahi hoti.

2. Problem Management (Bimari ki jad / Root Cause pakadna)

- **Purpose:** Baar-baar aane wale incidents ki asli wajah (Root Cause) dhundhna taaki wo future mein na aaye.
- **Lifecycle:** New → Assess → Root Cause Analysis (RCA) → Fix in Progress → Resolved → Closed.
- **Important Points:**
    - **Assess:** Yahan 'Confirm' karte hain ki haan yeh actual problem hai.
    - **Workaround:** RCA phase mein user ko temporary jugaad dena (taaki kaam na ruke).
    - **Cause Notes:** Asli bimari kya thi, wo yahan likhte hain.
    - **Re-Analyze:** Ticket 'Closed' hone ke baad bhi agar problem wapas aa jaye, toh ise dabakar wapas RCA phase mein bhej sakte hain (jo Incident mein nahi hota).

3. Change Management - Normal (Bada aur planned badlaav)

- **Purpose:** System/Server mein koi bada update ya replacement karna bina kisi disruption ke.
- **Lifecycle:** New → Assess → Authorize → Scheduled → Implement → Review → Closed.

-
- **Important Points:**
-
    - **Assess:** Technical manager ya team ka pehla approval.
    -
    - **Authorize (CAB):** Change Advisory Board ka approval. Agar 6 mein se 1 ne bhi reject kiya, toh plan cancel.
    -
    - **Conflicts & Schedule:** Check karna ki planned date par kisi aur ka kaam toh takra nahi raha.
    -
    - **Change Tasks (CTASK):** Ek bade kaam ko alag-alag teams (Network, Hardware, etc.) ke liye chhote tasks mein baantna.
    -

4. Change Management - Emergency (Urgent aur critical badlaav)


- **Purpose:** Jab main system crash ho jaye aur turant fix karna ho.
-
- **Lifecycle:** `New` → `Authorize` → `Scheduled` → `Implement` → `Review` → `Closed`.
-
- **Important Points:**
-
    - **Assess Skipped:** Time bachane ke liye yeh phase direct skip ho jata hai.
    -
    - **ECAB Approval:** Ticket direct Emergency CAB (ECAB) ke paas Authorize hone jati hai taaki turant kaam shuru ho sake.


****


MISCELLANEOUS APART FROM ITSM (FORM LAYOUT FIELDS)


2 IMPORTANT TASK KO KARNA HAI :


1. Work Notes aur Activity Stream (History) Implement Karna









ServiceNow
disciplines | ServiceNow
ServiceNow
Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/slushbucket.do%3Fsysparm_referring_url%3Dx_2177328_nordkant_dis...
servicenow
All
Favorites
History
Workspaces
ServiceNow
Configuring discipline form
Cancel
Save
Available
Created
Created by
Updated
Updated by
Updates
|- begin_split -|
|- split -|
|- end_split -|
* Annotation
* Chart
Contextual Search Results
Ratings
Attachments
Audit History
Audit Records
Documents
Selected
|- begin_split -|
name
|- split -|
description
|- end_split -|
Number
Activities (filtered)
Cancel
Save
Form view and section
View name
Default view
Section
discipline
New...
Create new field
Name
WORK NOTES
Type
Journal Input
Add
Activate Windows
Go to Settings to activate Windows.
Related Links
Show versions


ServiceNow
disciplines | ServiceNow
ServiceNow
Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/slushbucket.do%3Fsysparm_referring_url%3Dx_2177328_nordkant_dis...
servicenow
All
Favorites
History
Workspaces
ServiceNow
Configuring discipline form
Cancel
Save
Available
Created
Created by
Updated
Updated by
Updates
|- begin_split -|
|- split -|
|- end_split -|
* Annotation
* Chart
Contextual Search Results
Ratings
Attachments
Audit History
Audit Records
Documents
Selected
|- begin_split -|
name
|- split -|
description
|- end_split -|
Number
WORK NOTES
Activities (filtered)
Cancel
Save
Form view and section
View name
Default view
Section
discipline
New...
Create new field
Name
Type
Journal Input
Add
Activate Windows
Go to Settings to activate Windows.
Related Links
Show versions


ServiceNow
disciplines | ServiceNow
New Record | discipline | Servic
Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/x_2177328_nordkant_discipline.do%3Fsys_id-1%26sysparm_view%3D
servicenow
All
Favorites
History
Workspaces
discipline - New Record
discipline
New record
Submit
name
description
Number
DIS0001010
WORK NOTES
Submit
Activate Windows
Go to Settings to activate Windows.



ServiceNow
disciplines | ServiceNow
harsh | discipline | ServiceNow
Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/x_2177328_nordkant_discipline.do%3Fsys_id%3D4dd784088308571413 6f60...
servicenow
All
Favorites
History
Workspaces
discipline - harsh
Application scope: Nordkant
Update set: Default [Nordkant]
discipline
harsh
Update
Delete
discipline inserted
name
harsh
description
Number
DIS0001010
WORK NOTES
WORK NOTES
Post
Activities: 0
No activity
Update
Delete
[SN Utils] Versions (0)
Activate Windows
Go to Settings to activate Windows.





Means only worknotes me jo daaloge and then save kroge to ye activities me dikhega., direct likhke then post bhi kroge to bhi chala jayega.

MOST IMPORTANT DIFFERNECE B/W JOURNAL INPUT AND JOURNAL:



Dono mein main farq unke dikhne ke tarike (UI) aur history save karne ke style ka hai:


- **Journal Input (Modern approach):** Aapki pehli image mein jo "WORK NOTES" field hai, wo Journal Input hai. Iska kaam sirf aapse text likhwana hai. Jab aap 'Post' ya 'Save' dabate hain, toh yeh us text ko utha kar niche bane modern **Activity Stream**

(Activities: 4) mein daal deta hai, jahan user ki photo, exact time aur ek clean design dikhta hai.

-
- **Journal (Legacy/Old approach):** Aapki doosri image mein jo "work journal" field hai, wo sirf Journal type hai. Yeh purana tarika hai. Isme jab aap kuch likh kar save karte hain, toh yeh kisi modern Activity formatter mein nahi jata, balki usi box ke theek niche ek basic, plain text format mein history banakar print kar deta hai (jaise "2026-10-15... ok ji" dikh raha hai).
-

Kise use karein? Hamesha **Journal Input** field banayein aur uske sath form layout mein **Activities (filtered)** formatter lagayein (jo aapne pehli image mein kiya hai). Yeh ServiceNow ka standard aur best practice hai. Sirf 'Journal' type ki field ab zyada use nahi hoti kyunki uska UI utna accha nahi lagta.

NOTE: journal list datatype



Aapki image mein jo sabse niche "work list" dikh raha hai jiske aage koi dabba (input box) nahi hai, yeh shayad aapne Journal List data type se banaya hai.

ServiceNow mein Journal List sirf purani history dikhane ke kaam aata hai (isme type nahi kar sakte). Lekin kyunki aapne upar modern **Activities (filtered)** formatter pehle hi laga liya hai (jisme profile photo aur time ke sath history dikh rahi hai), toh aapko is "work list" ki bilkul zaroorat nahi hai.


Aapko kya karna chahiye (Cleanup):


Aapka form abhi kaafi messy ho gaya hai kyunki usme purane aur naye dono tarike mix ho gaye hain. Ise saaf karne ke liye:


1. Top header par right-click karein aur **Configure > Form Design** mein jayein.
2.
3. Apne form par se **"work journal"** aur **"work list"** dono fields ko delete (cross `x` icon dabakar) kar dein. (Fikar mat karein, isse field hide hogi, delete nahi).
4.
5. Form par sirf ek input field **"Work notes"** (Journal Input type) aur ek formatter **"Activities (filtered)"** rehne dein.
6.
7. Form ko Save kar dein.
8.

Isse aapka form bilkul standard aur clean ServiceNow ticket jaisa dikhne lagega!

IMPORTANT, JOURNAL LIST KO EK JOURNAL FIELD SE LINK KRNA PDEGA THEN ONLY WORK LIST USKI SARI HISTORY DIKHA PAYEGA:







"work list" (Journal List) ek **read-only** field hoti hai. Isme aap direct type nahi kar sakte.

Isme data tabhi dikhega jab aap ise apne 'Work notes' input field se link karenge:

1. "work list" field ki **Dictionary settings** mein jayein.
2.
3. Wahan **Dependent** field/tab mein jaakar ise **"Work notes"** par set kar dein.


4.

Iske baad, aap upar 'Work notes' mein jo bhi type karke save karenge, uski saari history automatic niche is 'work list' mein list ban kar print hoti jayegi.

YANI AGAR MAI JOURNAL INPUT VALE ME ACTIVITIES NAA LAU AND FIR MUJHE HISTORY DIKHANI HAI TAB JOURNAL INPUT KO DEPENDENT FIELD ME DALNA HOGA WORK LIST KI THEN YE DIKHEGA. (LIKE AS SHOWN IN THE FIGURE)


FORM LAYOUT EXPLORE:

CHART:



ANNOTATIONS : ISS SE VE BLUE BOX , RED BOX VALE MESSAGE AATE HAI

Manage clips vale se upload kroge files tab vo in attachments me aati hai :



2. Process Flow Formatter Implement Karna

Step 1: State Field Banayein (Agar pehle se nahi hai)

1. Form header par right-click → **Configure > Form Design**.
2.
3. **Choice** type field drag karke add karein, name **State** rakhein, aur options/choices (jaise: Draft, In Progress, Closed) daal kar save karein.
4.


Step 2: Process Flow Records Banayein


1. All menu mein search karein: **System UI > Process Flow** → Click **New**.
2.
3. **Table:** Apni discipline table select karein.
4.
5. **Name:** Stage name (jaise: *Draft*).
6.
7. **Condition:** State is Draft set karein.
8.
9. **Order:** 100 daal kar Save karein.
10.


11. Baaki states (jaise: In Progress, Closed) ke liye bhi Order 200, 300 karke naye Process Flow records banayein.
12.


Step 3: Form Layout Mein Add Karein

1. Form header par right-click → **Configure > Form Layout**.
2.
3. Available list se **Process Flow** ko Selected list mein move karein aur arrows se sabse **top** par set karein.
4.
5. **Save** par click karein.




ServiceNow
disciplines | Service
fgh | discipline | Ser
Flow Formatters | Se
Closed Stage Hai | F
Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/sys_process_flow_list.do%3Fsysparm_nostack%3Dtrue
servicenow
All
Favorites
History
Workspaces
Flow Formatters
Application scope: Nordkant
Update set: Default [Nordkant]
Flow Formatters
Updated
Search
Actions on selected rows...
New
All
Name
Active
Condition
Description
Label
Order
Table
Updated
Closed Stage Hai
true
state=closed^EQ
closed stage hai
300
discipline [x_2177328_nordkant_discipline]
2026-10-15 04:17:57
Progress Stage Hai
true
state=in_progress^EQ
progress stage hai
200
discipline [x_2177328_nordkant_discipline]
2026-10-15 04:17:13
Draft Stage Hai
true
state=draft^EQ
draft stage hai
100
discipline [x_2177328_nordkant_discipline]
2026-10-15 04:16:23
Review
true
life_cycle_stage=Deploy^EQ
Review
15
Business Process [cmdb_ci_business_process]
2020-09-22 02:45:31
Draft
true
life_cycle_stage=Ideation^EQ
Draft
10
Business Process [cmdb_ci_business_process]
2020-09-17 01:26:14
Published
true
life_cycle_stage=Operational^EQ
Published
20
Business Process [cmdb_ci_business_process]
2020-09-16 03:39:03
Expired
true
life_cycle_stage=End of Life^EQ
Expired
30
Business Process [cmdb_ci_business_process]
2020-09-16 02:54:49
1 to 31 of 31
Activate Windows
Go to Settings to activate Windows.


ServiceNow
disciplines | Service
ServiceNow
Flow Formatters | Se
Closed Stage Hai | F
Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/slushbucket.do%3Fsysparm_referring_url%3Dx_2177328_nordkant_disciplin...
servicenow
All
Favorites
History
Workspaces
ServiceNow
Application scope: Nordkant
Update set: Default [Nordkant]
Configuring discipline form
Cancel
Save
Available
Att
Created
Created by
Updated
Updated by
Updates
WORK NOTES
file name
work journal
work list
|- begin_split -|
|- split -|
|- end_split -|
* Annotation
* Chart
Activities (filtered)
Selected
Process Flow
name
Number
description
state
Cancel
Save
Form view and section
View name
Default view
Section
discipline
New...
Create new field
Name
Type
String
Field length
Small (40)
Add
Related Links
Activate Windows
Go to Settings to activate Windows.


ServiceNow
disciplines | Service
fgh | discipline | Ser
Flow Formatters | Se
Closed Stage Hai | F
Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/x_2177328_nordkant_discipline.do%3Fsys_id%3Dd5685cc883885714136f60...
servicenow
All
Favorites
History
Workspaces
discipline - fgh
Application scope: Nordkant
Update set: Default [Nordkant]
discipline
fgh
Update
Delete
draft stage hai
progress stage hai
closed stage hai
name
fgh
Number
DIS0001012
description
hi
state
in progress
Update
Delete
[SN Utils] Versions (0)
Activate Windows
Go to Settings to activate Windows.

****

ITSM 33 VIDEOS CONTENT:

Ab poori playlist (Day 1 se Day 33 tak) ko ek hi continuous company story **"StarBank"** (ek Digital Bank) ke real-life scenarios se samajhte hain, taaki saare concepts aapas mein connect ho jayein.

Day 1: ITIL 4 Overview & Fundamentals

* **Real-Life Story / Scenario:**
StarBank ne ek naya Mobile Banking App launch kiya. CEO ne team ko samjhaaya ki humara goal sirf app banana nahi, balki customers ki banking problems solve karke unhe khushi aur satisfaction dena hai `(Value)`. Is banking app ko smooth chalane ke liye unhe developers, server infrastructure, branch offices, aur software vendors sabki zaroorat padegi `(4 Ps of ITSM)`. Unhone yeh bhi dekha ki jab app crash hota hai, toh usko fix karne ki sirf ek process nahi balki ek dedicated expert team aur tools hona chahiye `(Practice vs Process)`.
* **Simple Definitions:**
* **Value:** Customer ko milne wala asli fayda ya final result.
* **Service:** Customer ko bina kisi technical risk ya cost ki chinta ke value dene ka zariya.
* **4 Ps (People, Process, Product, Partner):** IT Service chalane ke 4 zaruri pillars.
* **Practice vs Process:** Process matlab step-by-step kaam karne ka tarika; Practice matlab us kaam ko karne waali expert team, skill aur tools.

Day 2: ServiceNow Platform & Navigation

* **Real-Life Story / Scenario:**
StarBank ke IT Head ne dekha ki unke employees alag-alag Excel sheets aur emails par kaam kar rahe the. Unhone sabhi teams ko ek single platform par laane ke liye ServiceNow apnaya `(ServiceNow Platform)`. Naye admin "Rohan" ne portal khola, left side mein search bar `(Filter Navigator)` se alag-alag apps dhoondhe, aur ITSM features chalu karne ke liye ek module activate kiya `(Plugin)`.
* **Simple Definitions:**
* **ServiceNow Platform:** Ek cloud-based software jahan company ke saare IT aur business workflows ek sath chalte hain.

* **Filter Navigator:** ServiceNow ke left-hand side ka search bar jahan se kisi bhi module ya form ko dhoondha jata hai.
* **Plugin:** ServiceNow mein naye features ya modules ko activate karne ka switch.

Day 3: ITSM Process Integration & Core Lifecycle

* **Real-Life Story / Scenario:**
StarBank ka ATM sudden crash ho gaya `(Incident)`. Support engineer ne issue resolve kiya, lekin dekha ki yeh ATM har Sunday crash hota hai, toh root cause dhoondhne ke liye investigation chalu ki `(Problem)`. Pata chala ki ATM software ko update ki zaroorat hai, toh safety se server patch apply kiya `(Change Request)`. Resolution step ko aage ke liye guide banakar save kar diya `(Knowledge Article)`. Yeh saare modules aapas mein connected hain `(ITSM Process Integration)`.
* **Simple Definitions:**
* **Incident:** Service mein aayi achanak koi bhi rukawat ya kharabi.
* **Problem:** Baar-baar aane waale incidents ki asli wajah (Root Cause) dhoondhna.
* **Change Request:** System mein kisi bhi bade badlaav ko safely implement karne ki permission aur plan.
* **Process Integration:** Saare ITSM modules ka ek doosre se juda hona taaki poori history tracked rahe.

Day 4: Now Create Methodology & Foundation Data

* **Real-Life Story / Scenario:**
StarBank ne ServiceNow ko sahi se setup karne ke liye official step-by-step guide follow kiya `(Now Create)`. Phir unhone apne saare employees "Rahul" `(sys_user)`, unke department "IT Support" `(Department)`, office position "Delhi Branch" `(Location)`, team "L1 Helpdesk" `(sys_user_group)`, aur permissions `(sys_user_role)` ko system mein load kiya `(Foundation Data)`.
* **Simple Definitions:**
* **Now Create:** ServiceNow dwara diya gaya official project execution guide aur best practices.
* **Foundation Data:** Company ke logo, departments, locations, aur roles ka basic data.
* **sys_user / sys_user_group:** Users aur unke groups ko store karne waali main system database tables.

Day 5: CMDB Architecture & Configuration Items (CIs)

* **Real-Life Story / Scenario:**
StarBank ke paas 500 Servers, 1000 Laptops, aur 50 Databases hain. In sabhi physical aur digital IT assets ko `(Configuration Items / CIs)` ek central digital register mein log kiya gaya `(CMDB)`. Is register mein Hardware, Software, aur Databases ko alag-alag categories mein organize kiya gaya `(CI Class Hierarchy)`.
* **Simple Definitions:**
* **CMDB (Configuration Management Database):** Company ke saare IT assets aur unke connections ka central database.
* **Configuration Item (CI):** CMDB mein added har ek individual IT component (jaise laptop, server, database).
* **CI Class Hierarchy:** CIs ko unki category ke hisab se parent-child structure mein baantna.

Day 6: CI Class Manager & CI Relationships

* **Real-Life Story / Scenario:**
Admin ne ek central tool khola `(CI Class Manager)` aur dekha ki StarBank ka "Mobile Banking App" `(Parent CI)` kaun se "SQL Database" `(Child CI)` par chal raha hai. Unhone dono ke beech link set kiya `(CI Relationship)`. Jab SQL Database down hua, toh screen par visual map ne turant dikha diya ki Mobile App bhi stop ho jayega `(Dependency Map / Impact Analysis)`.
* **Simple Definitions:**
* **CI Class Manager:** CMDB ki saari classes, attributes aur rules ko manage karne ka main interface.
* **CI Relationship:** Do CIs ke beech ka logical connection (jaise 'App depends on Database').
* **Dependency Map:** Visual diagram jo dikhata hai ki ek asset kharab hone par baaki kis-kis asset par asar padega.

Day 7: CSDM Framework & 4 Domains

* **Real-Life Story / Scenario:**
StarBank ne apne Technical Assets aur Business Services ko aapas mein jodhne ke liye ek standard model apnaya `(CSDM Framework)`. Unhone 4 parts banaye: Employee Data `(Foundation Domain)`, App Architecture `(Design Domain)`, Internal Servers & DBs `(Manage Technical Services Domain)`, aur End-Customer Services `(Sell/Consume Domain)`.
* **Simple Definitions:**
* **CSDM (Common Service Data Model):** ServiceNow ka prescribed framework jo CMDB data ko business services se sahi tarike se map karta hai.
* **CSDM Domains:** CSDM ke 4 main pillars jo technical IT components ko business value se connect karte hain.

Day 8: CSDM In-Depth (Services & Offerings)

* **Real-Life Story / Scenario:**
StarBank ka customer "Online NetBanking" use karta hai `(Business Service)`. Isme VIP Business clients ko 24/7 priority support milta hai `(Business Service Offering)`. Backend par is service ko chalane ke liye "Production Web Cluster" active hai `(Application Service)`.
* **Simple Definitions:**
* **Business Service:** Wo service jo end-users ya business customers directly consume karte hain.
* **Service Offering:** Service ka specific SLA level ya commitment (e.g., Gold Support vs Silver Support).
* **Application Service:** Systems aur servers ka wo active combination jo service ko live chalata hai.

Day 9: Knowledge Management & Guided Setup

* **Real-Life Story / Scenario:**
StarBank ke IT support par roz 200 log "Password Reset" ke liye call karte the. Admin ne ek wizard tool `(Guided Setup)` ki help se ek digital Library banayi `(Knowledge Base)`. Wahan step-by-step solution guides publish ki gayi `(Knowledge Articles)`.
* **Simple Definitions:**

* **Knowledge Management:** Company ke solutions aur technical guides ko ek jagah store aur share karne ka system.
* **Knowledge Base (KB):** Articles ko organize karne waala container ya library.
* **Guided Setup:** Step-by-step configuration wizard jo admin ko module setup karne mein help karta hai.

Day 10: Knowledge Lifecycle & User Criteria

* **Real-Life Story / Scenario:**
Ek naye support agent ne "VPN Setup Guide" likhi `(Draft)`. Manager ne check karke approve kiya `(Publish)`. Unhone access rule lagaya ki yeh article sirf "Internal Employees" dekh sakte hain `(User Criteria)`. Kuch saal baad purani VPN policy wale article ko system se hata diya gaya `(Retire)`.
* **Simple Definitions:**
* **Knowledge Lifecycle:** Article ke banne se lekar uske expire hone tak ka safar (Draft -> Review -> Published -> Retired).
* **User Criteria:** Security rules jo decide karte hain ki kaun sa article kis user ya group ko dikhega.

Day 11: Incident Management Overview & Roles

* **Real-Life Story / Scenario:**
StarBank ke bank teller ka receipt printer achanak ruk gaya `(Incident)`. Usne ticket log kiya. Support desk ke agent ne jiske paas processing rights `(itil Role)` the, ticket ko "Desktop Support Team" ko assign kar diya `(Assignment Group)`.
* **Simple Definitions:**
* **Incident:** Business process mein aaya koi bhi unexpected disturbance.
* **itil Role:** Standard support agents ko milne wala core role jisse wo tickets operate karte hain.
* **Assignment Group:** Ek jaise kaam karne waale support engineers ki team.

Day 12: Incident Lifecycle & Inbound Email Actions

* **Real-Life Story / Scenario:**
Bank manager ne email bheja `support@starbank.com` par. ServiceNow ne automatic email read karke ticket create kar diya `(Inbound Email Action)`. Ticket "New" se "In Progress" aur "Resolved" hua. Jab manager ne 7 din tak koi reply nahi diya, toh system ne ticket ko automatically close kar diya `(Auto-Closure Property)`.
* **Simple Definitions:**
* **Inbound Email Action:** Incoming emails ke basis par automatically ticket create ya update karne ka system rule.
* **Incident States:** Ticket ke alag-alag stages (New, In Progress, On Hold, Resolved, Closed).
* **Auto-Closure:** Resolved tickets ka specific time baad automatically Closed state mein chale jana.

Day 13: Data Lookup Rules & Priority Matrix

* **Real-Life Story / Scenario:**
Support Agent ne select kiya "Poori Branch Ka Network Down Hai" `(Impact = High)` aur "Kamaal Urgent Hai" `(Urgency = High)`. System ke automatic rule ne `(Data Lookup Rule)` ticket ko P1 calculate kar diya `(Priority Matrix)` aur form par red color badge show ho gaya `(Field Styles)`.
* **Simple Definitions:**
* **Impact:** Issue se kitne users ya business area par asar pada hai.
* **Urgency:** Issue ko kitni jaldi thik karne ki zaroorat hai.
* **Priority Matrix:** Impact + Urgency ke combination se Ticket Priority (P1 se P5) decide karne ka table.
* **Data Lookup Rule:** Automatic rules jo do fields ke basis par teesri field fill karte hain.

Day 14: Major Incident Management & Service Level Agreements (SLA)

* **Real-Life Story / Scenario:**
StarBank ka Core Mobile App Server crash ho gaya. System ne isse High-Priority ticket mark karke special workflow trigger kiya `(Major Incident)`. Saare Senior Leads ek virtual room mein connect hue `(MIM Workbench / War Room)`. System par timer chala ki 15

mins mein respond karna hai aur 2 hours mein resolve karna hai `(SLA)`. Internal teams ke beech bhi response time ka rule tha `(OLA)`.
* **Simple Definitions:**
* **Major Incident (MI):** Highly critical P1 issue jo poor business ko thapp kar de.
* **SLA (Service Level Agreement):** Customer aur IT team ke beech issue resolution time ka formal agreement.
* **OLA (Operational Level Agreement):** Internal IT teams ke beech aapas ka support time agreement.

Day 15: On-Call Scheduling & Escalation Policies

* **Real-Life Story / Scenario:**
Raat ke 2 baje P1 Incident aaya. System ne Duty Chart check kiya `(On-Call Schedule)` aur dekha ki Night Shift mein "Engineer Amit" duty par hain. System ne Amit ke phone par automatic call bheja `(Notify Integration)`. Amit ne call nahi uthaya, toh 5 min baad system ne uske Manager ko call kar diya `(Escalation Policy)`.
* **Simple Definitions:**
* **On-Call Scheduling:** 24/7 support ke liye shifts aur duty roster manage karna.
* **Escalation Policy:** Primary person dwara response na milne par agle senior ko alert bhejane ka automated path.
* **Notify:** ServiceNow se automated SMS aur Phone Calls connect karne ki capability.

Day 16: Problem Management Overview & KEDB

* **Real-Life Story / Scenario:**
StarBank ka Credit Card portal har Monday ko slow ho jata tha. Unhone iska permanent solution dhoondhne ke liye ticket banaya `(Problem Ticket)`. Team ne investigation ke dauran temporary restart ka tarika bataya `(Workaround)` aur usse shared list mein save kar diya `(Known Error Database / KEDB)`.
* **Simple Definitions:**
* **Problem Management:** Repeated ya critical incidents ki permanent root cause dhoondhna.
* **Workaround:** Temporary solution jisse permanent fix aane tak kaam na ruke.
* **KEDB (Known Error Database):** Pehchane gaye bugs aur unke temporary workarounds ki list.

Day 17: Root Cause Analysis (RCA) & Problem to Change

* **Real-Life Story / Scenario:**
Problem team ne deep technical testing karke pata lagaya `(Root Cause Analysis / RCA)` ki Application memory leak ho rahi thi. Permanent fix ke liye application code patch release karna zaroori tha, toh Problem record se direct Change ticket generate kiya gaya `(Problem to Change Workflow)`.
* **Simple Definitions:**
* **RCA (Root Cause Analysis):** Kisi dikkat ki sabse mukhya/gehri wajah ka pata lagana.
* **Problem to Change Workflow:** Permanent fix apply karne ke liye Problem record se Change Request trigger karna.

Day 18: Change Management Overview & Types of Changes

* **Real-Life Story / Scenario:**
StarBank apne system badalna chahta hai. System badlaav 3 tarah ke hain: Routine Antivirus Update `(Standard Change)`, Server RAM upgrade with Approval `(Normal Change)`, aur Live Hacking Attack rokne ke liye immediate firewall patch `(Emergency Change)`.
* **Simple Definitions:**
* **Change Management:** Production environment mein hone waale badlaav ko risk-free tarike se control karna.
* **Standard Change:** Pre-approved, low-risk, routine kaam.
* **Normal Change:** Medium/High-risk kaam jisme formal review aur approvals chahiye.
* **Emergency Change:** Urgent fix jo immediate service restore karne ke liye chahiye.

Day 19: Change Lifecycle, Risk & CAB Approval

* **Real-Life Story / Scenario:**

Normal Change Request create hui. System ne automatic Risk score calculate kiya `(Risk Assessment)`. Phir sabhi departmental heads ki meeting hui `(CAB - Change Advisory Board)` jahan plan approve hua. Change apply hone ke baad system test karke record close kiya gaya `(State Model)`.
* **Simple Definitions:**
* **CAB (Change Advisory Board):** Senior managers ka group jo Change Requests ko review aur approve karta hai.
* **Risk Assessment:** System downtime aur impact ke basis par Change ka Risk level tay karna.

Day 20: Emergency Change & ECAB

* **Real-Life Story / Scenario:**
StarBank ke main database par glitch aaya. Full CAB meeting ka wait karne ka time nahi tha, toh Emergency Board ne 5 min mein approval diya `(ECAB - Emergency CAB)`. Issue fix hone ke baad agle din poore event ka review kiya gaya `(PIR - Post Implementation Review)`.
* **Simple Definitions:**
* **ECAB (Emergency CAB):** Emergency situations mein fast approval dene waala chhota senior board.
* **PIR (Post Implementation Review):** Emergency change ke baad audit karna ki badlaav sahi hua ya nahi.

Day 21: Service Catalog & Catalog Items

* **Real-Life Story / Scenario:**
Naye employee ko kaam karne ke liye Laptop aur Software chahiye. Woh internal e-commerce portal par gaya `(Service Catalog)`. Wahan "IT Hardware" section se "MacBook Pro" select kiya `(Catalog Item)`. Unhone select kiya "16GB RAM, Dual Monitor" `(Variables / Variable Sets)`.
* **Simple Definitions:**
* **Service Catalog:** Employees ke liye IT products aur services order karne ka online portal.
* **Catalog Item:** Catalog mein available individual product ya service.
* **Variables / Variable Set:** Ordering form par extra options (RAM, Color) lene waale fields.

Day 22: Request Management Lifecycle (REQ, RITM, SCTASK)

* **Real-Life Story / Scenario:**
Employee ne order submit kiya. Total order ki master receipt bani `(REQ - Request)`. Order ke andar Laptop item tha `(RITM - Requested Item)`. Laptop dispatch karne ke liye IT technician ko assignment mila `(SCTASK - Service Catalog Task)`. Yeh poora process automated flow se chala `(Flow Designer)`.
* **Simple Definitions:**
* **REQ (Request):** Overall order ka parent record (Cart level).
* **RITM (Requested Item):** Order ke andar ka specific item/product.
* **SCTASK (Catalog Task):** RITM ko fulfill karne ke liye support teams ka actual sub-task.

Day 23: Advanced Catalog Customization (UI Policies & Client Scripts)

* **Real-Life Story / Scenario:**
Form par jab employee ne "Laptop Type = Developer" select kiya, toh automatic "Extra RAM Options" field open ho gaya `(UI Policy)`. Agar employee ne past date select ki, toh system ne immediate alert warning dikhayi `(Catalog Client Script)`.
* **Simple Definitions:**
* **UI Policy:** Without coding, conditions ke basis par fields ko Hide/Show ya Mandatory karna.
* **Catalog Client Script:** Browser screen par immediate validation checks chalana.

Day 24: Asset Management (HAM/SAM) vs CMDB

* **Real-Life Story / Scenario:**
StarBank ne 100 Laptops khareede. Asset team ne unka bill, cost, aur warranty log ki `(Hardware Asset Management / HAM)`. IT CMDB team ne unka IP address aur OS setup trace kiya `(CMDB)`. Dono records aapas mein auto-sync rahe `(Asset-CI Synchronization)`.

* **Simple Definitions:**
* **Asset Management:** Financial aur contractual lifecycle track karna (Price, Warranty, Lease).
* **Asset-CI Sync:** Asset record aur CMDB Technical record ka aapas mein connected rehna.

Day 25: Contract & Vendor Management

* **Real-Life Story / Scenario:**
StarBank ne Lease Line internet ke liye ISP Vendor se contract kiya `(Contract Management)`. System mein expiry date log hui. Har month vendor ki speed aur uptime quality check ki gayi `(Vendor Performance Management)`.
* **Simple Definitions:**
* **Contract Management:** Vendors ke sath agreements, warranties, aur expiry dates track karna.
* **Vendor Performance:** Vendor ki service quality aur SLA accuracy score karna.

Day 26: Service Portal

* **Real-Life Story / Scenario:**
StarBank ke normal employees ke liye ek clean self-service website banayi gayi `(Service Portal)`. Wahan search box, ticket status, aur knowledge articles interactive cards ke roop mein arrange the `(Widgets & Pages)`.
* **Simple Definitions:**
* **Service Portal:** End-users ke liye visual aur easy self-service web interface.
* **Widget:** Service Portal page par bane re-usable UI components (e.g., Search Bar, My Tickets Box).

Day 27: Workspace & UI Builder

* **Real-Life Story / Scenario:**

Support Agents ke liye ek fast multi-tab screen banayi gayi `(Agent Workspace)` jahan wo caller detail, history, aur ticket side-by-side dekh sakte hain. Admin ne layouts ko drag-and-drop tool se design kiya `(UI Builder)`.
* **Simple Definitions:**
* **Agent Workspace:** Support teams ke liye multi-tasking modern dashboard.
* **UI Builder:** Modern Workspaces aur Portal pages create karne ka visual builder tool.

Day 28: Flow Designer & IntegrationHub

* **Real-Life Story / Scenario:**
Admin ne bina coding ke drag-and-drop blocks jodkar workflow banaya `(Flow Designer)`: "When Order Placed → Send Manager Email Approval → Create Task". External Teams se connect karne ke liye integration modules use kiye `(IntegrationHub)`.
* **Simple Definitions:**
* **Flow Designer:** ServiceNow ka zero-code/low-code workflow automation builder.
* **IntegrationHub:** External third-party apps (jaise Slack, Teams, Jira) se easily connect karne ka tool.

Day 29: Server-Side Scripting (Business Rules & Script Includes)

* **Real-Life Story / Scenario:**
Jab bhi ticket Resolve ho, system backend server par check kare ki "Resolution Notes empty toh nahi?" `(Business Rule)`. Reusable backend scripts banaye gaye jo system mein kahin se bhi call ho sakte hain `(Script Include)`.
* **Simple Definitions:**
* **Business Rule:** Server par database record save/update hone par run hone wala script.
* **Script Include:** Reusable server-side JavaScript code repository.

Day 30: Client-Side Scripting (Client Scripts)

* **Real-Life Story / Scenario:**
Form load hote hi screen par pop-up notice dikhana `(onLoad Client Script)` ya user ke Type badalte hi field color change kar dena `(onChange Client Script)`. Yeh sab browser level par run hota hai.
* **Simple Definitions:**
* **Client Script:** User ke web browser screen (front-end) par run hone wala JavaScript.
* **Client Script Types:** onLoad (Form khulte hi), onChange (Field value badalte hi), onSubmit (Form save hote hi).

Day 31: Import Sets & Transform Maps

* **Real-Life Story / Scenario:**
StarBank ne doosre bank ka takeover kiya aur unke 5,000 Employees ka Excel data ServiceNow mein daalna tha. Excel Upload kiya gaya `(Import Set Table)` aur Excel columns ko ServiceNow database fields se map karke data clean import kiya `(Transform Map)`.
* **Simple Definitions:**
* **Import Set:** External Excel/CSV files se data temporary staging table mein lana.
* **Transform Map:** Staging table ke data ko actual target tables (e.g., `sys_user`) ke sath link karke populate karna.

Day 32: SLA Engine & SLA Breakdown

* **Real-Life Story / Scenario:**
Manager ne dekha ki Incident SLA breach kyun hua. Unhone breakdown chart khola `(SLA Breakdown)` aur dekha ki Ticket 1 ghante Network team ke paas ruka tha aur 3 ghante Server team ke paas ruka tha.
* **Simple Definitions:**
* **SLA Engine:** System ka timer calculator jo resolution times aur breach deadlines track karta hai.
* **SLA Breakdown:** Total ticket duration ko alag-alag teams ke time spent ke hisab se analyze karna.

Day 33: Reporting, Performance Analytics (PA) & Virtual Agent

* **Real-Life Story / Scenario:**
CEO ne current month ke tickets ka bar chart dekha `(Reporting)`. Phir pichle 1 saal ka trend analytics dekha `(Performance Analytics)`. Portal par automated AI chatbot setup kiya jo users ke common doubts turant chat par resolve kar deta hai `(Virtual Agent)`.
* **Simple Definitions:**
* **Reporting:** Real-time current data ke simple bar/pie charts banana.
* **Performance Analytics (PA):** Historical trend tracking aur future performance predictions ka dashboard.
* **Virtual Agent:** Automated conversational AI chatbot jo user problems ko chat par solve karta hai.

REQUEST MANAGEMENT

Service Request Management [Service Request Management] ITIL ka wo core process hai jo users aur employees ki routine IT needs (jaise naya hardware, software access, password reset, ya access permissions) ko systematically fulfill karta hai.

Incident vs. Request (Difference)

- **Incident:** Jab koi chal rahi cheez kharab ya down ho jaye [Unplanned Interruption].
-
    - *Example:* "Mera laptop screen Blue Screen error de raha hai."
    -
- **Request:** Jab user ko koi nayi cheez, access ya standard service chahiye ho [Pre-approved / Planned Request].
-
    - *Example:* "Mujhe kaam karne ke liye ek naya Developer Laptop aur GitHub access chahiye."
    -

Real-Life Scenario (StarBank Example)

StarBank mein naya employee **Aman** join karta hai.

1. **Ordering:** Aman StarBank ke **Service Portal** par jata hai aur **Service Catalog** se "New Joiner Kit" select karta hai.
2.
3. **Details (Variables):** Form par select karta hai: *RAM = 16GB, OS = Windows 11*.
4.
5. **Approval:** Submit karte hi system automatically Aman ke Manager ko approval email bhejta hai.
6.
7. **Fulfillment:** Manager ke approve karte hi IT Hardware Team ke paas task generate hota hai. Engineer laptop ready karke Aman ko handover kar deta hai aur ticket close ho jata hai.
8.

ServiceNow Request Hierarchy (REQ → RITM → SCTASK)

ServiceNow mein ek Request 3 levels par divide hoti hai:

```
Plaintext
```

```

```


1. **REQ - Request (**sc_request**):**


2.
    - *Meaning:* Yeh aapka overall order ya shopping cart receipt hota hai.
    - *Example:* REQ0010001 (Master Order Number).
3. **RITM - Requested Item (**sc_req_item**):**
4.
    - *Meaning:* Cart ke andar order kiya gaya individual product ya service.
    - *Example:* RITM0010001 (Developer Laptop Request).
5. **SCTASK - Service Catalog Task (**sc_task**):**
6.
    - *Meaning:* RITM ko complete karne ke liye alag-alag support teams ko assign hone waale actual fulfillment tasks.
    - *Example:*
        - SCTASK001: IT Team laptop asset issue karegi.
        - SCTASK002: Security Team VPN access grant karegi.

Key Technical Definitions

- [Service Catalog]: Online self-service portal jahan company ke saare requestable products aur services listed hote hain.
- [Catalog Item]: Catalog ke andar available individual item ya form (e.g., *Request a Mouse*, *Password Reset*).
- [Variables]: Form fields jo user se specifics collect karte hain (e.g., *Select Department*, *Choose Memory Size*).
- [Flow Designer / Workflow]: Backend automation jo automatic Approvals trigger karta hai aur Tasks generate karta hai.

1. NOW, REQUESTS :






Ye hai My Request module ka request table. Backend name : `sc_request`

Isme form par CANCEL REQUEST and COPY ka button bhi hai

Copy button is current Request (REQ0000001) ki saari details duplicate karke ek **naya identical Request record** create kar deta hai.


Isse aapko same order information dubara manually type nahi karni padti.




Related list me approves and requested items hai.

2. NOW, REQUESTED ITEMS:

Backend name : `sc_req_item`




Stage in requested items:
Request approval -> manager approval -> Dept. Head approval -> order fullfilement, -> deployment -> request cancelled -> completed



3. NOW, APPROVAL :

Backend name : `sysapproval_approver`

Isme jo document id hai, usko enable krne ke liye ek table field orr bnao and iss table field ko document id se link kardo via dependent field




4. NOW, CATALOG TASKS :


Backend name : `sc_task`


Isme request item ki field bhi hai (for RITM means for requested items)

Configuration item ki field bhi hai isme

Isme form par CLOSE TASK ka button bhi hota hai.


Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/sc_task.do%3Fsys_id%3Ddfed669047801200e0ef563dbb9a712b%26syspar...
servicenow
All
Favorites
History
Workspaces
Catalog Task - TASK0000001
Application scope: Nordkant
Update set: Default [Nordkant]
Catalog Task
TASK0000001
sc_task
Discuss
Follow
Update
Close Task
Delete
Number
number
TASK0000001
Assigned to
assigned_to
Configuration item
cmdb_ci
Active
active
Approval
approval
Not Yet Requested | not requested
Priority
priority
4 - Low | 4
State
state
Open | 1
Request item
request_item
RITM0000001
Requested for
request_item.requested_for
Short description
short_description
Order from vendor or move from in-stock inventory
Description
description
Order from vendor or move from in-stock inventory
Work notes
Work notes
Post
Activities: 1
System Administrator
Field changes • 2026-01-29 12:58:46
Impact 3 - Low
Opened by System Administrator
Priority 4 - Low
Activate Windows
Go to Settings to activate Windows.


Ask Gemini
dev249469.service-now.com/now/nav/ui/classic/params/target/sc_task.do%3Fsys_id%3Ddfed669047801200e0ef563dbb9a712b%26syspar...
servicenow
All
Favorites
History
Workspaces
Catalog Task - TASK0000001
Application scope: Nordkant
Update set: Default [Nordkant]
Catalog Task
TASK0000001
sc_task
Discuss
Follow
Update
Close Task
Delete
State
Open
Update
Close Task
Delete
Affected CIs
Approvers
Group approvals
Affected CIs
task_ci
Configuration Item
Search
Edit...
Task = TASK0000001
Configuration Item
ci_item
Class
ci_item.sys_class_name
Support group
ci_item.support_group
Owned by
ci_item.owned_by
Applied
applied
Applied date
applied_date
Manual proposed change
manual_proposed_change
Updated
sys_updated_on
No records to display
Activate Windows
Go to Settings to activate Windows.




Affected cis : `task_ci`

Group approvals : `sysapproval_group`

Approvers : `sysapproval_approver`

CMDB MANAGEMENT

1. Cmdb:



Bilkul aasan bhasha mein samjhte hain!

Ek Simple Real-Life Example:

Socho aap kisi badi bank ki branch mein gaye aur counter par bola: *"Mujhe naya account kholna hai."*

Bank employee aapko direct form dene ke bajaye pehle poochta hai:

- *"Bachat Khata (Savings Account) kholna hai?"*
- *"Business Account (Current) kholna hai?"*
- *"Fixed Deposit (FD) karna hai?"*

Kyun? Kyunki har account ka form aur uske questions alag hote hain.

Aapki Screen Par Kya Ho Raha Hai?

Aapki screenshot mein jo dikh raha hai, wo ServiceNow ka **Interceptor (Choice Menu Page)** hai.

1. **Aapne kya kiya:** Aapne CMDB table par **"New"** button dabaya.
2.
3. **ServiceNow ne kya kiya:** System ne direct koi blank form nahi khola. Usne pehle yeh list samne rakh di.
4.
5. **Kyun rakhi?** Kyunki CMDB ke andar **500 se zyada alag-alag CI Classes** hoti hain (jaise Server, Database, Load Balancer, Router, Application).
6.

Agar Aap Kisi Link Par Click Karoge Toh Kya Hoga?


- Agar aap **Apache Web Server** par click karoge → ServiceNow aapko `cmdb_ci_apache_web_server` wale specific form par le jayega, jahan Web Server se jude fields (jaise *Port Number*, *Version*) milenge.
-
- Agar aap **A10 Load Balancer** par click karoge → Network device wala specific form khulega.
-


Short Summary:


Interceptor ek tarah ka **Routing Traffic Signal / Menu** hai jo aapse sahi choice poochta hai, taaki aapka naya record **sahi table aur sahi form** par bane.


CI Class ka matlab CMDB mein kisi IT asset ya component ki **Category / Type** hota hai (jaise *Server*, *Database*, *Router*, ya *Application*).


- **Real-life Analogy:** Jaise vehicles ki categories hoti hain (*Car*, *Bike*, *Truck*), waise hi IT assets ki categories ko **CI Class** kehte hain.
-
- **Technical Meaning:** Har CI Class ServiceNow mein ek specific database table hoti hai (e.g., `cmdb_ci_server` class = Server table).


ServiceNow
Base Configur
Classic | Unifie
Classic | Unifie
Classic | Unifie
New Record |
Ask Gemini
dev343666.service-now.com/now/nav/ui/classic/params/target/cmdb_ci_computer.do%3Fsys_id%3Db4fd7c8437201000deeabfc8bcbe5dc1...
servicenow
All
Favorites
History
Workspaces
Computer - *ANNIE-IBM
Application scope: Global
Update set: Default [Global]
Computer
*ANNIE-IBM
cmdb_ci_computer
Open in CMDB Workspace
Update
Delete
Name name *ANNIE-IBM
Asset tag asset_tag P1000226
Manufacturer manufacturer Lenovo
Asset asset P1000226 - Lenovo ThinkStation S20
Company company ACME North America
Serial number serial_number L3BB911
Model ID model_id Lenovo ThinkStation S20
Assigned to assigned_to Annie Approver
Configuration
OS Domain os_domain
Operating System os Windows XP Professional | Windows X
OS Version os_version 5.1.2600
OS Service Pack os_service_pack Service Pack 2
DNS Domain dns_domain
Disk space (GB) disk_space # 51
Description short_description
RAM (MB) # 1,534
CPU manufacturer cpu_manufacturer Intel
CPU type cpu_type
CPU speed (MHz) cpu_speed # 798
CPU count cpu_count # 1
CPU core count cpu_core_count # 1
Activate Windows
Go to Settings to activate Windows.
Related Items
Search for CI


ServiceNow
Base Configur
Classic | Unifie
Classic | Unifie
Classic | Unifie
New Record |
Ask Gemini
dev343666.service-now.com/now/nav/ui/classic/params/target/cmdb_ci_lb_a10.do%3FWIZARD%3Aaction%3Dfollow%26sys_action%3D%2...
servicenow
All
Favorites
History
Admin
A10 Load Balancer - New Record
Application scope: Global
Update set: Default [Global]
A10 Load Balancer
New record
cmdb_ci_lb_a10
Submit
Name name
Asset tag asset_tag
Manufacturer manufacturer
Asset asset
IP Address ip_address
Host name host_name
Company company
Serial number serial_number
Model ID model_id
Assigned to assigned_to
Submit
Activate Windows
Go to Settings to activate Windows.



ServiceNow
Base Configur
Classic | Unifie
Classic | Unifie
Classic | Unifie
New Record |
Ask Gemini
dev343666.service-now.com/now/nav/ui/classic/params/target/cmdb_ci_aws_account.do%3FWIZARD%3Aaction%3Dfollow%26sys_action%...
servicenow
All
Favorites
History
Workspaces
AWS Account - New Record
Application scope: Global
Update set: Default [Global]
AWS Account
New record
cmdb_ci_aws_account
Submit
Name
name
State
state
-- None --
Object ID
object_id
ARN
arn
Master
master
Aws credentials
aws_credentials
Submit
Activate Windows
Go to Settings to activate Windows.


ServiceNow
Base Configur
Classic | Unifie
Classic | Unifie
Classic | Unifie
New Record |
Ask Gemini
dev343666.service-now.com/now/nav/ui/classic/params/target/cmdb_ci_database.do%3FWIZARD%3Aaction%3Dfollow%26sys_action%3D...
servicenow
All
Favorites
History
Workspaces
Database - New Record
Application scope: Global
Update set: Default [Global]
Database
New record
cmdb_ci_database
Submit
Name
name
Type
type
Oracle | Oracle
Version
version
Managed by
managed_by
Support group
support_group
Supported by
supported_by
Submit
Activate Windows
Go to Settings to activate Windows.



"Open in CMDB Workspace" button par click karne se record Classic Form se modern **CMDB Workspace** mein Switch ho jata hai.

Jo second screen khuli hai, wo is computer (*ANNIE-IBM) ka **Unified Map (Dependency Map)** hai. Yahan aap is asset se jude baaki CIs, relationships, aur iski timeline history ko visually dekh sakte ho.



Yeh **CMDB Workspace** ka Central Dashboard hai.

- **Intelligent Search:** Complex filters lagaye bina direct plain English mein type karke CIs search karne ke liye (e.g., *"Show me web servers using Linux servers"*).
-
- **My Work & CMDB Health:** Aapke assigned CMDB tasks aur CMDB data ki overall quality/health track karne ke widgets hain.

WHAT IS CMDB HIERARCHY?

CMDB Hierarchy ServiceNow CMDB mein tables ka **Parent-Child structure** hota hai, jisme lower (child) classes apne upper (parent) classes ke saare fields aur attributes **inherit** (copy) karti hain.

Hierarchy Structure

```
[cmdb]                    <-- Base Table (Root)
  └── [cmdb_ci]               <-- Core CI Table (Grandparent)
      ├── [cmdb_ci_hardware]  <-- Hardware Branch (Parent)
      │   └── [cmdb_ci_computer]
      │       └── [cmdb_ci_server]
      │           └── [cmdb_ci_win_server]  <-- Specific Class (Child / Leaf Node)
```

└── [cmdb_ci_appl] <-- Application Branch (Parent)

Inheritance Kaise Kaam Karta Hai? (Field Flow Example)

Jaise-jaise aap hierarchy mein neeche jaate hain, fields add hoti chali jaati hain:


1. cmdb_ci **(Parent Level):**
2.
    - Fields: Name, Location, Asset Tag, Operational Status
    -
3. cmdb_ci_hardware **(Child Level):**
4.
    - Inherits cmdb_ci fields + adds: Serial Number, Manufacturer, Model
    -
5. cmdb_ci_server **(Sub-Child Level):**
6.
    - Inherits hardware fields + adds: IP Address, RAM, CPU Count
    -
7. cmdb_ci_win_server **(Leaf Node):**
8.
    - Inherits server fields + adds: Windows Service Pack, Domain
    -


CMDB Hierarchy Ka Main Fayda

- **Reusability (Fayda 1):** Common fields ko baar-baar har table par banane ki zaroorat nahi padti. Direct parent table (cmdb_ci) par banao, baaki saare child classes ko wo field automatically mil jata hai.
-
- **Unified Reporting (Fayda 2):** Agar aapko company ke **saare IT assets** ek sath dekhne hain, toh aap bas root table (cmdb_ci) par query run karte ho, aur uske andar ke saare servers, laptops, aur routers ek jagah dikh jaate hain.

Here is everything important you need to know about **ServiceNow CMDB** in quick, bulleted points:

- **What it is:** A central database storing all IT assets and services called **CIs (Configuration Items)**—like Servers, Routers, Databases, and Applications.
- **CI Hierarchy:** A Parent-Child table structure (`cmdb` → `cmdb_ci` → `cmdb_ci_hardware` → `cmdb_ci_server`). Child tables inherit all fields from their parent tables.
- **Relationships (`cmdb_rel_ci`):** Maps how CIs connect and depend on each other (*Parent* → *Type* → *Child*), showing what breaks if a specific server fails.
- **CMDB Health (3 C's):**
    - **Completeness:** Are mandatory fields filled?
    - **Correctness:** Are there duplicates or orphan CIs?
    - **Compliance:** Do CIs meet security/company policies?
- **CMDB Workspace & CMDB 360:** Modern UI with **Intelligent Search** and multi-source tracking to resolve data conflicts across integrations (AWS, SCCM, Discovery).
- **ITSM Business Value:**
    - **Incident/Problem:** Instantly trace root causes via Dependency Maps.
    - **Change Management:** Calculate blast radius and risk before modifying infrastructure.





Dono screens mein sabse bada difference **Table Hierarchy** ka hai: Image 1 mein `cmdb` table hai aur Image 2 mein `cmdb_ci` table hai.

1. Key Difference

Feature	cmdb (Base Configuration Item) JPG	cmdb_ci (Configuration Item) JPG
Role	CMDB ki absolute **Root / Top-Level Parent Table** hai.	Real IT assets aur components ki **Main Operational Table** hai.
Purpose	Isme sabse basic fields hoti hain jo har tarah ke record ke liye common hoti hain.	Isme actual CIs (Server, Database, Network Device) aate hain.
Usage	Isko directly regular users use nahi karte; ye backend architecture ke liye hoti hai.	Standard Incident, Problem, aur Change Management mein isi table ke records linked hote hain.

2. How They Are Connected (Hierarchy & Inheritance)

Inka relationship **Parent-Child (Table Inheritance)** ka hai:

```
[cmdb]                    <-- PARENT TABLE (Base Table)
  └── [cmdb_ci]               <-- CHILD TABLE (Extends cmdb)
      ├── [cmdb_ci_hardware]  <-- Sub-Child
      └── [cmdb_ci_appl]      <-- Sub-Child
```

1. **Table Extension:** `cmdb_ci` table `cmdb` **ko extend karti hai**.
2.
3. **Field Inheritance:** `cmdb_ci` base table (`cmdb`) ke saare columns inherit karti hai aur uspar apne extra fields (jaise *Asset Tag*, *Manufacturer*, *Location*, *Operational Status*) add karti hai.
4.

5. **Data Connection:** Kyunki cmdb parent table hai, jab aap cmdb table kholete ho (Image 1)[cite: 7], toh aapko cmdb_ci (Image 2) ke records bhi wahan dikhai dete hain[cite: 8].

cmdb aur cmdb_ci tables ka use **direct manually record bharne ke liye nahi**, balki System Architecture, Global Reporting, aur Selection Wizard (Interceptor) ko chalane ke liye hota hai.

Both Tables: Actual Real-World Uses

Table Name	Real-World Use Case	Aapko kab use karni hai?
cmdb *(Base Root Table)*	**1. Interceptor Wizard Trigger karna:** ServiceNow ne Interceptor ko isi table par configure kiya hai. **2. Master System Root:** Pure system ki sabse top parent table.	Jab aapko **pata na ho ki exact class konsi hai** aur aap wizard/interceptor se select karke naya asset banana chahte ho.

`cmdb_ci` *(Core CI Parent Table)*	**1. Global Reporting:** Company ke *saare IT assets* ek sath dekhne/report karne ke liye. **2. Incident/Change Lookup:** Incidents ya Changes par jab aap CI search karte ho, toh wo `cmdb_ci` se saare CIs search karke lata hai.	**Reporting aur Scripting ke liye**. (Is par direct record create karna allow nahi hota/avoid kiya jata hai).
`cmdb_ci_computer` *(Specific Child Table)*	**Actual Data Entry:** Specific hardware specifications (RAM, CPU, OS, Disk Space) ko database mein sahi jagah store karna.	Jab aapko **Computer/Laptop ka record banana ho**.

Aap `cmdb_ci` se Computer record kyun nahi bana paa rahe?

1. **Database Columns ki kami:** `cmdb_ci` ek generic parent table hai. Iske paas database mein RAM, CPU, OS, ya Disk Space ke columns hote hi nahi hain—wo columns `cmdb_ci_computer` table par hote hain.
2.

3. **Interceptor ki Setting:** ServiceNow ne Interceptor (Selection Wizard) ko cmdb base table par bind kiya hua hai, cmdb_ci par nahi. Isiliye cmdb_ci list par **New** click karne se Interceptor nahi khulta, balki cmdb_ci ka direct blank generic form khul jata hai.
4.

Summary Workflow (Aapko kya karna chahiye?)

- **Computer create karne ke liye:** Direct Navigation Menu mein cmdb_ci_computer.list type karke jao aur wahan **New** dabao.
-
- **Wizard se select karne ke liye:** Direct Navigation Menu mein cmdb.list type karke jao aur **New** dabao (Interceptor khulega).

Q: cmdb_ci me ek class choice field hoti hai , uss se kar skte hai computer etc choose? and kya ye choose krne ke baad save krne par uss computer ke tabl eme bhi record bna dega?

A: **Haan, bilkul!** Aap Class (sys_class_name) field se class change kar sakte hain, aur save karne par wo record **Computer table (**cmdb_ci_computer**) mein chala jayega.**

Is process ko ServiceNow mein **"CI Reclassification"** kehte hain.

1. Inka Jawaab (Step-by-Step Samajhiye)

1. **Kya Class choose kar sakte hain?**
2.
    - **Haan.** Form par jo Class field hoti hai, agar wo editable hai, toh aap Dropdown se **"Computer"** select kar sakte hain.
    -
3. **Kya save karne par computer table mein record banega?**
4.
    - **Haan, 100%!** Jab aap Class ko Computer par set karke **Save / Submit** karte hain, toh ServiceNow backend mein us record ka table type change karke use cmdb_ci_computer table mein register kar deta hai.
    -

2. Iska Practical Flow Kya Hoga?

1. Aap cmdb_ci par **New** click karte ho.
2.
3. Bas basic details bharte ho (*Name*, *Asset Tag*) aur Class field mein **Computer** select karte ho.
4.
5. Jab aap **Submit / Save** dabate ho:
6.
    - Record save hoga.
    -
    - ServiceNow is record ko automatically cmdb_ci_computer table mein switch kar dega.
    -
    - Save hone ke baad jab form reload hoga, toh **Computer specific extra fields (RAM, CPU, OS, Serial Number, Disk Space) screen par apppear ho jayenge!**
    -

⚠️ Aisa karna kyun awkward / extra step lagta hai?

Agar aap pehle cmdb_ci se start karke Class change karoge:

- Aapko **2 baar kaam karna padega**—pehle basic form save karo, fir reload hone ke baad RAM, CPU, OS ki details bharo.
-

Isiliye Best Practice yahi hai:
Direct cmdb_ci_computer.list par jaakar **New** dabao, taaki pehli baar mein hi RAM, CPU, OS aur Basic details ek saath bhar kar record save kar sako!

QUESTION : abhi cmdb ci rel vala btao kya karta hai vo with eg in veyr short?

ANSWER: cmdb_rel_ci table do IT assets (CIs) ke beech ka **connection aur dependency** (kaun kisse juda hai aur kaise depend karta hai) store karti hai.

Relationship Structure:

Parent CI → Relationship Type → Child CI

Real Example:

- **Parent:** Paytm App
-

- **Type:** *Depends on*
-
- **Child:** Database Server
-

Fayda:

Agar **Database Server** down hota hai, toh CMDB Map turant dikha dega ki isse juda **Paytm App** bhi stop ho jayega. Isse support team ko problem ka root cause seconds mein pata chal jata hai.

QUESTION : relationship types kon kon se hai with easy eg

ANSWER : ServiceNow CMDB mein 5 sabse common aur important **Relationship Types** hote hain. Inme hamesha **Parent Descriptor :: Child Descriptor** ka pair hota hai:

- **1. Depends on :: Used by**
-
    - **Meaning:** Jab ek CI ke chalne ke liye dusra CI zaroori hota hai.
    -
    - **Example:** NetBanking Web App **Depends on** Oracle Database (App chalne ke liye DB chahiye).
    -
- **2. Runs on :: Hosts**
-
    - **Meaning:** Software/Application kis server ya machine par chal raha hai.
    -
    - **Example:** Paytm Backend Engine **Runs on** Linux Server (Linux Server App ko **Host** karta hai).
    -
- **3. Contains :: Contained by**
-
    - **Meaning:** Ek physical/logical component ke andar dusra component maujood hona.
    -
    - **Example:** Physical Server **Contains** 1TB NVMe SSD Drive (SSD Drive Server ke andar **Contained by** hai).
    -

- **4. Connects to :: Connects from**
-
    - **Meaning:** Network-level connectivity ko darshane ke liye.
    -
    - **Example:** Office Laptop **Connects to** Floor Wi-Fi Switch.
    -
- **5. Hosted on :: Hosts (Cloud / Virtualization)**
-
    - **Meaning:** Virtual Machine ya Cloud Instance kis physical infrastructure par chal raha hai.
    -
    - **Example:** Ubuntu Virtual Machine **Hosted on** AWS EC2 Cloud Host.

IMPORTANT PRACTICAL IMPLEMENTATION:

QUESTION : now give me step by step guide to create any 2 ci and their relationship. i want to do it practically

ANSWER:

Aap practical exercise ke liye ek simple real-world scenario follow kar sakte hain: **Ek Web Application (**StarBank-WebApp**) aur ek Server (**StarBank-DB-Server**) create karke unhe aapas mein link karenge.**

Scenario Details

- **CI 1 (Child):** StarBank-DB-Server (Class: Computer / Server)
-
- **CI 2 (Parent):** StarBank-WebApp (Class: Application)
-
- **Relationship:** StarBank-WebApp **Depends on :: Used by** StarBank-DB-Server
-

Step 1: First CI (Server) Create Karein

1. Left Navigation Bar (All) mein type karein: cmdb_ci_computer.list aur **Enter** dabayein.
2.
3. Top-right corner par **New** button par click karein.
4.
5. Form par ye details fill karein:

6.
    - **Name:** StarBank-DB-Server
    - **RAM (MB):** 16384
    - **Operating System:** Windows 2019
7. Header bar par **Right-Click** karke **Save** karein (taaki record save ho jaye aur form khula rahe).
8.

Step 2: Second CI (Application) Create Karein

1. Left Navigation Bar (All) mein type karein: cmdb_ci_appl.list aur **Enter** dabayein.
2.
3. Top-right corner par **New** button par click karein.
4.
5. Form par ye details fill karein:
6.
    - **Name:** StarBank-WebApp
    - **Version:** 1.0
7. Header bar par **Right-Click** karke **Save** karein.
8.


Step 3: In Dono CIs ke Beech Relationship Banayein


Method A: Direct cmdb_rel_ci **Table se (Easiest)**


1. Navigation Bar mein type karein: cmdb_rel_ci.list aur **Enter** dabayein.
2.
3. Top-right par **New** button click karein.
4.
5. Form par ye 3 fields bharein:
6.
    - **Parent:** Search icon (Magnifying glass) par click karke StarBank-WebApp select karein.
    - **Type:** Dropdown/Lookup se Depends on :: Used by select karein.
    - **Child:** Search icon par click karke StarBank-DB-Server select karein.
7. **Submit** button click karein.
8.


Step 4: Verify Karein (Visual Map Mein Dekhein)


1. Dubara Navigation mein cmdb_ci_appl.list par jaakar StarBank-WebApp record ko kholein.
2.
3. Form ke top-right bar par **Open in CMDB Workspace** button par click karein (ya header par Dependency Map icon par click karein).
4.
5. **Result:** Screen par visual map khulega jisme StarBank-WebApp se ek arrow StarBank-DB-Server ki taraf point karta hua dikhai dega.






Classic | Unified Navigation
StarBank-DB-Server | Compu
StarBank-WebApp | Applicat
Create Created | CI Relations
Ask Gemini
dev343666.service-now.com/now/nav/ui/classic/params/target/cmdb_ci_appl.do%3Fsys_id%3Da424c8d58344d714f5dec265eeaad374%26s...
servicenow
All
Favorites
History
Admin
Application - StarBank-WebApp
Application scope: Global
Update set: Default [Global]
Application
StarBank-WebApp
Open in CMDB Workspace
Update
Delete
Application inserted
Name
StarBank-WebApp
Version
1.0
Operational status
Operational
Description
TCP port(s)
Installed
Category
Resource
Related Items
Search for CI
Open in CMDB Workspace
Update
Delete
Related Links
Subscribe
Activate Windows
Go to Settings to activate Windows.



Classic | Unified Navigation
StarBank-DB-Server | Compu
StarBank-WebApp | Applicat
Create Created | CI Relations
Ask Gemini
dev343666.service-now.com/now/nav/ui/classic/params/target/cmdb_rel_ci.do%3Fsys_id%3D-1%26sys_is_list%3Dtrue%26sys_target%3Dc...
servicenow
All
Favorites
History
Admin
CI Relationship - Create Created
Application scope: Global
Update set: Default [Global]
CI Relationship
New record
Submit
Parent
Type
Child
Port
Submit
Activate Windows
Go to Settings to activate Windows.



Classic | Unified Navigation
StarBank-DB-Server | Compu
StarBank-WebApp | Applicat
Create Created | CI Relations
Ask Gemini
dev343666.service-now.com/now/nav/ui/classic/params/target/cmdb_rel_ci.do%3Fsys_id%3D-1%26sys_is_list%3Dtrue%26sys_target%3Dc...
servicenow
All
Favorites
History
Admin
CI Relationship - Create Created
Application scope: Global
Update set: Default [Global]
CI Relationship
New record
Submit
Parent
Type
Child
Port
Submit
Configuration Items | ServiceNow - Google Chrome
dev343666.service-now.com/cmdb_ci_list.do?sysparm_target=cmdb_rel_ci.parent&sysparm_target_value=&sysparm...
Configuration Items
Name
Search
New
All
Name
Manufacturer
Class
Location
Assigned to
Model ID
StarBank-WebApp
(empty)
Application
(empty)
(empty)
(empty)
StarBank-DB-Server
(empty)
Computer
(empty)
(empty)
(empty)
Windows XP Hotfix (SP2) Q817606
Microsoft
Software
SHS quadra 5, Bloco E., Brasilia
Abel Tuter
(empty)
AnnielBM
(empty)
Configuration Item
(empty)
(empty)
(empty)
AnnielBM
(empty)
Configuration Item
(empty)
(empty)
(empty)
MacBook Pro 15"
Apple
Computer
27, Boulevard Vitton, Paris
Tori Villaescusa
Apple MacBook Pro 15"
MacBook Pro 15"
Apple
Computer
248 Abbotsford Road, Brisbane
Roxie Varenhorst
Apple MacBook Pro 15"
Activate Windows
Go to Settings to activate Windows.


Classic | Unified Navigation
StarBank-DB-Server | Comp
StarBank-WebApp | Applicat
Create Created | CI Relation
Ask Gemini
dev343666.service-now.com/now/nav/ui/classic/params/target/cmdb_rel_ci.do%3Fsys_id%3D-1%26sys_is_list%3Dtrue%26sys_target%3Dc...
servicenow
All
Favorites
History
Admin
CI Relationship - Create Created
Application scope: Global
Update set: Default [Global]
CI Relationship
Submit
CI Relationship Types | ServiceNow - Google Chrome
dev343666.service-now.com/cmdb_rel_type_list.do?sysparm_target=cmdb_rel_ci.type&sysparm_target_value=1a9cb...
CI Relationship Types
Name
Search
New
All
Name
Parent descriptor
Child descriptor
Edit list query
cmdb_rel_type
Build, inspect and reuse the encoded query. Active sorting and grouping stay attached.
Encoded query
Copy
Copy URL
Split lines
Reset
ORDERBYname
0 conditions
1 sort
0 groups
Ctrl/Cmd+Enter to apply
Cancel
Apply query
MORE WITH PRO
Unlock Pro query tools
Exchanges data with::Exchanges data with
Exchanges data with
Exchanges data with
1 to 40 of 40
Port
Activate Windows
Go to Settings to activate Windows.



Classic | Unified Navigation
StarBank-DB-Server | Comp
StarBank-WebApp | Applicat
Created 2026-10-18 23:58:5
Ask Gemini
dev343666.service-now.com/now/nav/ui/classic/params/target/cmdb_rel_ci.do%3Fsys_id%3Df974c4198344d714f5dec265eeaad322%26sys...
servicenow
All
Favorites
History
Admin
CI Relationship - Created 2026-10-1...
Application scope: Global
Update set: Default [Global]
CI Relationship
Created 2026-10-18 23:58:51
Update
Delete
CI Relationship inserted
Parent
StarBank-WebApp
Type
Depends on::Used by
Child
StarBank-DB-Server
Port
Update
Delete
Activate Windows
Go to Settings to activate Windows.


Classic | Unified Navigation
StarBank-DB-Server | Comp
StarBank-WebApp | Applicat
Created 2026-10-18 23:58:5
Ask Gemini
dev343666.service-now.com/now/nav/ui/classic/params/target/cmdb_ci_appl.do%3Fsys_id%3Da424c8d58344d714f5dec265eeaad374%26s...
servicenow
All
Favorites
History
Admin
Application - StarBank-WebApp
Application scope: Global
Update set: Default [Global]
Application
StarBank-WebApp
Open in CMDB Workspace
Update
Delete
Name
StarBank-WebApp
Version
1.0
Operational status
Operational
Description
TCP port(s)
Installed
Category
Resource
Related Items
Search for CI
Depends on - Computers
[L1] StarBank-DB-Server
Open in CMDB Workspace
Update
Delete
Related Links
Subscribe
Activate Windows
Go to Settings to activate Windows.






NOTE: ye open map ka view hai




NOTE; ye dependency map ka view hai

KNOWLEDGE MANAGEMENT


1. Administration - Knowledge Bases




2. Self service - knowledge



3. Self Service - My knowledge articles:





Iss **Knowledge Article** (kb_knowledge) form ke saare fields ka description simple Hinglish mein:

Left Column Fields

- **Number (KB0010001):** Article ka unique ID number. Ye ServiceNow system dwara **auto-generate** hota hai.
- **Knowledge base (* Mandatory):** Main library ya main folder jisme ye article save hoga (e.g., *IT*, *HR*, *Customer Support*).
- **Category:** Knowledge Base ke andar ki sub-folder/sub-category (e.g., *Software*, *Hardware*, *VPN*, *Network*).
- **Scheduled publish date:** Wo specific date jis din ye article automatically **Publish** (live) hona chahiye.
- **Valid to:** Article ki **Expiry Date**. Is date ke baad article out-of-date mana jayega aur review ke liye chala jayega.

Right Column Fields

- **Version:** Article ka revision/version number (e.g., 1.0, 2.0) jo tracks karta hai ki article kitni baar update hua hai.
- **Article type:** Content ka format (by default **HTML** hota hai, jisse rich text format use kar sakein).


-
- **Workflow:** Article ki current status/stage. Abhi ye Draft hai. Publish hone par Published aur terminate hone par Retired dikhayega.
-
- **Source task:** Agar ye article kisi Incident ya Problem ticket se direct click karke banaya gaya hai, toh us original ticket ka number yahan link ho jata hai.
-
- **Attachment link (Checkbox):** Agar check karoge, toh search result mein article kholne par direct attached file (PDF/Doc) open ho jayegi.
-
- **Display attachments (Checkbox):** Isse article page ke neeche saari uploaded attached files users ko download ke liye visible hongi.
-

Main Section Fields

- **Short description (* Mandatory):** Article ka **Title / Heading** (e.g., *"How to Reset VPN Password"*). Search bar mein users sabse pehle yahi title dekhte hain.
-
- **Article body:** Main text editor jahan aapko actual solution, step-by-step procedure, formatting, links, aur screenshots paste karne hote hain.

Search for Duplicates button check karta hai ki aap jo article bana rahe hain, **kya waisa same article pehle se Knowledge Base mein exist karta hai ya nahi.**

- **How it works:** Ye aapke *Short description* ko scan karke system mein maujood similar articles search karta hai.
-
- **Purpose:** Duplicate articles banne se rokna aur Knowledge Base ko clean aur accurate rakhna.



ServiceNow mein **Knowledge Article ka Life Cycle** in 7 Workflow States ke zariye chalta hai (jo aapke screenshot ke dropdown mein dikh rahe hain):

1. Draft

- **Meaning:** Article create hone ke baad editing stage mein hai.
-
- **Access:** Sirf author/creator ko dikhta hai, end-users ise search ya read nahi kar sakte.
-

2. Review

- **Meaning:** Author jab **Publish** par click karta hai, toh article **Knowledge Manager / Approvers** ke paas quality check ke liye chala jata hai.
-

3. Scheduled for Publish

- **Meaning:** Article ko approval mil chuka hai, lekin isme future ki **Scheduled publish date** set ki gayi hai. Us date tak ye is stage mein rehta hai aur us din automatic live ho jata hai.
-

4. Published

- **Meaning:** Article **Live** hai.
-
- **Access:** Service Portal par saare end-users aur support agents ise search karke solution padh sakte hain.
-

5. Pending Retirement


- **Meaning:** Article purana/outdated hone par jab ise remove karne ki request daali jaati hai, toh approval hone tak ye is holding state mein rehta hai.
-


6. Retired


- **Meaning:** Article officially archive kar diya gaya hai. Ab ye live search results mein kisi user ko nahi dikhega.
-


7. Outdated


- **Meaning:** Jab kisi **Published** article ko edit karke **Naya Version (e.g., Version 2.0)** publish kar diya jata hai, toh purana wala version (Version 1.0) automatically **Outdated** marked ho jata hai.





ServiceNow
Knowledge | ServiceNow
KB0010006 v1.0 | Knowledge |
Ask Gemini
dev343666.service-now.com/now/nav/ui/classic/params/target/kb_knowledge.do%3Fsys_id%3D11ff209583c8d714f5dec265eeaad395%26s...
servicenow
All
Favorites
History
Workspaces
Knowledge - KB0010006 v1.0
Application scope: Global
Update set: Default [Global]
Knowledge
KB0010006 v1.0
Checkout
Retire
Delete
Retire Confirmation
Do you want to replace the current article with another existing article?
Yes
No
Cancel
Retire
Number
KB0010006
Knowledge base
demo kb
Category
sample
Published
2026-10-19
Scheduled publish date
Valid to
2100-01-01
Short description
sample first
Article body
sample first
Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua
Attachment link
Display attachments
1.0
HTML
Published
Related Links
View Article
Run User Criteria Diagnostics
Upload New Version
Affected Products
Feedback
Feedback Tasks
Approvals (1)
Article Versions (7)
Related Articles
Related Catalog Items
Activate Windows
Go to Settings to activate Windows.



ServiceNow
Knowledge | ServiceNow
KB0010006 v1.0 | Knowledge |
Ask Gemini
dev343666.service-now.com/now/nav/ui/classic/params/target/kb_knowledge_list.do%3Fsysparm_query%3D%26sysparm_first_row%3D1%...
servicenow
All
Favorites
History
Workspaces
Knowledge
Application scope: Global
Update set: Default [Global]
Knowledge
Updated
Search
Actions on selected rows...
New
All
Number
Version
Short description
Author
Category
Workflow
Updated
KB0010006 1.0 sample first System Administrator sample 2026-10-19 03:20:28
KB0010005 1.0 calcifer first System Administrator calcifer 2026-10-19 03:04:22
KB0010004 1.0 obsidian first System Administrator obsidian 2026-10-19 03:01:57
KB0000051 1.0 USB port is not working on my PC System Administrator (empty) 2026-01-22 02:31:06
KB0000053 1.0 Switch to IPv6 causing IP address issues System Administrator (empty) 2026-01-04 00:41:34
KB0000052 1.0 Cisco WebEx Meetings Server does not boo... System Administrator (empty) 2026-01-04 00:37:50
KB0000012 1.0 Where can I obtain updates and new relea... Sam Sorokin How To 2022-12-05 20:46:33
KB0000009 1.0 Are Copyrighted Files Illegal to Have On... Wayne Webb Policies 2022-12-05 20:46:33
KB0000024 1.0 Create An Email Signature Ron Kettering Outlook 2010 2022-12-05 20:46:33
KB0000029 1.0 What is Spam? Ron Kettering Email 2022-12-05 20:46:33
KB0000028 1.0 What are phishing scams and how can I av... Ron Kettering Email 2022-12-05 20:46:33
KB0000016 1.0 About Windows 10 Boris Catino Windows 2022-12-05 20:46:33
KB0000017 1.0 What is the Windows key? Boris Catino Windows 2022-12-05 20:46:33
1 to 56 of 56
Activate Windows



ServiceNow
Knowledge | ServiceNow
KB0010006 v1.0 | Knowledge |
Ask Gemini
dev343666.service-now.com/now/nav/ui/classic/params/target/kb_knowledge.do%3Fsys_id%3D11ff209583c8d714f5dec265eeaad395%26s...
servicenow
All
Favorites
History
Workspaces
Knowledge - KB0010006 v1.0
Application scope: Global
Update set: Default [Global]
Knowledge
KB0010006 v1.0
Republish
Delete
Number
KB0010006
Version
1.0
Knowledge base
demo kb
Article type
HTML
Category
sample
Workflow
Retired
Scheduled publish date
Source task
Valid to
2100-01-01
Attachment link
Display attachments
Short description
sample first
Article body
sample first
Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua
Republish
Delete
Related Links
View Article
Run User Criteria Diagnostics
Activate Windows
Go to Settings to activate Windows.
Affected Products
Feedback
Feedback Tasks
Approvals (1)
Article Versions (7)
Related Articles
Related Catalog Items


ServiceNow
Knowledge | ServiceNow
KB0010006 v1.0 | Knowledge |
Ask Gemini
dev343666.service-now.com/now/nav/ui/classic/params/target/kb_knowledge.do%3Fsys_id%3D11ff209583c8d714f5dec265eeaad395%26s...
servicenow
All
Favorites
History
Workspaces
Knowledge - KB0010006 v1.0
Application scope: Global
Update set: Default [Global]
Knowledge
KB0010006 v1.0
Checkout
Retire
Delete
This knowledge article has been published
Number
KB0010006
Version
1.0
Knowledge base
demo kb
Article type
HTML
Category
sample
Workflow
Published
Published
2026-10-19
Source task
Scheduled publish date
Attachment link
Valid to
2100-01-01
Display attachments
Short description
sample first
Article body
sample first
Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua
Checkout
Retire
Delete
Related Links
View Article
Run User Criteria Diagnostics
Activate Windows
Go to Settings to activate Windows.





It went in outdated workflow when i make its new version:






When i do publish the new version then (i applied approval publish so) :







Now, it’s in outdated.


WORKFLOW MANAGEMENT

Workflow Management ServiceNow mein kisi business process, approvals, tasks, aur notifications ko step-by-step **automate** karne ka system hai.

Yeh manual multi-step work ko streamline karta hai taaki har request ya process bina kisi human error ke follow ho sake.

Real-World Example (Laptop Request Process)

Bina Workflow ke aapko har step manually call ya email karke karwana padega. Workflow ke saath:



Core Components of a Workflow

1. **Trigger (Shuruat):** Wo condition jo workflow ko start karti hai (e.g., *New Catalog Item requested* ya *Incident Priority = Critical*).
2.
3. **Conditions (If/Else Logic):** Checks setup karna (e.g., *If Laptop price > $1000, VP approval required*).
4.
5. **Actions (Kaam):**
6.

    - **Approvals:** Manager/Group approvals trigger karna.
    -
    - **Tasks:** Sub-tasks generate karke specific teams ko assign karna.
    -
    - **Notifications:** User ko Status Update Emails ya Push Notifications bhejna.
    -
    - **Integrations:** Third-party APIs call karna (e.g., Active Directory mein user account enable karna).
    -

ServiceNow Tools for Workflow Management

ServiceNow mein workflows banane ke **2 main tools** hain:

Feature	**Flow Designer (Modern / Current Standard)**	**Workflow Editor (Legacy / Purana)**
Interface	Low-code / No-code natural language interface.	Graphical node-based canvas (drag-and-drop lines).
Ease of Use	Non-developers aur Process Owners bhi easily use kar sakte hain.	Scripting heavy (JavaScript required for complex logic).
Best Practice	**Recommended.** Naye workflows humesha Flow Designer mein banayein.	Maintain only for existing legacy flows.

SERVICE MANAGEMENT


Services aur **Service Offerings** CSDM (Common Service Data Model) ke do interconnected layers hain:

1. Meaning & Difference (With Example)

- **Service:** Main High-Level IT ya Business Service jo business/users ko deliver hoti hai.
-
    - *Example:* **Email Service** ya **Payment Gateway Service**.
    -
- **Service Offering:** Us Service ka specific level, SLA tier, ya variant.
-
    - *Example:* **Standard Email (9 AM - 5 PM Support)** vs **Executive Email (24/7 VIP Support)**.

2. Tables (Kisse belong karte hain)

Field	Description	Table Name
Service (business_service)	Main Service Record	cmdb_ci_service
Service Offering (service_offering)	Specific Variant / SLA Tier	service_offering


ServiceNow
Incidents | ServiceNow
INC0010221 | Incident | Service
Ask Gemini
dev343666.service-now.com/now/nav/ui/classic/params/target/incident.do%3Fsys_id%3D8a4b173e832b0750f5dec265eeaad391%26syspar...
servicenow
All
Favorites
History
Workspaces
Incident - INC0010221
Application scope: Global
Update set: Default [Global]
Incident
INC0010221
incident
Discuss
Follow
Update
demo testing
Resolve
Delete
Number
number
INC0010221
Caller
caller_id
Billie Cowley
Category
category
Software | software
Subcategory
subcategory
-- None -- |
Service
business_service
Service offering
service_offering
Configuration item
cmdb_ci
Channel
contact_type
-- None -- |
State
state
In Progress | 2
Impact
impact
3 - Low | 3
Urgency
urgency
3 - Low | 3
Priority
priority
5 - Planning | 5
Parent
parent
Child Incidents
child_incidents #
0
Assignment group
assignment_group
Assigned to
assigned_to
Company
company
ACME North America
Short description
short_description
hjkl
Jira_Id
x_1976524_techsp_0_jira_id
Related Search Results
Activate Windows
Go to Settings to activate Windows.

TASK SLA MANAGEMENT

Iss **SLA Definition** form ke sabhi fields ka short description aur easy examples:

Left Column Fields

- **Name (**20 Days Req 9**):** SLA rule ka pehchan/title. *(Eg: "P1 Resolution SLA")*
- **Type (**SLA**):** Agreement ka type — **SLA** (Customer ke sath), **OLA** (Internal team ke sath), ya **UC** (Third-party vendor ke sath).
- **Target (**Resolution**):** Purpose kya hai — **Response** (kitni der mein ticket accept hua) ya **Resolution** (kitni der mein ticket resolve hua).
- **Table (**Complaints**):** Kis database table ke records par ye SLA run hoga. *(Eg:* Incident *ya* Complaints*)*
- **Flow (**Req9**):** Escalation ya warning notifications bhejne wala **Flow Designer / Workflow** logic.
- **Enable logging:** Debugging ke liye system logs capture karne ka checkbox.
- **Active:** Is SLA rule ko **Enable/Disable** karne ke liye.

Right Column Fields

- **Application (**Test**):** Application Scope jisme ye record create kiya gaya hai.
- **Duration type (**User specified duration**):** Target time set karne ka tarika *(e.g., Manual custom duration vs Relative duration)*.
- **Duration (**0 Days 00:00:30**):** Ticket fix karne ke liye max kitna time allotted hai. *(Yahan **30 seconds** set hai)*.
- **Schedule source (**SLA definition**):** Working hours ka rule kahan se padhna hai.
- **Schedule (**24 x 7**):** Working hours filter.
    - 24x7*: Timer non-stop chalega.*
    - 8x5 Weekdays*: Shift/Office hours ke alawa weekend par timer pause ho jayega.*
- **Timezone source (**The caller's time zone**):** Time calculations kis timezone ke basis par hongi *(e.g., Ticket raise karne wale user ke timezone se)*.

Bottom Tabs (Conditions)

- **Start condition:** SLA timer kab shuru/attach hoga *(e.g., State = New)*.
- **Pause condition:** SLA timer kab tak pause/hold rahega *(e.g., State = Awaiting User)*.
- **Stop condition:** SLA timer kab successfully complete ho jayega *(e.g., State = Resolved)*.
- **Reset condition:** Purana SLA cancel karke naya timer zero se kab shuru hoga *(e.g., Priority change hone par)*.

Yeh dropdown (**Schedule source**) batata hai ki SLA timer ko working hours ka schedule kahan se pick karna hai:

- No schedule**:** Koi working hours rule apply nahi hoga — timer non-stop 24/7 chalega.
- SLA definition**:** Niche diye gaye **Schedule** field (jaise *24 x 7* ya *8x5 Weekdays*) se rule padhega.
- Complaints field**:** Target ticket record (Complaints) ke andar kisi field se schedule uthayega (e.g., Customer ki location/account par set schedule).

Yeh **Duration type** dropdown batata hai ki SLA breach hone ka time **kaise calculate hoga**—Fixed Duration se ya Relative Business Schedule se:

1. User specified duration (Default)

- **Meaning:** Aap khud exact time (Days, Hours, Minutes, Seconds) set karte ho.
- **Example:** Niche Duration box mein 00:30:00 daala, toh ticket banne ke 30 minute baad SLA breach hoga.

2. Relative Duration Options (Business Rules Based)

Baki sabhi options ko **Relative Durations** bolte hain, jo company ke working hours/days ke hisab se dynamically calculate hote hain:

- 2 business days by 4pm**:** Ticket banne ke baad, 2nd working day ko shaam **4:00 PM** par SLA breach hoga.
- 3 business days by 4pm**:** Ticket banne ke baad, 3rd working day ko shaam **4:00 PM** par SLA breach hoga.

- Breach on Due Date**:** Ticket ke form par jo Due date field ki value hogi, theek us time par SLA breach hoga.
-
- End of next business day**:** Agle working day ke shift-end time (e.g., 5:00 PM ya 6:00 PM) par breach hoga.
-
- Next business day by 4pm**:** Agle hi working day shaam **4:00 PM** par breach hoga.

Yeh dropdown (**Relative duration works on**) batata hai ki Relative Duration (jaise *3 business days by 4pm*) calculate karne ke liye baseline/reference timestamp kis record se uthana hai:

- Task record **(Default):** Calculation actual ticket (Complaints / Incident) ke created date aur attributes ke base par hogi.
-
- SLA record**:** Calculation SLA instance record (task_sla) ke attach hone ke timestamp ke base par hogi.

Isse ek simple example se samajhte hain:

Maan lo aapne **Duration type** select kiya: Next business day by 4pm.

Ab system confuse hai ki **"Agla din (Next day)" kis din se ginna shuru karein?**

Real Example:

- Ticket create hua: **Monday ko**
-
- Ticket par SLA attach hua: **Tuesday ko** (kyunki Priority Tuesday ko change hui thi)
-

Difference:

- Task record **choose karne par:**
-
    - System **Monday** (Jab Ticket bana tha) ko base manega.
    -
    - *Result:* Target Date banegi **Tuesday shaam 4:00 PM**.
    -
- SLA record **choose karne par:**
-
    - System **Tuesday** (Jab SLA attach hua) ko base manega.
    -
    - *Result:* Target Date banegi **Wednesday shaam 4:00 PM**.
    -

Simple Summary:

- `Task record` = Time limit Ticket banne ke din se calculate hogi.
-
- `SLA record` = Time limit SLA attach hone ke din se calculate hogi.

Ek simple timeline example se samajhte hain:

Scenario:

- **10:00 AM:** Ticket create hua.
-
- **10:15 AM – 10:45 AM (30 min):** Ticket **On Hold** / **Awaiting User** state mein tha.
-
- **11:00 AM:** Ticket ki Priority **P1** hui aur **1-Hour SLA** attach hua.
-

1. Normal Start vs Retroactive Start

- **Normal Start:**
-
    - **Kaise kaam karta hai:** Timer **11:00 AM** se 0 min se chalna shuru hoga. Purana beeta hua time ignore ho jayega.
    -
    - **Result:** SLA **12:00 PM** par breach hoga.
    -
- **Retroactive Start (Set to Created):**
-
    - **Kaise kaam karta hai:** Timer rewind karke ticket ke creation time (**10:00 AM**) se calculate hoga.
    -
    - **Result:** 11:00 AM tak pure 60 min count ho chuke hain, toh SLA **11:00 AM par hi breach** ho jayega.
    -

Difference: Normal Start **"Abhi"** se timer shuru karta hai, jabki Retroactive Start **"Purane Time (Ticket Created Date)"** se count karta hai.

2. Normal Pause vs Retroactive Pause

- **Normal Pause:**
-
    - **Kaise kaam karta hai:** 11:00 AM ke baad jab ticket *On Hold* hoga, tabhi timer rukega. Past ke pause ko ignore karega.
    -
- **Retroactive Pause:**
-

    - **Kaise kaam karta hai:** Jab Retroactive Start time ko 10:00 AM par peeche le jata hai, toh ye dekhta hai ki 10:00 se 11:00 ke beech 30 minute ticket *On Hold* tha. Ye un **30 minutes ko total time se minus** kar deta hai.
    -
    - **Calculation:** Total Time $(60min)$ − Past Pause $(30min) = 30min$ elapsed.
    -
    - **Result:** SLA **11:30 AM** par breach hoga.
    -

Quick Summary

- **Normal Start:** Timer abhi $(0$ min) se shuru.
-
- **Retroactive Start:** Purane Ticket Creation Time se timer shuru.
-
- **Retroactive Pause:** Past ke *On Hold* wale time ko total time se minus (discount) kar dena.

SLA Attach hone ka matlab hai — jab kisi ticket ke fields (jaise *Priority = High* ya *State = New*) SLA Definition ke **Start Condition** se match ho jaate hain, toh system us ticket par SLA timer ko **link/apply** kar deta hai.

Example:

1. Aapne ticket banaya, Priority thi **Low** (koi SLA attach nahi hua).
2.
3. Agle din Priority badal kar **P1 (Critical)** kar di gayi.
4.
5. System ne dekha "P1 ke liye SLA rule hai" aur turant **P1 SLA Timer** us ticket ke saath **Attach** (link) kar diya.


QUESTION : normal start yhi se chalta hai and retroactive start ticket ki priority low se create kia tha tab se chlta hai kya? in veyr short

ANSWER : **Haan, bilkul sahi samjhe aap!**


- **Normal Start:** Timer tabhi se shuru hota hai **jab SLA attach hua** (yani Priority change hone ke waqt).
-
- **Retroactive Start:** Timer rewind ho kar us time se calculate hota hai **jab ticket original create hua tha** (chahe tab Priority Low hi kyun na rahi ho).

CATALOG MANAGEMENT


Catalog :





Catalog category :



Catalog items :







Yeh Record Producer ka **Server-Side Script** hai jo form submit hone ke theek pehle run hota hai.

Iska main use case hai: User ke bhare hue inputs (producer.variable_name) ko process karke final record (current) ke fields par map aur set karna.

Top 3 Real-World Use Cases (With Code)

1. Dynamic Mapping & Conditional Logic

User ke form choices ke basis par backend table fields auto-populate karna.

- **Example:** Agar user ne form par *"System Down"* choose kiya hai, toh Incident ko P1 (High Priority) mark kar do.
-

JavaScript

```
// Variable se Short Description set karna

current.short_description = producer.issue_title;



// Conditional logic

if (producer.urgency_level == 'critical') {

    current.priority = 1;
```

```
    current.impact = 1;

}
```

2. Auto-Assignment / Hardcoded Values

Record bante waqt backend fields par automatically Assignment Group ya Category set karna.

- **Example:** Ye form humesha **IT Helpdesk** team ko hi assign hona chahiye.
-

```JavaScript
current.category = 'hardware';

current.assignment_group.setDisplayValue('IT Helpdesk');
```

3. Custom Messages & Redirects

Form submit hone ke baad user ko success message dikhana ya specific page par bhej dena.

```JavaScript
// Success message dikhana

gs.addInfoMessage("Thank you! Aapka ticket " + current.number + " create ho gaya hai.");




// User ko Service Portal ke "My Requests" page par redirect karna

producer.portal_redirect = "sp?id=my_requests";
```

Crucial Rules to Remember

1. `producer.variable_name`**:** Form par moojood user inputs ko read karne ke liye.
2.
3. `current.field_name`**:** Banne wale record (jaise Incident ya Task) ke database fields set karne ke liye.
4.
5. **NEVER use** `current.insert()` **or** `current.update()`**:** System auto-insert karta hai, manual insert/update call karne se double records ban jayenge ya data loss hoga.



Record Producer ke niche bane **Related Links** aur **Related Tabs** ka short description:

Related Links (Quick Actions)

- **Item Diagnostic:** Form configuration mein koi error ya warning to nahi hai, check karta hai.
-
- **Show VA render type:** Virtual Agent (Chatbot) par ye form kaise render/dikhai dega, wo dikhata hai.
-
- **Run Point Scan:** Code quality aur security best practices check karne ke liye scan run karta hai.
-
- **Versions:** Is Record Producer ki purani updates aur change history dikhata hai.
-

Related Tabs (Configuration Tabs)

1. **Variables:** Form ke andar ke sare **input fields** (text box, dropdown, date picker, etc.).
2.
3. **Variable Sets:** Common fields ka reusable group jo multi-forms par directly attach ho sakta hai.
4.
5. **Catalog UI Policies:** Form fields ko dynamic **hide/show**, **read-only**, ya **mandatory** banane ke rules (No-code).
6.

7. **Catalog Client Scripts:** Browser-level JavaScript (jaise field validation, onChange auto-fill).
8.
9. **Available For:** Kin users/roles ko ye form dikhana hai (**User Criteria**).
10.
11. **Not Available For:** Kin users/roles se ye form hide/restrict rakhna hai.
12.
13. **Categories:** Service Portal par ye kis category/folder ke andar dikhega (e.g., *IT Services*).
14.
15. **Catalogs:** Kis main Catalog (e.g., *Service Catalog*, *Technical Catalog*) ka ye part hai.
16.
17. **Catalog Data Lookup Definitions:** Lookup tables se fields ko bina scripting auto-populate karne ke liye.
18.
19. **Related Articles:** Form ke sath help ke liye dikhne wale Knowledge Articles.
20.
21. **Related Catalog Items:** Is form ke sath suggest hone wale related service items.
22.
23. **Assigned Topics:** Employee Center Portal ke Taxonomy Topics ke sath mapping karne ke liye.

    NOTE: REVISION AND PRACTICAL IMPLEMENTATION NEEDED FOR CATALOG MANAGEMENT COMPLETE FLOW