
HARSH TIME TABLE

My 90-Day Transformation Plan

Healthy Weight Gain | Muscle Building | Better Sleep | Daily Discipline

STRENGTH + RECOVERY



Illustrative vector artwork - begin training only after medical review.

PERSONAL PLAN | HARSH | AGE 24

NOURISH → **SLEEP** → **MOVE*** → **REPEAT**

“Consistency beats intensity. One disciplined day at a time.”

*Strength training is a proposed option only after medical evaluation and clearance.

Prepared 29 October 2026 | Planning period: 90 days

01 / START HERE

Personal Profile & Transformation Goals

HEIGHT	CURRENT WEIGHT	BMI*	WORK	WAKE	MONTHLY PLAN
168 cm	47 kg	16.7	10 AM-7 PM	5:30 AM	INR 3,000 food INR 800 gym

*BMI is an approximate screening measure: 47 kg / (1.68 m x 1.68 m) = 16.7. Adult BMI below 18.5 is classed as underweight; BMI alone does not diagnose health.

Your 90-day focus

1. Get medical review for the recent weight loss. 2. Build predictable meals and sleep. 3. Return to strength training only when medically appropriate. 4. Track patterns, not perfection. Do not set a weight-gain target until a clinician or registered dietitian has reviewed the situation.

MEDICAL FIRST: low current weight plus substantial recent loss deserves professional assessment before intensive exercise or major diet changes.

Personal details

Date of birth: 2 October 2002 | Age: 24 as of October 2026 | Office return: about 7:20 PM

Contents

SECTION	PAGE
1. Personal profile & goals	2
2. Daily timetable + morning routine	3
3. Vegetarian meal plan	4
4. Grocery budget	5
5. Calories, protein & hydration	6
6. Beginner gym plan	7-8
7. Sleep & recovery; stress	9
8. Sunday reset	10
9. 90-day progress tracker	11-12
10. Weekly habit tracker	13
11. Printable daily checklist	14
12. Medical safety & sources	15

02 / WORKDAY RHYTHM

Daily Time Table & Morning Routine

TIME	PLAN
5:30 AM	Wake, drink water as comfortable, wash up
5:45 AM	Small snack if training is cleared (e.g., banana); otherwise breakfast prep
6:00-6:45 AM	Proposed gym session only after medical review; keep it easy and supervised
6:45-7:15 AM	Return, shower, get ready
7:15 AM	Breakfast
8:00-9:00 AM	Coding, AI learning, planning or personal development
9:00-9:40 AM	Pack meals, prep essentials, get ready
9:50 AM	Leave for office (about 10-minute commute)
10:00 AM-7:00 PM	Work; brief movement / water breaks when possible
11:30 AM	Fruit, roasted chana or milk/curd if available
1:00 PM	Lunch
4:00 PM	Snack
7:00-7:20 PM	Leave office and return to room
7:45 PM	Dinner
8:15-8:45 PM	Light personal work; set out clothes and food
8:45 PM	Dim screens, wind down
9:00 PM	Wash up, quiet routine, prepare for bed
9:30 PM	Sleep (8 hours until 5:30 AM)



24-hour view: orange marks are meal times; move training only if sleep remains protected.

Morning anchors

Wake at 5:30 AM, eat breakfast, and protect the 9:30 PM bedtime. If gym travel or the session makes this unrealistic, use an approved evening/weekend time or pause training; do not borrow time from sleep. A 5:30 AM wake time only works if bedtime stays consistent.

03 / PRACTICAL FOOD RHYTHM

Complete Vegetarian Meal Plan

Illustrative day, not a prescribed calorie or protein target. Portions and energy vary by recipe, oil, brand, and serving size. Use these options to structure meals; have a clinician or dietitian tailor quantities after reviewing the weight loss.


TIME / MEAL	SUGGESTED PLATE & PORTION	ROUGH ENERGY / PROTEIN*
7:15 Breakfast	Oats/daliya (50 g dry) cooked in milk (250 ml) + banana. OR 2 rotis, seasonal sabzi and curd (150 g).	~400-550 kcal ~14-22 g protein
11:30 Snack	Roasted chana (30 g) + seasonal fruit. OR peanuts (20 g) + banana.	~180-280 kcal ~6-10 g protein
1:00 Lunch	2 rotis + cooked rice (1 cup) OR 3 rotis; dal (1 cup), seasonal vegetables (1 cup), curd (100-150 g if available).	~550-750 kcal ~18-26 g protein
4:00 Snack	Banana + milk (200 ml), OR chana (30 g) + curd (100 g).	~180-300 kcal ~7-12 g protein
7:45 Dinner	2-3 rotis OR rice (1-1.5 cups), dal (1 cup), vegetables; add cooked soya chunks (25-30 g dry) several times weekly.	~550-750 kcal ~22-32 g protein
Optional 8:45	Milk (150-200 ml) if tolerated, affordable and useful to meet clinician-agreed plan.	~90-130 kcal ~5-7 g protein

*Broad estimates from common food composition values, not lab measurements. Cooking methods, dry versus cooked weights and brands change totals. Do not add up these ranges as a personal prescription.

Affordable substitutions

MEAL	SWAP OPTIONS
Breakfast	Daliya for oats; roti + leftover sabzi + milk; poha with peanuts plus curd.
Snack	Roasted chana; peanuts; banana or other seasonal fruit; leftover boiled chana.
Lunch / dinner	Rotate masoor/moong/chana dal; rice for roti; seasonal greens/vegetables; soya for part of dal; curd or milk when affordable.
If appetite is low	Try smaller, more frequent portions. Discuss poor appetite or difficulty eating with a clinician; do not force large meals.


Meal timing at a glance



04 / EDIT TO LOCAL PRICES

Monthly Grocery Budget

The allocation below preserves the figures from your brief. It is a starting worksheet, not a verified local price survey. A INR 3,000 food budget may not cover all food needs in your area; check actual portions, shared household costs, and prices with a dietitian or trusted local market. Gym is separate.



Monthly food allocation: INR 3,000 | Gym: INR 800 | Combined: INR 3,800

CATEGORY	PLANNED INR	ACTUAL INR
Atta and rice	500	_____
Dal	400	_____
Soya chunks	250	_____
Milk	600	_____
Bananas	300	_____
Roasted chana and peanuts	350	_____
Seasonal vegetables	400	_____
Buffer	200	_____
TOTAL FOOD	3,000	_____
Gym membership (separate)	800	_____
FOOD + GYM TOTAL	3,800	_____

These are preliminary estimates, not verified current market prices. Adjust for local prices, portion sizes, actual food requirements and shared household expenses.

Weekly shop & prep

□ Atta / rice □ 2-3 dals or pulses □ Soya □ Milk/curd as budget permits □ Seasonal fruit □ Vegetables □ Chana/peanuts. Batch-cook dal and rice safely, wash/chop vegetables, portion dry chana, and refrigerate cooked food promptly. Record receipts and adjust the next week. Choose the lowest-cost seasonal produce and rotate legumes; do not reduce food quantity to preserve the gym fee.

Monthly actual spending

Week 1 INR _____ Week 2 INR _____ Week 3 INR _____ Week 4 INR _____ Other / shared food INR _____

05 / TARGETS NEED REVIEW

Calories, Protein & Hydration

Calories are the energy in food. A sustained surplus can support weight gain, but with a low BMI and substantial recent loss, the right starting amount and pace should be set after a clinician reviews your health and intake. This plan deliberately leaves target fields blank. Increase intake gradually with professional guidance, especially if you have eaten very little for a prolonged period or have a medical condition.

RECOMMENDED WITH YOUR CLINICIAN / DIETITIAN	WRITE THE AGREED PLAN
Daily energy target	_____ kcal/day
Daily protein target	_____ g/day
Meal / snack strategy	_____
Next review date	_____

Simple nutrition notes

Protein helps maintain and build body tissue. Affordable vegetarian sources include dal, beans, chickpeas, soya, milk and curd. Eating cereals with pulses improves the overall protein quality of a vegetarian meal. Carbohydrates from rice, roti and daliya provide useful energy; fats from modest amounts of cooking oil and peanuts add energy too. There is no need to buy protein powder or mass gainers by default.

Hydration: drink regularly and use thirst, weather and activity as practical cues. There is no one fixed amount suitable for everyone. If a clinician has given fluid limits, follow those. Avoid filling up on large drinks immediately before meals if that reduces appetite.



*Only after medical review/clearance. Muscle development depends on adequate nutrition, progressive training and recovery; no 90-day result is guaranteed.

Progress review

Use weekly weight trends and how you feel, not daily fluctuations. Bring your meal notes and weight history to the appointment. Adjust targets with the professional who knows your medical history.

06 / PROPOSED AFTER MEDICAL REVIEW

Beginner Gym Plan

Do not start this gym plan until a clinician has reviewed the recent weight loss and says exercise is appropriate. Follow any restrictions they give.

Weekly calendar (if cleared)

MON	TUE	WED	THU	FRI	SAT	SUN
Full body A	Rest / easy walk	Full body B	Rest	Full body A	Recovery	Rest + reset


Session outline - start light, learn technique with a qualified instructor, and stop if unwell. Keep several comfortable repetitions in reserve; no max lifts or forced reps.

MOVEMENT	STARTING DOSE	EASIER OPTION / CUE
Warm-up	5-8 min easy walk + comfortable joint movement	Stop if dizzy, faint, short of breath beyond expected, or in pain.
Leg press or squat to bench	1-2 sets x 8-12 reps	Bodyweight sit-to-stand; controlled range.
Chest press	1-2 x 8-12	Wall or incline push-up; shoulders comfortable.
Lat pulldown	1-2 x 8-12	Light resistance; pull to upper chest, no swinging.
Seated row	1-2 x 8-12	Band row; chest tall, smooth pull.
Hip hinge pattern	1-2 x 8-10	Unweighted hip hinge practice; seek coaching.
Core: dead bug / bird dog	1-2 x 6-10 each side	Slow, easy, breathe normally.


Progress and technique

Rest about 1-2 minutes or until breathing is comfortable. When every rep is smooth and easy across all sets for two sessions, ask your instructor/clinician whether a small increase is suitable. Keep a log; do not chase soreness. If the clinician restricts exercise, use their plan instead.


Movement illustrations




SQUAT / SIT-STAND



CHEST PRESS



LAT PULLDOWN



HIP HINGE

06 / TRAINING RECORD

Workout Log & Recovery Rules

Record only sessions that have been cleared. Use the same equipment where practical so your notes are comparable.

DATE	EXERCISE	LOAD	SETS x REPS	EFFORT / NOTES

Before / during / after

□ Had a meal/snack that sits well □ Warmed up gently □ Used controlled movements □ Took comfortable rests □ Stopped for warning symptoms □ Ate and hydrated normally afterward

If you feel faint, develop chest pain, have unusual breathlessness or sudden severe weakness, stop and seek urgent medical advice.

Alternative when mornings do not work

After clearance, choose a consistent early evening slot on a non-rushed day, or one weekend session. Keep the bedtime protected. A walk or mobility routine can be a gentler alternative only if the clinician considers it appropriate.

07 / PROTECT YOUR ENERGY

Sleep, Recovery & Stress

The 9:30 PM-5:30 AM window provides 8 hours in bed. Keep sleep and wake times steady, including weekends when possible. Build a short wind-down and prepare clothes/food earlier so the morning feels less rushed. Adults generally need at least 7 hours of sleep; quality and individual needs vary.

Sleep routine


TIME	CUE
8:15 PM	Pack food and clothes; write tomorrow's first task.
8:45 PM	Reduce screen brightness and stimulating work; keep caffeine earlier in the day.
9:00 PM	Wash up, quiet reading or calm music, dim lights.
9:30 PM	Lights out. 5:30 AM wake time.

7-day sleep tracker

	MON	TUE	WED	THU	FRI	SAT	SUN
Bedtime							
Wake time							
Hours slept							
Rested? 1-5							

Stress reset

Five-minute breathing: sit comfortably, unclench your jaw and shoulders, breathe gently in and out, and count each exhale up to ten. If counting feels uncomfortable, simply notice a few slow breaths and return to the room around you. Stop if it makes you feel worse.



At 7:00 PM, write down what is done, the next action for unfinished work, and one priority for tomorrow. Set a realistic after-hours boundary. Make time for a hobby, connection or relaxation. If stress feels hard to manage, talk with a trusted person or mental health professional. Stress may contribute to appetite changes, but it cannot be assumed to explain weight loss.

08 / FLEXIBLE WEEKLY SETUP

Sunday Reset Routine

Keep Sunday lighter than a workday. Shift tasks around if you have social plans or need extra rest. Gentle activity only if appropriate for your health.

WINDOW	RESET TASK	DONE
Morning	Wake without rushing; eat breakfast; check energy and mood.	☐
Late morning	Shop from the list; compare local prices; buy seasonal produce.	☐
Midday	Cook one dal/pulse and a grain; portion safely for the next 1-2 days.	☐
Afternoon	Light room tidy, laundry, prep work bag and clothes.	☐
Early evening	Review actual spending and plan a few meal choices.	☐
Evening	List work priorities; schedule one manageable personal task.	☐
Night	Relax, connect with someone, keep bedtime near 9:30 PM.	☐

Weekly review prompts

What helped me eat regularly? _____ What made meals or sleep difficult? _____ One practical change for this week: _____ Food spend: INR _____ | Planned workouts cleared/completed: _____

Meal prep safety

Wash hands and produce. Refrigerate cooked food promptly in clean, covered containers; reheat thoroughly. Keep a small backup meal (such as roasted chana + banana, or curd + roti) for busy evenings. Follow local food-safety advice for storage and transport.

09 / TRACK THE PROCESS, NOT A TARGET

90-Day Progress Tracker

Phase 1 / Days 1-30: establish routines. Phase 2 / Days 31-60: improve consistency. Phase 3 / Days 61-90: review with a professional and adjust. A clinician should set the weight-gain target after assessing your health.

Use one weigh-in each week under similar conditions (for example, morning after using the bathroom, before breakfast, on the same scale). Skip or change weighing if it causes distress; discuss with your clinician. Fill in actual observations only.

WK	DATE	AVG WT kg	APPETITE	REGULAR MEALS	WORKOUTS*	SLEEP h	ENERGY / MOOD / STRESS / NOTES
1	_____	_____	_____	____ / 7	____	_____	_____
2	_____	_____	_____	____ / 7	____	_____	_____
3	_____	_____	_____	____ / 7	____	_____	_____
4	_____	_____	_____	____ / 7	____	_____	_____
5	_____	_____	_____	____ / 7	____	_____	_____
6	_____	_____	_____	____ / 7	____	_____	_____
7	_____	_____	_____	____ / 7	____	_____	_____

*Workout completion is only relevant after exercise clearance. If there are no approved workouts, write N/A.

Weekly notes

Week 1	_____
Week 2	_____
Week 3	_____
Week 4	_____
Week 5	_____
Week 6	_____
Week 7	_____

09 / CONTINUED

90-Day Progress Tracker

WK	DATE	AVG WT kg	APPETITE	REGULAR MEALS	WORKOUTS*	SLEEP h	ENERGY / MOOD / STRESS / NOTES
8	_____	_____	_____	____ / 7	____	_____	_____
9	_____	_____	_____	____ / 7	____	_____	_____
10	_____	_____	_____	____ / 7	____	_____	_____
11	_____	_____	_____	____ / 7	____	_____	_____
12	_____	_____	_____	____ / 7	____	_____	_____
13	_____	_____	_____	____ / 7	____	_____	_____

Weight chart template - plot your actual weekly values



Review at day 30 / 60 / 90

Day 30 review date: _____ Notes / clinician guidance: _____ Day 60 review date: _____ Notes / clinician guidance: _____ Day 90 review date: _____ Notes / clinician guidance: _____

Daily ups and downs are normal. Look at the trend and how you feel; do not use an invented curve or guaranteed gain target.

10 / SMALL REPEATABLE ACTIONS

Weekly Habit Tracker

HABIT	MON	TUE	WED	THU	FRI	SAT	SUN
Wake near planned time	□	□	□	□	□	□	□
Eat regular meals	□	□	□	□	□	□	□
Include protein-rich foods	□	□	□	□	□	□	□
Drink fluids regularly	□	□	□	□	□	□	□
Follow approved activity plan	□	□	□	□	□	□	□
Do personal development	□	□	□	□	□	□	□
Take a stress reset / break	□	□	□	□	□	□	□
Prepare for sleep on time	□	□	□	□	□	□	□

Weekly score

Boxes checked: _____ / 56 (Optional score: _____ %) One habit I want to make easier next week: _____

Missing one day is not failure. Return to your routine at the next opportunity.

Quick reflection

A win this week: _____ One barrier I noticed: _____ One adjustment for next week: _____

11 / PRINT THIS PAGE AS NEEDED

Printable Daily Checklist

Date: _____ Day: _____ Sleep last night: _____ hours

MORNING

- □ Wake up at 5:30 AM
- □ Hydrate
- □ Follow planned exercise routine, if appropriate
- □ Eat breakfast

DAYTIME

- □ Eat lunch
- □ Have planned snacks
- □ Drink water regularly
- □ Take short breaks when possible

EVENING

- □ Eat dinner
- □ Prepare food and essentials for tomorrow
- □ Complete one personal priority
- □ Wind down
- □ Sleep at planned time

Today’s meals / snacks

Breakfast: _____
Snack: _____
Lunch: _____
Snack: _____
Dinner / optional milk: _____
Water / fluids: _____ Workout notes: _____ Expenses: INR _____
Mood (1-5): ____ Energy (1-5): ____
One achievement: _____
Tomorrow’s priority: _____

One steady day is enough. Focus on the next helpful choice.

12 / READ BEFORE BEGINNING

Medical Safety & Sources

Important for Harsh

At 168 cm and 47 kg, the calculated BMI is about 16.7. For adults, BMI below 18.5 is the underweight range, but BMI is a screening measure and not a diagnosis. Significant unintentional weight loss over the last three months warrants medical evaluation. Please arrange an appointment with a doctor/registered dietitian before starting gym training or making major dietary changes. A clinician can review the timeline, symptoms, intake, medications and decide whether tests or referrals are needed. Do not assume stress alone explains the change.

Until reviewed

Avoid intensive exercise. Eat regular familiar meals as tolerated and keep notes on weight changes, appetite and symptoms for the appointment. Increase intake gradually with professional guidance. If food intake has been very low for a prolonged period, seek advice before a large increase. Do not use steroids, mass gainers or supplements without a qualified professional's advice.

Seek prompt medical attention for persistent rapid heartbeat, fainting, chest pain or severe weakness. Severe or sudden symptoms need emergency care.

Internet sources consulted

The plan uses public guidance from health authorities and official nutrition sources. Food values in the meal examples are broad estimates, not laboratory analysis; grocery prices are the user-provided draft allocation, not verified market quotes.

CDC - Adult BMI categories and limits of BMI
NHS - Unintentional weight loss: when to seek care
NHS - Healthy ways to gain weight
ICMR-NIN - Dietary Guidelines for Indians (2024)
WHO - Adult physical activity and muscle strengthening guidance
CDC - Sleep and heart health; adult sleep duration and routines
NHS Foundation Trust - Healthy weight gain food advice

This planner supports organization; it does not replace individualized clinical care.