JUnit Testing Exercises

Source Code: Here

Mandatory Exercises

Exercise-1: Setting Up JUnit

Setting up JUnit in your Java project and create a Test class.

Results:



Exercise-3: Assertions in JUnit

Tested basic calculator operations like Add and Subtract

Source Code:




```java
package junit_testing;

public class Calculator {
    public int add(int a, int b){
        return a+b;
    }

    public int subtract(int a, int b){
        return a-b;
    }
}
```

```java
package tests;
import junit_testing.Calculator;
import org.junit.jupiter.api.Assertions;
import org.junit.jupiter.api.Test;
import org.junit.jupiter.params.ParameterizedTest;
import org.junit.jupiter.params.provider.CsvSource;


public class CalculatorTest {

    @Test
    public void testAdd(){
        Calculator calc = new Calculator();
```

```
        Assertions.assertEquals(5, calc.add(2, 3));
    }

    @ParameterizedTest
    @CsvSource({
            "5, 3",
            "6, 2",
            "8, 5",
            "9, 4",
            "10, 6"
    })
    public void testSubtract(int a, int b){
        Calculator calc = new Calculator();
        Assertions.assertEquals(a-b, calc.subtract(a, b));
    }

    @Test
    public void givenTestSourceCode(){
        // Assert equals
        Assertions.assertEquals(5, 2 + 3);
        // Assert true
        Assertions.assertTrue(5 > 3);
        // Assert false
        Assertions.assertTrue(5 < 3);
        // Assert null
        Assertions.assertNull(null);
        // Assert not null
        Assertions.assertNotNull(new Object());
    }
}
```

Results:



Other Exercises

Exercise-2: Writing Basic JUnit Tests

Created `Calculater` class with methods like `add` and `subtract` and these are tested with JUnit test cases.

Source code:

```
package junit_testing;

public class Calculator {
    public int add(int a, int b){
        return a+b;
    }

    public int subtract(int a, int b){
        return a-b;
    }
}
```

```
package tests;
import junit_testing.Calculator;
import org.junit.jupiter.api.Assertions;
import org.junit.jupiter.api.Test;
import org.junit.jupiter.params.ParameterizedTest;
import org.junit.jupiter.params.provider.CsvSource;


public class CalculatorTest {

    @Test
    public void testAdd(){
        Calculator calc = new Calculator();
        Assertions.assertEquals(5, calc.add(2, 3));
    }

    @ParameterizedTest
    @CsvSource({
            "5, 3",
            "6, 2",
            "8, 5",
            "9, 4",
            "10, 6"
    })
    public void testSubtract(int a, int b){
        Calculator calc = new Calculator();
```

```
        Assertions.assertEquals(a-b, calc.subtract(a, b));
    }
}
```

Results: