ASSIGNMENT ON INNER JOIN

1. NAME OF THE EMPLOYEE AND HIS LOCATION OF ALL THE EMPLOYEES.

```
  1  select ename,loc
  2  from emp,dept
  3* where emp.deptno = dept.deptno
SQL> /

ENAME      LOC
---------- -------------
CLARK      NEW YORK
KING       NEW YORK
MILLER     NEW YORK
JONES      DALLAS
FORD       DALLAS
ADAMS      DALLAS
SMITH      DALLAS
SCOTT      DALLAS
WARD       CHICAGO
TURNER     CHICAGO
ALLEN      CHICAGO
JAMES      CHICAGO
BLAKE      CHICAGO
MARTIN     CHICAGO
```

(ORACLE)

```
  1  select ename,loc
  2  from emp INNER JOIN dept
  3* ON emp.deptno = dept.deptno
SQL> /

ENAME      LOC
---------- -------------
CLARK      NEW YORK
KING       NEW YORK
MILLER     NEW YORK
JONES      DALLAS
FORD       DALLAS
ADAMS      DALLAS
SMITH      DALLAS
SCOTT      DALLAS
WARD       CHICAGO
TURNER     CHICAGO
ALLEN      CHICAGO
JAMES      CHICAGO
BLAKE      CHICAGO
MARTIN     CHICAGO

14 rows selected.
```

(ANSI)

2. WAQTD DNAME AND SALARY FOR ALL THE EMPLOYEE WORKING IN ACCOUNTING.

```
  1  select DNAME,SAL
  2  from emp INNER JOIN dept
  3  ON emp.deptno = dept.deptno
  4* WHERE DNAME = 'ACCOUNTING'
SQL> /

DNAME                 SAL
-------------- ----------
ACCOUNTING           2450
ACCOUNTING           5000
ACCOUNTING           1300
```

3. WAQTD DNAME AND ANNUAL SALARY FOR ALL EMPLOYEES WHOS SALARY IS MORE THAN 2340

```
  1  select DNAME,SAL * 12 AS ANNUAL_SAL
  2  from emp INNER JOIN dept
  3  ON emp.deptno = dept.deptno
  4* WHERE SAL > 2340
SQL> /

DNAME          ANNUAL_SAL
-------------- ----------
ACCOUNTING          29400
ACCOUNTING          60000
RESEARCH            36000
RESEARCH            36000
RESEARCH            35700
SALES               34200

6 rows selected.
```

4. WAQTD ENAME AND DNAME FOR EMPLOYEES HAVING CAHARACTER 'A' IN THEIR DNAME

```
  1  select ename,dname
  2  from emp INNER JOIN dept
  3  ON emp.deptno = dept.deptno
  4* WHERE dname like '%A%'
SQL> /

ENAME      DNAME
---------- --------------
CLARK      ACCOUNTING
KING       ACCOUNTING
MILLER     ACCOUNTING
JONES      RESEARCH
FORD       RESEARCH
ADAMS      RESEARCH
SMITH      RESEARCH
SCOTT      RESEARCH
WARD       SALES
TURNER     SALES
ALLEN      SALES
JAMES      SALES
BLAKE      SALES
MARTIN     SALES

14 rows selected.
```

5. WAQTD ENAME AND DNAME FOR ALL THE EMPLOYEES WORKING AS SALESMAN

```
  1  select ename,dname
  2  from emp INNER JOIN dept
  3  ON emp.deptno = dept.deptno
  4* WHERE job = 'SALESMAN'
SQL> /

ENAME      DNAME
---------- --------------
ALLEN      SALES
TURNER     SALES
MARTIN     SALES
WARD       SALES
```

6. WADTD DNAME AND JOB FOR ALL THE EMPLOYEES WHOS JOB AND DNAME STARTS WITH CHARACTER 'S'

```
  1  select dname,job
  2  from emp INNER JOIN dept
  3  ON emp.deptno = dept.deptno
  4* WHERE job like 'S%' and dname like 'S%'
SQL> /

DNAME          JOB
-------------- ---------
SALES          SALESMAN
SALES          SALESMAN
SALES          SALESMAN
SALES          SALESMAN
```

7. WAQTD DNAME AND MGR NO FOR EMPLOYEES REPORTING TO 7839

```
  1  select dname,mgr
  2  from emp INNER JOIN dept
  3  ON emp.deptno = dept.deptno
  4* WHERE mgr = 7839
SQL> /

DNAME                 MGR
-------------- ----------
RESEARCH             7839
SALES                7839
ACCOUNTING           7839
```

8. WAQTD DNAME AND HIREDATE FOR EMPLOYEES HIRED AFTER 83 INTO ACCOUNTING OR RESEARCH DEPT

```
  1  select dname,hiredate
  2  from emp INNER JOIN dept
  3  ON emp.deptno = dept.deptno
  4* WHERE hiredate > '31-DEC-83' and dname in ('ACCOUNTING','RESEARCH')
SQL> /

DNAME          HIREDATE
-------------- ---------
RESEARCH       23-MAY-87
RESEARCH       19-APR-87
```

9.WAQTD ENAME AND DNAME OF THE EMPLOYEES WHO ARE GETTING COMM IN DEPT 10 OR 30

```
  1  select ename,dname
  2  from emp INNER JOIN dept
  3  ON emp.deptno = dept.deptno
  4* WHERE comm is not null and emp.deptno in (10,30)
SQL> /

ENAME      DNAME
---------- --------------
TURNER     SALES
MARTIN     SALES
WARD       SALES
ALLEN      SALES
```

10.WAQTD DNAME AND EMPNO FOR ALL THE EMPLOYEES WHO'S EMPNO ARE (7839, 7902) AND ARE WORKING IN LOC NEW YORK.

```
  1  select dname,empno
  2  from emp INNER JOIN dept
  3  ON emp.deptno = dept.deptno
  4* WHERE empno in (7839,7902) and loc in 'NEW YORK'
SQL> /

DNAME               EMPNO
------------- ----------
ACCOUNTING           7839
```