ASSIGNMENT ON SELF JOIN :

1. WAQTD NAME OF THE EMPLOYEE AND HIS MANAGER'S NAME IF EMPLOYEE IS WORKING AS CLERK.

```
  1  select E1.ename AS E_NAME , M1.ename AS M_NAME
  2  from emp E1,emp M1
  3* where E1.mgr = M1.empno and E1.job = 'CLERK'
SQL> /

E_NAME     M_NAME
---------- ----------
JAMES      BLAKE
MILLER     CLARK
ADAMS      SCOTT
SMITH      FORD
```

2. WAQTD NAME OF THE EMPLOYEE AND MANAGER'S DESIGNATION IF MANAGER WORKS IN DEPT 10 OR 20 .

```
  1  select E1.ename AS E_NAME , M1.job
  2  from emp E1,emp M1
  3* where E1.mgr = M1.empno and M1.deptno in (10,20)
SQL> 'ed;
SP2-0042: unknown command "'ed" - rest of line ignored.
SQL> /

E_NAME     JOB
---------- ---------
FORD       MANAGER
SCOTT      MANAGER
MILLER     MANAGER
ADAMS      ANALYST
BLAKE      PRESIDENT
JONES      PRESIDENT
CLARK      PRESIDENT
SMITH      ANALYST

8 rows selected.
```

3. WAQTD NAME OF THE EMP AND MANAGERS SALARY IF EMPLOYEE AND MANAGER BOTH EARN MORE THAN 2300.

```
  1  select E1.ename AS E_NAME , M1.sal
  2  from emp E1,emp M1
  3* where E1.mgr = M1.empno and M1.sal > 2300 and E1.sal > 2300
SQL> /

E_NAME            SAL
---------- ----------
SCOTT            2975
FORD             2975
BLAKE            5000
JONES            5000
CLARK            5000
```

4. WAQTD EMP NAME AND MANAGER'S HIREDATE IF EMPLOYEE WAS HIRED BEFORE1982.

```
  1  select E1.ename AS E_NAME , M1.hiredate
  2  from emp E1,emp M1
  3* where E1.mgr = M1.empno and E1.hiredate < '01-JAN-1982'
SQL> /

E_NAME     HIREDATE
---------- ---------
SMITH      03-DEC-81
ALLEN      01-MAY-81
WARD       01-MAY-81
JONES      17-NOV-81
MARTIN     01-MAY-81
BLAKE      17-NOV-81
CLARK      17-NOV-81
TURNER     01-MAY-81
JAMES      01-MAY-81
FORD       02-APR-81

10 rows selected.
```

5. WAQTD EMP NAME AND MANAGER'S COMM IF EMPLOYEE WORKS AS SALESMAN AND MANAGER WORKS IN DEPT 30.

```
  1  select E1.ename AS E_NAME , M1.comm
  2  from emp E1,emp M1
  3* where E1.mgr = M1.empno and E1.job = 'SALESMAN' AND M1.deptno in 30
SQL> /

E_NAME           COMM
---------- ----------
ALLEN
TURNER
MARTIN
WARD
```

6. WAQTD EMP NAME AND MANAGER NAME AND THEIR SALARIES IF EMPLOYEE EARNS MORE THAN MANAGER.

```
  1  select E1.ename AS E_NAME ,M1.ename as M_NAME,E1.sal as E_SAL,M1.sal as M_SAL
  2  from emp E1,emp M1
  3* where E1.mgr = M1.empno and E1.sal >  M1.sal
SQL> /

E_NAME     M_NAME          E_SAL      M_SAL
---------- ---------- ---------- ----------
FORD       JONES            3000       2975
SCOTT      JONES            3000       2975
```

7. WAQTD EMP NAME AND HIREDATE, MANAGER NAME AND HIREDATE IF MANAGER WAS HIRED BEFORE EMPLOYEE.

```
  1  select E1.ename AS E_NAME ,E1.hiredate as E_HIREDATE,M1.ename as M_NAME,M1.hiredate as M_HIREDATE
  2  from emp E1,emp M1
  3* where E1.mgr = M1.empno and M1.hiredate <  E1.hiredate
SQL> /

E_NAME     E_HIREDAT M_NAME     M_HIREDAT
---------- --------- ---------- ---------
FORD       03-DEC-81 JONES      02-APR-81
SCOTT      19-APR-87 JONES      02-APR-81
TURNER     08-SEP-81 BLAKE      01-MAY-81
JAMES      03-DEC-81 BLAKE      01-MAY-81
MARTIN     28-SEP-81 BLAKE      01-MAY-81
MILLER     23-JAN-82 CLARK      09-JUN-81
ADAMS      23-MAY-87 SCOTT      19-APR-87

7 rows selected.
```

8. WAQTD EMP NAME AND MANAGER NAME IF BOTH ARE WORKING IN SAME JOB.

```
  1  select E1.ename AS E_NAME ,M1.ename as M_NAME
  2  from emp E1,emp M1
  3* where E1.mgr = M1.empno and M1.job = E1.job
SQL> /

no rows selected
```

9. WAQTD EMP NAME AND MANAGER NAME IF MANAGER IS WORKING AS ACTUAL MANAGER.

```
  1  select E1.ename AS E_NAME ,M1.ename as M_NAME
  2  from emp E1,emp M1
  3* where E1.mgr = M1.empno and M1.job = 'MANAGER'
SQL> /

E_NAME     M_NAME
---------- ----------
FORD       JONES
SCOTT      JONES
TURNER     BLAKE
ALLEN      BLAKE
WARD       BLAKE
JAMES      BLAKE
MARTIN     BLAKE
MILLER     CLARK

8 rows selected.
```

10. WAQTD EMP NAME AND MANAGER NAME ALONG WITH THEIR ANNUAL SALARIES IF EMPLOYEE WORKS IN DEPT 10 , 20 AND MANAGER'S SAL IS GREATERTHAN EMPLOYEES SALARY.

```
  1  select E1.ename AS E_NAME ,M1.ename as M_NAME,E1.sal*12 AS E_Annual_sal ,M1.sal*12 as M_Annual_sal
  2  from emp E1,emp M1
  3* where E1.mgr = M1.empno      and E1.deptno in (10,20) and M1.sal > E1.sal
SQL> /

E_NAME     M_NAME     E_ANNUAL_SAL M_ANNUAL_SAL
---------- ---------- ------------ ------------
MILLER     CLARK             15600        29400
ADAMS      SCOTT             13200        36000
CLARK      KING              29400        60000
JONES      KING              35700        60000
SMITH      FORD               9600        36000
```

11. WAQTD EMPLOYEE'S NAME AND MANAGER'S DESIGNATION FOR ALL THE EMPLOYEES.

```
  1  select E1.ename AS E_NAME ,M1.job as M_JOB
  2  from emp E1,emp M1
  3* where E1.mgr = M1.empno
SQL> /

E_NAME     M_JOB
---------- ---------
FORD       MANAGER
SCOTT      MANAGER
TURNER     MANAGER
ALLEN      MANAGER
WARD       MANAGER
JAMES      MANAGER
MARTIN     MANAGER
MILLER     MANAGER
ADAMS      ANALYST
BLAKE      PRESIDENT
JONES      PRESIDENT
CLARK      PRESIDENT
SMITH      ANALYST

13 rows selected.
```

12. WAQTD EMPLOYEE'S NAME AND MANAGER'S SALARY FOR ALL THE EMPLOYEES IF MANAGER'S SALARY ENDS WITH 50.

```
  1  select E1.ename AS E_NAME ,M1.sal as M_SAL
  2  from emp E1,emp M1
  3* where E1.mgr = M1.empno  and M1. sal like '%50'
SQL> /

E_NAME          M_SAL
---------- ----------
TURNER           2850
ALLEN            2850
WARD             2850
JAMES            2850
MARTIN           2850
MILLER           2450

6 rows selected.
```

ASSIGNMENT ON MULTIPLE JOIN CONDITIONS :

1. WAQTD EMPLOYEE NAME AND HIS MANAGER'S NAME AND MANAGER'S MANAGER NAME IF EMPLOYEE IS WORKING AS CLERK

```
  1  select E1.ename AS E_NAME ,M1.ename as M_NAME,MM1.ename as MM1_name
  2  from emp E1,emp M1,emp MM1
  3* where E1.mgr = M1.empno  and M1.mgr = MM1.empno and E1.job = 'CLERK'
SQL> /

E_NAME     M_NAME     MM1_NAME
---------- ---------- ----------
JAMES      BLAKE      KING
MILLER     CLARK      KING
ADAMS      SCOTT      JONES
SMITH      FORD       JONES
```

2. WAQTD EMPLOYEE NAME & HIS DNAME AND MANAGER'S DESIGNATION AND HIS LOCATION IF MANAGER WORKS IN DEPT 10 OR 20

```
  1  select E1.ename AS E_NAME ,ED1.dname as ED_NAME,M1.job as M1_JOB,MD1.LOC as M1_LOC
  2  from emp E1,emp M1,dept ED1,dept MD1
  3  where E1.mgr = M1.empno
  4        and E1.deptno = ED1.deptno
  5        and M1.deptno = MD1.deptno
  6*       and M1.deptno in (10,20)
SQL> /

E_NAME     ED_NAME        M1_JOB    M1_LOC
---------- -------------- --------- -------------
CLARK      ACCOUNTING     PRESIDENT NEW YORK
JONES      RESEARCH       PRESIDENT NEW YORK
BLAKE      SALES          PRESIDENT NEW YORK
MILLER     ACCOUNTING     MANAGER   NEW YORK
SMITH      RESEARCH       ANALYST   DALLAS
ADAMS      RESEARCH       ANALYST   DALLAS
SCOTT      RESEARCH       MANAGER   DALLAS
FORD       RESEARCH       MANAGER   DALLAS

8 rows selected.
```

3. WAQTD NAME OF THE EMP AND MANAGERS SALARY ALONG WITH MANAGER'S MANAGER HIREDATE IF MANAGER'S MANAGER EARN MORE THAN 2300

```
  1  select E1.ename AS E_NAME,M1.sal as M1_SAL,MM1.hiredate as MM1_HIREDATE
  2  from emp E1,emp M1,emp MM1
  3  where E1.mgr = M1.empno
  4        and M1.mgr = MM1.empno
  5*       and MM1.sal > 2300
SQL> /

E_NAME         M1_SAL MM1_HIRED
---------- ---------- ---------
SMITH            3000 02-APR-81
ALLEN            2850 17-NOV-81
WARD             2850 17-NOV-81
MARTIN           2850 17-NOV-81
SCOTT            2975 17-NOV-81
TURNER           2850 17-NOV-81
ADAMS            3000 02-APR-81
JAMES            2850 17-NOV-81
FORD             2975 17-NOV-81
MILLER           2450 17-NOV-81

10 rows selected.
```

4. WAQTD EMP NAME AND MANAGER'S HIREDATE IF EMPLOYEE WAS HIRED BEFORE 1982 AND MANAGER'S MANAGER IS NOT EARNING ANY COMMISSION.

```
  1  select E1.ename AS E_NAME,M1.hiredate as "M1HIREDATE"
  2  from emp E1,emp M1,emp MM1
  3  where E1.mgr = M1.empno
  4        and E1.hiredate < '01-JAN-1982'
  5        and M1.mgr = MM1.empno
  6*       and MM1.comm is null
SQL> /

E_NAME     M1HIREDAT
---------- ---------
SMITH      03-DEC-81
ALLEN      01-MAY-81
WARD       01-MAY-81
MARTIN     01-MAY-81
TURNER     01-MAY-81
JAMES      01-MAY-81
FORD       02-APR-81

7 rows selected.
```

5. WAQTD EMP NAME & HIS DEPT NAME AND MANAGERS NAME & HIS DNAME AND MANAGERS NAME & HIS DNAME WHERE MANAGER'S MANAGER EARNS MORE THAN MANAGER SALARY.

```
  1  select E1.ename AS E_NAME,ED1.dname as "E1 DNAME",M1.ename AS M1_NAME,MD1.dname as "M1 DNAME",MM1.ename AS MM1_NAME,MMD1.dname as "MMD1 DNAME"
  2  from emp E1,emp M1,emp MM1,dept ED1,dept MD1,dept MMD1
  3  where E1.mgr = M1.empno
  4        and M1.mgr = MM1.empno
  5        and E1.deptno = ED1.deptno
  6        and M1.deptno = MD1.deptno
  7        and MM1.deptno = MMD1.deptno
  8*       and MM1.sal > M1.sal
SQL> /

E_NAME     E1 DNAME       M1_NAME    M1 DNAME       MM1_NAME   MMD1 DNAME
---------- -------------- ---------- -------------- ---------- --------------
MILLER     ACCOUNTING     CLARK      ACCOUNTING     KING       ACCOUNTING
FORD       RESEARCH       JONES      RESEARCH       KING       ACCOUNTING
SCOTT      RESEARCH       JONES      RESEARCH       KING       ACCOUNTING
JAMES      SALES          BLAKE      SALES          KING       ACCOUNTING
TURNER     SALES          BLAKE      SALES          KING       ACCOUNTING
MARTIN     SALES          BLAKE      SALES          KING       ACCOUNTING
WARD       SALES          BLAKE      SALES          KING       ACCOUNTING
ALLEN      SALES          BLAKE      SALES          KING       ACCOUNTING

8 rows selected.
```