ASSIGNMENT ON SUBQUERY CASE-1 :

1. WAQTD NAME OF THE EMPLOYEES EARNING MORE THAN ADAMS.

```
SQL> SELECT ename
  2  FROM EMP
  3  WHERE sal > (SELECT sal
  4               FROM EMP
  5               WHERE ename = 'ADAMS');

ENAME
----------
ALLEN
WARD
JONES
MARTIN
BLAKE
CLARK
SCOTT
KING
TURNER
FORD
MILLER

11 rows selected.
```

2. WAQTD NAME AND SALARY OF THE EMPLOYEES EARNING LESS

   THAN KING.

```
  1  SELECT ename,sal
  2  FROM EMP
  3  WHERE sal < (SELECT sal
  4               FROM EMP
  5*              WHERE ename = 'KING')
SQL> /

ENAME             SAL
---------- ----------
SMITH             800
ALLEN            1600
WARD             1250
JONES            2975
MARTIN           1250
BLAKE            2850
CLARK            2450
SCOTT            3000
TURNER           1500
ADAMS            1100
JAMES             950
FORD             3000
MILLER           1300

13 rows selected.
```

3. WAQTD NAME AND DEPTNO OF THE EMPLOYEES IF THEY ARE WORKING IN THE SAME DEPT AS JONES.

```
  1  SELECT ename,deptno
  2  FROM EMP
  3  WHERE deptno =  (SELECT deptno
  4                  FROM EMP
  5*                 WHERE ename = 'JONES')
SQL> /

ENAME          DEPTNO
---------- ----------
SMITH              20
JONES              20
SCOTT              20
ADAMS              20
FORD               20
```

4. WAQTD NAME AND JOB OF ALL THE EMPLOYEES WORKING IN THE SAME DESIGNATION AS JAMES.

```
  1  SELECT ename,job
  2  FROM EMP
  3  WHERE job =  (SELECT job
  4                FROM EMP
  5*               WHERE ename = 'JAMES')
SQL> /

ENAME      JOB
---------- ---------
SMITH      CLERK
ADAMS      CLERK
JAMES      CLERK
MILLER     CLERK
```

5. WAQTD EMPNO AND ENAME ALONG WITH ANNUAL SALARY OF

ALL THEEMPLOYEES IF THEIR ANNUAL SALARY IS GREATER THAN

WARDS ANNUAL SALARY.

```
  1  SELECT ename,EMPNO,SAL * 12 AS ANNUAL_SAL
  2  FROM EMP
  3  WHERE SAL * 12 >  (SELECT SAL * 12
  4                FROM EMP
  5*               WHERE ename = 'WARD')
SQL> /

ENAME           EMPNO ANNUAL_SAL
---------- ---------- ----------
ALLEN            7499      19200
JONES            7566      35700
BLAKE            7698      34200
CLARK            7782      29400
SCOTT            7788      36000
KING             7839      60000
TURNER           7844      18000
FORD             7902      36000
MILLER           7934      15600

9 rows selected.
```

6. WAQTD NAME AND HIREDATE OF THE EMPLOYEES IF THEY ARE HIRED BEFORE SCOTT.

```
  1  SELECT ename,hiredate
  2  FROM EMP
  3  WHERE hiredate <  (SELECT hiredate
  4                FROM EMP
  5*               WHERE ename = 'SCOTT')
SQL> /

ENAME      HIREDATE
---------- ---------
SMITH      17-DEC-80
ALLEN      20-FEB-81
WARD       22-FEB-81
JONES      02-APR-81
MARTIN     28-SEP-81
BLAKE      01-MAY-81
CLARK      09-JUN-81
KING       17-NOV-81
TURNER     08-SEP-81
JAMES      03-DEC-81
FORD       03-DEC-81
MILLER     23-JAN-82

12 rows selected.
```

7. WAQTD NAME AND HIREDATE OF THE EMPLOYEES IF THEY ARE HIRED AFTER THE PRESIDENT.

```
  1  SELECT ename,hiredate
  2  FROM EMP
  3  WHERE hiredate > (SELECT hiredate
  4                     FROM EMP
  5*                    WHERE job = 'PRESIDENT')
SQL> /

ENAME      HIREDATE
---------- ---------
SCOTT      19-APR-87
ADAMS      23-MAY-87
JAMES      03-DEC-81
FORD       03-DEC-81
MILLER     23-JAN-82
```

8. WAQTD NAME AND SAL OF THE EMPLOYEE IF THEY ARE EARNING SAL LESS THAN THE EMPLOYEE WHOS EMPNO IS 7839.

```
  1   SELECT ename,sal
  2   FROM EMP
  3   WHERE sal < (SELECT sal
  4                      FROM EMP
  5*                    WHERE empno = 7839)
SQL> /

ENAME             SAL
---------- ----------
SMITH             800
ALLEN            1600
WARD             1250
JONES            2975
MARTIN           1250
BLAKE            2850
CLARK            2450
SCOTT            3000
TURNER           1500
ADAMS            1100
JAMES             950
FORD             3000
MILLER           1300

13 rows selected.
```

9. WAQTD ALL THE DETAILS OF THE EMPLOYEES IF THE EMPLOYEES ARE HIRED BEFORE MILLER.

```
  1   SELECT *
  2   FROM EMP
  3   WHERE hiredate < (SELECT hiredate
  4                     FROM EMP
  5*                    WHERE ename = 'MILLER')
SQL> /

     EMPNO ENAME      JOB              MGR HIREDATE         SAL       COMM     DEPTNO
---------- ---------- --------- ---------- --------- ---------- ---------- ----------
      7369 SMITH      CLERK           7902 17-DEC-80        800                    20
      7499 ALLEN      SALESMAN        7698 20-FEB-81       1600        300         30
      7521 WARD       SALESMAN        7698 22-FEB-81       1250        500         30
      7566 JONES      MANAGER         7839 02-APR-81       2975                    20
      7654 MARTIN     SALESMAN        7698 28-SEP-81       1250       1400         30
      7698 BLAKE      MANAGER         7839 01-MAY-81       2850                    30
      7782 CLARK      MANAGER         7839 09-JUN-81       2450                    10
      7839 KING       PRESIDENT            17-NOV-81       5000                    10
      7844 TURNER     SALESMAN        7698 08-SEP-81       1500          0         30
      7900 JAMES      CLERK           7698 03-DEC-81        950                    30
      7902 FORD       ANALYST         7566 03-DEC-81       3000                    20

11 rows selected.
```

10. WAQTD ENAME AND EMPNO OF THE EMPLOYEES IF EMPLOYEES

    ARE EARNING MORE THAN ALLEN.

```
  1   SELECT ename,empno
  2   FROM EMP
  3   WHERE sal > (SELECT sal
  4                FROM EMP
  5*               WHERE ename = 'ALLEN')
SQL> /

ENAME           EMPNO
---------- ----------
JONES            7566
BLAKE            7698
CLARK            7782
SCOTT            7788
KING             7839
FORD             7902

6 rows selected.
```

11. WAQTD ENAME AND SALARY OF ALL THE EMPLOYEES WHO ARE

    EARNING MORE THAN MILLER BUT LESS THAN ALLEN.

```
  1   SELECT ename,sal
  2   FROM EMP
  3   WHERE sal > (SELECT sal
  4                FROM EMP
  5                WHERE ename = 'MILLER') AND SAL < (SELECT sal
  6                                                   FROM EMP
  7*                                                  WHERE ename = 'ALLEN')
SQL> /

ENAME             SAL
---------- ----------
TURNER           1500
```

12. WAQTD ALL THE DETAILS OF THE EMPLOYEES WORKING IN DEPT

    20 AND WORKING IN THE SAME DESIGNATION AS SMITH.

```
  1   SELECT *
  2   FROM EMP
  3   WHERE deptno = 20 and job = (SELECT job
  4                                FROM EMP
  5*                               WHERE ename = 'SMITH')
SQL> /

     EMPNO ENAME      JOB              MGR HIREDATE         SAL       COMM     DEPTNO
---------- ---------- --------- ---------- --------- ---------- ---------- ----------
      7369 SMITH      CLERK           7902 17-DEC-80        800                    20
      7876 ADAMS      CLERK           7788 23-MAY-87       1100                    20
```

13. WAQTD ALL THE DETAILS OF THE EMPLOYEES WORKING AS

    MANAGER IN THE SAME DEPT AS TURNER.

```
  1   SELECT *
  2   FROM EMP
  3   WHERE job = 'MANAGER' and deptno = (SELECT deptno
  4                                FROM EMP
  5*                               WHERE ename = 'TURNER')
SQL> /

     EMPNO ENAME      JOB              MGR HIREDATE         SAL       COMM     DEPTNO
---------- ---------- --------- ---------- --------- ---------- ---------- ----------
      7698 BLAKE      MANAGER         7839 01-MAY-81       2850                    30
```

14. WAQTD NAME AND HIREDATE OF THE EMPLOYEES HIRED AFTER

    1980 AND BEFORE KING.

```
  1   SELECT ename,hiredate
  2   FROM EMP
  3   WHERE hiredate > '31-DEC-1980' and hiredate < (SELECT hiredate
  4                                                  FROM EMP
  5*                                                 WHERE ename = 'KING')
SQL> /

ENAME      HIREDATE
---------- ---------
ALLEN      20-FEB-81
WARD       22-FEB-81
JONES      02-APR-81
MARTIN     28-SEP-81
BLAKE      01-MAY-81
CLARK      09-JUN-81
TURNER     08-SEP-81

7 rows selected.
```

15. WAQTD NAME AND SAL ALONG WITH ANNUAL SAL FOR ALL

EMPLOYEES WHOS SAL IS LESS THAN BLAKE AND MORE THAN 3500.

```
  1   SELECT ename,sal,sal*12 as annual_sal
  2   FROM EMP
  3   WHERE sal < (SELECT sal
  4                    FROM EMP
  5*                  WHERE ename = 'BLAKE') and sal > 3500
SQL> /

no rows selected
```

16. WAQTD ALL THE DETAILS OF EMPLOYEES WHO EARN MORE THAN

    SCOTT BUT LESS THAN KING.

```
  1   SELECT *
  2   FROM EMP
  3   WHERE sal > (SELECT sal
  4                   FROM EMP
  5                  WHERE ename = 'SCOTT') and sal < (SELECT sal
  6                                                     FROM EMP
  7*                                                   WHERE ename = 'KING')
SQL> /

no rows selected
```

17. WAQTD NAME OF THE EMPLOYEES WHOSE NAME STARTS WITH

    'A' AND WORKS IN THE SAME DEPT AS BLAKE.

```
  1   SELECT ename
  2   FROM EMP
  3   WHERE ename like 'A%' and deptno =  (SELECT deptno
  4                                        FROM EMP
  5*                                        WHERE ename = 'BLAKE')
SQL> /

ENAME
----------
ALLEN
```

18. WAQTD NAME AND COMM IF EMPLOYEES EARN COMISSION AND

    WORK IN THE SAME DESIGNATION AS SMITH .

```
  1   SELECT ename,COMM
  2   FROM EMP
  3   WHERE comm is not NULL and job =  (SELECT job
  4                                          FROM EMP
  5*                                          WHERE ename = 'SMITH')
SQL> /

no rows selected
```

19. WAQTD DETAILS OF ALL THE EMPLOYEES WORKING AS CLERK IN

    THESAME DEPT AS TURNER.

```
  1   SELECT *
  2   FROM EMP
  3   WHERE job = 'CLERK' and deptno =  (SELECT deptno
  4                                          FROM EMP
  5*                                          WHERE ename = 'TURNER')
SQL> /

     EMPNO ENAME      JOB              MGR HIREDATE         SAL       COMM     DEPTNO
---------- ---------- --------- ---------- --------- ---------- ---------- ----------
      7900 JAMES      CLERK           7698 03-DEC-81        950                    30
```

20. WAQTD ENAME, SAL AND DESIGNATION OF THE EMPLOYEES WHOSE ANNUAL SALARY IS MORE THAN SMITH AND LESS THAN KING.

```
  1   SELECT ename,sal,job
  2   FROM EMP
  3   WHERE sal * 12 >  (SELECT sal * 12
  4                        FROM EMP
  5                         WHERE ename = 'SMITH') AND sal * 12 <  (SELECT sal * 12
  6                                                                  FROM EMP
  7*                                                                WHERE ename = 'KING')
SQL> /

ENAME             SAL JOB
---------- ---------- ---------
ALLEN            1600 SALESMAN
WARD             1250 SALESMAN
JONES            2975 MANAGER
MARTIN           1250 SALESMAN
BLAKE            2850 MANAGER
CLARK            2450 MANAGER
SCOTT            3000 ANALYST
TURNER           1500 SALESMAN
ADAMS            1100 CLERK
JAMES             950 CLERK
FORD             3000 ANALYST
MILLER           1300 CLERK

12 rows selected.
```

ASSIGNMENT ON SUBQUERY CASE-2 :

1. WAQTD DNAME OF THE EMPLOYEES WHOSE NAME IS SMITH.

```
  1  select dname
  2  from dept
  3  where deptno in (select deptno
  4                   from emp
  5*                  where ename = 'SMITH')
SQL> /

DNAME
--------------
RESEARCH
```

2. WAQTD DNAME AND LOC OF THE EMPLOYEE WHOSE ENAME IS KING.

```
  1  select dname,loc
  2  from dept
  3  where deptno in (select deptno
  4                   from emp
  5*                  where ename = 'KING')
SQL> /

DNAME          LOC
-------------- -------------
ACCOUNTING     NEW YORK
```

3. WAQTD LOC OF THE EMP WHOSE EMPLOYEE NUMBER IS 7902.

```
  1  select loc
  2  from dept
  3  where deptno in (select deptno
  4                   from emp
  5*                  where empno = 7902)
SQL> /

LOC
-------------
DALLAS
```

4. WAQTD DNAME AND LOC ALONG WITH DEPTNO OF THE EMPLOYEE WHOSE NAME ENDS WITH ‘R’.

```
  1  select dname,loc,deptno
  2  from dept
  3  where deptno in (select deptno
  4                   from emp
  5*                  where ename like '%R')
SQL> /

DNAME          LOC               DEPTNO
-------------- ------------- ----------
ACCOUNTING     NEW YORK              10
SALES          CHICAGO               30
```

5. WAQTD DNAME OF THE EMPLOYEE WHOSE DESIGNATION IS PRESIDENT.

```
  1  select dname
  2  from dept
  3  where deptno in (select deptno
  4                   from emp
  5*                  where job = 'PRESIDENT')
SQL> /

DNAME
--------------
ACCOUNTING
```

6. WAQTD NAMES OF THE EMPLOYEES WORKING IN ACCOUNTING DEPARTMENT .

```
  1  select ename
  2  from emp
  3  where deptno in (select deptno
  4                   from dept
  5*                  where dname = 'ACCOUNTING')
SQL> /

ENAME
----------
CLARK
KING
MILLER
```

7. WAQTD ENAME AND SALARIES OF THE EMPLOYEES WHO ARE WORKING IN THE LOCATION ‘CHICAGO’.

```
  1  select ename,SAL
  2  from emp
  3  where deptno in (select deptno
  4                   from dept
  5*                  where loc = 'CHICAGO')
SQL> /

ENAME             SAL
---------- ----------
WARD             1250
TURNER           1500
ALLEN            1600
JAMES             950
BLAKE            2850
MARTIN           1250

6 rows selected.
```

8. WAQTD DETAILS OF THE EMPLOYEES WORKING IN SALES.

```
  1  select *
  2  from emp
  3  where deptno in (select deptno
  4                   from dept
  5*                  where DNAME = 'SALES')
SQL> /

     EMPNO ENAME      JOB              MGR HIREDATE         SAL       COMM     DEPTNO
---------- ---------- --------- ---------- --------- ---------- ---------- ----------
      7521 WARD       SALESMAN        7698 22-FEB-81       1250        500         30
      7844 TURNER     SALESMAN        7698 08-SEP-81       1500          0         30
      7499 ALLEN      SALESMAN        7698 20-FEB-81       1600        300         30
      7900 JAMES      CLERK           7698 03-DEC-81        950                    30
      7698 BLAKE      MANAGER         7839 01-MAY-81       2850                    30
      7654 MARTIN     SALESMAN        7698 28-SEP-81       1250       1400         30

6 rows selected.
```

9. WAQTD DETAILS OF THE EMP ALONG WITH ANNUAL SALARY IF

EMPLOYEES ARE WORKING IN NEW YORK .

```
  1  select emp.*,sal * 12 as Annual_Sal
  2  from emp
  3  where deptno in (select deptno
  4                   from dept
  5*                  where loc = 'NEW YORK')
SQL> /

     EMPNO ENAME      JOB              MGR HIREDATE         SAL       COMM     DEPTNO ANNUAL_SAL
---------- ---------- --------- ---------- --------- ---------- ---------- ---------- ----------
      7782 CLARK      MANAGER         7839 09-JUN-81       2450                    10      29400
      7839 KING       PRESIDENT            17-NOV-81       5000                    10      60000
      7934 MILLER     CLERK           7782 23-JAN-82       1300                    10      15600
```

10. WAQTD NAMES OF EMPLOYEES WORKING IN OPERATIONS

DEPARTMENT.

```
  1  select ename
  2  from emp
  3  where deptno in (select deptno
  4                   from dept
  5*                  where dname = 'OPERATONS')
SQL> /

no rows selected
```

ASSIGNMENT ON SUBQUERY CASE-1& 2 :

1. WAQTD NAMES OF THE EMPLOYEES EARNING MORE THAN SCOTT IN ACCOUNTING DEPT.

```
  1  select ename
  2  from emp
  3  where sal > (select sal
  4               from emp
  5               where ename = 'SCOTT') and deptno in (select deptno
  6                                                     from dept
  7*                                                     where dname = 'ACCOUNTING')
SQL> /

ENAME
----------
KING
```

2. WAQTD DETAILS OF THE EMPLOYEES WORKING AS MANAGER IN

THE LOCATION CHICAGO.

```
  1  select *
  2  from emp
  3  where job = 'MANAGER' and deptno in (select deptno
  4                                       from dept
  5*                                      where LOC = 'CHICAGO')
SQL> /

     EMPNO ENAME      JOB              MGR HIREDATE         SAL       COMM     DEPTNO
---------- ---------- --------- ---------- --------- ---------- ---------- ----------
      7698 BLAKE      MANAGER         7839 01-MAY-81       2850                    30
```

3.WAQTD NAME AND SAL OF THE EMPLOYEES EARNING MORE THAN KING IN THE DEPT ACCOUNTING .

```
  1  select ENAME,SAL
  2  from emp
  3  where sal > (select sal
  4               from emp
  5               where ename = 'KING') and deptno in (select deptno
  6                                                     from dept
  7*                                                    where dname = 'ACCOUNTING')
SQL> /

no rows selected
```

4.WAQTD DETAILS OF THE EMPLOYEES WORKING AS SALESMAN IN THE DEPARTEMENT SALES.

```
  1  select *
  2  from emp
  3  where job = 'SALESMAN' and deptno in (select deptno
  4                                        from dept
  5*                                       where dname = 'SALES')
SQL> /

     EMPNO ENAME      JOB              MGR HIREDATE         SAL       COMM     DEPTNO
---------- ---------- --------- ---------- --------- ---------- ---------- ----------
      7499 ALLEN      SALESMAN        7698 20-FEB-81       1600        300         30
      7844 TURNER     SALESMAN        7698 08-SEP-81       1500          0         30
      7654 MARTIN     SALESMAN        7698 28-SEP-81       1250       1400         30
      7521 WARD       SALESMAN        7698 22-FEB-81       1250        500         30
```

5. WAQTD NAME , SAL , JOB , HIREDATE OF THE EMPLOYEES

WORKING IN OPERATIONS DEPARTMENT AND HIRED BEFORE KING.

```
  1  select ename,sal,job,hiredate
  2  from emp
  3  where deptno in (select deptno
  4                   from dept
  5                   where dname = 'OPERATIONS') AND hiredate < (select hiredate
  6                                                               from emp
  7*                                                              where ename = 'KING')
SQL> /

no rows selected
```

6.DISPLAY ALL THE EMPLOYEES WHOSE DEPARTMET NAMES ENDING 'S'.

```
  1  select ename
  2  from emp
  3  where deptno in (select deptno
  4                   from dept
  5*                  where dname LIKE '%S')
SQL> /

ENAME
----------
WARD
TURNER
ALLEN
JAMES
BLAKE
MARTIN

6 rows selected.
```

7. WAQTD DNAME OF THE EMPLOYEES WHOSE NAMES HAS CHARACTER ‘A’ IN IT .

```
  1  select dname
  2  from dept
  3  where deptno in (select deptno
  4                   from emp
  5*                  where ename LIKE '%A%')
SQL> /

DNAME
--------------
ACCOUNTING
RESEARCH
SALES
```

8. WAQTD DNAME AND LOC OF THE EMPLOYEES WHOSE SALARY IS RUPEES 800 .

```
  1  select dname,loc
  2  from dept
  3  where deptno in (select deptno
  4                   from emp
  5*                  where sal = 800)
SQL> /

DNAME          LOC
-------------- -------------
RESEARCH       DALLAS
```

9. WAQTD DNAME OF THE EMPLOYEES WHO EARN COMISSION.

```
  1  select dname
  2  from dept
  3  where deptno in (select deptno
  4                   from emp
  5*                  where comm is not null)
SQL> /

DNAME
--------------
SALES
```

10. WAQTD LOC OF THE EMPLOYEES IF THEY EARN COMISSION IN

DEPT 40.

```
  1  select loc
  2  from dept
  3  where deptno in (select deptno
  4                   from emp
  5*                  where comm is not null)  and deptno = 40
SQL> /

no rows selected
```