# CE 2012

1

# EE24BTECH11063 - Y.Harsha Vardhan Reddy

Q.1 to Q.5 carry 1	MARK EACH							
1) <b>Question Number: 1 Question Type : MCQ</b> Choose the appropriate word/phrase, out of the the sentence:	_	en below, to complete						
Apparent lifelessness dormant life.								
a) harbours b) leads to c) so	upports	d) affects						
2) Question Number: 2 Question Type: MCQ Fill in the blank with the correct idiom/phrase								
That boy from the town was a in the	sleepy village.							
a) dog out of forward b) sl	heep from the he	eap						
c) fish out of water d) b	ird from the floc	:k						
3) Question Number: 3 Question Type: MCQ Choose the statement where underlined word	_	<i>r</i> .						
<ul><li>a) When the teacher eludes to different author</li><li>b) When the thief keeps eluding the police, he</li><li>c) Matters that are difficult to understand, ider</li><li>d) Mirages can be <u>allusive</u>, but a better way to</li></ul>	e is being <u>elusive</u> ntify or remembe	er are <u>allusive</u> .						
4) <b>Question Number: 4 Question Type : MCQ</b> Tanya is older than Eric.	)							

Cliff is older than Tanya. Eric is older than Cliff.

If the first two statements are true, then the third statement is:

- a) True
- b) False
- c) Uncertain
- d) Data insufficient

#### 5) Question Number: 5 Question Type: MCQ

Five teams have to compete in a league, with every team playing every other team exactly once, before going to the next round. How many matches will have to be held to complete the league round of matches?

- a) 20
- b) 10
- c) 8

d) 5

Q.6 to Q.10 carry 2 marks each

#### 6) Question Number: 6 Question Type: MCQ

Select the appropriate option in place of the underlined part of the sentence.

Increased productivity necessary reflects greater efforts made by the employees.

- a) Increase in productivity necessary
- b) Increase productivity is necessary
- c) Increase in productivity necessarily
- d) No improvement required

## 7) Question Number: 7 Question Type: MCQ

Given below are two statements followed by two conclusions. Assuming these statements to be true, decide which one logically follows.

#### **Statements:**

- I. No manager is a leader.
- II. All leaders are executives.

#### **Conclusions:**

- I. No manager is an executive.
- II. No executive is a manager.
- a) Only conclusion I follows.
- b) Only conclusion II follows.
- c) Neither conclusion I nor II follows.
- d) Both conclusions I and II follow.

#### 8) Question Number: 8 Question Type: NAT

In the given figure 8 angle Q is a right angle, PS: QS = 3:1, RT: QT = 5:2 and PU: UR = 1:1. If the area of triangle QTS is  $20 \,\mathrm{cm}^2$ , then the area of triangle PQR in  $\mathrm{cm}^2$  is \_\_\_\_\_.




Fig. 8

#### 9) Question Number: 9 Question Type: MCQ

Right triangle PQR is to be constructed in the xy-plane so that the right angle is at P and line PR is parallel to the x-axis. The x and y coordinates of P, Q, and R are to be integers that satisfy the inequalities:  $-4 \le x \le 5$  and  $6 \le y \le 16$ . How many different triangles could be constructed with these properties?

- a) 110
- b) 1,100
- c) 9,900
- d) 10,000

#### 10) Question Number: 10 Question Type: MCQ

A coin is tossed thrice. Let X be the event that heads occur in each of the first two tosses. Let Y be the event that a tail occurs on the third toss. Let Z be the event that two tails occur in three tosses. Based on the above information, which one of the following statements is TRUE?

- a) X and Y are not independent
- b) Y and Z are dependent
- c) Y and Z are independent
- d) X and Z are independent

#### Q.11 to Q.35 carry 1 mark each

## 11) Question Number: 11 Question Type: NAT

Let  $T: \mathbb{R}^4 \to \mathbb{R}^4$  be a linear map defined by

$$T(x, y, z, w) = (x + z, 2x + y + 3z, 2y + 2z).$$
  
Then the rank of *T* is equal to \_\_\_\_\_

12)	<b>Ouestion</b>	Number:	12	<b>Ouestion</b>	Type	:	NAT
/	£			£	- 3 1		

Let M be a  $3 \times 3$  matrix and suppose that 1,2, and 3 are the eigenvalues of M. If  $M^{-1} = \frac{M^2}{\alpha} - M + \frac{11}{\alpha}I_3$  for some scalar  $\alpha \neq 0$ , then  $\alpha$  is equal to \_\_\_\_\_.

### 13) Question Number: 13 Question Type: NAT

Let M be a  $3 \times 3$  singular matrix and suppose that 2 and 3 are eigenvalues of M. Then the number of linearly independent eigenvectors of

$$M^3 + 2M + I_3$$
 is equal to \_\_\_\_\_.