

super

Search



## Super Capers: The Origins of Ed and the Missing Bullion

Rating: PG

A good guy with no powers joins a superhero team with no clue against a bad guy with no shame.

[View Reviews](#)



## Super 8

Rating: PG-13

During the summer of 1979, a group of friends witness a train crash and investigate subsequent unexplained events in their small town.

[View Reviews](#)

All Ratings

Search




## Super Fly

Rating: R

The daily routine of cocaine dealer Priest who wants to score one more super deal and retire.

[View Reviews](#)



## Super Demetrios

Rating:

In a surreal, parallel universe, Thessaloniki has its very own superhero: Super Demetrios. Posing as Dimitris Christoforidis, journalist for the Golden Jerusalem magazine, he fights for ...

[View Reviews](#)

**Beginning**  
**MERN Stack**  
**(MongoDB, Express,**  
**React, Node.js)**

**Greg Lim**

Copyright © 2021 Greg Lim

All rights reserved.

Copyright © 2021 by Greg Lim

All rights reserved.

No part of this book may be reproduced in any form or by any electronic or mechanical means including information storage and retrieval systems, without permission in writing from the author. The only exception is by a reviewer, who may quote short excerpts in a review.

First Edition: June 2021

## Table of Contents

### [Preface](#)

### [Chapter 1: Introduction](#)

### [Chapter 2: MongoDB Overview](#)

### [Chapter 3: Setting Up MongoDB Atlas Cloud Database](#)

### [Chapter 4: Adding Sample Data](#)

### [Chapter 5: Setting Up Our Node.js, Express Backend](#)

### [Chapter 6: Creating Our Backend Server](#)

### [Chapter 7: Creating the Movies Data Access Object](#)

### [Chapter 8: Creating the Movies Controller](#)

**[Chapter 9: Testing Our Backend API](#)**

**[Chapter 10: Leaving Movie Reviews](#)**

**[Chapter 11: Testing the Reviews API](#)**

**[Chapter 12: Route to Get a Single Movie and Its Ratings](#)**

**[React Frontend](#)**

**[Chapter 13: Introduction to React](#)**

**[Chapter 14: Create Navigation Header Bar](#)**

**[Chapter 15: Defining Our Routes](#)**

**[Chapter 16: MovieDataService: Connecting to the Backend](#)**

**[Chapter 17: MoviesList Component](#)**

**[Chapter 18: Movie Component](#)**

[Chapter 19: Listing Reviews](#)

[Chapter 21: Adding and Editing Reviews](#)

[Chapter 22: Deleting a Review](#)

[Chapter 23: Get Next Page's Results](#)

[Chapter 24: Get Next Page's Results – Search By Title and Rating](#)

[Chapter 25: Deploying Backend on Heroku](#)

[Chapter 26: Hosting and Deploying our React Frontend](#)

[About the Author](#)

# **Preface**

## **About this book**

In this book, we take you on a fun, hands-on and pragmatic journey to learning MERN stack development. You'll start building your first MERN stack app within minutes. Every chapter is written in a bite-sized manner and straight to the point as I don't want to waste your time (and most certainly mine) on the content you don't need. In the end, you will have the skills to create a Movies review app and deploy it to the Internet.

In the course of this book, we will cover:

The goal of this book is to teach you MERN stack development in a manageable way without overwhelming you. We focus only on the essentials and cover the material in a hands-on practice manner for you to code along.

## **Working Through This Book**

This book is purposely broken down into short chapters where the development process of each chapter will center on different essential topics. The book takes a practical hands on approach to learning through practice. You learn best when you code along with the examples in the book.

## **Requirements**

No previous knowledge on Node.js or React development is required, but you should have basic programming knowledge. It will be a helpful advantage if you could read through my Node, Express book and React book first which will provide you will better insight and deeper knowledge into the various technologies. But even if you have not done so, you should still be able to follow along.

## **Getting Book Updates**

To receive updated versions of the book, subscribe to our mailing list by sending a mail to [support@i-ducate.com](mailto:support@i-ducate.com). I try to update my books to use the latest version of software, libraries and will update the codes/content in this book. So, do subscribe to my list to receive updated copies!

## **Code Examples**

You can obtain the source code of the completed project at [www.greglim.co/p/mern](http://www.greglim.co/p/mern).

## **Acknowledgements**

Much of the Node.js's code structure in the backend portion is inspired by Beau Carnes's excellent MERN Stack course which you can find at



<https://youtu.be/mrHNSanmqQ4>.

# Chapter 1: Introduction

Welcome to Beginning MERN Stack! This book focuses on the key tasks and concepts to get you started to learn and build MERN stack applications in a faster pace. It is designed for readers who don't need all the details about MERN at this point in the learning curve but concentrate on what you really need to know.

So what's the MERN stack? The MERN stack is a popular stack of technologies for building a modern Single Page Application. MERN stands for MongoDB, Express, React and Node.js:

MERN is derived from the popular MEAN stack (MongoDB, Express, Angular, Node) where instead of using the Angular frontend framework, we use React. Another popular variant is the MEVN where we use Vue as the frontend. These frontends make up Single Page Applications (SPAs) which avoid reloading the page entirely and just fetches relevant portions of the page from the server to display new content.

## The App We Will Be Building

We will build a Movie reviews app which lets users view and search for movies. They can also log in and post reviews on the movies (fig. 1a, 1b, 1c).

super

Search



## Super Capers: The Origins of Ed and the Missing Bullion

Rating: PG

A good guy with no powers joins a superhero team with no clue against a bad guy with no shame.

[View Reviews](#)



## Super 8

Rating: PG-13

During the summer of 1979, a group of friends witness a train crash and investigate subsequent unexplained events in their small town.

[View Reviews](#)

All Ratings

Search




## Super Fly

Rating: R

The daily routine of cocaine dealer Priest who wants to score one more super deal and retire.

[View Reviews](#)



## Super Demetrios

Rating:

In a surreal, parallel universe, Thessaloniki has its very own superhero: Super Demetrios. Posing as Dimitris Christoforidis, journalist for the Golden Jerusalem magazine, he fights for ...

[View Reviews](#)

Figure 1a – Home Page with search functionality



## The Land Beyond the Sunset

A young boy, oppressed by his mother, goes on an outing in the country with a social welfare group where he dares to dream of a land where the cares of his ordinary life fade.

[Add Review](#)

## Reviews

123 reviewed on 2021-05-22T14:21:31.458Z

Classic movie

Jason reviewed on 2021-05-26T00:59:08.894Z

Awesome movie

[Edit](#)

[Delete](#)

Figure 1b – Movie page listing reviews

Movie Reviews [Movies](#) [Logout User](#)

Create Review

Enjoyed it!

Submit

## Figure 1c – Create Review

Users can see the list of reviews in a Movie's page and post/edit/delete their own review if they are logged in. They will not be able edit/delete other's reviews though. Through this app, we will learn a lot of concepts and solidify our Node.js, Express, React and MongoDB knowledge.

We will first talk about MongoDB and how to host our database in the cloud using MongoDB Atlas. We will then create the backend of the app using Node.js and Express. Our server will interact with the database using the native MongoDB JavaScript library. After that, we will create the frontend with React and connect the frontend to the backend to complete our MERN stack app. In the last chapter, we will deploy our Node, Express backend on Heroku, and React frontend on Netlify, to run both backend and frontend in the cloud.

So, the overall structure of our app will be:

We will begin by going through the MongoDB database layer in the next chapter.



## Chapter 2: MongoDB Overview

As indicated by the 'M' in MERN, we will use MongoDB as the backend database for our app. MongoDB is a NoSQL database. Before we talk about what is a NoSQL database, let's first talk about relational databases so that we can provide a meaningful contrast. If you have not heard of a relational database before, you can think of relational databases like spreadsheets where data is structured and each entry is generally a row in a table. Relational databases are generally controlled with SQL or Structured Query Language. Examples of popular relational databases are MySQL, SQL Server and PostgreSQL.

NoSQL databases in contrast are often called non-relational databases, where NoSQL means anything that isn't an SQL (see how it infers the popularity of SQL?). It might seem like NoSQL is a protest over SQL but it actually refers to a database not structured like a spreadsheet, i.e. less rigid than SQL databases.

The architecture of MongoDB is a NoSQL database which stores information in the form of collections and documents. MongoDB stores one or more collections. A collection represents a single entity in our app, for example in an e-commerce app, we need entities like categories, users, products. Each of these entities will be a single collection in our database.

If we were to map similar concepts in relational databases and MongoDB:

In MongoDB, a collection contains documents. A document is an instance of the entity containing the various relevant field values to represent the document. For example, a product document will contain title, description and price fields. Each field is a key-value pair e.g. price: 26, title: "Learning Node".

*Documents look a lot like JSON objects with various properties (though they are technically Binary JSON or BSON). An example of a collection-document tree is shown below:*

Database

Products collection

Product document

```
{  
  price: 26,  
  title: "Learning Node",  
  description: "Top Notch Development book",  
  expiry date: 27-3-2020  
}
```

Product document

...

Users collection

User document

```
{  
  username: "123xyz",  
  contact:  
  {
```

```
  phone: "123-456-7890",  
  email: "xyz@example.com"  
}  
}
```

User document

...

You can see in the above that we have a variety of relationships. A user has a username and contact. Within contact, you have phone and email. The BSON format provides for a wide variety of support for data types like strings, integers etc.

Let's create our database in the next chapter.

## Chapter 3: Setting Up MongoDB Atlas Cloud Database

The fastest and easiest way to get started with MongoDB is by using its cloud service MongoDB Atlas to host our database on the cloud. One way of setting up MongoDB is by running MongoDB on a local machine for development and testing. But MongoDB Atlas makes things a lot easier even if we are just doing a local project. Also, our entire backend and frontend will eventually be deployed to the cloud anyway.

First, sign up for a MongoDB Atlas account (<https://www.mongodb.com/download-center>). Under 'Deploy a free cluster', create a new account and click 'Get started free' (fig. 1).

# MongoDB Atlas

## Global Cloud Database

Deploy, operate, and scale a MongoDB database in the cloud with just a few clicks. Fully elastic and highly available by default, MongoDB Atlas is the easiest way to try out the latest version of the database, **MongoDB 4.0**.

- Secure from the start
- Fully managed backups
- Comprehensive monitoring and customizable alerts
- Easily migrate existing deployments with minimal downtime
- Cloud-only features, like real-time triggers and global clusters

[Click here](#) to learn more about MongoDB Atlas.



## No download necessary

### Deploy a free cluster now

✓ 8 characters minimum

✓ One number

✓ One letter

✓ One special character

☐ I agree to the [terms of service](#).


**Get started free**

## Figure 1

You will be brought to a 'Build a New Cluster' page. Under 'Global Cluster Configuration', choose 'AWS' as cloud provider (because they provide a free account without having to enter credit card details). Under 'North America', select 'North Virginia' where we can get a free tier for our MongoDB (fig. 2).

## Cloud Provider & Region

AWS, N. Virginia (us-east-1) ▼



Create a **free tier cluster** by selecting a region with **FREE TIER AVAILABLE** and choosing the **M0** cluster tier below.

★ recommended region ⓘ

### NORTH AMERICA

🇺🇸 N. Virginia (us-east-1) ★

FREE TIER AVAILABLE

🇺🇸 Ohio (us-east-2) ★

🇺🇸 N. California (us-west-1)

🇺🇸 Oregon (us-west-2) ★

FREE TIER AVAILABLE

🇨🇦 Montreal (ca-central-1)

### EUROPE

🇸🇪 Stockholm (eu-north-1) ★

🇮🇪 Ireland (eu-west-1) ★

FREE TIER AVAILABLE

🇬🇧 London (eu-west-2) ★

🇫🇷 Paris (eu-west-3) ★

🇩🇪 Frankfurt (eu-central-1) ★

FREE TIER AVAILABLE

### ASIA

🇭🇰 Hong Kong (ap-east-1) ★

🇯🇵 Tokyo (ap-northeast-1) ★

🇰🇷 Seoul (ap-northeast-2)

🇸🇬 Singapore (ap-southeast-1) ★

FREE TIER AVAILABLE

🇮🇳 Mumbai (ap-south-1)

FREE TIER AVAILABLE

## Figure 2

Next under 'Cluster Tier', choose the 'M0' free tier (fig. 3).



Cluster Tier

M0 Sandbox (Shared RAM, 512 MB Storage) ▼

Encrypted

Base hourly rate is for a MongoDB replica set with 3 data bearing servers.

**Shared** Clusters for development environments and low-traffic applications

Tier	RAM	Storage	vCPU	Base Price
✓ M0 Sandbox	Shared	512 MB	Shared	Free forever
M0 clusters are best for getting started, and are not suitable for production environments.				
100 max connections   Low network performance   100 max databases   500 max collections				
M2	Shared	2 GB	Shared	\$9 / MONTH
M5	Shared	5 GB	Shared	\$25 / MONTH

### Figure 3

The good thing about Amazon AWS is that we can experiment without having to worry about making unintentional mistakes and getting a huge bill from Amazon. When your website gets more popular with more users, you can then scale up at a later stage. Keep the other default options and select 'Create Cluster.' It will prompt you saying that it takes 7-10 minutes to set up everything on AWS (fig. 4).

## SANDBOX

Cluster0

Version 4.0.10

CONNECT

METRICS

COLLECTIONS

...

### INSTANCE SIZE

M0 Sandbox (General)

### REGION

AWS / N. Virginia (us-east-1)

### TYPE

Replica Set - 3 nodes

### LINKED STITCH APP

None Linked

**Your cluster is being created**

New clusters take between 7-10 minutes to provision.

## Figure 4

Next, in the left panel, under 'Security', click on 'Database Access' where you do not yet have a user. Create a database user by clicking on 'Add New User' (fig. 5) and provide him with 'Read and write to any database privileges'.

ATLAS

Clusters

Data Lake BETA

SECURITY

Database Access

Network Access

Advanced

PROJECT

Access Management

Activity Feed

Alerts 0

Settings

MongoDB Users

MongoDB Roles

+ ADD NEW USER

User Name ↕	Authentication Method ▲	MongoDB Roles	Actions
-------------	-------------------------	---------------	---------



# Create a database user

Set up database users, permissions, and authentication credentials in order to connect to your clusters.

## Figure 5

Next, under 'Security', 'Network Access', 'IP Whitelist', select 'Add IP Address' and choose 'allow access from anywhere' (fig. 6). This will allow our app to be accessible from anywhere in the Internet.

# Add Whitelist Entry

---

Add a whitelist entry using either CIDR notation or a single IP address. [Learn more.](#)

ADD CURRENT IP ADDRESS

ALLOW ACCESS FROM ANYWHERE

Whitelist Entry:

0.0.0.0/0

Comment:

Optional comment describing this entry

☐ Save as temporary whitelist

Cancel

Confirm

## Figure 6

We will later revisit the MongoDB site to retrieve the connection string to connect MongoDB and our Node.js backend. For now, let's add some sample data to our database.



## Chapter 4: Adding Sample Data

One thing great about MongoDB is when you want some dummy data to try things out, you don't have to painstakingly generate your own data. MongoDB provides a lot of sample data for us. In the MongoDB Cluster, click on the three dots '...' and select 'Load sample Dataset' (fig. 1). This will load a sample dataset into your cluster.

## SANDBOX

### Cluster0

Version 4.4.5

CONNECT

METRICS

COLLECTIONS

...

#### CLUSTER TIER

M0 Sandbox (General)

#### REGION

AWS / N. Virginia (us-east-1)

#### TYPE

Replica Set - 3 nodes

Edit Configuration

Command Line Tools

Load Sample Dataset

Terminate

## Figure 1

To see the sample data, click on 'Collections', and you see a list of sample databases e.g. 'sample\_mflix', 'sample\_analytics' (fig. 2).

- ▶ sample\_airbnb
- ▶ sample\_analytics
- ▶ sample\_geospatial
- ▶ **sample\_mflix**
- ▶ sample\_restaurants
- ▶ sample\_supplies
- ▶ sample\_training
- ▶ sample\_weatherdata

## Figure 2

In our app, we will use the 'sample\_mflix' data. sample\_mflix contains movies' data (fig. 3).

- ▶ sample\_airbnb
- ▶ sample\_analytics
- ▶ sample\_geospatial
- ▼ sample\_mflix
  - comments
  - movies
  - reviews
  - sessions
  - theaters
  - users
- ▶ sample\_restaurants
- ▶ sample\_supplies

**FILTER** {"filter": "example"}

## QUERY RESULTS 1-20 OF MANY

```

_id: ObjectId("573a1390f29313caabcd6223")
plot: "Gwen's family is rich, but her parents
> genres: Array
runtime: 65
> cast: Array
title: "The Poor Little Rich Girl"
fullplot: "Gwen's family is rich, but her pare
> languages: Array
released: 1917-03-05T00:00:00.000+00:00
> directors: Array
> writers: Array
> awards: Object
lastupdated: "2015-07-27 00:11:31.387000000"
year: 1917
> imdb: Object
> countries: Array
type: "movie"
> tomatoes: Object

```

### Figure 3

For example, in the first listing, we have the ‘The Poor Little Rich Girl’ movie. We have the movie’s runtime, title, plot, year and more. We will use these data in our app.

Having loaded our sample data, let’s start creating our backend in the next chapter.

## **Chapter 5: Setting Up Our Node.js, Express Backend**

In this chapter, we begin setting up the backend of our app with Node.js and Express. First, we will install Node.js. Go to [nodejs.org](https://nodejs.org) (fig. 1) and download the appropriate version for your Operating System.



[HOME](#)[ABOUT](#)[DOWNLOADS](#)[DOCS](#)[GET INVOLVED](#)[SECURITY](#)[CERTIFICATION](#)[NEWS](#)

Node.js® is a JavaScript runtime built on [Chrome's V8 JavaScript engine](#).

[#BlackLivesMatter](#)

[New security releases now available for 15.x, 14.x, 12.x and 10.x release lines](#)

## Download for macOS (x64)

**14.16.1 LTS**

Recommended For Most Users

**15.14.0 Current**

Latest Features

[Other Downloads](#) | [Changelog](#) | [API Docs](#)   [Other Downloads](#) | [Changelog](#) | [API Docs](#)

Or have a look at the [Long Term Support \(LTS\) schedule](#).

## Figure 1

Installation should be straightforward. Once Node.js has been installed, go to your Terminal and run:

```
node -v
```

This shows the version of Node that you installed e.g. v14.16.0 (at time of this book's writing).

### ***Creating the Backend folder***

In Terminal, in a location of your choice, create a folder called 'movie-reviews' e.g.:

```
mkdir movie-reviews
```

```
cd movie-reviews
```

In the movie-reviews folder, create a folder called 'backend':

```
mkdir backend
```

```
cd backend
```

In the backend folder, create a package.json file in the folder by running:

```
npm init
```

This will prompt a series of questions about our project (e.g. project name, author, version) to create package.json for us. You can of course manually create package.json on your own. But npm init saves us a bit of time when creating package.json files. For now, just press enter for all the questions and at the end, package.json (with the contents something like the below) will be generated for us.

```
{  
  "name": "backend",  
  "version": "1.0.0",  
  "description": "",  
  "main": "index.js",  
  "scripts": {  
    "test": "echo \"Error: no test specified\" && exit 1"  
  },  
  "author": "",  
  "license": "ISC"  
}
```

*package.json contains metadata about our Node project like the name, version and its authors.*

Next, install a few dependencies by running:

```
npm install express cors mongodb dotenv
```

As mentioned, Express is a framework that acts as a light layer atop the Node.js web server making it easier to develop Node.js web applications. It simplifies the APIs of Node.js, adds helpful features, helps organizes our application's functionality with middleware and routing and many others.

CORS stands for Cross-Origin Resource Sharing. By default, modern browsers don't allow frontend clients to talk to REST APIs. They block requests sent from clients to the server as a security mechanism to make sure that client-side browser JavaScript code can only talk to their own allowed server and not to some other servers which can potentially run malicious code. To circumvent this security mechanism, we can enable CORS checking, a mechanism that uses additional HTTP headers to tell browsers to give a web application running at one origin, access to selected resources from a different origin.

The cors package we are installing provides an Express middleware that can enable CORS with different options so we can make the right connections on the network.

The mongodb dependency allows us to interact with our MongoDB database.

The dotenv dependency loads environmental variables from the process.env file instead of setting environment variables on our development machine which simplifies development. We will understand this better when we create the process.env file later.

When installation of the above dependencies is finished, you will notice that a new property dependencies has been added to package.json.

```
{  
  "name": "backend",  
  "version": "1.0.0",  
  "description": "",  
  "main": "index.js",  
  "scripts": {  
    "test": "echo \"Error: no test specified\" && exit 1"  
  },  
  "author": "",  
  "license": "ISC",  
  "dependencies": {  
    "cors": "^2.8.5",  
    "dotenv": "^8.2.0",  
    "express": "^4.17.1",  
    "mongodb": "^3.6.6"
```

```
}
```

```
}
```

Dependencies contain the dependency packages and their version numbers. For example, we have Express version 4.17.1 (at time of book's writing). Each time we install a package, npm saves it here to keep track of the packages used in our app.

*npm install installs the specified packages into our app by fetching their latest versions and putting them in a folder called node\_modules. Open up the backend folder in a code editor of your choice. In this book, I will be using Visual Studio Code (<https://code.visualstudio.com/>).*

If you look at your app folder, the node\_modules folder will have been created for you (fig. 2). This is where custom dependencies are saved for our project.

✓ node\_modules

- > .bin
- > accepts
- > array-flatten
- > body-parser
- > bytes
- > content-disposition
- > content-type
- > cookie
- > cookie-signature
- > debug
- > depd
- > destroy
- > ee-first
- > encodeurl
- > escape-html
- > etag
- > **express**
- > finalhandler
- > forwarded

Figure 2

If you open and explore `node_modules`, you should be able to locate the installed packages. The reason why we see many other packages in `node_modules` is because our specified packages depend on these other packages and they were thus also installed. The file `package-lock.json` tracks the versions of all the dependencies of Express.

### ***Automatic Server Restart with nodemon***

Next, we will install a package called nodemon (<https://www.npmjs.com/package/nodemon>) that automatically detects code changes and restart the Node server so we don't have to manually stop and restart it whenever we make a code change. Install nodemon with the following command:

```
npm install -g nodemon
```

And nodemon will be installed globally to our system path.



## Chapter 6: Creating Our Backend Server

Now, its time to create the backend server! But before we do, because we are using ES6's import statement, add into package.json the below line:

```
{  
  "name": "backend",  
  "version": "1.0.0",  
  "description": "",  
  "main": "index.js",  
  "type": "module",  
  "scripts": {  
    "test": "echo \"Error: no test specified\" && exit 1"  
  },  
  ...  
}
```

That will use the import statements from ES6.

Now, in the backend folder, create a new file server.js with the following code:

```
import express from 'express'

import cors from 'cors'

import movies from './api/movies.route.js'

const app = express()

app.use(cors())

app.use(express.json())

app.use("/api/v1/movies", movies)

app.use('*', (req,res)=>{

res.status(404).json({error: "not found"})

})

export default app
```

### ***Code Explanation***

```
import express from 'express'

import cors from 'cors'

import movies from './api/movies.route.js'
```

We first import the express and cors middleware. We also import movie.route.js which is a separate file we will create later to store our routes. We then create the server with:

```
const app = express()
```

We attach the cors and express.json middleware that express will use with:

```
app.use(cors())
```

```
app.use(express.json())
```

*express.json is the JSON parsing middleware to enable the server to read and accept JSON in a request's body.*

Note: Middleware are functions that Express executes in the middle after the incoming request and before the output. Middlewares might make changes to the request and response objects. The use function registers a middleware with our Express app. With `app.use(express.json())`, the `express.json()` middleware let's us retrieve data from a request via the body attribute. We shall see this in code later on.

Without this middleware, data retrieval would be much more difficult.

We then specify the initial routes:

```
app.use("/api/v1/movies", movies)

app.use('*', (req,res)=>{

res.status(404).json({error: "not found"})

})
```

The general convention for API urls is to begin it with: /api/<version number>. And since our API is about movies, the main URL for our app will be i.e. localhost:5000/api/v1/movies. The subsequent specific routes are specified in the 2nd argument movies.

If someone tries to go to a route that doesn't exist, the wild card route `app.use('*')` returns a

404 page with the 'not found' message.

```
export default app
```

We then export app as a module so that other files can import it e.g. the file that accesses the database and starts the server. This allows us to separate our main server code from our database code.

## **Storing Environment Variables**

Before we create the file that connects to the database and starts the server, we will create the env file to store our environment variables. Create a new file .env.

This is where we will set the URI of our database. To get the URI, we have to go back to MongoDB Atlas. Once there, click on connect (fig. 1).

SANDBOX

 Cluster0

Version 4.4.5

CONNECT

METRICS

COLLECTIONS



## Figure 1

Under 'Choose a connection method', choose 'connect your application' and copy the URL (fig. 2).

## 2 Add your connection string into your application code

☐ Include full driver code example

```
mongodb+srv://newuser1:<password>@cluster0.vxjpr.mongodb.net/myFirstDatabase?  
  
retryWrites=true&w=majority
```





Figure 2

Go back to the .env file and declare a variable `MOVIEREVIEWS_DB_URI` and assign the copied URL to it as shown in the following code:

```
MOVIEREVIEWS_DB_URI=mongodb+srv://newuser1:pwd123@cluster0.vxjpr  
retryWrites=true&w=majority
```

Make sure in the connect string that you have filled in your own username (e.g. 'newuser1'), password (e.g. 'pwd123') and database name ('sample\_mflix').

We will create another two variables in .env:

```
MOVIEREVIEWS_NS=sample_mflix // our database name
```

```
PORT=5000 // starting port of server
```

## **Connecting to Database and Start Server - index.js**

Next in backend, create a new file `index.js`. In it, we will connect to the database and start the server. Fill in `index.js` with the following:

```
import app from './server.js'
```

```
import mongodb from "mongodb"
```

```
import dotenv from "dotenv"

async function main(){
  dotenv.config()

  const client = new mongodb.MongoClient(
    process.env.MOVIEREVIEWS_DB_URI
  )

  const port = process.env.PORT || 8000

  try {
    // Connect to the MongoDB cluster
    await client.connect()

    app.listen(port, () =>{
      console.log('server is running on port:'+port);
    })

  } catch (e) {
    console.error(e);
    process.exit(1)
  }
}
```

```
main().catch(console.error);
```

### ***Code Explanation***

```
import app from './server.js'  
  
import mongodb from "mongodb"  
  
import dotenv from "dotenv"
```

First, we import app that we have previously created and exported in server.js. We import mongodb to access our database and dotenv to access our environment variables.

```
async function main(){  
  
  ...  
  
}
```

We create an asynchronous function main() to connect to our MongoDB cluster and call functions that access our database.

In main, we call dotenv.config() to load in the environment variables.

```
const client = new  
mongodb.MongoClient(process.env.MOVIEREVIEWS_DB_URI)
```

In the above, we create an instance of MongoClient and pass in the database URI.

```
const port = process.env.PORT || 8000
```

We retrieve the port from our environment variable. If we can't access it, we use port 8000.

```
await client.connect()
```

In the try block, we then call client.connect to connect to the database. client.connect() returns a promise. We

use the await keyword to indicate that we block further execution until that operation has completed.

After connecting to the database and there are no errors, we then start our web server with:

```
app.listen(port, () =>{  
  console.log('server is running on port:' + port);  
})
```

*app.listen starts the server and listens via the specified port. The callback function provided in the 2nd argument is executed when the server starts listening. In our case, when the server starts, it logs a message 'server is running in port 5000' for example.*

We wrap our calls to functions that interact with the database in a try/catch statement so that we handle

any unexpected errors.

```
main().catch(console.error);
```

With the main() function implemented, we then call it and send any errors to the console.

We can then test the backend server. But first, we need to make a route.

### ***Creating our first route***

In the backend folder, create a new directory called api. In it, create a new file movies.route.js. We have referenced this in server.js. Fill it in with the following:

```
import express from 'express'
```

```
const router = express.Router() // get access to express router
```

```
router.route('/').get((req,res) => res.send('hello world'))
```

```
export default router
```

### ***Code Explanation***

*movies.route.js will contain routes that different people can go to. For now, we just have one route '/' acting as a demonstration. We will add more routes later. So, if you go to localhost:8000/api/v1/movies, you should get a response with 'hello world'. This is because in server.js, we imported movies.route.js and specified the following path:*

```
import movies from './api/movies.route.js'
```

```
...
```

```
app.use("/api/v1/movies", movies)
```

```
...
```

Thus, every route in movies will start with /api/v1/movies.

## ***Running our App***

In Terminal, cd to the backend directory and run nodemon server to test run your app and it should print out the message:

server is running on port:5000

If you didn't get any errors, it means you have successfully connected to the database (a common error is putting in a wrong password in the connection string). We are not accessing anything in the database yet, but we are at least connected to the database.

Note: You may see a deprecation warning something like:

“Warning: Current Server Discovery and Monitoring engine is deprecated, and will be removed in a future version. To use the new Server Discover and Monitoring engine, pass option { useUnifiedTopology: true } to the MongoClient constructor.”

It is fine to leave them there, but you can remove them by passing options to the MongoClient.

For example, you could instantiate MongoClient by adding:

```
new mongodb.MongoClient(  
  process.env.MOVIEREVIEWS_DB_URI,  
  { useNewUrlParser: true, useUnifiedTopology: true }  
)
```

See the Node.js MongoDB Driver API documentation for more information on these options.

Now, go to the browser and type in the URL `localhost:5000/api/v1/movies` and it should print out the following:





## Figure 1

This shows that our route is working. And if you enter any other URL, like `http://localhost:5000/123`, you will get the error:

```
{"error": "not found"}
```

Which is returned by the wild card route:

```
app.use('*', (req,res)=>{  
  res.status(404).json({error: "not found"})  
})
```

## Chapter 7: Creating the Movies Data Access Object

Next, we will implement the movies data access object to allow our code to access movie(s) in our database. So in backend directory, create a directory called dao (data access object).

In dao, create the file moviesDAO.js with the following code:

```
let movies
```

```
export default class MoviesDAO{
```

```
  static async injectDB(conn){
```

```
    if(movies){
```

```
      return
```

```
    }
```

```
    try{
```

```
      movies = await conn.db(process.env.MOVIEREVIEWS_NS)
```

```
      .collection('movies')
```

```
    }
```

```
    catch(e){
```

```
console.error(`unable to connect in MoviesDAO: ${e}`)

    }

}

}
```

### ***Code Explanation***

```
let movies
```

*movies stores the reference to the database.*

We then export the class MoviesDAO which contains an async method injectDB. injectDB is called as soon as the server starts and provides the database reference to movies.

```
if(movies){

    return

}
```

If the reference already exists, we return.

```
try{
```

```
movies = await conn.db(process.env.MOVIEREVIEWS_NS)
```

```
.collection('movies')  
  
}
```

Else, we go ahead to connect to the database name  
(process.env.MOVIEREVIEWS\_NS) and movies collection.

Lastly, if we fail to get the reference, we send an error message to the console.

```
catch(e){  
console.error(`unable to connect in MoviesDAO: ${e}`)  
}
```

## Retrieving Movies

We next define the method to get all movies from the database. Add to  
moviesDAO.js the below method:

```
static async getMovies({// default filter  
  
  filters = null,  
  
  page = 0,  
  
  moviesPerPage = 20, // will only get 20 movies at once
```

```
} = {}){  
  let query  
  if(filters){  
    if("title" in filters){  
      query = { $text: { $search: filters['title']}}  
    }else if("rated" in filters){  
      query = { "rated": { $eq: filters['rated']}}  
    }  
  }  
}
```

```
let cursor
```

```
try{
```

```
  cursor = await movies
```

```
    .find(query)
```

```
    .limit(moviesPerPage)
```

```
    .skip(moviesPerPage * page)
```

```
    const moviesList = await cursor.toArray()
```

```

        const totalNumMovies = await movies.countDocuments(query)

        return {moviesList, totalNumMovies}
    }

    catch(e){
console.error(`Unable to issue find command, ${e}`)

        return { moviesList: [], totalNumMovies: 0}

    }
}

```

### ***Code Explanation***

```

static async getMovies({// default filter

    filters = null,

    page = 0,

moviesPerPage = 20, // will only get 20 movies at once

    } = {}){

```

The `getMovies` method accepts a filter object as its first argument. The default filter has no filters, retrieves results at page 0 and retrieves 20 movies per page. In our app, we provide filtering results by movie title “title” and movie rating “rated” (e.g. ‘G’, ‘PG,’ ‘R’). So a filters object might look something like:

```

{

```

```
title: "dragon", // search titles with 'dragon' in it
rated: "G" // search ratings with 'G'
}
```

With the filters object, we then construct our query:

```
if(filters){
  if(filters.hasOwnProperty('title')){
    query = { $text: { $search: filters['title']}}
  }else if(filters.hasOwnProperty('rated')){ /
    query = { "rated": filters['rated']}
  }
}
```

We have a query variable which will be empty unless a user specifies filters in his retrieval, in which case we will put together a query. We first check if the filters object contains the property title with filters.hasOwnProperty('title') . If so, we use the \$text query operator together with \$search to search for movie titles containing the user specified search terms. \$text also allows us to query using multiple words by separating your words with spaces to query for documents that match any of the search terms (logical OR). E.g. “kill dragon”. You can find out more about \$text at:

<https://docs.mongodb.com/drivers/node/fundamentals/crud/read-operations/text/>

Importantly, we also have to later specify in MongoDB Atlas that we want to enable text searches on the title field. We will get to that later.



Queries are very powerful in MongoDB. We have showed the \$text operator. In the next filter where we check if user has specified the rated filter, we check if the user specified value is equal to the value in the database field query = { "rated": filters['rated'] }.

```
    let cursor

    try{

cursor = await movies

.find(query)

.limit(moviesPerPage)

.skip(moviesPerPage * page)

    const moviesList = await cursor.toArray()

    const totalNumMovies = await movies.countDocuments(query)

    return {moviesList, totalNumMovies}

    }

    catch(e){
```

```
console.error(`Unable to issue find command, ${e}`)  
  
    return { moviesList: [], totalNumMovies: 0}  
  
}
```

We then find all movies that fit our query and assign it to a cursor. If there is any error, we just return an empty moviesList and totalNumMovies to be 0.

Now, why do we need a cursor? Because our query can potentially match very large sets of documents, a cursor fetches these documents in batches to reduce both memory consumption and network bandwidth usage. Cursors are highly configurable and offer multiple interaction paradigms for different use cases. For example, we used the cursor's limit method to cap the number of documents returned as specified in moviesPerPage.

Additionally, we use the skip method together with limit. When skip and limit is used together, the skip applies first and the limit only applies to the documents left over after the skip.

This allows us to implement pagination later on in the frontend because we can retrieve a specific page's result. For e.g. if the specific page is 1, we skip 20 results first (moviesPerPage \* 1) and then retrieve the next 20 results. If the specified page is 2, we skip 40 results (moviesPerPage \* 2) and then retrieve the next 20 results.

```
const totalNumMovies = await movies.countDocuments(query)
```

We then get the total number of movies by counting the number of documents in the query and return moviesList and totalNumMovies in an object.

### ***Initialising MoviesDAO***

In index.js, add the below to import and get the reference to the moviesDAO file.

```
import app from './server.js'

import mongodb from "mongodb"

import dotenv from "dotenv"

import MoviesDAO from './dao/moviesDAO.js'
```

Next, add the line below:

```
async function main(){

...

  try {

    await client.connect()

    await MoviesDAO.injectDB(client)

  }

}

app.listen(port, () =>{
```

```
        console.log('server is running on port:'+port);  
    })  
}  
...
```

What this does is right after connecting to the database and just before we start the server, we call `injectDB` to get our initial reference to the movies collection in the database. In the next chapter, we will create `MoviesController` to access `MoviesDAO`.

## Chapter 8: Creating the Movies Controller

Next, we will create the movies controller that the route file will use to access the dao file. In the api folder, create a new file `movies.controller.js` with the following code:

```
import MoviesDAO from '../dao/moviesDAO.js'

export default class MoviesController{

  static async apiGetMovies(req,res,next){

    const moviesPerPage = req.query.moviesPerPage ?
    parseInt(req.query.moviesPerPage) : 20

    const page = req.query.page ? parseInt(req.query.page) : 0

    let filters = {}

    if(req.query.rated){
filters.rated = req.query.rated

    }

    else if(req.query.title){
filters.title = req.query.title
```

```
    }

    const { moviesList, totalNumMovies } = await
MoviesDAO.getMovies({filters, page, moviesPerPage})

    let response ={
movies: moviesList,

    page: page,

    filters: filters,
entries_per_page: moviesPerPage,
total_results: totalNumMovies,

    }
res.json(response)

}

}
```

### ***Code Explanation***

```
import MoviesDAO from '../dao/moviesDAO.js'
```

We first import the DAO.

```
static async apiGetMovies(req,res,next){  
  
    const moviesPerPage = req.query.moviesPerPage ?  
    parseInt(req.query.moviesPerPage) : 20  
  
    const page = req.query.page ? parseInt(req.query.page) : 0
```

When apiGetMovies is called via a URL, there will be a query string in the response object (req.query) where certain filter parameters might be specified and passed in through key-value pairs. For e.g. we have a URL:

<http://localhost:5000/api/v1/movies?title=dragon&moviesPerPage=15&page=0>

*req.query would return the following JavaScript object after the query string is parsed:*

```
{  
  
  title: "dragon",  
  
  moviesPerPage:"15",  
  
  page: "0"  
  
}
```

This is an example of what a query string look like. Later on when we can get our app running, you will get a more complete picture.

One of the query strings is moviesPerPage.

```
const moviesPerPage = req.query.moviesPerPage ?  
parseInt(req.query.moviesPerPage) : 20
```

We check if moviesPerPage exists, parse it into an integer. We do the same for the page query string.

```
let filters = {}
```

We then start with an empty filters object, i.e. no filters are applied at first.

```
if(req.query.rated){  
filters.rated = req.query.rated  
}  
else if(req.query.title){  
filters.title = req.query.title  
}
```

We then check if the rated query string exists, then add to the filters object. We do the same for title.



```
const { moviesList, totalNumMovies } = await MoviesDAO.getMovies({  
  filters,  
  page,  
  moviesPerPage  
})
```

We next call `getMovies` in `MoviesDAO` that we have just implemented. Remember that `getMovies` will return `moviesList` and `totalNumMovies`.

```
let response = {  
  movies: moviesList,  
  page: page,  
  filters: filters,  
  entries_per_page: moviesPerPage,  
  total_results: totalNumMovies,  
}  
res.json(response)
```

We then send a JSON response with the above response object to whoever calls this URL.

### ***Applying the Controller to our Route***

Having completed the controller, let's now apply it to our route. Go to `movies.route.js` and add:

```
import express from 'express'
```

```
import MoviesController from './movies.controller.js'
```

```
const router = express.Router()
```

```
router.route('/').get(MoviesController.apiGetMovies)
```

```
export default router
```

So each time there is a request for URL '/', i.e. `localhost:5000/api/v1/movies/`, we call `MoviesController.apiGetMovies`.

Let's test our backend API in the next chapter.

## Chapter 9: Testing Our Backend API

Now, let's test if our Node backend server can access the database. Go to the browser and type in the URL `http://localhost:5000/api/v1/movies` and it should send back movie results (fig. 1).

```
▼ {
  ▼ "movies": [
    ▼ {
      "_id": "573a1390f29313caabcd4135",
      "plot": "Three men hammer on an anvil and pass a bottle of beer around.",
      ▼ "genres": [
        "Short"
      ],
      "runtime": 1,
      ▼ "cast": [
        "Charles Kayser",
        "John Ott"
      ],
      "num_mflix_comments": 1,
      "title": "Blacksmith Scene",
      "fullplot": "A stationary camera looks at a large anvil with a blacksmith bellows. The smith draws a heated metal rod from the fire, places it on the anvil, and all three hammers. The metal goes back in the fire. One smith pulls out a bottle of beer, and they drink. The hammering resumes.",
      ▼ "countries": [
        "USA"
      ],
      "released": "1893-05-09T00:00:00.000Z",
      ▼ "directors": [
        "William K.L. Dickson"
      ],
      "rated": "UNRATED",
      ▼ "awards": {
        "wins": 1,
        "nominations": 0,
        "text": "1 win."
      },
    },
  ],
}
```

Figure 1

That means our app has successfully queried the database!

Now, we can test the API in our browser, but it is better to test our API with a tool called Insomnia. Go to <https://insomnia.rest/> and download the free Insomnia app (fig. 2).

# Download Insomnia


Start building, designing, testing better APIs through spec-first development driven by an APIOps CI/CD pipelines.

Download Insomnia for MacOS

By downloading and using Insomnia, I agree to the Privacy Policy and Terms.

What's New? Changelog

Not your OS? Download for Windows / Ubuntu or See all downloads.



## Figure 2

Insomnia helps us test APIs where we can send REST requests to our APIs directly.

Open Insomnia and make a GET request to `http://localhost:5000/api/v1/movies` (fig. 3).






Figure 3

You should be able to see the retrieved movies on the side (fig. 4).

200 OK

777 ms

25.6 KB

2 Minutes Ago ▾

Preview ▾

Header 8

Cookie

Timeline

```
1 {
2   "movies": [
3     {
4       "_id": "573a1390f29313caabcd4135",
5       "plot": "Three men hammer on an anvil and pass a bottle of beer around.",
6       "genres": [
7         "Short"
8       ],
9       "runtime": 1,
10      "cast": [
11        "Charles Kayser",
12        "John Ott"
13      ],
14      "num_mflix_comments": 1,
15      "title": "Blacksmith Scene",
16      "fullplot": "A stationary camera looks at a large anvil with a blacksmith behind it and one
on either side. The smith in the middle draws a heated metal rod from the fire, places it on the
anvil, and all three begin a rhythmic hammering. After several blows, the metal goes back in the
fire. One smith pulls out a bottle of beer, and they each take a swig. Then, out comes the
glowing metal and the hammering resumes.",
17      "countries": [
18        "USA"
19      ],
20      "released": "1893-05-09T00:00:00.000Z",
21      "directors": [
22        "William K.L. Dickson"
23      ],
24      "rated": "UNRATED",
25      "awards": {
26        "wins": 1,
27        "nominations": 0,
28        "text": "1 win."
29      },
30      "lastupdated": "2015-08-26 00:03:50.133000000",
31      "num_mflix_comments": 1
```

Figure 4

You can see the movie's properties like title, plot etc.

```
1 ▼ {  
2 ▶  "movies": [ ↵ 20 ↵ ],  
1113  "page": 0,  
1114  "filters": {},  
1115  "entries_per_page": 20,  
1116  "total_results": 23530  
1117 }
```

Figure 5

If you collapse the movies array, you can see the page, filters object, entries\_per\_page and total\_results property in the response as well (fig. 5). This is because back in movies.controller.js, we have defined the response in getMovies as:

```
...  
  
    let response = {  
        movies: moviesList,  
        page: page,  
        filters: filters,  
        entries_per_page: moviesPerPage,  
        total_results: totalNumMovies,  
    }  
  
    res.json(response)
```

The page, entries\_per\_page and total\_results properties will come in useful later when we implement pagination.

## ***Testing the Filters***

Next, let's test the URL with some filters. To apply filters, we add them to the URL query string. For e.g. to filter for movies with rating 'G', we send the following URL in a GET request:

`http://localhost:5000/api/v1/movies?rated=G` and make the request.

You will retrieve movies rated 'G'. And at the bottom, we also have the filters object, `entries_per_page: 20`, and `total_results: 407` (fig. 6).

```
1▼ {
2▶  "movies": [↵ 20 ↵ ],
1349  "page": 0,
1350▼ "filters": {
1351    "rated": "G"
1352  },
1353  "entries_per_page": 20,
1354  "total_results": 477
1355 }
```

## Figure 6

To filter for page 2, send a GET request to:

<http://localhost:5000/api/v1/movies?rated=G&page=2>

Search by title won't yet work as we have not yet set up the title index in MongoDB Atlas. To do so, go to MongoDB Atlas, and in the sample\_mflix database, movies collection, go to 'Indexes' (fig. 7):



+ Create Database

Q NAMESPACES

- db1
- products
- sample\_airbnb
- sample\_analytics
- sample\_geospatial
- sample\_mflix**
  - comments
  - movies**
  - sessions
  - theaters
  - users

# sample\_mflix.movies

COLLECTION SIZE: 35.88MB    TOTAL DOCUMENTS: 23530    INDEXES TOTAL SIZE: 13.49MB

Find    **Indexes**    Schema Anti-Patterns 0    Aggregation    Search Indexes 0

Name, Definition, and Type	Size	Usage	Properties
<div><div>_id</div><div><div>_id</div><div>REGULAR</div></div></div>	560.0KB	< 1/min since Thu May 6 2021	
<div><div>cast_text_fullplot_text_genres_text_ti...</div><div><div>_fts_ftsx</div><div>TEXT</div></div></div>	13.0MB	< 1/min since Thu May 6 2021	<div>COMPOUND</div> <div>SPARSE</div>

Figure 7

Select 'Create Index' and under 'Fields', enter:

```
{  
  "title": "text",  
}
```

## COLLECTION

`sample_mflix.movies`

## FIELDS

1	{
i 2	"title": "text",
3	}

## Figure 8

Select 'Confirm' and it will create our index to support text search queries on string content. So if you send a request:

`http://localhost:5000/api/v1/movies?title=Seven`

It will return movie results with Seven in its title.

## Chapter 10: Leaving Movie Reviews

Besides searching movies, users can leave reviews for them. So let's create the routes to post, put and delete reviews. post is for creating a review, put is for editing a review, and delete for deleting reviews. In the route file `movies.route.js`, add the routes as shown in bold:

```
import express from 'express'

import MoviesController from './movies.controller.js'

import ReviewsController from './reviews.controller.js'

const router = express.Router()

router.route('/').get(MoviesController.apiGetMovies)

router

  .route("/review")

    .post(ReviewsController.apiPostReview)

    .put(ReviewsController.apiUpdateReview)

    .delete(ReviewsController.apiDeleteReview)
```

```
export default router
```

### ***Code Explanation***

We import the ReviewsController which we will create later.

We then add a route '/review' which handles post, put and delete http requests all within this one route call. That is to say, if the '/review' route receives a post http request to add a review, we call apiPostReview. If '/review' receives a put http request to edit a review, call apiUpdateReview. And finally, if '/review' receives a delete http request to delete a review, call apiDeleteReview.

### **ReviewsController**

Next, let's create reviews.controller.js with the following code:

```
import ReviewsDAO from '../dao/reviewsDAO.js'
```

```
export default class ReviewsController{  
  static async apiPostReview(req,res,next){  
    try{  
      const movieId = req.body.movie_id
```

```
const review = req.body.review

const userInfo = {
  name: req.body.name,
  _id: req.body.user_id
}

const date = new Date()

const ReviewResponse = await ReviewsDAO.addReview(
movieId,
userInfo,
  review,
  date
)
res.json({ status: "success "})
  }catch(e){
res.status(500).json({ error: e.message})
  }
}
```

### ***Code Explanation***

```
import ReviewsDAO from '../dao/reviewsDAO.js'
```

We first import ReviewsDAO which we will create later. We then have the apiPostReview method:

```
const movieId = req.body.movie_id

const review = req.body.review

const userInfo = {
  name: req.body.name,
  _id: req.body.user_id
}
```

We get information from the request's body parameter. Previously in MoviesController, we got information from the request's query parameter as we extracted data from the URL e.g. req.query.title. This time, we retrieve the data from the body of the request. In the React frontend of the app (which we will implement later), we call this endpoint with something like:

```
axios.post("https://localhost:5000/api/v1/movies/review", data)
```

The data object generated in the frontend will look something like:

```
{
```



```
    review: "great movie",
    name: "john",
    user_id: "123",
    movie_id: "573a1390f29313caabcd6223"
}
```

*data will be passed in as the request's body. Thus, to retrieve each of the field values, we use req.body.movie\_id, req.body.review etc.*

```
    const ReviewResponse = await ReviewsDAO.addReview(
movieId,
userInfo,
    review,
    date
    )
```

We send the information to ReviewsDAO.addReview which we will create later.

...

```
res.json({ status: "success "})
    }catch(e){
```

```
res.status(500).json({ error: e.message})  
  
}
```

Finally, we return 'success' if the post works and an error if it didn't.

## **ReviewsController apiUpdateView**

We next create the apiUpdateReview method which is quite similar to the apiPostReview method.

```
static async apiUpdateReview(req,res,next){  
  try{  
    const reviewId = req.body.review_id  
    const review = req.body.review  
  
    const date = new Date()  
  
    const ReviewResponse = await ReviewsDAO.updateReview(  
reviewId,  
req.body.user_id,  
    review,
```

```

        date
    )

    var { error } = ReviewResponse
    if(error){
res.status.json({error})

    }

    if(ReviewResponse.modifiedCount === 0){

        throw new Error ("unable to update review. User may not be original
poster")

    }

res.json({ status: "success "})

    }catch(e){

res.status(500).json({ error: e.message})

    }

}

```

### ***Code Explanation***

Like apiPostReview, apiUpdateReview will be called by the frontend with a request like the below:

```
axios.put("https://localhost:5000/api/v1/movies/review", data)
```

We extract the movieId and review text similar to what we have done in posting a review.

```
const ReviewResponse = await ReviewsDAO.updateReview(  
  reviewId,  
  req.body.user_id,  
  review,  
  date  
)
```

We then call ReviewsDAO.updateReview and pass in user\_id to ensure that the user who is updating the view is the one who has created it.

```
if(ReviewResponse.modifiedCount === 0){  
  throw new Error ("unable to update review. user may not be original  
poster")  
}
```

*updateReview returns a document ReviewResponse which contains the property modifiedCount. modifiedCount contains the number of modified documents. We check modifiedCount to ensure that it is not zero. If it is, it means the review has not been updated and we throw an error.*

## ReviewsController apiDeleteView

We lastly have apiDeleteReview:

```
static async apiDeleteReview(req,res,next){  
  try{  
    const reviewId = req.body.review_id  
    const userId = req.body.user_id  
    const ReviewResponse = await ReviewsDAO.deleteReview(  
reviewId,  
userId,  
    )  
    res.json({ status: "success "})  
  }catch(e){  
    res.status(500).json({ error: e.message})  
  }  
}
```

Like apiPostReview and apiUpdateReview, we extract reviewId and userId. With userId, we ensure that the user deleting the view is the one who has created the view. Now, let's create ReviewsDAO.

## ReviewsDAO

In dao folder, create the file reviewsDAO.js with the following code:

```
import mongodb from "mongodb"
const ObjectId = mongodb.ObjectId

let reviews

export default class ReviewsDAO{
  static async injectDB(conn){
    if(reviews){
      return
    }
    try{
      reviews = await
conn.db(process.env.MOVIEREVIEWS_NS).collection('reviews')
    }
    catch(e){
      console.error(`unable to establish connection handle in reviewDAO: ${e}`)
```

```
    }  
  }  
}
```

### ***Code Explanation***

```
import mongodb from "mongodb"  
  
const ObjectId = mongodb.ObjectId
```

We import mongodb to get access to ObjectId. We need ObjectId to convert an id string to a MongoDB Object id later on.

```
    if(reviews){  
      return  
    }  
  
    try{  
      reviews = await  
conn.db(process.env.MOVIEREVIEWS_NS).collection('reviews')  
    }  
  }
```

For the rest of the code, notice that it is similar to MoviesDAO. If reviews is not filled, we then access the database reviews collection. Note that if the reviews

collection doesn't yet exist in the database, MongoDB automatically creates it for us.

### *Initiating ReviewsDAO in index.js*

We will also need to initiate ReviewsDAO as we did for MoviesDAO in index.js. In index.js, add in the below two lines:

```
import app from './server.js'

import mongodb from "mongodb"

import dotenv from "dotenv"

import MoviesDAO from './dao/moviesDAO.js'

import ReviewsDAO from './dao/reviewsDAO.js'


async function main(){

  ...

  try {

    await client.connect()

    await MoviesDAO.injectDB(client)

    await ReviewsDAO.injectDB(client)

  }

}

app.listen(port, () =>{
```



```
        console.log('server is running on port:'+port);
    })
}
...
}
main().catch(console.error);
```

### ***ReviewsDAO addReview***

In reviewsDAO.js, add in the addReview method for creating a review:

```
static async addReview(movieId, user, review, date){
    try{
        const reviewDoc = {
            name: user.name,
            user_id: user._id,
            date: date,
            review: review,
            movie_id: ObjectId(movieId)
        }
        return await reviews.insertOne(reviewDoc)
```

```

    }

    catch(e){
console.error(`unable to post review: ${e}`)

        return { error: e}

    }

}

```

We first create a reviewDoc document object. Note that for the movie\_id, we have to first convert the movieId string to a MongoDB object id. We then insert it into the reviews collection with insertOne.

### ***ReviewsDAO updateReview***

In reviewsDAO.js, add in the below updateReview method for editing a review:

```

static async updateReview(reviewId, userId, review, date){

    try{

        const updateResponse = await reviews.updateOne(

            {user_id: userId,_id: ObjectId(reviewId)},

            {$set:{review:review, date: date}}

        )

        return updateResponse
    }
}

```

```

    }

    catch(e){
console.error(`unable to update review: ${e}`)

        return { error: e}

    }
}

```

When calling `reviews.updateOne`, we specify the first argument `{user_id: userId, _id: ObjectId(reviewId)}` to filter for an existing review created by `userId` and with `reviewId`. If the review exists, we then update it with the second argument which contains the new review text and date.

### ***ReviewsDAO deleteReview***

In `reviewsDAO.js`, add in the below `deleteReview` method for deleting a review:

```

static async deleteReview(reviewId, userId){
    try{
        const deleteResponse = await reviews.deleteOne({
            _id: ObjectId(reviewId),
user_id: userId,

        })
    }
}

```

```
        return deleteResponse
    }

    catch(e){
console.error(`unable to delete review: ${e}`)

        return { error: e}
    }
}
```

When calling `reviews.deleteOne`, similar to `updateOne`, we specify `ObjectId(reviewId)` to look for an existing review with `reviewId` and created by `userId`. If the review exists, we then delete it.

## Chapter 11: Testing the Reviews API

To test the reviews API, first get an existing movie id. You can just send a get request to `http://localhost:5000/api/v1/movies` to retrieve all movies and then pick any movie id.

Next, make a post request to: `localhost:5000/api/v1/movies/review` and provide a review body something like:

```
{  
  "movie_id": "573a1390f29313caabcd4135",  
  "review": "great movie",  
  "user_id": "1234",  
  "name": "john"  
}
```

POST ▾ http://localhost:5000/api/v1/movies/review Send

JSON ▾

Auth ▾

Query

Header

1

Docs

```
1 {  
2   "movie_id": "573a1390f29313caabcd4135",  
3   "review": "great movie",  
4   "user_id": "1234",  
5   "name": "john"  
6 }  
7
```

## Figure 1

\*Note: Make sure that movie\_id is in a valid ObjectID format. Else, MongoDB will not accept it and will throw an error something like:

“Error: Argument passed in must be a single String of 12 bytes or a string of 24 hex characters”

Click ‘Send’ and you should get a status: success response. And if you go to MongoDB Atlas, your newly posted review should be in the reviews collection.

## ***Testing Edit***

Now let’s see if we can edit a review. We will need the review\_id of an existing review. With the review\_id, send a put request in Insomnia to localhost:5000/api/v1/movies/review

with a JSON object like:

```
{  
  "review_id": "60987656387806c22051bb67",  
  "review": "bad movie",  
  "user_id": "1234",  
  "name": "john"  
}
```

And if you go to MongoDB Atlas (you might need to refresh it), the review should be edited.

## ***Testing Delete***

Now, let's test the delete review endpoint. Send a delete request to `localhost:5000/api/v1/movies/review` with a JSON object like:

```
{  
  "review_id": "609879ea2c7565c289746500",  
  "user_id": "1234"  
}
```

And if you go to MongoDB Atlas and select refresh, the review will no longer exist.

So, we have tested our add, edit and delete review API endpoints!



## Chapter 12: Route to Get a Single Movie and Its Ratings

We are getting close to completing the back end. We just need to add two more routes, a route to get a specific movie (with its reviews) and a route to get all ratings. In the `movies.route.js` route file, add the two routes as shown:

...

```
router.route('/').get(MoviesController.apiGetMovies)
```

```
router.route("/id/:id").get(MoviesController.apiGetMovieById)
```

```
router.route("/ratings").get(MoviesController.apiGetRatings)
```

...

### *Code Explanation*

```
router.route("/id/:id").get(MoviesController.apiGetMovieById)
```

This route retrieves a specific movie and all reviews associated for that movie.

```
router.route("/ratings").get(MoviesController.apiGetRating)
```

This route returns us a list of movie ratings (e.g. 'G', 'PG', 'R') so that a user can select the ratings from a dropdown menu in the front end.

### *movies.controller.js*

Next, let's implement the `apiGetMovieById` and `apiGetRatings` methods in `MoviesController`. Add in the following two methods into `movies.controller.js`:

```
import MoviesDAO from '../dao/moviesDAO.js'

export default class MoviesController{
  ...

  static async apiGetMovieById(req,res, next){
    try{
      let id = req.params.id || {}

      let movie = await MoviesDAO.getMovieById(id)

      if(!movie){
        res.status(404).json({ error: "not found"})

        return
      }

      res.json(movie)
    }
  }
}
```

```

        catch(e){
            console.log(`api, ${e}`)
        }
    }
    res.status(500).json({error: e})
}

static async apiGetRatings(req,res,next){
    try{
        let propertyTypes = await MoviesDAO.getRatings()
        res.json(propertyTypes)
    }
    catch(e){
        console.log(`api,${e}`)
        res.status(500).json({error: e})
    }
}

```

### ***Code Explanation***

```
let id = req.params.id || {}
```

We first look for an id parameter which is the value after the '/' in a URL. E.g. localhost:5000/api/v1/movies/id/12345

Note the difference between a request query and parameter. In a query, there is a '?' after the URL followed by a key-value e.g. /api/v1/movies?title=dragon

In a parameter, it's the value after '/'.

```
    let movie = await MoviesDAO.getMovieById(id)

    if(!movie){
res.status(404).json({ error: "not found"})

        return

    }

res.json(movie)
```

We then call MoviesDAO.getMovieById which we will create later. The method returns us the specific movie in a JSON response. If there is no movie, we return an error.

The apiGetRatings is more straightforward. We do not have to feed in any parameters, but simply call MoviesDAO.apiGetRatings.

## **Implementing getMovieById and getRatings in MoviesDAO**

We will first implement `getRatings` in `moviesDAO.js` as it is more straightforward. Add the below method into `moviesDAO`:

```
static async getRatings(){
    let ratings = []
    try{
ratings = await movies.distinct("rated")
        return ratings
    }
    catch(e){
console.error(`unable to get ratings, ${e}`)
        return ratings
    }
}
```

We use `movies.distinct` to get all the distinct rated values from the `movies` collection. We then assign the results to the `ratings` array.

### ***getMovieById***

Next, let's implement `getMovieById` which can be a little complicated because other than getting the specific movie from the `movies` collection, we will also be

getting its related reviews from the reviews collection.

Add the below method and the import statement in bold into moviesDAO:

```
import mongodb from "mongodb"  
const ObjectId = mongodb.ObjectId  
  
let movies  
  
export default class MoviesDAO{  
...  
  static async getMovieById(id){  
    try{  
      return await movies.aggregate([  
        {  
          $match: {  
            _id: new ObjectId(id),  
          }  
        },  
        { $lookup:  
          {
```

```

        from: 'reviews',
    localField: '_id',
    foreignField: 'movie_id',
        as: 'reviews',
    }
}
    ).next()
}
    catch(e){
console.error(`something went wrong in getMovieById: ${e}`)
        throw e
    }
}
...

```

### ***Code Explanation***

We use aggregate to provide a sequence of data aggregation operations. In our case, the first operation is \$match, where we look for the movie document that matches the specified id.

Next, we use the \$lookup operator to perform an equality join using the \_id field

from the movie document with the movie\_id field from reviews collection.

The \$lookup stage has the following syntax:

```
{  
  $lookup:  
    {  
      from: <collection to join>,  
      localField: <field from the input document>,  
      foreignField: <field from the documents of the "from" collection>,  
      as: <output array field>  
    }  
}
```

This finds all the reviews with the specific movie id and returns the specific movie together with the reviews in an array.

*\$lookup is just one component of the MongoDB aggregation framework. MongoDB aggregations are very powerful but we will just touch a small part of this now.*

## ***Testing our App***

Now, let's test the two routes we have added into movies.route.js:



```
router.route("/id/:id").get(MoviesController.apiGetMovieById)
```

```
router.route("/ratings").get(MoviesController.apiGetRatings)
```

Let's first test the /ratings route. Send a GET request to:  
localhost:5000/api/v1/movies/ratings/.

You should get all the ratings returned:

```
[  
  "AO",  
  "APPROVED",  
  "Approved",  
  "G",  
  "GP",  
  "M",  
  "NC-17",  
  "NOT RATED",  
  "Not Rated",  
  "OPEN",  
  "PASSED",  
  "PG",  
  "PG-13",  
  "R",
```

```
"TV-14",  
"TV-G",  
"TV-MA",  
"TV-PG",  
"TV-Y7",  
"UNRATED",  
"X"  
]
```

We will later use this to populate the dropdown menu.

### ***Testing our app – Get Specific Movie***

Next, let's test the /id/:id route. Send a GET request to:

localhost:5000/api/v1/movies/id/573a1390f29313caabcd6223

(fill in your own movie id)

and you should get the specific movie data and the reviews array in the response too.

```
{
```

```
"_id": "573a1390f29313caabcd6223",
"plot": "..",
"genres": [
  "Comedy",
  "Drama",
  "Family"
],
"runtime": 65,
"cast": [
  "Mary Pickford",
  "Madlaine Traverse",
  "Charles Wellesley",
  "Gladys Fairbanks"
],
"title": "The Poor Little Rich Girl",
...
"reviews": [
  {
    "_id": "6098bdd132398dc6576a89a8",
    "name": "jason",
    "user_id": "1234",
```

```
"date": "2021-05-10T05:00:01.675Z",  
"review": "nice!",  
"movie_id": "573a1390f29313caabcd6223"  
},  
{  
  "_id": "6098bddf32398dc6576a89a9",  
  "name": "john",  
  "user_id": "1236",  
  "date": "2021-05-10T05:00:15.380Z",  
  "review": "bad!",  
  "movie_id": "573a1390f29313caabcd6223"  
}  
]  
}
```

If the reviews array is empty, create some reviews for the movie first by sending POST requests to localhost:5000/api/v1/movies/review/ and JSON objects to add the reviews e.g.

```
{  
  "movie_id": "573a1390f29313caabcd6223",  
  "review": "nice!",  
  "user_id": "1234",
```

```
"name":"jason",  
}  
  
{  
  "movie_id":"573a1390f29313caabcd6223",  
  "review":"bad!",  
  "user_id":"1236",  
  "name":"john"  
}
```

Send the GET request to get the specific movie again and you should get reviews populated in the response.

And that completes our backend implemented with Node and Express. All our routes work. So let's create our frontend and then connect it to our backend.

## React Frontend

## Chapter 13: Introduction to React


For those who have some experience with React, this section will be familiar to you. But even if you are new to React, you should still be able to follow along. If you are interested in digging into React details, you can check out my React book.

Before we go on further, let's explain briefly what is React. React is a framework released by Facebook for creating user interfaces with components. For example, if we want to build a storefront module like what we see on Amazon, we can divide it into three components. The search bar component, sidebar component and products component (fig. 1).


Search Bar

Side Bar


Product

Rating 

Product

Rating 

Product

Rating 

Product


Rating 



Figure 1

Components can also contain other components. For example, in products component where we display a list of products, we do so using multiple product components. Also, in each product component, we can have a rating component.

The benefit of such an architecture helps us to break up a large application into smaller manageable components. Plus, we can reuse components within the application or even in a different application. For example, we can re-use the rating component in a different application.

A React component contains a JSX template that ultimately outputs HTML elements. It has its own data and logic to control the JSX template. When the values of its data changes, React will update the concerned UI component.

Below is an example of a component that displays a simple string 'Products'.

```
import React from 'react';
```

```
function Products() {
```

```
  return (
```

```
    <div>
```

```
      <h2>
```

```
        Products
```

```
        </h2>

    </div>

    );
}

export default Products;
```

The function returns a React element in JSX syntax which determines what is displayed in the UI.

JSX is a syntax extension to Javascript. JSX converts to HTML when processed.

## **Creating the React Project folder**

We will create our initial React project by using ‘create-react-app’. ‘create-react-app’ (CRA) is the best way to start building a new React single page application. It sets up our development environment so that we can use the latest Javascript features and optimization for our app. It is a Command Line Interface tool that makes creating a new React project, adding files and other on-going development tasks like testing, bundling and deployment easier. It uses build tools like Babel and Webpack under the hood and provides a pleasant developer experience for us that we don’t have to do any manual configurations for it.

First, let’s go to our movie-reviews directory and in it, we will use create-react-app to create our React app. We can actually create a React app without installing CRA by running:

```
npx create-react-app <project name>
```

In our case, our project will be called frontend. So run:

```
npx create-react-app frontend
```

Note: The reason we are using npx is because create-react-app is a package expected to be run only once in our project. So it is more convenient to run it only once rather than downloading it on to our machine and then use it.

*create-react-app will create a directory 'frontend' containing the default React project template with all the dependencies installed. When the folder is created, navigate to it by typing in the Terminal:*

```
cd frontend
```

and then run:

```
npm start
```

Your browser will then show a moving React icon (fig. 1) which shows that React is loaded successfully.





Edit `src/App.js` and save to reload.

[Learn React](#)

Figure 1

## **Project File Review**

Now let's look at the project files that have been created for us. When you open the movie-reviews/frontend project folder in VScode editor, you will find a couple of files (fig. 2).

✓ MOVIE-REVIEWS

> backend

✓ frontend

> node\_modules

> public

✓ src

# App.css

JS App.js

JS App.test.js

# index.css

JS index.js

🖼 logo.svg

JS reportWebVitals.js

JS setupTests.js

📄 .gitignore

{ } package-lock.json

{ } package.json

📖 README.md

fig. 2

We will not go through all the files as our focus is to get started with our React app quickly, but we will briefly go through some of the more important files and folders.

Our app lives in the src folder. All React components, CSS styles, images (e.g. logo.svg) and anything else our app needs go here. Any other files outside of this folder are meant to support building your app (the app folder is where we will work 99% of the time!). In the course of this book, you will come to appreciate the uses for the rest of the library files and folders.

In the src folder, we have index.js which is the main entry point for our app. In index.js, we render the App React element into the root DOM node. Applications built with just React usually have a single root DOM node.

### *index.js*

```
import React from 'react';  
  
import ReactDOM from 'react-dom';  
  
import './index.css';  
  
import App from './App';  
  
import * as serviceWorker from './serviceWorker';
```



```
ReactDOM.render(  
  <React.StrictMode>  
    <App />  
  </React.StrictMode>,  
  document.getElementById('root')  
)  
  
serviceWorker.unregister();
```

In index.js, we import both React and ReactDOM which we need to work with React in the browser. React is the library for creating views. ReactDOM is the library used to render the UI in the browser. The two libraries were split into two packages for version 0.14 and the purpose for splitting is to allow for components to be shared between the web version of React and React Native, thus supporting rendering for a variety of platforms.

*index.js imports index.css, App component and serviceWorker with the following lines.*

```
import './index.css';  
  
import App from './App';  
  
import * as serviceWorker from './serviceWorker';
```

It then renders App with:

```
ReactDOM.render(  
  <React.StrictMode>  
    <App />  
  </React.StrictMode>,  
  document.getElementById('root')  
);
```

The last line `serviceWorker.unregister()` has comments:

```
// If you want your app to work offline and load faster, you can change  
// unregister() to register() below. Note this comes with some pitfalls.  
// Learn more about service workers: https://bit.ly/CRA-PWA
```

*serviceWorker.register() is meant to create progressive web apps (PWA) catered more for mobile React Native apps to work offline. This however is out of the scope of this book and we can safely leave the code as serviceWorker.unregister() for now.*

*App.js is the main React code that we display on the page.*

**App.js**

```
import logo from './logo.svg';
```

```
import './App.css';
```

```
function App() {
```

```
  return (
```

```
    <div className="App">
```

```
      <header className="App-header">
```

```
        <img src={logo} className="App-logo" alt="logo" />
```

```
        <p>
```

```
          Edit <code>src/App.js</code> and save to reload.
```

```
        </p>
```

```
        <a
```

```
          className="App-link"
```

```
          href="https://reactjs.org"
```

```
            target="_blank"
```

```
            rel="noopener noreferrer"
```

```
          >
```

```
            Learn React
```

```
        </a>
```

```
      </header>
```

```
    </div>

  );
}

export default App;
```

Note: any element that has an HTML class attribute is using `className` for that property instead of `class`. Since `class` is a reserved word in Javascript, we have to use `className` to define the class attribute of an HTML element.

In the above, we have a functional-based component called `App`. Every React application has at least one component: the root component, named `App` in `App.js`. The `App` component controls the view through the JSX template it returns:

```
return (

  <div className="App">

    ...

  </div>

);
```

A component has to return a single React element. In our case, `App` returns a single `<div />`. The element can be a representation of a native DOM component, such as `<div />`, or another composite component that you've defined yourself.

Components can either be functional based or class based. We will talk more on this later, but as a starter, what we have in App is a functional-based component as seen from its header function App().

## **Add React bootstrap framework:**

We will use React bootstrap to make our UI look more professional. React Bootstrap (<https://react-bootstrap.github.io>) is a library of reusable frontend components that contain JSX based templates to help build user interface components (like forms, buttons, icons) for web applications.

To install React bootstrap, in the Terminal, run:

```
npm install react-bootstrap bootstrap
```

## **React-Router-DOM**

We will next install react-router-dom to route different URLs to different pages in our React app. The React Router library interprets a browser URL as an instruction to navigate to various components.

We can bind the router to links on a page and it will navigate to the appropriate application view when the user clicks a link.

Install the react-router-dom library by executing the below in the Terminal:

```
npm install --save react-router-dom
```

### ***Test our App***

Now, let's make sure that everything is working so far. Fill in App.js with the below code.

```
import React from 'react'

import { Switch, Route, Link } from "react-router-dom"

import "bootstrap/dist/css/bootstrap.min.css"

function App() {

  return (

    <div className="App">

      Hello World

    </div>

  );

}
```

```
export default App;
```

### ***Code Explanation***

Switch, Route and Link are imported from the 'react-router-dom' library which help us create different URL routes to different components.

Bootstrap as mentioned earlier provides styling to our whole app.

And in the return method, we have a single and simple component with the message 'Hello World'.

### ***Test Run***

To test run our app, go to the frontend directory in the Terminal and run:

```
npm start
```

It will then open up localhost:3000 in your browser and print out the message 'Hello World' (fig. 3).






Figure 3

So our React app's running well. In the next chapter, we will create a navigation header bar in our app.

## Chapter 14: Create Navigation Header Bar

Let's add a navigation header bar which allows a user to select different routes to access different components in the main part of the page. We will start by creating some simple components and our router will load the different components depending on the URL route a user selects.

Let's first create a components folder in src (fig. 1).

✓ MOVIE-REV...   

> backend

✓ frontend

> node\_modules

> public

✓ src

> components

# App.css

JS App.js

JS App.test.js

# index.css

JS index.js

## Figure 1

In the components folder, we will create four new component files:

*movies-list.js – a component to list movies*

*movie.js – a component to list a single movie*

*add-review.js – component to add a review*

*login.js – login component*

Let's first have a simple boilerplate code for each component:

### ***movies-list.js***

```
import React from 'react'
```

```
function MoviesList() {
```

```
  return (
```

```
    <div className="App">
```

```
    Movies List
```

```
    </div>
```

```
);  
}
```

```
export default MoviesList;
```

### ***movie.js***

```
import React from 'react'
```

```
function Movie() {  
  return (  
    <div className="App">  
      Movie  
    </div>  
  );  
}
```

```
export default Movie;
```

### ***add-review.js***

```
import React from 'react'
```

```
function AddReview() {
```

```
  return (
```

```
    <div className="App">
```

```
      Add Review
```

```
    </div>
```

```
  );
```

```
}
```

```
export default AddReview;
```

### ***login.js***

```
import React from 'react'
```

```
function Login() {
```

```
  return (
```

```
    <div className="App">
```

```
      Login
```

```
    </div>

  );
}
```

```
export default Login;
```

We will later revisit the above components and implement them in greater detail.

Next in App.js, import the newly created components:

```
import React from 'react'

import { Switch, Route, Link } from "react-router-dom"

import "bootstrap/dist/css/bootstrap.min.css"

import AddReview from "./components/add-review"

import MoviesList from "./components/movies-list"

import Movie from "./components/movie"

import Login from "./components/login"
```

```
function App() {

  return (
```

```
<div className="App">

  Hello World

</div>

);

}

export default App;
```

## ***React-Bootstrap Navbar Component***

Next, we will grab a navbar component from React-Bootstrap (<https://react-bootstrap.github.io/components/navbar/> fig. 2)






Figure 2

Paste the markup into App.js by adding the following codes:

```
...  
import Nav from 'react-bootstrap/Nav'  
import Navbar from 'react-bootstrap/Navbar'  
...  
function App() {  
  return (  
    <div className="App">  
      <Navbar bg="light" expand="lg">  
        <Navbar.Brand href="#home">React-Bootstrap</Navbar.Brand>  
        <Navbar.Toggle aria-controls="basic-navbar-nav" />  
        <Navbar.Collapse id="basic-navbar-nav">  
          <Nav className="mr-auto">  
            <Nav.Link href="#home">Home</Nav.Link>  
            <Nav.Link href="#link">Link</Nav.Link>  
          </Nav>  
        </Navbar.Collapse>  
      </Navbar>  
    </div>  
  )  
}
```

```
      </Navbar>


    </div>

  );
}

export default App;
```

Bootstrap has different components that you can use. To use a component, go to the Bootstrap documentation (<https://react-bootstrap.github.io/>), copy the component's markup and update it for your own purposes.

Note that I have dropped the NavDropdown and Search form elements from the Navbar for simplicity. So we just have a basic bootstrap navbar. If you run the app now, it should give you something like in figure 3:



localhost:3000/#link

React-Bootstrap

Home

Link

Figure 3

In the current navbar, we have three links. The first is 'React-bootstrap' which is like the brand of the website. Sometimes, this would be a logo, image, or just some text. We will leave it as a text.

The other two are links to 'Home' and 'Link'. We will change 'Home' to 'Movies' and link it to '/movies'. We will remove 'Link' and replace it with 'Login' or 'Logout' depending on the user's login state.

So make the following changes in bold:

```
<Navbar bg="light" expand="lg">
  <Navbar.Brand>Movie Reviews</Navbar.Brand>
  <Navbar.Toggle aria-controls="basic-navbar-nav" />
  <Navbar.Collapse id="basic-navbar-nav">
    <Nav className="mr-auto">
      <Nav.Link>
        <Link to={"/movies"}>Movies</Link>
      </Nav.Link>
      <Nav.Link>
        { user ? (
```

```

      <a>Logout User</a>

    ): (

      <Link to={"/login"}>Login</Link>

    })

  </Nav.Link>

</Nav>

</Navbar.Collapse>

</Navbar>

```

### ***Code Explanation***

```

<Link to={"/movies"}>Movies</Link>

```

We use the Link component imported from react-router-dom. Link allows us to route to a different component. So when a user clicks on ‘Movies’, it will route to the movies component. The actual route definition will be implemented and explained in the next chapter.

```

{ user ? (

  <a>Logout User</a>

): (

  <Link to={"/login"}>Login</Link>

```

```
  )}
```

For the second link, if the user is not logged in, we will show 'Login' which links to the login component.

If the user is logged in, it will show 'Logout User' which will link to the logout component.

How do we achieve this conditional rendering? In React, we can use curly braces '{ }' to put in code. The code is a ternary statement where if its true, execute the section after the '?'. If false, execute the section after the colon ':'. For e.g. if you hardcode user to true, it will always show 'Logout User': e.g.

```
    { user true ? (  
      <a>Logout User</a>  
    ) : (  
      <Link to={"/login"}>Login</Link>  
    )}
```

Let's test our app now to see how it looks like. But before that, we need to enclose our Links in a BrowserRouter. To do so, in index.js, add:


```
import React from 'react';  
  
import ReactDOM from 'react-dom';  
  
import App from './App';
```

```
import {BrowserRouter} from 'react-router-dom';
```

```
ReactDOM.render(  
  <BrowserRouter>  
    <App />  
  </BrowserRouter>,  
  document.getElementById('root')  
);
```

And if you run your app, it should look like figure 4:





localhost:3000

Movie Reviews

Movies

Logout User

Figure 4

If you change user to false:

```
{ user false ? (  
  <a>Logout User</a>  
):(   
  <Link to={"/login"}>Login</Link>  
)}
```

it will show the Login link (fig. 5 ).

# Movie Reviews

Movies

Login

Figure 5

We should of course not leave it hard-coded as true or false. Make sure you change it back to user:

```
{ user ? (  
  <a>Logout User</a>  
): (  
  <Link to={"/login"}>Login</Link>  
)}
```

## ***Login Logout***

In this section, we will replace the hardcoding to reflect the actual login state of a user and also implement a preliminary login-logout function. Let's first declare a user state variable using React hooks by adding the below in App.js:

...

```
function App() {
```

```
  const [user, setUser] = React.useState(null)
```

```
  async function login(user = null){// default user to null
```

```
setUser(user)
```

```
}
```

```
async function logout(){
```

```
setUser(null)
```

```
}
```

```
return (
```

```
<div className="App">
```

```
...
```

```
<Nav.Link>
```

```
{ user ? (
```

```
<a onClick={logout}>Logout User</a>
```

```
): (
```

```
<Link to={"/login"}>Login</Link>
```

```
)}
```

```
</Nav.Link>
```

```
...
```

```
</div>
```

```
);
```

```
}
```

## ***Code Explanation***

```
const [user, setUser] = React.useState(null)
```

*React.useState is a 'hook' that lets us add some local state to functional components. useState declares a 'state variable'. React preserves this state between re-renders of the component. In our case, our state consists of a user variable to represent either a logged in or logged out state. When we pass null to useState, i.e. useState(null), we specify null to be the initial value for user.*

*useState returns an array with two values: the current state value and a function that lets you update it. In our case, we assign the current state user value to user, and the function to update it to setUser.*

```
    async function login(user = null){// default user to null
      setUser(user)
    }

    async function logout(){
      setUser(null)
    }
```

With login, we set the user state. The login function will be called from the Login component which we will implement and re-visit later.

```
{ user ? (  
  <a onClick={logout}>Logout User</a>  
): (  
  <Link to={"/login"}>Login</Link>  
)}
```

*logout() simply sets user to null.*

For our app, we won't be implementing a full login system as it is outside the scope of this book. But we have a preliminary login where you can update it with a full-fledged login using Google sign-in, Firebase, OAuth or other authentication providers.

## Chapter 15: Defining Our Routes

After the navbar section in App.js, add the route section by adding the below codes in bold:

```
<div className="App">

  <Navbar bg="light" expand="lg">

    ...

  </Navbar>

  <Switch>

    <Route exact path={['/', '/movies']} component={MoviesList}>
</Route>

    <Route path="/movies/:id/review" render={(props)=>
      <AddReview {...props} user={user} />
    }>

    </Route>

    <Route path="/movies/:id/" render={(props)=>
      <Movie {...props} user={user} />
    }>
```



```
    </Route>

    <Route path="/login" render={(props)=>

      <Login {...props} login={login} />

    }>

    </Route>

  </Switch>

</div>
```

## ***Code Explanation***

We use a Switch component to switch between different routes. The Switch component renders the first route that matches.

```
<Route exact path={['/', '/movies']} component={MoviesList}>

</Route>
```

We first have the exact path route. If the path is “/” or “/movies”, show the MoviesList component.

```
<Route path="/movies/:id/review" render={(props)=>

  <AddReview {...props} user={user} />

}>
```

We then have the route for `"/movies/:id/review"`. Note that we use `render` instead of `component` because `render` allows us to pass in props into a component rendered by React Router. In this case, we are passing `user` (the logged-in user information) as props to the `AddReview` component. We can pass data into a component by passing in a object called props.

We will see later how props work when we implement the `AddReview` component.

We then next have the routes for a specific movie `"/movies/:id/"` and `"/login"` to render the `Movie` and `Login` component respectively.

```
<Route path="/login" render={ (props)=>
  <Login {...props} login={login} />
}>
```

Note that the login route passes in the `login` function as a prop:

```
  async function login(user = null){ // default user to null
    setUser(user)
  }
```

This allows the `login` function to be called from the `Login` component and thus

populate the user state variable as we will see later.

## ***Testing our Routes***

If you run your React frontend now and click on the different links in the navbar, you will see the different components being rendered (fig. 1).

# Movie Reviews

[Movies](#)

[Login](#)

## Movies List

Figure 1

## Chapter 16: MovieDataService: Connecting to the Backend

To retrieve the list of movies from the database, we will need to connect to our backend server. We will create a service class for that. A service is a class with a well-defined specific function your app needs. In our case, our service is responsible for talking to the backend to get and save data. Service classes provide their functionality to be consumed by components. We will cover components in the next chapter.

Under src, create a new folder called services. In services, create a new file movies.js with the following code:

```
import axios from "axios";

class MovieDataService{

  getAll(page = 0){

    return axios.get(`http://localhost:5000/api/v1/movies?page=${page}`)

  }

  get(id){

    return axios.get(`http://localhost:5000/api/v1/movies/id/${id}`)

  }

}
```

```
find(query, by = "title", page = 0){  
  return axios.get(  
    `http://localhost:5000/api/v1/movies?${by}=${query}&page=${page}`  
  )  
}
```

```
createReview(data){  
  return axios.post("http://localhost:5000/api/v1/movies/review", data)  
}
```

```
updateReview(data){  
  return axios.put("http://localhost:5000/api/v1/movies/review", data)  
}
```

```
deleteReview(id, userId){  
  return axios.delete(  
    "http://localhost:5000/api/v1/movies/review",  
    {data:{review_id: id, user_id: userId}}  
  )  
}
```

```
getRatings(){  
  return axios.get("http://localhost:5000/api/v1/movies/ratings")  
}
```

```
}  
  
}  
  
export default new MovieDataService()
```

### ***Code Explanation***

```
import axios from "axios"
```

We use a library called axios for sending get, post, put and delete request. Let's first install axios by running in Terminal:

```
npm install axios
```

The class MovieDataService contains functions which make the API calls to the backend endpoints we have implemented and return the results.

```
getAll(page = 0){  
  
    return axios.get(`http://localhost:5000/api/v1/movies?page=${page}`)  
  
}
```

*getAll returns all the movies for a particular page (default page request is 0). We put the API URL into the axios.get method. This endpoint is served by the method apiGetMovies in MoviesController (refer to chapter 8).*



```
get(id){  
  
  return axios.get(`http://localhost:5000/api/v1/movies/id/${id}`)  
  
}
```

*get(id) gets the specific movie with the supplied id. This endpoint is served by the method `apiGetMovieById` in `MoviesController` (refer to chapter 12).*

```
find(query, by = "title", page = 0){  
  
  return axios.get(  
  
    `http://localhost:5000/api/v1/movies?${by}=${query}&page=${page}`  
  
  )  
  
}
```

*find() connects to the same endpoint as `getAll` except that it has `query` which consists of the user-entered search title, ratings (e.g. 'G') and page number.*

The remaining four methods are for creating, updating and deleting a review and to get all ratings. We will later revisit the entire flow from the frontend to the backend after implementing the React frontend.

## Chapter 17: MoviesList Component

Let's now implement the MoviesList component to consume the functionality in MovieDataService. Components are meant to be responsible for mainly rendering views supported by application logic for better user experience. They don't fetch data from the backend but rather delegate such tasks to services.

We will carry on implementing our MoviesList component. Fill in the below code into movies-list.js:

```
import React, {useState, useEffect } from 'react'

import MovieDataService from "../services/movies"

import { Link } from "react-router-dom"

const MoviesList = props => {

  const [movies, setMovies] = useState([])

  const [searchTitle, setSearchTitle] = useState("")

  const [searchRating, setSearchRating] = useState("")

  const [ratings, setRatings] = useState(["All Ratings"])

}
```

### ***Code Explanation***

```
import React, {useState, useEffect } from 'react'

import MovieDataService from "../services/movies"

import { Link } from "react-router-dom"
```

We import useState to create a series of state variables. We import useEffect (which we will describe later) and also import MovieDataService and Link.

```
const MoviesList = props => {

  const [movies, setMovies] = useState([])

  const [searchTitle, setSearchTitle] = useState("")

  const [searchRating, setSearchRating] = useState("")

  const [ratings, setRatings] = useState(["All Ratings"])=

}
```

*MoviesList is a functional component and receives and uses props. We use the React useState hook to create the movies, searchTitle, searchRating and ratings state variables. The searchTitle and searchRating state variables keep track of what a user has entered into the search form fields in the Movies List page.*

Note that movies is default set to an empty array useState([]). ratings is by default set to an array with a value “All Ratings”. This is because when a user first comes to the Movies List search form, the default value for search by ratings is ‘All Ratings’ i.e. useState(["All Ratings"]). searchTitle and searchRating are default set to an empty string, useState("").

## *useEffect to retrieveMovies and Ratings*

Next, we add the useEffect hook and the retrieveMovies and retrieveRatings methods as shown:

...

```
const MoviesList= props => {  
  const [movies, setMovies] = useState([])  
  const [searchTitle, setSearchTitle] = useState("")  
  const [searchRating, setSearchRating] = useState("")  
  const [ratings, setRatings] = useState(["All Ratings"])
```

```
  useEffect(() =>{  
    retrieveMovies()  
    retrieveRatings()  
  },[])
```

```
  const retrieveMovies = () =>{  
    MovieDataService.getAll()  
      .then(response =>{
```

```
        console.log(response.data)
    setMovies(response.data.movies)
    })
    .catch( e =>{
        console.log(e)
    })
}
```

```
const retrieveRatings = () =>{
    MovieDataService.getRatings()
        .then(response =>{
            console.log(response.data)
        })
    }
```

```
//start with 'All ratings' if user doesn't specify any ratings
setRatings(["All Ratings"].concat(response.data))
    })
    .catch( e =>{
        console.log(e)
    })
}
```

## ***Code Explanation***

```
useEffect(() =>{  
  retrieveMovies()  
  retrieveRatings()  
  },[])
```

The `useEffect` hook is called after the component renders. So if we want to tell the component to perform some code after rendering, we include it here. In our case, after the component renders, we want to retrieve movies and ratings.

\*Note that it is important that we specify an empty array in the second argument of `useEffect`. When we do so, `useEffect` is called only once when the component first renders. Without the second argument, `useEffect` is run on every render of the component which we do not want since this will call `retrieveMovies` and `retrieveRatings` multiple times unnecessarily. We will later revisit `useEffect` to be called whenever the state changes.

```
const retrieveMovies = () =>{  
  MovieDataService.getAll()  
    .then(response =>{  
      console.log(response.data)  
      setMovies(response.data.movies)  
    })
```

```
.catch( e =>{  
  console.log(e)  
})  
}
```

*retrieveMovies calls MovieDataService.getAll() which if you remember, has the following implementation:*

```
getAll(page = 0){  
  return http.get(`  
    localhost://localhost:5000/api/v1/movies?page=${page}`  
  )  
}
```

*getAll returns a promise with the movies retrieved from the database and we set it to the movies state variable with setMovies(response.data.movies).*

```
const retrieveRatings = () =>{  
  MovieDataService.getRatings()  
    .then(response =>{  
      console.log(response.data)  
      setRatings(["All Ratings"].concat(response.data))  
    })  
}
```

```
    })  
    .catch( e => {  
        console.log(e)  
    })  
}
```

In a similar fashion, `retrieveRatings` calls `MovieDataService.getRatings` to get the list of distinct ratings from the database. We however concat the response data to the [“All Ratings”] array. In case the user doesn’t specify any search criteria in the ‘ratings’ drop down menu, it will be set to ‘All Ratings’.

## ***Creating the Search Form***

Now, let’s get down to creating the search movies form where a user can search by title or ratings. We will first implement the below two methods, `onChangeSearchTitle` and `onChangeSearchRating`. So add it to the bottom of `movies-list.js`:

```
const onChangeSearchTitle = e => {  
    const searchTitle = e.target.value  
    setSearchTitle(searchTitle);  
}
```



```
const onChangeSearchRating = e => {  
    const searchRating = e.target.value  
    setSearchRating(searchRating);  
}
```

*onChangeSearchTitle* will be called whenever a user types into the search title field. *onChangeSearchTitle* will then take the entered value and set it to the component state. *onChangeSearchRating* works in the same fashion.

## Form JSX Markup

Now, let's get the JSX for a simple form from the React bootstrap site (<https://react-bootstrap.netlify.app/components/forms/>) and put it into `movies-list.js`. It will look something like:

```
import ...  
  
import Form from 'react-bootstrap/Form';  
import Button from 'react-bootstrap/Button';  
import Col from 'react-bootstrap/Col';  
import Row from 'react-bootstrap/Row';  
import Container from 'react-bootstrap/Container';  
  
const MoviesList= props => {
```

...

```
return (  
  <div className="App">  
    <Container>  
      <Form>  
        <Row>  
          <Col>  
            <Form.Group>  
              <Form.Control  
                type="text"  
                placeholder="Search by title"  
                value={searchTitle}  
onChange={onChangeSearchTitle}  
              />  
            </Form.Group>  
            <Button  
              variant="primary"  
              type="button"  
onClick={findByTitle}  
            >
```

Search

</Button>

</Col>

<Col>

<Form.Group>

<Form.Control

as="select" onChange={onChangeSearchRating} >

{ratings.map(rating =>{

return(

<option value={rating}>{rating}</option>

)

}}}

</Form.Control>

</Form.Group>

<Button

variant="primary"

type="button"

onClick={findByRating}

>

Search

</Button>

```
        </Col>

      </Row>

    </Form>

  </Container>

</div>

);

}
```

\* Alternatively, you can refer to my source code for the above

### ***Code Explanation***

This creates a simple React form with a search by title field and search by ratings dropdown. We have used Row and Col to put the two search fields in a single row and in side by side columns (fig. 1).

Movie Reviews

[Movies](#)

[Login](#)

Search by title

Search

All Ratings

Search

Figure 1

Note that you have to import the Form, Button, Container, Col and Row components to use them.

```
<Form.Group>

  <Form.Control

    type="text"

    placeholder="Search by title"

    value={searchTitle}

    onChange={onChangeSearchTitle}

  />

</Form.Group>
```

In the searchTitle FormControl, we set the field's value to the searchTitle state variable. So this field will always reflect the value in searchTitle. And we set onChange to onChangeSearchTitle, so any value changes done by the user entering in the field will call onChangeSearchTitle which will in turn update searchTitle state variable. In essence, we have double binded this field to the searchTitle state.

```
<Button

  variant="primary"
```

```

        type="button"
onClick={findByTitle}
    >
        Search
    </Button>

```

The search Button calls the findByTitle method which we will implement later.

```

<Form.Group>
    <Form.Control
as="select" onChange={onChangeSearchRating} >
        {ratings.map(rating =>{
            return(
                <option value={rating}>{rating}</option>
            )
        })}
    </Form.Control>
</Form.Group>

```

We then have FormControl which is the dropdown field to select a movie rating. To populate the option values for the dropdown, we use the map function, where for each rating in ratings array, we return an option element with the rating value for the select box (fig. 2).





## ✓ All Ratings

AO

APPROVED

Approved

G

GP

M

NC-17

NOT RATED

Not Rated

OPEN

PASSED

PG

PG-13

R

Figure 2

```
<Button  
  variant="primary"  
  type="button"  
onClick={findByRating}  
>  
  Search  
</Button>
```

The search Button for the rating dropdown calls the `findByRating` method which we will implement later.

## ***JSX Markup for Displaying Movies***

Now, let's display the list of movies like in figure 3.

Air

Search



## Air Guitar Nation

Rating: R

It's time to rock and roll - air guitar style. AIR GUITAR NATION is the feature documentary about the year that air guitar swept America - from New York to Los Angeles and then all the way ...

[View Reviews](#)



## Air Buddies

Rating: PG

When dad BUDDY and mom MOLLY are dognapped, their five adorable pups, the AIR BUDDIES, must save the day...

[View Reviews](#)

All Ratings

Search



## Air America

Rating: R

A young pilot finds himself recruited into a covert and corrupt CIA airlift organization operating in Vietnam War Era Laos.

[View Reviews](#)



## Air Force

Rating: APPROVED

The crew of an Air Force bomber arrives in Pearl Harbor in the aftermath of the Japanese attack and is sent on to Manila to help with the defense of the Philippines.

[View Reviews](#)

Figure 3

Add the code in bold below to return:

...

**import Card from 'react-bootstrap/Card';**

...

return (

<div className="App">

<Container>

<Form>

...

</Form>

<**Row**>

**{movies.map((movie) =>{**

**return(**

**<Col>**

**<Card style={{ width: '18rem' }}>**

```

        <Card.Img src={movie.poster+"/100px180"} />

        <Card.Body>

            <Card.Title>{movie.title}</Card.Title>

            <Card.Text>

                Rating: {movie.rated}

            </Card.Text>

            <Card.Text>{movie.plot}</Card.Text>

            <Link to={"/movies/"+movie._id} >View Reviews</Link>

        </Card.Body>

    </Card>

</Col>

)

)}}

</Row>

</Container>

</div>

);

```

### ***Code Explanation***

We use the map function again where for each movie in movies, we return a Card component which we take from React-bootstrap (<https://react-bootstrap.github.io/components/cards/> - fig. 4).



## Air Buddies

Rating: PG

When dad BUDDY and mom MOLLY are dognapped, their five adorable pups, the AIR BUDDIES, must save the day...

[View Reviews](#)

## Figure 4

Each Card contains one movie with its:

- poster image: `<Card.Img src={movie.poster+"/100px180"} />`,
- title: `<Card.Title>{movie.title}</Card.Title>`
- rating: `<Card.Text>Rating: {movie.rated} </Card.Text>`
- plot: `<Card.Text>{movie.plot}</Card.Text>`
- “View Reviews” Link: `<Link to={"/movies/"+movie._id} >View  
Reviews</Link>`

You can view all of the movie’s properties back in MongoDB Atlas (fig. 5).



```
_id: ObjectId("573a1390f29313caabcd4135")
plot: "Three men hammer on an anvil and pass a bottle of beer around."
> genres: Array
  runtime: 1
> cast: Array
  num_mflix_comments: 1
  title: "Blacksmith Scene"
  fullplot: "A stationary camera looks at a large anvil with a blacksmith behind it..."
> countries: Array
  released: 1893-05-09T00:00:00.000+00:00
> directors: Array
  rated: "UNRATED"
> awards: Object
  lastupdated: "2015-08-26 00:03:50.133000000"
  year: 1893
> imdb: Object
  type: "movie"
> tomatoes: Object
```

Figure 5

Next, let's implement the `findByTitle` and `findByRating` functions.

### ***findByTitle and findByRating functions***

Add the following functions into `movies-list.js`:

```
const find =(query, by) =>{  
  MovieDataService.find(query,by)  
    .then(response =>{  
      console.log(response.data)  
      setMovies(response.data.movies)  
    })  
    .catch(e =>{  
      console.log(e)  
    })  
}  
  
const findByTitle = () => {  
  find(searchTitle, "title")
```

```

    }

    const findByRating = () => {

        if(searchRating === "All Ratings"){
retrieveMovies()

        }

        else{

            find(searchRating, "rated")

        }

    }
}

```

### ***Code Explanation***

```

const find =(query, by) =>{
MovieDataService.find(query,by)

    .then(response =>{

        console.log(response.data)

setMovies(response.data.movies)

    })

    .catch(e =>{

        console.log(e)

    })
}

```

```
}
```

The find function is supported by the findByTitle and findByRating methods. find simply provides the search query value entered by the user and by which field to search (i.e. title or rated) to MovieDataService.find:

```
find(query, by = "title", page = 0){  
  return axios.get(  
    `http://localhost:5000/api/v1/movies?${by}=${query}&page=${page}`  
  )  
}
```

*find() in turn calls the backend API.*

```
const findByTitle = () => {  
  find(searchTitle, "title")  
}
```

*findByTitle is called by the ‘Search by title’s search button. It provides the title value to be searched to find() and tells it to search by ‘title’.*

```
const findByRating = () => {
```

```
    if(searchRating === "All Ratings"){  
retrieveMovies()  
    }  
    else{  
        find(searchRating, "rated")  
    }  
}
```

*findByRating is called by the ‘Search by rating’s search button. It provides the rating value to be searched to find() and tells it to search by ‘rated’. However, if the user did not specify any rating value, the search value defaults to “All Ratings” and simply retrieves all movies.*

## ***Testing your App***

When you run your app now, it should return a list of movies (fig. 6):

Search by title

Search



### Blacksmith Scene

Rating: UNRATED

Three men hammer on an anvil and pass a bottle of beer around.

[View Reviews](#)



### The Great Train Robbery

Rating: TV-G

A group of bandits stage a brazen train hold-up, only to find a determined posse hot on their heels.

[View Reviews](#)

All Ratings

Search



### The Land Beyond the Sunset

Rating: UNRATED

A young boy, oppressed by his mother, goes on an outing in the country with a social welfare group where he dares to dream of a land where the cares of his ordinary life fade.

[View Reviews](#)



### A Corner in Wheat

Rating: G

A greedy tycoon decides, on a whim, to corner the world market in wheat. This doubles the price of bread, forcing the grain's producers into charity lines and further into poverty. The film...

[View Reviews](#)

## Figure 6

Try entering search terms in 'Search by title' or 'Search by rating' and it will return the related results (fig. 7, 8)! Note that some movies do not have a poster image.

train

Search



## The Train


Rating: UNRATED

In 1944, a German colonel loads a train with French art treasures to send to Germany. The Resistance must stop it without damaging the cargo.

[View Reviews](#)

All Ratings

Search



## Atomic Train

Rating: PG-13

A train filled with atomic devices threatens to destroy the city of Denver. John Serger (a train buff) has to prevent this from happening

[View Reviews](#)



## Last Train to Freo

Rating:

Two thugs from the Perth suburb of Midland catch the last train to Fremantle. When a young woman boards the train a few stops later, they begin talking and find out not everyone on the train is who they seem to be.

[View Reviews](#)



Figure 7 - Results for search by title: 'train'

Search by title

PG

Search

Search



## The Adventures of Robin Hood

Rating: PG

When Prince John and the Norman Lords begin oppressing the Saxon masses in King Richard's absence, a Saxon lord fights back as the outlaw leader of a rebel guerrilla army.

[View Reviews](#)



## Casablanca

Rating: PG

Set in Casablanca, Morocco during the early days of World War II: An American expatriate meets a former lover, with unforeseen complications.

[View Reviews](#)



## Saboteur

Rating: PG

Aircraft factory worker Barry Kane goes on the run across the United States when he is wrongly accused of starting a fire that killed his best friend.

[View Reviews](#)

Figure 8 - Results for search by rating: 'PG'

Currently, we are displaying just the first twenty results. Later on, we will consider how to retrieve the next page's results. Now, let's carry on with viewing the reviews of a particular movie.

## Chapter 18: Movie Component

Currently, when we click on ‘View Reviews’, it just shows a message. We will create a Movie component which shows the individual movie along with its reviews.

In the components folder, in movie.js, fill in the following code:

```
import React, {useState, useEffect} from 'react'

import MovieDataService from '../services/movies'

import { Link } from 'react-router-dom'

const Movie = props => {

  const [movie, setMovie] = useState({

    id: null,

    title: "",

    rated:"",

    reviews:[]

  })

  const getMovie = id =>{
```

```
MovieDataService.get(id)

    .then(response => {
setMovie(response.data)

        console.log(response.data)

    })

    .catch(e =>{

        console.log(e)

    })

}
```

```
useEffect(()=>{

getMovie(props.match.params.id)

    },[props.match.params.id])

return (

    <div>

        </div>

    );

}
```

```
export default Movie;
```

## ***Code Explanation***

```
const [movie, setMovie] = useState({  
  id: null,  
  title: "",  
  rated:"",  
  reviews:[]  
})
```

We have a movie state variable to hold the specific movie we are currently showing in the Movie component. We set its initial values to null, empty strings ("") or an empty array [].

```
const getMovie = id =>{  
  MovieDataService.get(id)  
    .then(response => {  
      setMovie(response.data)  
      console.log(response.data)  
    })  
    .catch(e =>{  
      console.log(e)
```

```
    })  
  }
```

The `getMovie` method calls `get()` of `MovieDataService` (refer to chapter 16) which in turn calls the API route:

```
get(id){  
    return axios.get(`http://localhost:5000/api/v1/movies/id/${id}`)  
}
```

*getMovie will be called by useEffect:*

```
useEffect(()=>{  
    getMovie(props.match.params.id)  
    },[props.match.params.id])  
  
    // won't call getMovie multiple times unless id is updated.
```

Remember that `useEffect` is called when the component renders. This time, however, we provide `props.match.params.id` into the second argument array. This means that `useEffect` should be called when the component first renders, and also each time the value of `props.match.params.id` (which holds that movie id) changes.

Thus, we avoid calling `getMovie` multiple times for the same movie id unless it is updated (which means we are displaying a different movie).

In essence, if the 2nd argument of `useEffect` contains an array of variables and any of these variables change, `useEffect` will be called.

To summarize:

*`useEffect` without a second argument, is called each time a state change occurs in its body.*

*`useEffect` with an empty array in its second argument gets called only the first time the component renders.*

*`useEffect` with a state variable in the array gets called each time the state variable changes.*

Now, where did we populate `props.match.params.id`?

Remember back in `App.js`, we have the Route for the Movie component:

```
<Route path="/movies/:id/" render={(props)=>
  <Movie {...props} user={user} />
}>
```

The route includes an id parameter for the movie id. So the route to get a specific movie will be something like:

`http://localhost:5000/movies/id/573a1390f29313caabcd6223`



props.match.params.id will then give us 573a1390f29313caabcd6223.

## ***Movie Component Markup***

Next, let's implement the frontend for the movie component. The frontend will look something like:



## The Land Beyond the Sunset

A young boy, oppressed by his mother, goes on an outing in the country with a social welfare group where he dares to dream of a land where the cares of his ordinary life fade.

[Add Review](#)

## Reviews

Figure 1

So in components/movie.js, import the following React-bootstrap components:

```
import Card from 'react-bootstrap/Card';  
import Container from 'react-bootstrap/Container';  
import Image from 'react-bootstrap/Image';  
import Col from 'react-bootstrap/Col';  
import Row from 'react-bootstrap/Row';  
import Button from 'react-bootstrap/Button';  
import Media from 'react-bootstrap/Media';
```

And fill in the below markup into the return method of movie.js:

```
return (  
  <div>  
    <Container>  
      <Row>  
        <Col>  
          <Image src={movie.poster+"/100px250"} fluid />
```

</Col>

<Col>

<Card>

<Card.Header as="h5">{movie.title}</Card.Header>

<Card.Body>

<Card.Text>

{movie.plot}

</Card.Text>

{props.user &&

<Link to={"/movies/" + props.match.params.id + "/review"}>

Add Review

</Link>}

</Card.Body>

</Card>

<br></br>

<h2>Reviews</h2>

</Col>

</Row>

</Container>

</div>

);

## ***Code Explanation***

We essentially have two columns.

...

```
<Col>
```

```
  <Image src={movie.poster+"/100px250"} fluid />
```

```
</Col>
```

```
<Col>
```

```
  <Card>
```

...

```
  </Card>
```

...

```
</Col>
```

The first column contains the movie poster (if it exists) and the second column show the movie details in a Card component.

```
{props.user &&
```

```
<Link to={"/movies/" + props.match.params.id + "/review"}>
```

Add Review

```
</Link>}
```

In the Card component, if the user is logged in, i.e. `props.user` is true, we include a link to 'Add Review' which we will implement later. Next, let's implement the listing of reviews.

## Chapter 19: Listing Reviews

We will be listing the reviews under the movie plot (fig. 1).

## The Poor Little Rich Girl

Gwen's family is rich, but her parents ignore her and most of the servants push her around, so she is lonely and unhappy. Her father is concerned only with making money, and her mother ...

[Add Review](#)

## Reviews

john reviewed on 2021-05-10T00:08:50.082Z

great movie

john reviewed on 2021-05-10T00:10:22.923Z

bad222 movie

jason reviewed on 2021-05-10T05:00:01.675Z

nice!

john reviewed on 2021-05-10T05:00:15.380Z

bad!



Figure 1

To do so, in components/movie.js, add the below mark up in bold:

```
<Container>

  <Row>

    ...

    <Col>

<Card>

  ...

</Card>

  <h2>Reviews</h2>

  <br></br>

  {movie.reviews.map((review, index)=>{

    return (

      <Media key={index}>

        <Media.Body>

          <h5>{review.name + " reviewed on " + review.date}</h5>

          <p>{review.review}</p>

          {props.user && props.user.id === review.user_id &&
```

```

        <Row>

            <Col><Link to={{
                pathname:"/movies/"+
props.match.params.id+
"/review",

                state: {currentReview: review}
            }}>Edit</Link>

        </Col>

        <Col><Button variant="link">Delete</Button></Col>

    </Row>

}

</Media.Body>

</Media>

)

}}

</Col>

</Row>

</Container>

```

## ***Code Explanation***

We access the reviews array and using map, for each review, render a Media component from React-bootstrap (fig. 2).

## The Poor Little Rich Girl

Gwen's family is rich, but her parents ignore her and most of the servants push her around, so she is lonely and unhappy. Her father is concerned only with making money, and her mother ...

[Add Review](#)

## Reviews

john reviewed on 2021-05-10T00:08:50.082Z

great movie

john reviewed on 2021-05-10T00:10:22.923Z

bad222 movie

jason reviewed on 2021-05-10T05:00:01.675Z

nice!

john reviewed on 2021-05-10T05:00:15.380Z

bad!

Figure 2

```
{props.user && props.user.id === review.user_id &&
  <Row>
    <Col><Link to={{
      pathname: "/movies/" + props.match.params.id +
"/review",
      state: {currentReview: review}
    }}>Edit</Link></Col>
    <Col><Button variant="link">Delete</Button></Col>
  </Row>
}
```

A user can only delete reviews they have posted. They can't delete/edit other's reviews. Thus, we first check to see if a user is logged in (`props.user` is true). And only if the logged in user id is the same as the review user id (`props.user.id === review.user_id`), do we render the Edit/Delete buttons.

## ***Testing our App***

If you test your app, now, you will be able to go to a specific movie page and see its reviews. You won't be able to see the Edit/Delete buttons at the moment because we have not implemented login. We will do that in the next chapter.

## *Formatting the Date*

Before we go on to the next chapter, our current review date is in timestamp format e.g. 2021-05-10T00:08:50.082Z. Let's format the review date(s) into a presentable manner. We will be using a library called moment js, a lightweight JavaScript library for parsing, validating and formatting dates.

In Terminal, in your project directory, install moment js with:

```
npm i moment --save
```

In movie.js, import moment with:

```
...
```

```
import moment from 'moment'
```

```
...
```

Then, pass your date format to the moment method:

```
<h5>
```

```
{review.name+" reviewed on "} {moment(review.date).format("Do MMMM  
YYYY")}
```

```
</h5>
```

```
...
```

And when you run your app, the review dates should be nicely formatted (fig. 3).

# Reviews

reviewed on 19th May 2021

123

reviewed on 19th May 2021

456

123 reviewed on 19th May 2021

acasc



Figure 3

## Chapter 20: Login Component

We won't be doing a full feature authentication system in this section, but it serves as a template for you to fill in your own full-fledged authentication implementation.

Fill in login.js with the following code:

```
import React, {useState} from 'react'

import Form from 'react-bootstrap/Form';
import Button from 'react-bootstrap/Button';

const Login = props => {

  const [name, setName] = useState("")

  const [id, setId] = useState("")


  const onChangeName = e => {

    const name = e.target.value

    setName(name);

  }


  const onChangeId = e => {

    const id = e.target.value
```

```
setId(id);
```

```
}
```

```
const login = () => {
```

```
  props.login({name: name, id: id})
```

```
  props.history.push('/')
```

```
}
```

```
return(
```

```
  <div>
```

```
    <Form>
```

```
      <Form.Group>
```

```
        <Form.Label>Username</Form.Label>
```

```
        <Form.Control
```

```
          type="text"
```

```
          placeholder="Enter username"
```

```
          value={name}
```

```
          onChange={onChangeName}
```

```
        />
```

```
      </Form.Group>
```

```
    </Form>
```

```
    <Form.Label>ID</Form.Label>

    <Form.Control

      type="text"

      placeholder="Enter id"

      value={id}

onChange={onChangeId}

    />

  </Form.Group>

  <Button variant="primary" onClick={login}>

    Submit

  </Button>

</Form>

</div>

)

}
```

```
export default Login;
```

\* Refer to the source code ([www.greglim.co/p/mern](http://www.greglim.co/p/mern)) if you prefer to copy and paste

## ***Code Explanation***

```
const [name, setName] = useState("")
```

```
const [id, setId] = useState("")
```

We set the initial name and id to be empty strings (“”). Our simple login form consists of a username and id fields. The onChangeName and onChangeId methods bind the field values to the name and id state variables. They work in a similar fashion to the form we have earlier implemented in MoviesList, so I won’t explain further.

```
const login = () => {  
  props.login({name: name, id: id})  
  props.history.push('/')  
}
```

When we click on the Submit button, it calls login. Notice that we call props.login. But who passes this login function into the Login component? If you recall in App.js, we have the following route:

```
<Route path="/login" render={ (props) =>  
  <Login {...props} login={login} />  
}>
```

And login is defined in App.js as:

```
    async function login(user = null){  
      setUser(user)  
    }  
  }
```

So, from the Login component, we call the login function in App.js and set App's user state. We are thus then able to pass on the logged-in user to other components e.g. AddReview, Movie.

After login, we then redirect to the main page with `props.history.push('/')`.

## ***Testing your App***

In your app, try logging in. Go to a specific movie with reviews (refer back to chapter 11 on how to create reviews via Insomnia) and you will be able to see the Edit/Delete buttons for each review (fig. 1).



## The Docks of New York

A blue-collar worker on New York's depressed waterfront finds his life changed after he saves a woman attempting suicide.

[Add Review](#)

## Reviews

234 reviewed on 19th June 2021

touching movie

[Edit](#)

[Delete](#)

Figure 1



## Chapter 21: Adding and Editing Reviews

Now, let's go on to implement adding a review. When a user logs in, goes to a specific movie page and clicks 'Add Review' (fig. 1), we will render the `AddReview` component for the user to submit a review (fig. 2).

## The Land Beyond the Sunset

A young boy, oppressed by his mother, goes on an outing in the country with a social welfare group where he dares to dream of a land where the cares of his ordinary life fade.

[Add Review](#)

Figure 1

Movie Reviews [Movies](#) Logout User

Create Review

Submit

## Figure 2

We will also use the `AddReview` component to edit a review. That is, when a user clicks on the 'Edit' link on an existing review (fig. 3).

123 reviewed on 2021-05-21

good movie

[Edit](#)

### Figure 3

When editing, we will render the `AddReview` component but with the header 'Edit Review' (fig. 4). The existing review text will be shown where users can then edit and submit.

Movie Reviews   [Movies](#)   Logout User

Edit Review

good movie

Submit



Figure 4

So, our AddReview component will allow us to both add and edit reviews. Let's first go through the code to add a review.

### ***Adding a Review***

In add-review.js, fill in the following code:

```
import React, { useState } from 'react'

import MovieDataService from "../services/movies"

import { Link } from "react-router-dom"

import Form from 'react-bootstrap/Form';
import Button from 'react-bootstrap/Button';

const AddReview = props => {

  let editing = false

  let initialReviewState = ""

  const [review, setReview] = useState(initialReviewState)
```

```
// keeps track if review is submitted

const [submitted, setSubmitted] = useState(false)


const onChangeReview = e => {

  const review = e.target.value

  setReview(review);

}

const saveReview = () => {

  var data = {

    review: review,

    name: props.user.name,

    user_id: props.user.id,

    movie_id: props.match.params.id // get movie id direct from url

  }

  MovieDataService.createReview(data)

    .then(response => {

      setSubmitted(true)

    })

    .catch(e =>{

      console.log(e);

    })

  }
```

```
    })
```

```
  }
```

```
  return(
```

```
    <div>
```

```
      {submitted ? (
```

```
        <div>
```

```
          <h4>Review submitted successfully</h4>
```

```
          <Link to={"/movies/"+props.match.params.id}>
```

```
            Back to Movie
```

```
          </Link>
```

```
        </div>
```

```
      ):(
```

```
        <Form>
```

```
          <Form.Group>
```

```
            <Form.Label>{editing ? "Edit" : "Create"} Review</Form.Label>
```

```
            <Form.Control
```

```
              type="text"
```

```
              required
```

```
              value={review}
```

```
            onChange={onChangeReview}
```

```
    />

    </Form.Group>

    <Button variant="primary" onClick={saveReview}>

      Submit

    </Button>

  </Form>

  )}

</div>

)

}
```

```
export default AddReview;
```

\* Refer to the source code ([www.greglim.co/p/mern](http://www.greglim.co/p/mern)) if you prefer to copy and paste

### ***Code Explanation***

```
let editing = false

let initialReviewState = ""
```

```
const [review, setReview] = useState(initialReviewState)
```

```
const [submitted, setSubmitted] = useState(false)
```

The editing Boolean variable will be set to true if the component is in 'Editing' mode. False means we are adding a review.

We have a review state variable set to initialReviewState. In edit mode, initialReviewState will be set to the existing review text.

We also have a submitted state variable to keep track if the review is submitted.

```
const onChangeReview = e => {  
  const review = e.target.value  
  setReview(review);  
}
```

The onChangeReview keeps track of the user-entered review value in the field:

```
<Form.Control  
  type="text"  
  required  
  value={review}
```

```
onChange={onChangeReview}
```

```
/>
```

This should be familiar to you as we have used this a few times.

```
const saveReview = () => {  
  var data = {  
    review: review,  
    name: props.user.name,  
    user_id: props.user.id,  
    movie_id: props.match.params.id // get movie id direct from url  
  }  
}
```

```
MovieDataService.createReview(data)
```

```
  .then(response => {  
    setSubmitted(true)  
  })  
  .catch(e => {  
    console.log(e);  
  })  
}
```

*saveReview* is called by the submit button's `onClick={saveReview}`. In *saveReview*, we first create a data object containing the review's properties, e.g. the review text, user name etc.

```
name: props.user.name,  
user_id: props.user.id,
```

We get name and user\_id from props as this is passed into the `AddReview` component back in `App.js`:

```
<Route path="/movies/:id/review" render={(props)=>  
  <AddReview {...props} user={user} />  
}>
```

We get movie\_id (movie\_id: props.match.params.id) direct from the url back in `movie.js`:

```
<Link to={"/movies/" + props.match.params.id + "/review"}>  
Add Review  
</Link>
```

We then call `MovieDataService.createReview(data)` which we implemented

earlier in movie.js with the following code:

```
createReview(data){  
  return axios.post("http://localhost:5000/api/v1/movies/review", data)  
}
```

This then routes to ReviewsController in our backend and calls apiPostReview which then extracts data from the request's body parameter.

```
import ReviewsDAO from '../dao/reviewsDAO.js'
```

```
export default class ReviewsController{  
  static async apiPostReview(req,res,next){  
    try{  
      const movieId = req.body.movie_id  
      const review = req.body.review  
      const userInfo = {  
        name: req.body.name,  
        _id: req.body.user_id  
      }  
    }  
  }  
}
```

...



Hopefully, you can see better how the whole flow in a MERN stack works now. Let's go on to implement editing a review.

## ***Editing a Review***

To have our AddReview component edit a review, add in two sections of code as shown below:

```
const AddReview = props => {  
  
  let editing = false  
  
  let initialReviewState = ""  
  
  if(props.location.state && props.location.state.currentReview){  
    editing = true  
  
    initialReviewState = props.location.state.currentReview.review  
  }  
  
  const [review, setReview] = useState(initialReviewState)  
  
  // keeps track is review is submitted  
  
  const [submitted, setSubmitted] = useState(false)
```

...

...

...

```
const saveReview = () => {  
  var data = {  
    review: review,  
    name: props.user.name,  
    user_id: props.user.id,  
    movie_id: props.match.params.id // get movie id direct from url  
  }  
  
  if(editing){  
    // get existing review id  
    data.review_id = props.location.state.currentReview._id  
    MovieDataService.updateReview(data)  
      .then(response =>{  
setSubmitted(true);  
        console.log(response.data)  
      })  
      .catch(e =>{
```

```

        console.log(e);
    })
}
else{
MovieDataService.createReview(data)
    .then(response => {
setSubmitted(true)
        console.log(response.data)
    })
    .catch(e =>{
        console.log(e);
    })
}
}

```

### ***Code Explanation***

```

if(props.location.state && props.location.state.currentReview){
    editing = true
    initialReviewState = props.location.state.currentReview.review
}

```

We first check if a state is passed into AddReview. If you recall in movie.js, we pass in a state in the link to edit:

```
<Col><Link to={{
  pathname: "/movies/" + props.match.params.id + "/review",
  state: {
currentReview: review
  }
}}>Edit</Link></Col>
```

Thus, in AddReview, we check if a state is passed in and contains a currentReview property. If so, set editing to true and the initialReviewState to currentReview's review.

```
if(editing){
  // get existing review id
data.review_id = props.location.state.currentReview._id
MovieDataService.updateReview(data)
  .then(response =>{
setSubmitted(true);
    console.log(response.data)
  })
```

```
    })  
    .catch(e =>{  
        console.log(e);  
    })  
}
```

And if editing is true, we get the existing review id and call `updateReview` in `MovieDataService`:

```
updateReview(data){  
    return axios.put("http://localhost:5000/api/v1/movies/review", data)  
}
```

The above calls the `apiUpdateReview` method in `ReviewsController` in the backend similar to how we call `apiPostReview` for adding a review:

```
static async apiUpdateReview(req,res,next){  
    try{  
        const reviewId = req.body.review_id  
        const review = req.body.review  
  
        const date = new Date()
```

```
    const ReviewResponse = await ReviewsDAO.updateReview(  
reviewId,  
req.body.user_id,  
    review,  
    date  
    )  
...
```

If you recall, `apiUpdateReview` extracts the `movieId` and review text similar to what we have done in posting a review and then calls `updateReview` and pass in the `user_id` to ensure that the user who is updating the view is the one who has created it.

## ***Running our App***

Now, let's run our app. Login and go to a movie of your choice. Click on the 'Add Review' link and you should be able to add a review. The new review should appear in the movie page (fig. 5).



## The Docks of New York

A blue-collar worker on New York's depressed waterfront finds his life changed after he saves a woman attempting suicide.

[Add Review](#)

## Reviews

234 reviewed on 19th June 2021

touching movie

[Edit](#)

[Delete](#)

## Figure 5

Having added the review, and if you are logged in, you will be able to edit the review by clicking on the 'Edit' link (fig. 6). And if you check your MongoDB, the data is updated there.



Movie Reviews

[Movies](#)

Logout User

Edit Review

touching movie

Submit

## Figure 6

When you go back to your app and logout, you can't see the edit and delete buttons anymore. Next, we will finish up the implementation of deleting a review.

## Chapter 22: Deleting a Review

We are currently just rendering a delete button in the Movie component `movie.js`:

```
<Col>  
  
<Button variant="link">Delete  
  
</Button>  
  
</Col>
```

Let's now implement its functionality by adding the below in bold:

```
<Col>  
  
<Button variant="link" onClick={() => deleteReview(review._id, index)}>  
Delete  
</Button>  
  
</Col>
```

Next, add in the codes for `deleteReview` just above `return`:

```
const deleteReview = (reviewId, index) =>{  
MovieDataService.deleteReview(reviewId, props.user.id)  
  .then(response => {  
setMovie((prevState) => {  
prevState.reviews.splice(index,1)  
  return({  
    ...prevState  
  })  
})  
})  
})  
  
  .catch(e =>{  
    console.log(e)  
  })  
}  
  
return(  
  ...  
)
```

## ***Code Explanation***

```
<Button variant="link" onClick={() => deleteReview(review._id, index)}>
```

In the delete button, we pass in the review id and the index we got from the `movie.reviews.map` function into `deleteReview`.

In `deleteReview`, we then call `deleteReview` in `MovieDataService` which calls the delete API endpoint we implemented earlier:

```
deleteReview(id, userId){  
    return axios.delete(  
  
    `http://localhost:5000/api/v1/movies/review`,  
  
    {data:{review_id: id, user_id: userId}}  
    )  
}
```

Remember that the delete endpoint is supported by `apiDeleteReview` in `ReviewsController` in the backend:

```

static async apiDeleteReview(req,res,next){
  try{
    const reviewId = req.body.review_id

    const userId = req.body.user_id

    /* ensure user who is deleting the review is the one who has created the review
    */

    const ReviewResponse = await ReviewsDAO.deleteReview(
reviewId,
userId,
    )
...

```

Back in movie.js, we then add a callback function that is called when deleteReview completes:

```

const deleteReview = (reviewId, index) =>{
  MovieDataService.deleteReview(reviewId, props.user.id)

    .then(response => {
setMovie((currState) => {
currState.reviews.splice(index,1)

    return({
      ...currState

```

```
    })  
  })  
})  
...
```

In the callback, we get the reviews array in the current state. We then provide the index of the review to be deleted to the splice method to remove that review. We then set the updated reviews array as the state.

## ***Running your App***

When you run your app now, log in and go to a specific movie, a user will be able to delete reviews they have posted. We have almost completed the entire functionality of our app using the MERN stack. What's left are some minor improvements to our app. Let's first see how to get the next page's results in the next chapter.

## Chapter 23: Get Next Page's Results

Currently, we show just the first twenty results. We will add a 'Get next 20 results' link at the bottom to retrieve the next page's result (fig. 1).



## Spider-Man

Rating: PG-13

When bitten by a genetically modified spider, a nerdy, shy, and awkward high school student gains spider-like abilities that he eventually must use to fight evil as a superhero after tragedy befalls his family.

[View Reviews](#)

## Twelfth Night or What You Will

Rating: PG

Shakespeare's comedy of gender confusion, in which a girl disguises herself as a man to be near the count she adores, only to be pursued by the woman he loves.

[View Reviews](#)

Figure 1

Our code in the backend has already made it easy for us to retrieve results by page. If you recall, in `MovieDataService`, we have:

```
getAll(page = 0){  
    return axios.get(`https://localhost:5000/api/v1/movies?page=${page}`)  
}  
  
...  
  
find(query, by = "title", page = 0){  
    return axios.get(  
        `https://localhost:5000/api/v1/movies?${by}=${query}&page=${page}`  
    )  
}
```

This allows us to retrieve the results of a particular page by providing the page argument. This is supported by `MoviesDAO` in the backend, where we have:

```
cursor = await movies.find(query).limit(moviesPerPage).skip(moviesPerPage *  
page)
```

to retrieve the results of a particular page by providing `moviesPerPage` and `page`.

## Getting of Next Results for getAll

Let's first implement the getting of next results for getAll. That is, when a user doesn't specify any search query and just visits the home page.

In our MoviesList component movies-list.js, add the following in bold:

...

```
const MoviesList= props => {  
  const [movies, setMovies] = useState([])  
  const [searchTitle, setSearchTitle] = useState("")  
  const [searchRating, setSearchRating] = useState("")  
  const [ratings, setRatings] = useState(["All Ratings"])  
  const [currentPage, setCurrentPage] = useState(0)  
  const [entriesPerPage, setEntriesPerPage] = useState(0)  
  
  useEffect(() =>{  
    retrieveMovies()  
    retrieveRatings()  
  },[])
```

```
useEffect(() =>{
```

```
  retrieveMovies()
```

```
  },[currentPage])
```

```
  const retrieveMovies = () =>{
```

```
    MovieDataService.getAll(currentPage)
```

```
      .then(response =>{
```

```
        setMovies(response.data.movies)
```

```
        setCurrentPage(response.data.page)
```

```
        setEntriesPerPage(response.data.entries_per_page)
```

```
      })
```

```
      .catch( e =>{
```

```
        console.log(e)
```

```
      })
```

```
    }
```

```
  ...
```

And in return(), add:

```

return (
  <div className="App">
    <Container>
      <Form>
...
      </Form>
      <Row>
        {movies.map((movie) =>{
...
          })}
        </Row>
        <br />
        Showing page: {currentPage}.
        <Button
          variant="link"
onClick={() => {setCurrentPage(currentPage + 1)}}
        >
          Get next {entriesPerPage} results
        </Button>
      </Container>
    </div>

```

```
);
```

### ***Code Explanation***

```
const [currentPage, setCurrentPage] = useState(0)

const [entriesPerPage, setEntriesPerPage] = useState(0)
```

We declare two state variables, `currentPage` (to keep track of which page we are currently displaying) and `entriesPerPage`. The two state variables are being populated in `retrieveMovies`:

```
const retrieveMovies = () =>{

MovieDataService.getAll(currentPage)

    .then(response =>{

setMovies(response.data.movies)

setCurrentPage(response.data.page)

setEntriesPerPage(response.data.entries_per_page)

    })

    .catch( e =>{

        console.log(e)

    })

}
```

Remember that the JSON object returned from calling `MovieDataService.getAll` includes the properties `page` and `entries_per_page` (fig. 2):

```
{  
  "movies": [ ↵ 20 ↵ ],  
  "page": 0,  
  "filters": {},  
  "entries_per_page": 20,  
  "total_results": 23530  
}
```



Figure 2

Importantly, note that we provide the `currentPage` argument to `MovieDataService.getAll(currentPage)` to get results for that particular page.

We then add an `useEffect` hook:

```
useEffect(() =>{  
  retrieveMovies()  
  },[currentPage])
```

Because we specified `currentPage` in the 2nd argument array, each time `currentPage` changes in value, this `useEffect` will be triggered and call `retrieveMovies` with the updated `currentPage` value.

Showing page: {currentPage}.

```
<Button  
  variant="link"  
  onClick={() => {setCurrentPage(currentPage + 1)}}  
>  
  Get next {entriesPerPage} results  
</Button>
```

Finally, in return, we show `currentPage` to the user and provide a link button that displays “Get next ... results”. When the link is clicked, it increments `currentPage` state variable and thus triggers `useEffect` and calls `retrieveMovies`.

With this, we have implemented getting of next page’s result for `getAll`. Now what about getting the next page’s result when a user retrieves movies using search by title or search by rating? Let’s implement it in the next chapter.

## Chapter 24: Get Next Page's Results – Search By Title and Rating

Our MoviesList component currently has two modes of retrieval. One is by calling `getAll`. The other is using `find()`. We have implemented getting next page's results for `getAll`. To do the same for `find`, we will first need another state variable to tell us which mode of retrieval a user is currently using. And whenever the user changes the retrieval mode, we will set `currentPage` back to page 0.

So, in `movies-list.js`, add the codes in bold:

...

```
const MoviesList= props => {
```

...

```
  const [currentPage, setCurrentPage] = useState(0)
```

```
  const [entriesPerPage, setEntriesPerPage] = useState(0)
```

```
  const [currentSearchMode, setCurrentSearchMode] = useState("")
```

```
  useEffect(() =>{
```

```
    setCurrentPage(0)
```

```
    },[currentSearchMode])
```

```
  useEffect(() =>{
```

**retrieveMovies()**

retrieveNextPage()

},[currentPage])

**const retrieveNextPage = () => {**

**if(currentSearchMode === "findByTitle")**

**findByTitle()**

**else if(currentSearchMode === "findByRating")**

findByRating()

**else**

**retrieveMovies()**

**}**

...

const find =(query, by) =>{

MovieDataService.find(query,by,currentPage)

.then(response =>{

setMovies(response.data.movies)

})

.catch(e =>{

console.log(e)

```
  })  
}
```

## ***Code Explanation***

```
const [currentSearchMode, setCurrentSearchMode] = useState("")
```

```
useEffect(() => {  
  setCurrentPage(0)  
}, [currentSearchMode])
```

We declare a new state variable `currentSearchMode` which contains the value either `""`, `"findByTitle"` or `"findByRating"`.

We add a `useEffect` that whenever `currentSearchMode` changes, reset the `currentPage` to zero since it's a new search.

```
const retrieveNextPage = () => {  
  if(currentSearchMode === "findByTitle")  
    findByTitle()  
  else if(currentSearchMode === "findByRating")  
    findByRating()
```

```
    else  
    retrieveMovies()  
  }
```

We have a new function `retrieveNextPage` which depending on the `currentSearchMode`, calls the relevant retrieval functions.

```
useEffect(() =>{  
  retrieveMovies()  
  retrieveNextPage()  
  },[currentPage])
```

We then change the current `useEffect` for `currentPage` to call `retrieveNextPage` instead of `retrieveMovies`.

```
const find =(query, by) =>{  
  MovieDataService.find(query,by,currentPage)
```

And we add the `currentPage` argument to the call to `MovieDataService.find`.

Next, we have to set the current search mode in the various method calls.

## *Setting the Current Search Mode*

In `retrieveMovies`, add:

```
const retrieveMovies = () => {  
  setCurrentSearchMode("")  
  MovieDataService.getAll(currentPage)  
    .then(response => {  
    ...  
  })  
}
```

And in `findByTitle` and `findByRating`, add:

```
const findByTitle = () => {  
  setCurrentSearchMode("findByTitle")  
  find(searchTitle, "title")  
}  
  
const findByRating = () => {  
  setCurrentSearchMode("findByRating")  
  if(searchRating === "All Ratings"){  
    retrieveMovies()  
  }  
}
```

```
}  
  
else{  
    find(searchRating, "rated")  
}  
  
}
```

With the above, our app can differentiate the current search mode. And if you run your app now, you will be able to retrieve the next page results successfully no matter which mode of retrieval you are using. What's next will be to deploy both the backend and frontend so that users can access it over the cloud. In the next chapter, we will do so for the backend.



## Chapter 25: Deploying Backend on Heroku

We have finished creating our entire app using the MERN stack. Now, we will show you how to deploy your backend to the web.

We will be deploying our Node.js backend to Heroku's servers to host and run on the Internet. The backend will connect to our cloud MongoDB Atlas database. The deployment process is relatively straightforward and you can simply follow along the instructions in the documentation to deploy Node.js apps on Heroku (<https://devcenter.heroku.com/> - fig. 1).

But we will still walk you through the deployment process in this chapter.



Heroku Dev Center

⚡ Get Started ▾

📖 Documentation

🕒 Changelog

More ▾

Search Dev Center 🔍

Log in or

Sign up

Learn about building, deploying, and managing your apps on  
Heroku.



Node.js



Ruby



Python



Java



PHP



Go



Scala



Clojure

## Figure 1

First, you will need a Heroku account. So, go ahead and sign up if you don't have an account.

Next, we need to install the Heroku Command Line Interface for creating and managing our Express apps on Heroku (fig. 2).

In this step you'll install the Heroku Command Line Interface (CLI). You use the CLI to manage and scale your applications, provision add-ons, view your application logs, and run your application locally.

Download and run the installer for your platform:



[Download the installer](#)

Also available via Homebrew:

```
$ brew install heroku/brew/heroku
```



Download the appropriate installer for your Windows installation:

[64-bit installer](#)

[32-bit installer](#)

## Figure 2

When the installation completes, we can start using the heroku command from our Terminal. Type `heroku login` and a web browser will be opened to the Heroku login page (fig. 3).

```
$ heroku login
```

```
heroku: Press any key to open up the browser to login or q to exit
```

```
> Warning: If browser does not open, visit
```

```
> https://cli-auth.heroku.com/auth/browser/\*\*\*
```

```
heroku: Waiting for login...
```

```
Logging in... done
```

```
Logged in as me@example.com
```

Figure 3

If the browser is already logged into Heroku, click 'Log In'.

## **Making our App 'Heroku Ready'**

Before we start deploying to Heroku, we have to make our app 'Heroku ready'. We do so in the following sections by:

### ***Add a Procfile***

In our app directory, create a file named Procfile (capital P, without a file extension). This file will be run when Heroku starts our app. In our simple app, this file will only be one line. Copy the below line into Procfile:

web: node index.js

*web refers to the process type (the only process type that can receive HTTP traffic from the web). The command after web i.e. node index.js is run on the Heroku server.*

### ***package.json***

Next, add the version of Node.js that your app requires in package.json. That is, find out the version of Node you are running using `node --version`, and add it to your package.json. Also add the start under “scripts” for Heroku to start our app via index.js.

An example is shown below in bold:

...

```
"license": "MIT",
```

```
"engines":{
```

```
  "node": "14.16.0"
```

```
},
```

```
"scripts": {
```

```
  "test": "echo \"Error: no test specified\" && exit 1",
```

```
  "start": "node index.js"
```

```
},
```

```
"author": "Start Bootstrap",
```

```
"contributors": [
```

```
  "David Miller (http://davidmiller.io/)"
```

```
],
```

...



## **.gitignore**

Next, if we have not already done so, create a file `.gitignore` in our app directory. This file tells Git to ignore whatever is specified in it from being pushed onto the server. And because we don't need to push `node_modules`, add `node_modules` to `.gitignore`

With these steps, our app is now 'Heroku ready' and we can go ahead to deploy our app.

## **Deployment**

For deployment, if you haven't already, you need to have the git version control system installed. Install git by following the instructions in <https://git-scm.com/book/en/v2/Getting-Started-Installing-Git> and then setting up git for the first time (<https://git-scm.com/book/en/v2/Getting-Started-First-Time-Git-Setup>).

When git is installed and setup, set up a git project in the app's root directory with:

```
git init
```

Next, use:

```
git add .
```

to add all of our project files. Then to commit the changes to your Git project, run:

```
git commit -m "Initial commit"
```

You will see in the logs something like:

```
Created initial commit 5df2d09: My first commit
44 files changed, 8393 insertions(+), 0 deletions(-)
create mode 100644 README
create mode 100644 Procfile
create mode 100644 app/controllers/source_file
...
```

Next, run:

```
heroku create
```

This creates a new empty application on Heroku with an associated empty Git repository. A new URL for your Heroku app will also be setup (fig. 4).

```
remote: => Launching...
```

```
remote: Released v4
```

```
remote: https://guarided-savannah-47368.herokuapp.com/ deployed to Heroku
```

```
remote:
```

```
remote: Verifying deploy... done
```

## Figure 4

You can change the URL or associate a domain name you own with the Heroku address but it is beyond the scope of this book.

Now, we push our code to the remote Git repository that we have just created with:

```
git push heroku master
```

This will push the code to the Heroku servers and setup our app's dependencies on them. Going forward when there are code changes in our app, run `git push heroku master` again to re-deploy.

And if you go to the URL generated for you and append `/api/v1/movies` e.g.:

<https://guarded-savannah-47368.herokuapp.com/api/v1/movies/>

you will see the movies' data results!

In other words, previously, you accessed the API on your local machine with `http://localhost:5000/api/v1/movies` for example. Now, you access it using the URL Heroku has generated for you. And you can stop the Node process running on your local machine.

## ***Changes to Frontend React Code***

After we deploy our frontend React code, we must ensure any requests we are sending from the client-side is changed to use our Heroku generated URL now instead of localhost. Thus, change the hostname in your React frontend, movies.js under services folder. E.g.

```
class MovieDataService{

  getAll(page = 0){
    return axios.get(`
https://guarded-savannah-47368.herokuapp.com/api/v1/movies?page=${page}
`)
  }
  ...
}
```

And also make sure that you are using https instead of just http as content must be served over secure https.

## **Chapter 26: Hosting and Deploying our React Frontend**

In this section, we will deploy our React frontend to the Internet to share it with the world. We are going to use Netlify ([netlify.com](https://netlify.com) – fig.1) for our deployment.



netlify

Platform ▾

Pricing

Enterprise ▾

Jamstack ▾

Community ▾

Docs

# Enterprise e-commerce shipped faster

An intuitive Git-based workflow and powerful serverless platform to build, deploy, and collaborate on web apps

[Get started for free](#)

[Questions? Talk to an expert →](#)





## Figure 1

Go to [netlify.com](https://netlify.com) and create a free account or log in if you already have one.

When you log in, a list will show any deployed apps that you have. In your case, it will be empty since this is probably your first time deploying on Netlify. At the bottom, there will be a box with the message, “Want to deploy a new site without connecting to Git? Drag and drop your site output folder here” (fig. 2).



Want to deploy a new site without connecting to Git?

Drag and drop your site output folder here

## Figure 2

Go back to the Terminal and navigate to the frontend folder. Build your React application with the command:

```
npm run build
```


This will create a build version of React that we can deploy on the web. When the build is finished, you will be able to see a build folder in the directory.

Select the build folder and drag and drop it into the box we saw earlier in Netlify. Netlify will take a few seconds and then generate a url where you can access the page (fig. 3).

# zealous-dubinsky-422bd6

- <https://zealous-dubinsky-422bd6.netlify.app>

Manual deploys. Last published on May 23.



⚙ Site settings

⚙ Domain settings

### Figure 3

If you wish to have your own custom domain, you can go to 'Add custom domain' to purchase one.

And there you have it! Both your MERN frontend and backend are deployed to the app, meaning that your fully functioning MERN app is live and running.

## Final Words

We have gone through quite a lot of content to equip you with the skills to create a MERN stack app.

Hopefully, you have enjoyed this book and would like to learn more from me. I would love to get your feedback, learning what you liked and didn't for us to improve.

Please feel free to email me at [support@i-ducate.com](mailto:support@i-ducate.com) to get updated versions of this book.

If you didn't like the book, or if you feel that I should have covered certain additional topics, please email us to let us know. This book can only get better thanks to readers like you.

If you like the book, I would appreciate if you could leave us a review too. Thank you and all the best for your learning journey in MERN stack development!

## **About the Author**

Greg Lim is a technologist and author of several programming books. Greg has many years in teaching programming in tertiary institutions and he places special emphasis on learning by doing.

Contact Greg at [support@i-ducate.com](mailto:support@i-ducate.com) or <http://www.greglim.co/>