VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

---

1. Use MongoDB to implement the following DB operations

   1. Create a database called 'vehicles' and *write* a MongoDB query to select database as "vehicles".

```
test> use vehicles
switched to db vehicles
```

   2. Write a MongoDB query to display all the databases.

```
vehicles> show dbs
admin     40.00 KiB
config    92.00 KiB
local     40.00 KiB
vehicles  80.00 KiB
```

   3. Create a collection called 'two_wheelers'. (use capping) and Create a collection called 'four_wheelers'.

```
vehicles> db.createCollection("two_wheelers", {
|     capped: true,
|     size: 100000,
|     max: 100
| })
{ ok: 1 }
```

```
vehicles> db.createCollection("four_wheelers")
{ ok: 1 }
```

   4. Add 5 two-wheeler details to the collection named 'two_wheelers'. Each document consists of following fields as bike_name, model (gear or gearless), category (100cc, 125cc, 150cc, 200cc), colors_available (red, black, blue, sport red etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
vehicles> db.two_wheelers.insertMany([
| {
| bike_name: "Honda Shine",
| model: "gear",
| category: "125cc",
| colors_available: ["red","black","blue"],
| manufacturer: "Honda",
| performance: 8,
| timestamp: new Date("2021-05-10"),
| price: 80000
| },
|
| {
| bike_name: "TVS Apache RTR 160",
| model: "gear",
| category: "150cc",
| colors_available: ["black","sport red"],
| manufacturer: "TVS",
| performance: 9,
| timestamp: new Date("2022-02-15"),
| price: 120000
| },
|
| {
| bike_name: "Honda Activa 6G",
| model: "gearless",
| category: "125cc",
| colors_available: ["red","blue","white"],
| manufacturer: "Honda",
| performance: 8,
| timestamp: new Date("2023-01-10"),
| price: 90000
| },
|
| {
| bike_name: "Bajaj Pulsar 200",
| model: "gear",
| category: "200cc",
| colors_available: ["black","blue"],
| manufacturer: "Bajaj",
| performance: 9,
| timestamp: new Date("2021-11-20"),
| price: 150000
| },
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
| {
| bike_name: "Hero Splendor",
| model: "gear",
| category: "100cc",
| colors_available: ["black","red"],
| manufacturer: "Hero",
| performance: 7,
| timestamp: new Date("2020-07-05"),
| price: 75000
| }
| ])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69b16aea8bb84beb3d7c2907'),
    '1': ObjectId('69b16aea8bb84beb3d7c2908'),
    '2': ObjectId('69b16aea8bb84beb3d7c2909'),
    '3': ObjectId('69b16aea8bb84beb3d7c290a'),
    '4': ObjectId('69b16aea8bb84beb3d7c290b')
  }
}
```

5. Add 5 four-wheeler details to the collection named 'four_wheelers'. Each document consists of following fields as vehicle_name, model (commercial or own), category (car, lorry, bus, mini truck, heavy truck, containers), variants (vxi, zxi, petrol, diesel etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
vehicles> db.four_wheelers.insertMany([
| {
| vehicle_name: "Maruti Swift",
| model: "own",
| category: "car",
| variants: ["vxi","petrol"],
| manufacturer: "Maruti",
| performance: 8,
| timestamp: new Date("2022-03-12"),
| price: 700000
| },
|
| {
| vehicle_name: "Tata Ace",
| model: "commercial",
| category: "mini truck",
| variants: ["diesel"],
| manufacturer: "Tata",
| performance: 7,
| timestamp: new Date("2021-06-18"),
| price: 500000
| },
|
| {
| vehicle_name: "Ashok Leyland Truck",
| model: "commercial",
| category: "heavy truck",
| variants: ["diesel"],
| manufacturer: "Ashok Leyland",
| performance: 8,
| timestamp: new Date("2020-08-22"),
| price: 2500000
| },
|
| {
| vehicle_name: "Mahindra Bolero",
| model: "own",
| category: "car",
| variants: ["zxi","diesel"],
| manufacturer: "Mahindra",
| performance: 9,
| timestamp: new Date("2023-04-14"),
| price: 900000
| },
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
| {
| vehicle_name: "Volvo Bus",
| model: "commercial",
| category: "bus",
| variants: ["diesel"],
| manufacturer: "Volvo",
| performance: 9,
| timestamp: new Date("2022-09-10"),
| price: 3500000
| }
| ])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69b16cc68bb84beb3d7c290c'),
    '1': ObjectId('69b16cc68bb84beb3d7c290d'),
    '2': ObjectId('69b16cc68bb84beb3d7c290e'),
    '3': ObjectId('69b16cc68bb84beb3d7c290f'),
    '4': ObjectId('69b16cc68bb84beb3d7c2910')
  }
}
```

6. Write a MongoDB query to display all documents available in two_wheelers and four_wheelers.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
vehicles> db.two_wheelers.find()
[
  {
    _id: ObjectId('69b16aea8bb84beb3d7c2907'),
    bike_name: 'Honda Shine',
    model: 'gear',
    category: '125cc',
    colors_available: [ 'red', 'black', 'blue' ],
    manufacturer: 'Honda',
    performance: 8,
    timestamp: ISODate('2021-05-10T00:00:00.000Z'),
    price: 80000
  },
  {
    _id: ObjectId('69b16aea8bb84beb3d7c2908'),
    bike_name: 'TVS Apache RTR 160',
    model: 'gear',
    category: '150cc',
    colors_available: [ 'black', 'sport red' ],
    manufacturer: 'TVS',
    performance: 9,
    timestamp: ISODate('2022-02-15T00:00:00.000Z'),
    price: 120000
  },
  {
    _id: ObjectId('69b16aea8bb84beb3d7c2909'),
    bike_name: 'Honda Activa 6G',
    model: 'gearless',
    category: '125cc',
    colors_available: [ 'red', 'blue', 'white' ],
    manufacturer: 'Honda',
    performance: 8,
    timestamp: ISODate('2023-01-10T00:00:00.000Z'),
    price: 90000
  },
  {
    _id: ObjectId('69b16aea8bb84beb3d7c290a'),
    bike_name: 'Bajaj Pulsar 200',
    model: 'gear',
    category: '200cc',
    colors_available: [ 'black', 'blue' ],
    manufacturer: 'Bajaj',
    performance: 9,
    timestamp: ISODate('2021-11-20T00:00:00.000Z'),
    price: 150000
  },
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
  {
    _id: ObjectId('69b16aea8bb84beb3d7c290b'),
    bike_name: 'Hero Splendor',
    model: 'gear',
    category: '100cc',
    colors_available: [ 'black', 'red' ],
    manufacturer: 'Hero',
    performance: 7,
    timestamp: ISODate('2020-07-05T00:00:00.000Z'),
    price: 75000
  }
]
```

```
vehicles> db.four_wheelers.find()
[
  {
    _id: ObjectId('69b16cc68bb84beb3d7c290c'),
    vehicle_name: 'Maruti Swift',
    model: 'own',
    category: 'car',
    variants: [ 'vxi', 'petrol' ],
    manufacturer: 'Maruti',
    performance: 8,
    timestamp: ISODate('2022-03-12T00:00:00.000Z'),
    price: 700000
  },
  {
    _id: ObjectId('69b16cc68bb84beb3d7c290d'),
    vehicle_name: 'Tata Ace',
    model: 'commercial',
    category: 'mini truck',
    variants: [ 'diesel' ],
    manufacturer: 'Tata',
    performance: 7,
    timestamp: ISODate('2021-06-18T00:00:00.000Z'),
    price: 500000
  },
  {
    _id: ObjectId('69b16cc68bb84beb3d7c290e'),
    vehicle_name: 'Ashok Leyland Truck',
    model: 'commercial',
    category: 'heavy truck',
    variants: [ 'diesel' ],
    manufacturer: 'Ashok Leyland',
    performance: 8,
    timestamp: ISODate('2020-08-22T00:00:00.000Z'),
    price: 2500000
  },
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
  {
    _id: ObjectId('69b16cc68bb84beb3d7c290f'),
    vehicle_name: 'Mahindra Bolero',
    model: 'own',
    category: 'car',
    variants: [ 'zxi', 'diesel' ],
    manufacturer: 'Mahindra',
    performance: 9,
    timestamp: ISODate('2023-04-14T00:00:00.000Z'),
    price: 900000
  },
  {
    _id: ObjectId('69b16cc68bb84beb3d7c2910'),
    vehicle_name: 'Volvo Bus',
    model: 'commercial',
    category: 'bus',
    variants: [ 'diesel' ],
    manufacturer: 'Volvo',
    performance: 9,
    timestamp: ISODate('2022-09-10T00:00:00.000Z'),
    price: 3500000
  }
]
```

7. Write a MongoDB query to display only vehicle name and price in all the collection of the database

```
vehicles> db.two_wheelers.find({}, {bike_name:1, price:1, _id:0})
[
  { bike_name: 'Honda Shine', price: 80000 },
  { bike_name: 'TVS Apache RTR 160', price: 120000 },
  { bike_name: 'Honda Activa 6G', price: 90000 },
  { bike_name: 'Bajaj Pulsar 200', price: 150000 },
  { bike_name: 'Hero Splendor', price: 75000 }
]
vehicles> db.four_wheelers.find({}, {vehicle_name:1, price:1, _id:0})
[
  { vehicle_name: 'Maruti Swift', price: 700000 },
  { vehicle_name: 'Tata Ace', price: 500000 },
  { vehicle_name: 'Ashok Leyland Truck', price: 2500000 },
  { vehicle_name: 'Mahindra Bolero', price: 900000 },
  { vehicle_name: 'Volvo Bus', price: 3500000 }
]
```

8. Write a MongoDB query to display two_wheelers from a particular company

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
vehicles> db.two_wheelers.find({manufacturer:"Honda"})
[
  {
    _id: ObjectId('69b16aea8bb84beb3d7c2907'),
    bike_name: 'Honda Shine',
    model: 'gear',
    category: '125cc',
    colors_available: [ 'red', 'black', 'blue' ],
    manufacturer: 'Honda',
    performance: 8,
    timestamp: ISODate('2021-05-10T00:00:00.000Z'),
    price: 80000
  },
  {
    _id: ObjectId('69b16aea8bb84beb3d7c2909'),
    bike_name: 'Honda Activa 6G',
    model: 'gearless',
    category: '125cc',
    colors_available: [ 'red', 'blue', 'white' ],
    manufacturer: 'Honda',
    performance: 8,
    timestamp: ISODate('2023-01-10T00:00:00.000Z'),
    price: 90000
  }
]
```

9. Write a MongoDB query to display four_wheelers available in diesel variants

```
vehicles> db.four_wheelers.find({variants:"diesel"})
[
  {
    _id: ObjectId('69b16cc68bb84beb3d7c290d'),
    vehicle_name: 'Tata Ace',
    model: 'commercial',
    category: 'mini truck',
    variants: [ 'diesel' ],
    manufacturer: 'Tata',
    performance: 7,
    timestamp: ISODate('2021-06-18T00:00:00.000Z'),
    price: 500000
  },
  {
    _id: ObjectId('69b16cc68bb84beb3d7c290e'),
    vehicle_name: 'Ashok Leyland Truck',
    model: 'commercial',
    category: 'heavy truck',
    variants: [ 'diesel' ],
    manufacturer: 'Ashok Leyland',
    performance: 8,
    timestamp: ISODate('2020-08-22T00:00:00.000Z'),
    price: 2500000
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
  },
  {
    _id: ObjectId('69b16cc68bb84beb3d7c290f'),
    vehicle_name: 'Mahindra Bolero',
    model: 'own',
    category: 'car',
    variants: [ 'zxi', 'diesel' ],
    manufacturer: 'Mahindra',
    performance: 9,
    timestamp: ISODate('2023-04-14T00:00:00.000Z'),
    price: 900000
  },
  {
    _id: ObjectId('69b16cc68bb84beb3d7c2910'),
    vehicle_name: 'Volvo Bus',
    model: 'commercial',
    category: 'bus',
    variants: [ 'diesel' ],
    manufacturer: 'Volvo',
    performance: 9,
    timestamp: ISODate('2022-09-10T00:00:00.000Z'),
    price: 3500000
  }
]
```

10. Write a MongoDB query to display vehicles name, category and manufacturer details whose rating is more than 5.

```
vehicles> db.two_wheelers.find(
| {performance: {$gt:5}},
| {bike_name:1, category:1, manufacturer:1, _id:0}
| )
[
  { bike_name: 'Honda Shine', category: '125cc', manufacturer: 'Honda' },
  {
    bike_name: 'TVS Apache RTR 160',
    category: '150cc',
    manufacturer: 'TVS'
  },
  {
    bike_name: 'Honda Activa 6G',
    category: '125cc',
    manufacturer: 'Honda'
  },
  {
    bike_name: 'Bajaj Pulsar 200',
    category: '200cc',
    manufacturer: 'Bajaj'
  },
  { bike_name: 'Hero Splendor', category: '100cc', manufacturer: 'Hero' }
]
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
vehicles> db.four_wheelers.find(
| {performance: {$gt:5}},
| {vehicle_name:1, category:1, manufacturer:1, _id:0}
| )
[
  {
    vehicle_name: 'Maruti Swift',
    category: 'car',
    manufacturer: 'Maruti'
  },
  {
    vehicle_name: 'Tata Ace',
    category: 'mini truck',
    manufacturer: 'Tata'
  },
  {
    vehicle_name: 'Ashok Leyland Truck',
    category: 'heavy truck',
    manufacturer: 'Ashok Leyland'
  },
  {
    vehicle_name: 'Mahindra Bolero',
    category: 'car',
    manufacturer: 'Mahindra'
  },
  { vehicle_name: 'Volvo Bus', category: 'bus', manufacturer: 'Volvo' }
]
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

---

2. Use MongoDB to implement the following DB operations for a Zoo

1. Create a database called 'animal' and *write* a MongoDB query to select database as 'animal'.

```
vehicles> use animal
switched to db animal
```

2. Write a MongoDB query to display all the databases.

```
animal> show dbs
admin     40.00 KiB
animal    80.00 KiB
config    96.00 KiB
local     40.00 KiB
vehicles  80.00 KiB
```

3. Create a collection called 'wild_animals'.(use capping) and Create a collection called 'domestic_animals'.

```
animal> db.createCollection("wild_animals",{
|     capped:true,
|     size:100000,
|     max:100
| })
{ ok: 1 }
animal> db.createCollection("domestic_animals")
{ ok: 1 }
```

4. Add 5 wild_animal details to the collection named 'wild_animals'. Each document consists of following fields as animal_name, nature (harm or harmless), favorite_foods (meat, rabbits, deer etc) as array, care_taker_name, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

```
animal> db.wild_animals.insertMany([
| {
| animal_name:"Lion",
| nature:"harm",
| favorite_foods:["meat","deer"],
| care_taker_name:"Ramesh",
| life_span:14,
| timestamp:new Date("2022-05-10"),
| expenses:50000
| },
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
{
animal_name:"Tiger",
nature:"harm",
favorite_foods:["meat","rabbit","deer"],
care_taker_name:"Suresh",
life_span:15,
timestamp:new Date("2021-03-12"),
expenses:55000
},

{
animal_name:"Elephant",
nature:"harmless",
favorite_foods:["grass","banana","sugarcane"],
care_taker_name:"Mahesh",
life_span:60,
timestamp:new Date("2020-08-20"),
expenses:70000
},

{
animal_name:"Bear",
nature:"harm",
favorite_foods:["fish","honey"],
care_taker_name:"Ramesh",
life_span:20,
timestamp:new Date("2023-01-15"),
expenses:45000
},

{
animal_name:"Deer",
nature:"harmless",
favorite_foods:["grass","plants"],
care_taker_name:"Anil",
life_span:12,
timestamp:new Date("2022-09-18"),
expenses:30000
}
])
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69b17a728bb84beb3d7c2911'),
    '1': ObjectId('69b17a728bb84beb3d7c2912'),
    '2': ObjectId('69b17a728bb84beb3d7c2913'),
    '3': ObjectId('69b17a728bb84beb3d7c2914'),
    '4': ObjectId('69b17a728bb84beb3d7c2915')
  }
}
```

5. Add 5 domestic-animal details to the collection named 'domestic_animals'. Each document consists of following fields as animal_name, gender (male or female), favorite_foods (meat, rabbits, deer etc) as array, animal_petname, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

```
animal> db.domestic_animals.insertMany([
| {
| animal_name:"Dog",
| gender:"male",
| favorite_foods:["meat","rice"],
| animal_petname:"Tommy",
| life_span:12,
| timestamp:new Date("2022-02-10"),
| expenses:10000
| },
|
| {
| animal_name:"Cat",
| gender:"female",
| favorite_foods:["milk","fish"],
| animal_petname:"Kitty",
| life_span:15,
| timestamp:new Date("2023-03-12"),
| expenses:8000
| },
|
| {
| animal_name:"Cow",
| gender:"female",
| favorite_foods:["grass","fodder"],
| animal_petname:"Ganga",
| life_span:20,
| timestamp:new Date("2021-07-15"),
| expenses:15000
| },
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
| {
| animal_name:"Goat",
| gender:"male",
| favorite_foods:["plants","leaves"],
| animal_petname:"Chotu",
| life_span:10,
| timestamp:new Date("2022-11-18"),
| expenses:7000
| },
|
| {
| animal_name:"Rabbit",
| gender:"female",
| favorite_foods:["carrot","grass"],
| animal_petname:"Bunny",
| life_span:8,
| timestamp:new Date("2023-04-05"),
| expenses:5000
| }
| ])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69b17a818bb84beb3d7c2916'),
    '1': ObjectId('69b17a818bb84beb3d7c2917'),
    '2': ObjectId('69b17a818bb84beb3d7c2918'),
    '3': ObjectId('69b17a818bb84beb3d7c2919'),
    '4': ObjectId('69b17a818bb84beb3d7c291a')
  }
}
```

6. Write a MongoDB query to display all documents available in wild_animals and domastic_animals.

```
animal> db.wild_animals.find()
[
  {
    _id: ObjectId('69b17a728bb84beb3d7c2911'),
    animal_name: 'Lion',
    nature: 'harm',
    favorite_foods: [ 'meat', 'deer' ],
    care_taker_name: 'Ramesh',
    life_span: 14,
    timestamp: ISODate('2022-05-10T00:00:00.000Z'),
    expenses: 50000
  },
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
{
  _id: ObjectId('69b17a728bb84beb3d7c2912'),
  animal_name: 'Tiger',
  nature: 'harm',
  favorite_foods: [ 'meat', 'rabbit', 'deer' ],
  care_taker_name: 'Suresh',
  life_span: 15,
  timestamp: ISODate('2021-03-12T00:00:00.000Z'),
  expenses: 55000
},
{
  _id: ObjectId('69b17a728bb84beb3d7c2913'),
  animal_name: 'Elephant',
  nature: 'harmless',
  favorite_foods: [ 'grass', 'banana', 'sugarcane' ],
  care_taker_name: 'Mahesh',
  life_span: 60,
  timestamp: ISODate('2020-08-20T00:00:00.000Z'),
  expenses: 70000
},
{
  _id: ObjectId('69b17a728bb84beb3d7c2914'),
  animal_name: 'Bear',
  nature: 'harm',
  favorite_foods: [ 'fish', 'honey' ],
  care_taker_name: 'Ramesh',
  life_span: 20,
  timestamp: ISODate('2023-01-15T00:00:00.000Z'),
  expenses: 45000
},
{
  _id: ObjectId('69b17a728bb84beb3d7c2915'),
  animal_name: 'Deer',
  nature: 'harmless',
  favorite_foods: [ 'grass', 'plants' ],
  care_taker_name: 'Anil',
  life_span: 12,
  timestamp: ISODate('2022-09-18T00:00:00.000Z'),
  expenses: 30000
}
]
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
animal> db.domestic_animals.find()
[
  {
    _id: ObjectId('69b17a818bb84beb3d7c2916'),
    animal_name: 'Dog',
    gender: 'male',
    favorite_foods: [ 'meat', 'rice' ],
    animal_petname: 'Tommy',
    life_span: 12,
    timestamp: ISODate('2022-02-10T00:00:00.000Z'),
    expenses: 10000
  },
  {
    _id: ObjectId('69b17a818bb84beb3d7c2917'),
    animal_name: 'Cat',
    gender: 'female',
    favorite_foods: [ 'milk', 'fish' ],
    animal_petname: 'Kitty',
    life_span: 15,
    timestamp: ISODate('2023-03-12T00:00:00.000Z'),
    expenses: 8000
  },
  {
    _id: ObjectId('69b17a818bb84beb3d7c2918'),
    animal_name: 'Cow',
    gender: 'female',
    favorite_foods: [ 'grass', 'fodder' ],
    animal_petname: 'Ganga',
    life_span: 20,
    timestamp: ISODate('2021-07-15T00:00:00.000Z'),
    expenses: 15000
  },
  {
    _id: ObjectId('69b17a818bb84beb3d7c2919'),
    animal_name: 'Goat',
    gender: 'male',
    favorite_foods: [ 'plants', 'leaves' ],
    animal_petname: 'Chotu',
    life_span: 10,
    timestamp: ISODate('2022-11-18T00:00:00.000Z'),
    expenses: 7000
  },
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
  },
  {
    _id: ObjectId('69b17a818bb84beb3d7c291a'),
    animal_name: 'Rabbit',
    gender: 'female',
    favorite_foods: [ 'carrot', 'grass' ],
    animal_petname: 'Bunny',
    life_span: 8,
    timestamp: ISODate('2023-04-05T00:00:00.000Z'),
    expenses: 5000
  }
]
```

7. Write a MongoDB query to display only animal name and expenses in all the collection of the database

```
animal> db.wild_animals.find({}, {animal_name:1, expenses:1, _id:0})
[
  { animal_name: 'Lion', expenses: 50000 },
  { animal_name: 'Tiger', expenses: 55000 },
  { animal_name: 'Elephant', expenses: 70000 },
  { animal_name: 'Bear', expenses: 45000 },
  { animal_name: 'Deer', expenses: 30000 }
]
animal> db.domestic_animals.find({}, {animal_name:1, expenses:1, _id:0})
[
  { animal_name: 'Dog', expenses: 10000 },
  { animal_name: 'Cat', expenses: 8000 },
  { animal_name: 'Cow', expenses: 15000 },
  { animal_name: 'Goat', expenses: 7000 },
  { animal_name: 'Rabbit', expenses: 5000 }
]
```

8. Write a MongoDB query to display domestic_animals whose life is a particular year

```
animal> db.domestic_animals.find({life_span:12})
[
  {
    _id: ObjectId('69b17a818bb84beb3d7c2916'),
    animal_name: 'Dog',
    gender: 'male',
    favorite_foods: [ 'meat', 'rice' ],
    animal_petname: 'Tommy',
    life_span: 12,
    timestamp: ISODate('2022-02-10T00:00:00.000Z'),
    expenses: 10000
  }
]
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

---

9. Write a MongoDB query to display wild_animals available under a particular care_taker

```
animal> db.wild_animals.find({care_taker_name:"Ramesh"})
[
  {
    _id: ObjectId('69b17a728bb84beb3d7c2911'),
    animal_name: 'Lion',
    nature: 'harm',
    favorite_foods: [ 'meat', 'deer' ],
    care_taker_name: 'Ramesh',
    life_span: 14,
    timestamp: ISODate('2022-05-10T00:00:00.000Z'),
    expenses: 50000
  },
  {
    _id: ObjectId('69b17a728bb84beb3d7c2914'),
    animal_name: 'Bear',
    nature: 'harm',
    favorite_foods: [ 'fish', 'honey' ],
    care_taker_name: 'Ramesh',
    life_span: 20,
    timestamp: ISODate('2023-01-15T00:00:00.000Z'),
    expenses: 45000
  }
]
```

10. Write a MongoDB query to display animal name, favorite_foods and expenses details whose lifespan is more than 5 years.

```
animal> db.wild_animals.find(
| {life_span:{$gt:5}},
| {animal_name:1, favorite_foods:1, expenses:1, _id:0}
| )
[
  {
    animal_name: 'Lion',
    favorite_foods: [ 'meat', 'deer' ],
    expenses: 50000
  },
  {
    animal_name: 'Tiger',
    favorite_foods: [ 'meat', 'rabbit', 'deer' ],
    expenses: 55000
  },
  {
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
  {
    animal_name: 'Elephant',
    favorite_foods: [ 'grass', 'banana', 'sugarcane' ],
    expenses: 70000
  },
  {
    animal_name: 'Bear',
    favorite_foods: [ 'fish', 'honey' ],
    expenses: 45000
  },
  {
    animal_name: 'Deer',
    favorite_foods: [ 'grass', 'plants' ],
    expenses: 30000
  }
]
```

```
animal> db.domestic_animals.find(
| {life_span:{$gt:5}},
| {animal_name:1, favorite_foods:1, expenses:1, _id:0}
| )
[
  {
    animal_name: 'Dog',
    favorite_foods: [ 'meat', 'rice' ],
    expenses: 10000
  },
  {
    animal_name: 'Cat',
    favorite_foods: [ 'milk', 'fish' ],
    expenses: 8000
  },
  {
    animal_name: 'Cow',
    favorite_foods: [ 'grass', 'fodder' ],
    expenses: 15000
  },
  {
    animal_name: 'Goat',
    favorite_foods: [ 'plants', 'leaves' ],
    expenses: 7000
  },
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: G. Harsha

Date: 11-03-2026
School: SCOPE
Reg. no.: 23BCE20191

```
  {
    animal_name: 'Rabbit',
    favorite_foods: [ 'carrot', 'grass' ],
    expenses: 5000
  }
]
```