```
use first_assignment_db;

select * from fifa_data;

select count(*) as cnt from fifa_data;
```

 # How many players are there in the dataset

```
select count(distinct ID) as dis_id from fifa_data;

select count(distinct nationality) as cnt_dis_nal from fifa_data;
```

 # What is the total wage given to all players? What's the average and standard deviation?

```
select sum(wage) as total_wage,

avg(wage) as avg_wag,

stddev(wage) as std_wag from fifa_data;
```

 # Which nationality has the highest number of players, what are the top 3 nationalities by # of players?

```
select nationality,count(*)as player_count from fifa_data

group by nationality

order by player_count desc

limit 3;
```

 # Which player has the highest wage? Who has the lowest?

```
select  * from fifa_data;

select name,wage from fifa_data

order by wage desc

limit 1;

select name from fifa_data

order by wage asc

limit 1;
```

 # The player having the – best overall rating? Worst overall rating?

```
select name ,overall from fifa_data

order by overall desc

limit 1;
```

```
select name,overall from fifa_data

order by overall asc

limit 1;
```

#Club having the highest total of overall rating? Highest Average of overall rating?

```
select club,sum(overall) as total_overall from fifa_data

group by club

order by total_overall desc

limit 1;

select club, avg(overall) as avg_overall from fifa_data

group by club

order by avg_overall desc

limit 1;
```

 # What are the top 5 clubs based on the average ratings of their players and their corresponding averages?

```
select * from fifa_data;

select club, avg(overall)as avg_overall from fifa_data

group  by club

order by avg_overall desc

limit 5;

select * from fifa_data;
```

 # What is the distribution of players whose preferred foot is left vs right?

```
select Preferred_foot,count(*) as player_count from fifa_data

group by preferred_foot;
```

 # Which jersey number is the luckiest?

```
select * from fifa_data;

select jersey_number,avg(potential) as avg_potential

from fifa_data

group by jersey_number
```

```
order by avg_potential desc

limit 1;
```

 # What is the frequency distribution of nationalities among players whose club name starts with M?

```
select nationality,count(*) as player_count from fifa_data

where club like "M%"

group by nationality

order by player_count;
```

 # How many players have joined their respective clubs in the date range 20 May 2018 to 10 April 2019 (both inclusive)?

```
select count(*) from fifa_data

where str_to_date(joined,'%d-%m-%Y')

 between '2018-05-20' and '2019-04-10';
```

 # How many players have joined their respective clubs date wise?

```
select club,count(*) as player_joined,joined from fifa_data

group by club,joined

order by joined;
```

 # How many players have joined their respective clubs yearly

```
select year(str_to_date(joined,'%d-%m-%Y'))as join_year,

count(*) as player_count

from fifa_data

group by join_year

order by join_year asc;
```