

Aim : JS Validation

Client side :

1) Help - center form :

HTML :

```
<div class="help-form scrollable">
  <h5>Help!!</h5>
  <form id="supportForm" method="get" action="index.html" onsubmit="return
validateSupportForm()">

    <div id="successBox" class="alert alert-success mt-3 d-none">
      Sent successfully!
    </div>

    <div class="mb-2">
      <label class="form-label">Name</label>
      <input type="text" id="name" class="form-control" placeholder="Your Name">
      <small class="text-danger fw-semibold" id="errName"></small>
    </div>

    <div class="mb-2">
      <label class="form-label">Email</label>
      <input type="text" id="email" class="form-control" placeholder="Your Email">
      <small class="text-danger fw-semibold" id="errEmail"></small>
    </div>

    <div class="mb-2">
      <label class="form-label">Issue</label>
      <input type="text" id="issue" class="form-control" placeholder="Issue">
      <small class="text-danger fw-semibold" id="errIssue"></small>
    </div>

    <div class="mb-2">
      <label class="form-label">Describe Issue</label>
      <textarea id="desc" class="form-control" rows="3" placeholder="Describe your
issue"></textarea>
      <small class="text-danger fw-semibold" id="errDesc"></small>
    </div>
```

```
<button type="submit" class="btn btn-success w-100 mt-2">Submit</button>
<a href="index.html" class="btn btn-secondary w-100 mt-2">Close</a>
</form>
</div>
```

JS :

```
<script>

function validateSupportForm() {

    let name = document.getElementById('name');
    let email = document.getElementById('email');
    let issue = document.getElementById('issue');
    let desc = document.getElementById('desc');

    let errName = document.getElementById('errName');
    let errEmail = document.getElementById('errEmail');
    let errIssue = document.getElementById('errIssue');
    let errDesc = document.getElementById('errDesc');

    let successBox = document.getElementById('successBox');

    let isValid = true;
    const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';

    errName.innerHTML = "";
    errEmail.innerHTML = "";
    errIssue.innerHTML = "";
    errDesc.innerHTML = "";

    name.classList.remove("error", "success");
    email.classList.remove("error", "success");
    issue.classList.remove("error", "success");
    desc.classList.remove("error", "success");

    // Name validation
```

```
if (name.value.trim() == "") {
    errName.innerHTML = `${icon} Please enter your name`;
    name.classList.add("error");
    isValid = false;
} else if (!isNaN(name.value.trim())) {
    errName.innerHTML = `${icon} Name must contain letters only`;
    name.classList.add("error");
    isValid = false;
} else {
    name.classList.add("success");
}

// Email validation
let emailFormat = /^[a-zA-Z0-9._%+-]+@[a-zA-Z]+\.[a-zA-Z]{2,}$/;


if (email.value.trim() == "") {
    errEmail.innerHTML = `${icon} Please enter your email`;
    email.classList.add("error");
    isValid = false;
} else if (!emailFormat.test(email.value.trim())) {
    errEmail.innerHTML = `${icon} Enter a valid email`;
    email.classList.add("error");
    isValid = false;
} else {
    email.classList.add("success");
}

// Issue validation
if (issue.value.trim() == "") {
    errIssue.innerHTML = `${icon} Please enter your issue`;
    issue.classList.add("error");
    isValid = false;
} else {
    issue.classList.add("success");
}

// Description validation
if (desc.value.trim() == "") {
    errDesc.innerHTML = `${icon} Please describe your issue`;
    desc.classList.add("error");
    isValid = false;
}
```

```
} else {  
    desc.classList.add("success");  
}  
  
// If not valid → stop  
if (!isValid) return false;  
  
// Show success for 3 seconds  
successBox.classList.remove("d-none");  
  
setTimeout(() => {  
    successBox.classList.add("d-none");  
}, 3000);  
  
// Clear fields  
name.value = "";  
email.value = "";  
issue.value = "";  
desc.value = "";  
  
return false;  
}  
  
</script>
```

Output :



The screenshot shows the MindSpace website. On the left, there is a feedback form with fields for Name, Email, Issue, and a text area to describe the issue. Each field has a red error message: "Please enter your name", "Please enter your email", "Please enter your issue", and "Please describe your issue". A green "Submit" button is at the bottom of the form. To the right of the form, there is a green "Get Guidance" button. Below the form, there is a "Help Center" button. The main content area of the website has a header with "Home", "Service", "About", and "Contact" links, and a search bar. The main heading is "Welcome to MindSpace". Below the heading, there is a quote: "Every problem has a solution. Sometimes, you just need the right guidance." and a paragraph of text about the website's purpose. At the bottom, there is a section titled "Emotional Reminders" with a green leaf icon.

2) feedback - form

HTML :

```
<div class="card shadow-sm p-4">
  <h2 class="fw-bold text-success mb-4">Share Your Feedback...</h2>

  <form id="supportForm" method="get" action="feedback-form.html"
onsubmit="return validatefeedbackForm()">

    <div id="successBox" class="alert alert-success mt-3 d-none">
      feedback send successfully!
    </div>
    <div class="row g-3">
      <!-- Personal Details -->
      <div class="col-md-6">
        <label class="form-label">Full Name</label>
        <input type="text" class="form-control" id="fname" placeholder="Enter your
name">
        <small class="text-danger fw-semibold" id="errfname"></small>
```

```

</div>
<div class="col-md-6">
  <label class="form-label">Age</label>
  <input type="text" class="form-control" id="age" placeholder="Enter your age">
  <small class="text-danger fw-semibold" id="errage"></small>
</div>

<!-- Contact Details -->
<div class="col-md-6">
  <label class="form-label">Email</label>
  <input type="text" class="form-control" id="email" aria-grabbed="email"
placeholder="Enter your email">
  <small class="text-danger fw-semibold" id="erremail"></small>
</div>
<div class="col-md-6">
  <label class="form-label">Phone</label>
  <input type="text" class="form-control" id="mnumber" placeholder="Enter your
phone">
  <small class="text-danger fw-semibold" id="errmnumber"></small>
</div>

<!-- Feedback -->
<div class="col-12">
  <label class="form-label">Your Experience</label>
  <textarea class="form-control" rows="4" id="Experience" placeholder="Write your
feedback here..."></textarea>
  <small class="text-danger fw-semibold" id="errExperience"></small>
</div>

<!-- Submit Button -->
<div class="col-12 text-end">
  <button type="submit" class="btn btn-success rounded-pill px-4 py-2
fw-semibold">
    Submit Feedback
  </button>
</div>
</div>
</form>
</div>

```

JS :

<script>

```
function validatefeedbackForm() {

    let name = document.getElementById('fname');
    let age = document.getElementById('age');
    let email = document.getElementById('email'); // fixed id
    let mnumber = document.getElementById('mnumber');
    let experience = document.getElementById('Experience');

    // error fields
    let errName = document.getElementById('errfname');
    let errAge = document.getElementById('errage');
    let errEmail = document.getElementById('erremail');
    let errNumber = document.getElementById('errmnumber');
    let errExperience = document.getElementById('errExperience');

    name.classList.remove("error", "success");
    age.classList.remove("error", "success");
    email.classList.remove("error", "success");
    mnumber.classList.remove("error", "success");
    experience.classList.remove("error", "success");

    // reset errors
    errName.innerHTML = "";
    errAge.innerHTML = "";
    errEmail.innerHTML = "";
    errNumber.innerHTML = "";
    errExperience.innerHTML = "";

    let isValid = true;

    const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';

    if (name.value.trim() == "") {
        errName.innerHTML = `${icon} Please enter your name`;
```

```
name.classList.add("error");
isValid = false;
} else if (!isNaN(name.value)) {
    errName.innerHTML = `${icon} Name must contain letters only`;
    name.classList.add("error");
    isValid = false;
} else {
    name.classList.add("success");
}
```

```
if (age.value.trim() == "") {
    errAge.innerHTML = `${icon} Enter your age`;
    age.classList.add("error");
    isValid = false;
```

```
} else if (!/^\d+$/).test(age.value)) {
    errAge.innerHTML = `${icon} Age must be a number`;
    age.classList.add("error");
    isValid = false;
```

```
} else if (age.value < 5 || age.value > 120) {
    errAge.innerHTML = `${icon} Enter a valid age (5-120)`;
    age.classList.add("error");
    isValid = false;
```

```
} else {
    age.classList.add("success");
}
```

```
let emailFormat = /^[a-zA-Z0-9._%+-]+@[a-zA-Z]+\.[A-Za-z]{2,}$/;
```

```
if (email.value.trim() == "") {
    errEmail.innerHTML = `${icon} Please enter email`;
    email.classList.add("error");
    isValid = false;
} else if (!emailFormat.test(email.value)) {
    errEmail.innerHTML = `${icon} Enter valid email`;
    email.classList.add("error");
    isValid = false;
} else {
```



```
email.classList.add("success");
}

if (mnumber.value.trim() == "") {
    errNumber.innerHTML = `${icon} Enter phone number`;
    mnumber.classList.add("error");
    isValid = false;
} else if (!/^\\d+$/ .test(mnumber.value)) {
    errNumber.innerHTML = `${icon} Phone number must contain digits only`;
    mnumber.classList.add("error");
    isValid = false;
} else if (mnumber.value.length !== 10) {
    errNumber.innerHTML = `${icon} Phone must be 10 digits`;
    mnumber.classList.add("error");
    isValid = false;
} else {
    mnumber.classList.add("success");
}

if (experience.value.trim() == "") {
    errExperience.innerHTML = `${icon} Please write your experience`;
    experience.classList.add("error");
    isValid = false;
} else {
    experience.classList.add("success");
}

if (isValid) {
    if (successBox) {
        successBox.classList.remove("d-none");

        setTimeout(() => {
            successBox.classList.add("d-none");
        }, 3000);
    }

    name.value = "";
    age.value = "";
    email.value = "";
}
```

```
mnumber.value = "";  
experience.value = "";  
  
return false;  
}  
  
return false;  
}  
</script>
```

Output :

Mind Space[Home](#)[Service](#)[About](#)[Contact](#)

Share Your Feedback...

| | |
|---|---|
| Full Name
<input type="text" value="Enter your name"/>
<small>Please enter your name</small> | Age
<input type="text" value="Enter your age"/>
<small>Please enter your age</small> |
| Email
<input type="text" value="Enter your email"/>
<small>Please enter email</small> | Phone
<input type="text" value="Enter your phone"/>
<small>Please enter phone number</small> |
| Your Experience
<div>Write your feedback here...</div>
<small>Please write your experience</small> | |

Submit Feedback

3) Write diary :

3.1) Write new diary :

HTML :

<section>

<h3 class="text-success text-center mb-4"> Write Your Thoughts</h3>

<form id="noteForm" method="get" action="write.html" onsubmit="return
saveNote()">

<input type="text" id="noteTitle" class="form-control note-title"
placeholder="Title">

<small class="text-danger fw-semibold" id="errTitle"></small>

<textarea id="noteArea" class="form-control note-area" placeholder="Start writing
your notes..."></textarea>

<small class="text-danger fw-semibold" id="errArea"></small>

<div id="successBox" class="alert alert-success mt-3 d-none">

Note saved successfully!

</div>

<div class="text-end mt-3">

Back

<button type="submit" class="btn btn-success rounded-pill px-4">Save</button>

</div>

</form>

</section>

JS :

<script>

```
function saveNote() {
    let title = document.getElementById("noteTitle");
    let note = document.getElementById("noteArea");

    let errTitle = document.getElementById("errTitle");
    let errArea = document.getElementById("errArea");
    let successBox = document.getElementById("successBox");

    let valid = true;

    const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';

    errTitle.innerHTML = "";
    errArea.innerHTML = "";
    title.classList.remove("error", "success");
    note.classList.remove("error", "success");
    successBox.classList.add("d-none");

    if (title.value.trim() == "") {
        errTitle.innerHTML = `${icon} Please enter a title.`;
        title.classList.add("error");
        valid = false;
    } else if (!isNaN(title.value)) {
        errTitle.innerHTML = `${icon} Title must contain letters.`;
        title.classList.add("error");
        valid = false;
    } else if (title.value.length > 150) {
        errTitle.innerHTML = `${icon} Title must be under 150 characters.`;
        title.classList.add("error");
        valid = false;
    } else {
        title.classList.add("success");
    }

    if (note.value.trim() == "") {
        errArea.innerHTML = `${icon} Please write your note.`;
```

```
        note.classList.add("error");
        valid = false;
    } else if (note.value.length < 10) {
        errArea.innerHTML = `${icon} Note must be at least 10 characters.`;
        note.classList.add("error");
        valid = false;
    } else {
        note.classList.add("success");
    }
}

if (!valid) return false;


successBox.classList.remove("d-none");

setTimeout(function () {
    document.getElementById("noteForm").submit();
}, 2000);

return false;
}

</script>
```

Output :



MindSpace

Home Service About Contact

Search...

 Write Your Thoughts

Title

Please enter a title.

Start writing your notes...

Please write your note.

Back Save

3.2) Edit diary :

HTML :

```
<form id="noteForm" method="get" action="write.html" onsubmit="return saveNote()">

  <div class="mb-3">
    <label class="form-label fw-semibold">Title</label>
    <input type="text" id="noteTitle" class="form-control note-title rounded-3"
      value="🌸 Best Moment" placeholder="Title">
    <small class="text-danger fw-semibold" id="errTitle"></small>
  </div>

  <div class="mb-3">
    <label class="form-label fw-semibold">Content</label>
    <textarea rows="5" id="noteArea" class="form-control note-area rounded-3"
      placeholder="Start writing your notes...">Had a great walk in the evening, felt
relaxed and grateful for the little things.</textarea>
    <small class="text-danger fw-semibold" id="errArea"></small>
  </div>

  <div id="successBox" class="alert alert-success mt-3 d-none">
    Note saved successfully!
  </div>

  <div class="modal-footer text-end mt-3">
    <a href="write.html" class="btn btn-outline-secondary rounded-pill px-3"
>Cancel</a>
    <button type="submit" class="btn btn-success rounded-pill px-4">Save
Changes</button>
  </div>

</form>
```

JS :

```
<script>
function saveNote() {

    let title = document.getElementById("noteTitle");
    let note = document.getElementById("noteArea");

    let errTitle = document.getElementById("errTitle");
    let errArea = document.getElementById("errArea");
    let successBox = document.getElementById("successBox");

    let valid = true;
    const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';

    errTitle.innerHTML = "";
    errArea.innerHTML = "";
    title.classList.remove("error", "success");
    note.classList.remove("error", "success");
    successBox.classList.add("d-none");

    if (title.value.trim() == "") {
        errTitle.innerHTML = `${icon} Please enter a title.`;
        title.classList.add("error");
        valid = false;
    } else if (!isNaN(title.value.trim())) {
        errTitle.innerHTML = `${icon} Title must contain letters.`;
        title.classList.add("error");
        valid = false;
    } else if (title.value.length > 150) {
        errTitle.innerHTML = `${icon} Title must be under 150 characters.`;
        title.classList.add("error");
        valid = false;
    } else {
        title.classList.add("success");
    }
}

if (note.value.trim() == "") {
    errArea.innerHTML = `${icon} Please write your note.`;
    note.classList.add("error");
    valid = false;
}
```

```

    } else if (note.value.length < 10) {
        errArea.innerHTML = `${icon} Note must be at least 10 characters.`;
        note.classList.add("error");
        valid = false;
    } else {
        note.classList.add("success");
    }
}

if (!valid) return false;


successBox.classList.remove("d-none");

setTimeout(function () {
    document.getElementById("noteForm").submit();
}, 2000);

return false;
}
</script>

```

Output :



4) Habit :

4.1) add new habit :

HTML :

```
<form id="habitForm" method="get" action="habbit-page.html" onsubmit="return
saveHabit()">
  <div class="row g-4">

    <div class="col-md-6">
      <div class="card rounded-4 shadow-sm p-4">
        <label class="fw-semibold text-success mb-2">Old Habit Name</label>
        <input type="text" id="oldHabit" class="form-control" placeholder="Enter
your old habit">
        <small id="errOld" class="text-danger"></small>
      </div>
    </div>

    <div class="col-md-6">
      <div class="card rounded-4 shadow-sm p-4">
        <label class="fw-semibold text-success mb-2">Replaced Habit</label>
        <input type="text" id="newHabit" class="form-control" placeholder="Enter
your new habit">
        <small id="errNew" class="text-danger"></small>
      </div>
    </div>

    <div class="col-md-6">
      <div class="card rounded-4 shadow-sm p-4">
        <label class="fw-semibold text-success mb-2">Date Starting</label>
        <input type="date" id="startDate" class="form-control">
        <small id="errDate" class="text-danger"></small>
      </div>
    </div>

    <div class="col-md-6">
      <div class="card rounded-4 shadow-sm p-4">
        <label class="fw-semibold text-success mb-2">Total Days</label>
        <input type="text" id="totalDays" class="form-control" placeholder="Enter
number of days">
      </div>
    </div>
  </div>
</form>
```

```

        <small id="errDays" class="text-danger"></small>
    </div>
</div>

<div class="col-md-6">
    <div class="card rounded-4 shadow-sm p-4">
        <label class="fw-bold text-success mb-2">💡 Motivation</label>
        <textarea id="motivation" class="form-control" rows="3"
placeholder="Write your motivational thought..."></textarea>
        <small id="errMotivation" class="text-danger"></small>
    </div>
</div>

<div class="col-md-6">
    <div class="card rounded-4 shadow-sm p-4">
        <label class="fw-bold text-success mb-2">📖 Description</label>
        <textarea id="description" class="form-control" rows="3"
placeholder="Describe your new habit..."></textarea>
        <small id="errDescription" class="text-danger"></small>
    </div>
</div>

<div class="col-md-6">
    <div class="card rounded-4 shadow-sm p-4">
        <div class="d-flex justify-content-between align-items-center mb-2">
            <h5 class="fw-bold text-success mb-0">🚫 Ignore List</h5>
            <button type="button" class="btn btn-sm btn-outline-success rounded-pill
px-3">+ Add</button>
        </div>

        <div class="input-group mb-2">
            <input type="text" id="ignore1" class="form-control" placeholder="Avoid
junk food">
            <span class="input-group-text btn btn-outline-danger">×</span>
        </div>
        <div class="input-group mb-2">
            <input type="text" id="ignore2" class="form-control" placeholder="No
late-night scrolling">
            <span class="input-group-text btn btn-outline-danger">×</span>
        </div>
    </div>
</div>

```

```

        <small id="errIgnore" class="text-danger"></small>
    </div>
</div>

<div class="col-md-6">
    <div class="card rounded-4 shadow-sm p-4">
        <div class="d-flex justify-content-between align-items-center mb-2">
            <h5 class="fw-bold text-success mb-0">🐇 Discipline & Rules</h5>
            <button type="button" class="btn btn-sm btn-outline-success rounded-pill
px-3">+ Add</button>
        </div>

        <div class="input-group mb-2">
            <input type="text" id="rule1" class="form-control" placeholder="Wake up
early">
            <span class="input-group-text btn btn-outline-danger">×</span>
        </div>
        <div class="input-group mb-2">
            <input type="text" id="rule2" class="form-control" placeholder="Daily
meditation & prayer">
            <span class="input-group-text btn btn-outline-danger">×</span>
        </div>

        <small id="errRule" class="text-danger"></small>
    </div>
</div>

<div class="mt-4 text-end">
    <a href="habbit-page.html" class="btn btn-outline-success rounded-pill px-4
me-2">Back</a>
    <button type="submit" class="btn btn-success rounded-pill px-4">Save
Habit</button>
</div>

<div id="successBox" class="alert alert-success mt-3 d-none">
    Habit saved successfully!
</div>

</div>
</form>

```

JS :

<script>

```
function saveHabit() {

    var oldHabit = document.getElementById("oldHabit");
    var newHabit = document.getElementById("newHabit");
    var startDate = document.getElementById("startDate");
    var totalDays = document.getElementById("totalDays");
    var motivation = document.getElementById("motivation");
    var description = document.getElementById("description");
    var ignore1 = document.getElementById("ignore1");
    var ignore2 = document.getElementById("ignore2");
    var rule1 = document.getElementById("rule1");
    var rule2 = document.getElementById("rule2");

    var errOld = document.getElementById("errOld");
    var errNew = document.getElementById("errNew");
    var errDate = document.getElementById("errDate");
    var errDays = document.getElementById("errDays");
    var errMotivation = document.getElementById("errMotivation");
    var errDescription = document.getElementById("errDescription");
    var errIgnore = document.getElementById("errIgnore");
    var errRule = document.getElementById("errRule");
    var successBox = document.getElementById("successBox");

    const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';

    oldHabit.classList.remove("error","success");
    newHabit.classList.remove("error","success");
    startDate.classList.remove("error","success");
    totalDays.classList.remove("error","success");
    motivation.classList.remove("error","success");
    description.classList.remove("error","success");
    ignore1.classList.remove("error","success");
    ignore2.classList.remove("error","success");
    rule1.classList.remove("error","success");
    rule2.classList.remove("error","success");

    errOld.innerHTML = "";
```

```
errNew.innerHTML = "";
errDate.innerHTML = "";
errDays.innerHTML = "";
errMotivation.innerHTML = "";
errDescription.innerHTML = "";
errIgnore.innerHTML = "";
errRule.innerHTML = "";

successBox.classList.add("d-none");

var valid = true;

if (oldHabit.value.trim() == "") {
    errOld.innerHTML = `${icon} Please enter old habit.`;
    oldHabit.classList.add("error");
    valid = false;
} else {
    oldHabit.classList.add("success");
}

if (newHabit.value.trim() == "") {
    errNew.innerHTML = `${icon} Please enter new habit.`;
    newHabit.classList.add("error");
    valid = false;
} else {
    newHabit.classList.add("success");
}

if (startDate.value == "") {
    errDate.innerHTML = `${icon} Select a date.`;
    startDate.classList.add("error");
    valid = false;
} else {
    startDate.classList.add("success");
}

if (totalDays.value.trim() == "") {
    errDays.innerHTML = `${icon} Please enter total days.`;
    totalDays.classList.add("error");
    valid = false;
} else if (isNaN(totalDays.value)) {
```

```
errDays.innerHTML = `${icon} Only numbers allowed.`;  
totalDays.classList.add("error");  
valid = false;  
} else if (totalDays.value <= 0) {  
    errDays.innerHTML = `${icon} Days must be greater than 0.`;  
    totalDays.classList.add("error");  
    valid = false;  
} else {  
    totalDays.classList.add("success");  
}
```

```
if (motivation.value.trim().length < 10) {  
    errMotivation.innerHTML = `${icon} Min 10 characters.`;  
    motivation.classList.add("error");  
    valid = false;  
} else {  
    motivation.classList.add("success");  
}
```

```
if (description.value.trim().length < 10) {  
    errDescription.innerHTML = `${icon} Min 10 characters.`;  
    description.classList.add("error");  
    valid = false;  
} else {  
    description.classList.add("success");  
}
```

```
if (ignore1.value.trim() == "" || ignore2.value.trim() == "") {  
    errIgnore.innerHTML = `${icon} Add at least 2 ignore items.`;  
    ignore1.classList.add("error");  
    ignore2.classList.add("error");  
    valid = false;  
} else {  
    ignore1.classList.add("success");  
    ignore2.classList.add("success");  
}
```

```
if (rule1.value.trim() == "" || rule2.value.trim() == "") {  
    errRule.innerHTML = `${icon} Add at least 2 rules.`;  
    rule1.classList.add("error");
```

```
        rule2.classList.add("error");
        valid = false;
    } else {
        rule1.classList.add("success");
        rule2.classList.add("success");
    }

    if (!valid) return false;

    successBox.classList.remove("d-none");

    oldHabit.value = "";
    newHabit.value = "";
    startDate.value = "";
    totalDays.value = "";
    motivation.value = "";
    description.value = "";
    ignore1.value = "";
    ignore2.value = "";
    rule1.value = "";
    rule2.value = "";

    setTimeout(function() {
        document.getElementById("habitForm").submit();
    }, 2000);

    return false;
}

</script>
```

Output :

 **Add New Habit**

Old Habit Name

ⓘ Please enter old habit.

Replaced Habit

ⓘ Please enter new habit.

Date Starting

ⓘ Select a date.

Total Days

ⓘ Please enter total days.

Motivation

ⓘ Min 10 characters.

Description

ⓘ Min 10 characters.

Ignore List + Add

×

×

ⓘ Add at least 2 ignore items.

Discipline & Rules + Add

×

×

ⓘ Add at least 2 rules.

Back Save Habit

Harshad Soyliya (92510103026)

24

4.2) Edit Habbit :

HTML :

```
<form id="habitForm" method="get" action="habbit-page.html" onsubmit="return
saveHabit()">

  <div class="row g-4">

    <div class="col-md-6">
      <div class="card rounded-4 shadow-sm p-4">
        <label class="fw-semibold text-success mb-2">Old Habit Name</label>
        <input type="text" id="oldHabit" class="form-control" value="Mobile
Addiction">
        <small id="errOld" class="text-danger"></small>
      </div>
    </div>

    <div class="col-md-6">
      <div class="card rounded-4 shadow-sm p-4">
        <label class="fw-semibold text-success mb-2">Replaced Habit</label>
        <input type="text" id="newHabit" class="form-control" value="Read Books">
        <small id="errNew" class="text-danger"></small>
      </div>
    </div>

    <div class="col-md-6">
      <div class="card rounded-4 shadow-sm p-4">
        <label class="fw-semibold text-success mb-2">Date Starting</label>
        <input type="date" id="startDate" class="form-control" value="2025-09-12">
        <small id="errDate" class="text-danger"></small>
      </div>
    </div>

    <div class="col-md-6">
      <div class="card rounded-4 shadow-sm p-4">
        <label class="fw-semibold text-success mb-2">Day</label>
        <input type="text" id="totalDays" class="form-control" value="20">
        <small id="errDays" class="text-danger"></small>
      </div>
    </div>

  </div>
```

```
<div class="col-md-6">
  <div class="card rounded-4 shadow-sm p-4">
    <label class="fw-bold text-success mb-2">💡 Motivation</label>
    <textarea id="motivation" class="form-control" rows="3">Discipline is the
bridge between goals and achievements. Every step in Brahmacharya builds strength like
Hanuman Ji — fearless and unstoppable.</textarea>
    <small id="errMotivation" class="text-danger"></small>
  </div>
</div>
```

```
<div class="col-md-6">
  <div class="card rounded-4 shadow-sm p-4">
    <label class="fw-bold text-success mb-2">📖 Description</label>
    <textarea id="description" class="form-control" rows="3">Remove mobile
addiction and keep fit and healthy.</textarea>
    <small id="errDescription" class="text-danger"></small>
  </div>
</div>
```

```
<div class="col-md-6">
  <div class="card rounded-4 shadow-sm p-4">
    <div class="d-flex justify-content-between align-items-center mb-3">
      <h5 class="fw-bold text-success mb-0">🚫 Ignore List</h5>
      <button type="button" class="btn btn-sm btn-outline-success rounded-pill
px-3">Add</button>
    </div>
    <div class="list-input-group">
      <div class="input-group">
        <input type="text" class="form-control" id="ignore1" value="Avoid junk
food">
        <button class="btn btn-outline-danger btn-remove"
type="button">×</button>
      </div>
      <div class="input-group">
        <input type="text" class="form-control" id="ignore2" value="No late-night
scrolling">
        <button class="btn btn-outline-danger btn-remove"
type="button">×</button>
      </div>
    </div>
  </div>
```

```

        <small id="errIgnore" class="text-danger"></small>
    </div>
</div>

<div class="col-md-6">
    <div class="card rounded-4 shadow-sm p-4">
        <div class="d-flex justify-content-between align-items-center mb-3">
            <h5 class="fw-bold text-success mb-0">🕒 Discipline & Rules</h5>
            <button type="button" class="btn btn-sm btn-outline-success rounded-pill
px-3">Add</button>
        </div>
        <div class="list-input-group">
            <div class="input-group">
                <input type="text" class="form-control" id="rule1" value="Wake up early
(before sunrise)">
                <button class="btn btn-outline-danger btn-remove"
type="button">×</button>
            </div>
            <div class="input-group">
                <input type="text" class="form-control" id="rule2" value="Daily meditation
& prayer">
                <button class="btn btn-outline-danger btn-remove"
type="button">×</button>
            </div>
            <small id="errRule" class="text-danger"></small>
        </div>
    </div>

    <div class="mt-4 text-end">
        <a href="habbit-page.html" class="btn btn-outline-success rounded-pill px-4
me-2">Back</a>
        <button type="submit" class="btn btn-success rounded-pill px-4">Update
Habit</button>
    </div>

    <div id="successBox" class="alert alert-success mt-3 d-none">
        Habit updated successfully!
    </div>

</div>

```

</form>

JS :

<script>

```
function saveHabit() {
    var oldHabit = document.getElementById("oldHabit");
    var newHabit = document.getElementById("newHabit");
    var startDate = document.getElementById("startDate");
    var totalDays = document.getElementById("totalDays");
    var motivation = document.getElementById("motivation");
    var description = document.getElementById("description");
    var ignore1 = document.getElementById("ignore1");
    var ignore2 = document.getElementById("ignore2");
    var rule1 = document.getElementById("rule1");
    var rule2 = document.getElementById("rule2");

    var errOld = document.getElementById("errOld");
    var errNew = document.getElementById("errNew");
    var errDate = document.getElementById("errDate");
    var errDays = document.getElementById("errDays");
    var errMotivation = document.getElementById("errMotivation");
    var errDescription = document.getElementById("errDescription");
    var errIgnore = document.getElementById("errIgnore");
    var errRule = document.getElementById("errRule");
    var successBox = document.getElementById("successBox");

    var icon = '<i class="bi bi-exclamation-circle-fill"></i> ';
    var valid = true;

    oldHabit.classList.remove("error","success");
    newHabit.classList.remove("error","success");
    startDate.classList.remove("error","success");
    totalDays.classList.remove("error","success");
    motivation.classList.remove("error","success");
    description.classList.remove("error","success");
    ignore1.classList.remove("error","success");
    ignore2.classList.remove("error","success");
    rule1.classList.remove("error","success");
```

```
rule2.classList.remove("error","success");

errOld.innerHTML = "";
errNew.innerHTML = "";
errDate.innerHTML = "";
errDays.innerHTML = "";
errMotivation.innerHTML = "";
errDescription.innerHTML = "";
errIgnore.innerHTML = "";
errRule.innerHTML = "";
successBox.classList.add("d-none");

if (oldHabit.value.trim() == "") {
    errOld.innerHTML = `${icon} Please enter old habit.`;
    oldHabit.classList.add("error");
    valid = false;
} else {
    oldHabit.classList.add("success");
}

if (newHabit.value.trim() == "") {
    errNew.innerHTML = `${icon} Please enter new habit.`;
    newHabit.classList.add("error");
    valid = false;
} else {
    newHabit.classList.add("success");
}

if (startDate.value == "") {
    errDate.innerHTML = `${icon} Select a date.`;
    startDate.classList.add("error");
    valid = false;
} else {
    startDate.classList.add("success");
}

if (totalDays.value.trim() == "") {
    errDays.innerHTML = `${icon} Please enter total days.`;
    totalDays.classList.add("error");
    valid = false;
} else if (isNaN(totalDays.value)) {
```

```
errDays.innerHTML = `${icon} Only numbers allowed.`;
totalDays.classList.add("error");
valid = false;
} else if (totalDays.value <= 0) {
    errDays.innerHTML = `${icon} Days must be greater than 0.`;
    totalDays.classList.add("error");
    valid = false;
} else {
    totalDays.classList.add("success");
}

if (motivation.value.trim().length < 10) {
    errMotivation.innerHTML = `${icon} Min 10 characters.`;
    motivation.classList.add("error");
    valid = false;
} else {
    motivation.classList.add("success");
}

if (description.value.trim().length < 10) {
    errDescription.innerHTML = `${icon} Min 10 characters.`;
    description.classList.add("error");
    valid = false;
} else {
    description.classList.add("success");
}

if (ignore1.value.trim() == "" || ignore2.value.trim() == "") {
    errIgnore.innerHTML = `${icon} Add at least 2 ignore items.`;
    ignore1.classList.add("error");
    ignore2.classList.add("error");
    valid = false;
} else {
    ignore1.classList.add("success");
    ignore2.classList.add("success");
}

if (rule1.value.trim() == "" || rule2.value.trim() == "") {
    errRule.innerHTML = `${icon} Add at least 2 rules.`;
    rule1.classList.add("error");
    rule2.classList.add("error");
}
```

```
        valid = false;
    } else {
        rule1.classList.add("success");
        rule2.classList.add("success");
    }

    if (valid == false) return false;

    successBox.classList.remove("d-none");

    setTimeout(function() {
        document.getElementById("habitForm").submit();
    }, 2000);

    return false;
}

</script>
```

Output :

 **Edit Habit**

Old Habit Name

Please enter old habit.

Replaced Habit

Please enter new habit.

Date Starting

Day

Only numbers allowed.

Motivation

Discipline is the bridge between goals and achievements. Every step in Brahmacharya builds strength like Hanuman ji - fearless and unstoppable.

Description

Remove mobile addiction and keep fit and healthy.

Ignore List Add

Avoid junk food

No late-night scrolling

Discipline & Rules Add

Wake up early (before sunrise)

Add at least 2 rules.

Back Update Habit

5) Goal :

5.1) add new Goal :

HTML :

```
<form id="goalForm" method="get" action="goal.html" onsubmit="return saveGoal()">
  <div class="row g-4 mb-5 justify-content-center">

    <div class="col-6 col-md-3">
      <div class="card rounded-pill shadow-sm text-center p-3">
        <input type="text" id="goalName" class="form-control fw-semibold text-center"
placeholder="enter goal name">
        <small id="errGoalName" class="text-danger"></small>
      </div>
    </div>

    <div class="col-6 col-md-3">
      <div class="card rounded-pill shadow-sm text-center p-3">
        <input type="date" id="goalDate" class="form-control fw-semibold text-center"
placeholder="enter starting date">
        <small id="errGoalDate" class="text-danger"></small>
      </div>
    </div>

    <div class="col-12 col-md-3">
      <div class="d-flex gap-2 h-100 flex-wrap">
        <button type="submit" class="btn btn-outline-success rounded-pill fw-semibold
shadow-sm flex-fill">
          Save
        </button>
        <a href="goal.html"
          class="btn btn-success rounded-pill fw-semibold shadow-sm flex-fill d-flex
justify-content-center align-items-center p-2">
          Back
        </a>
      </div>
    </div>

  </div>
```

```
<div class="row g-4">

  <div class="col-md-6">
    <div class="card shadow-sm rounded-4 h-100">
      <div class="card-body">
        <h5 class="text-success">Note</h5>
        <textarea id="note" class="form-control" rows="4" placeholder="write some
motivational notes..."></textarea>
        <small id="errNote" class="text-danger"></small>
      </div>
    </div>
  </div>

  <div class="col-md-6">
    <div class="card shadow-sm rounded-4 h-100">
      <div class="card-body">
        <div class="d-flex justify-content-between align-items-center mb-3">
          <h5 class="text-success mb-0">Roadmap / Phases</h5>
          <button type="button" class="btn btn-sm btn-outline-success rounded-pill
px-3">Add</button>
        </div>

        <div class="roadmap-item">
          <div class="input-group mb-2">
            <input type="text" id="phase1" class="form-control" placeholder="Roadmap - 1">
          </div>
          <div class="input-group mb-2">
            <input type="text" id="phase2" class="form-control" placeholder="Roadmap - 2">
          </div>
          <small id="errPhase" class="text-danger"></small>
        </div>
      </div>
    </div>
  </div>

  <div id="successBox" class="alert alert-success mt-3 d-none">
    Goal saved successfully!
  </div>
```

</form>

JS :

<script>

```
function saveGoal() {
    var goalName = document.getElementById("goalName");
    var goalDate = document.getElementById("goalDate");
    var note = document.getElementById("note");
    var phase1 = document.getElementById("phase1");
    var phase2 = document.getElementById("phase2");

    var errGoalName = document.getElementById("errGoalName");
    var errGoalDate = document.getElementById("errGoalDate");
    var errNote = document.getElementById("errNote");
    var errPhase = document.getElementById("errPhase");
    var successBox = document.getElementById("successBox");

    var icon = '<i class="bi bi-exclamation-circle-fill"></i> ';
    var valid = true;

    // Clear previous styles
    goalName.classList.remove("error","success");
    goalDate.classList.remove("error","success");
    note.classList.remove("error","success");
    phase1.classList.remove("error","success");
    phase2.classList.remove("error","success");

    errGoalName.innerHTML = "";
    errGoalDate.innerHTML = "";
    errNote.innerHTML = "";
    errPhase.innerHTML = "";
    successBox.classList.add("d-none");

    // Validation
    if (goalName.value.trim() == "") {
        errGoalName.innerHTML = `${icon} Please enter goal name.`;
        goalName.classList.add("error");
        valid = false;
    }
}
```

```
} else {
    goalName.classList.add("success");
}

if (goalDate.value == "") {
    errGoalDate.innerHTML = `${icon} Select a starting date.`;
    goalDate.classList.add("error");
    valid = false;
} else {
    goalDate.classList.add("success");
}

if (note.value.trim().length < 10) {
    errNote.innerHTML = `${icon} Min 10 characters.`;
    note.classList.add("error");
    valid = false;
} else {
    note.classList.add("success");
}

if (phase1.value.trim() == "" || phase2.value.trim() == "") {
    errPhase.innerHTML = `${icon} Add at least 2 roadmap phases.`;
    phase1.classList.add("error");
    phase2.classList.add("error");
    valid = false;
} else {
    phase1.classList.add("success");
    phase2.classList.add("success");
}

if (valid == false) return false;

// Show success
successBox.classList.remove("d-none");


// Clear fields
goalName.value = "";
goalDate.value = "";
note.value = "";
phase1.value = "";
phase2.value = "";
```

```
// Redirect after 2 seconds
setTimeout(function() {
    document.getElementById("goalForm").submit();
}, 1500);

return false;
}

</script>
```

Output :



The screenshot shows the 'Add Goal' form in the Mind Space application. The form is titled 'Add Goal' and contains several input fields and buttons. At the top, there is a navigation bar with 'Mind Space' and links for 'Home', 'Service', 'About', and 'Contact'. A search bar is also present. The form itself has a title 'Add Goal' and a 'Back' button. Below the title, there are two input fields: 'enter goal name' and 'dd-mm-yyyy'. The 'enter goal name' field has a red border and a message 'Please enter goal name.' below it. The 'dd-mm-yyyy' field has a red border and a message 'Select a starting date.' below it. To the right of these fields are 'Save' and 'Back' buttons. Below the input fields, there are two sections: 'Note' and 'Roadmap / Phases'. The 'Note' section has a text area with the placeholder 'write some motivational notes...' and a message 'Min 10 characters.' below it. The 'Roadmap / Phases' section has two input fields labeled 'Roadmap - 1' and 'Roadmap - 2', and a message 'Add at least 2 roadmap phases.' below them. An 'Add' button is located to the right of the 'Roadmap / Phases' section.

5.2) Edit Goal :

HTML :

```
<form id="editGoalForm" method="get" action="goal.html" onsubmit="return
saveEditGoal()">

  <div class="row g-4 mb-5 justify-content-center">

    <div class="col-6 col-md-3">
      <div class="card rounded-pill shadow-sm text-center p-3">
        <input type="text" id="editGoalName" class="form-control fw-semibold text-center"
          value="Computer Engineering">
        <small id="errEditGoalName" class="text-danger"></small>
      </div>
    </div>

    <div class="col-6 col-md-3">
      <div class="card rounded-pill shadow-sm text-center p-3">
        <input type="date" id="editGoalDate" class="form-control fw-semibold text-center"
value="2022-09-20">
        <small id="errEditGoalDate" class="text-danger"></small>
      </div>
    </div>

    <div class="col-12 col-md-3">
      <div class="d-flex gap-2 h-100 flex-wrap">
        <button type="submit" class="btn btn-outline-success rounded-pill fw-semibold
shadow-sm flex-fill">
          Save Changes
        </button>
        <a href="goal.html"
          class="btn btn-success rounded-pill fw-semibold shadow-sm flex-fill d-flex
justify-content-center align-items-center p-2">
          Back
        </a>
      </div>
    </div>

  </div>

  <div class="row g-4">
    <div class="col-md-6">
```



```

<div class="card shadow-sm rounded-4 h-100">
  <div class="card-body">
    <h5 class="text-success">Note</h5>
    <textarea id="editNote" class="form-control" rows="4">"Discipline is the bridge
between goals and achievement."
    "Small daily improvements lead to stunning results."</textarea>
    <small id="errEditNote" class="text-danger"></small>
  </div>
</div>
</div>

<div class="col-md-6">
  <div class="card shadow-sm rounded-4 h-100">
    <div class="card-body">
      <div class="d-flex justify-content-between align-items-center mb-3">
        <h5 class="text-success mb-0">Roadmap / Phases</h5>
        <button type="button" class="btn btn-sm btn-outline-success rounded-pill
px-3">Add</button>
      </div>

      <div class="roadmap-item">
        <input type="text" id="editPhase1" class="form-control mb-2" value="full job">
      </div>
      <div class="roadmap-item">
        <input type="text" id="editPhase2" class="form-control mb-2" value="part time
job">
      </div>
      <div class="roadmap-item">
        <input type="text" id="editPhase3" class="form-control mb-2" value="internship 4
months">
      </div>
      <div class="roadmap-item">
        <input type="text" id="editPhase4" class="form-control mb-2" value="website
project">
      </div>
      <small id="errEditPhase" class="text-danger"></small>
    </div>
  </div>
</div>
</div>

```

```
<div id="successBoxEdit" class="alert alert-success mt-3 d-none">
  Goal updated successfully!
</div>

</form>
```

JS :

```
<script>

function saveEditGoal() {
  var goalName = document.getElementById("editGoalName");
  var goalDate = document.getElementById("editGoalDate");
  var note = document.getElementById("editNote");
  var phase1 = document.getElementById("editPhase1");
  var phase2 = document.getElementById("editPhase2");

  var errGoalName = document.getElementById("errEditGoalName");
  var errGoalDate = document.getElementById("errEditGoalDate");
  var errNote = document.getElementById("errEditNote");
  var errPhase = document.getElementById("errEditPhase");
  var successBox = document.getElementById("successBoxEdit");

  var icon = '<i class="bi bi-exclamation-circle-fill"></i> ';
  var valid = true;

  goalName.classList.remove("error", "success");
  goalDate.classList.remove("error", "success");
  note.classList.remove("error", "success");
  phase1.classList.remove("error", "success");
  phase2.classList.remove("error", "success");

  errGoalName.innerHTML = "";
  errGoalDate.innerHTML = "";
  errNote.innerHTML = "";
  errPhase.innerHTML = "";
  successBox.classList.add("d-none");

  if (goalName.value.trim() == "") {
    errGoalName.innerHTML = `${icon} Please enter goal name.`;
  }
}
```



```
goalName.classList.add("error");
valid = false;
} else {
    goalName.classList.add("success");
}

if (goalDate.value == "") {
    errGoalDate.innerHTML = `${icon} Select a starting date.`;
    goalDate.classList.add("error");
    valid = false;
} else {
    goalDate.classList.add("success");
}

if (note.value.trim().length < 10) {
    errNote.innerHTML = `${icon} Min 10 characters.`;
    note.classList.add("error");
    valid = false;
} else {
    note.classList.add("success");
}

if (phase1.value.trim() == "" || phase2.value.trim() == "") {
    errPhase.innerHTML = `${icon} Add at least 2 roadmap phases.`;
    phase1.classList.add("error");
    phase2.classList.add("error");
    valid = false;
} else {
    phase1.classList.add("success");
    phase2.classList.add("success");
}

if (valid == false) return false;

successBox.classList.remove("d-none");


setTimeout(function () {
    document.getElementById("editGoalForm").submit();
}, 2000);

return false;
```

}

</script>

Output :



The screenshot shows a web application interface for editing a goal. At the top is a navigation bar with the 'Mind Space' logo and links for Home, Service, About, and Contact. A search bar is located on the right. The main heading is 'Edit Goal'. Below this, there are three input fields: a text field for the goal name with a red border and a message 'Please enter goal name.', a date field showing '20-09-2022' with a calendar icon, and a 'Save Changes' button. To the right of these is a green circular 'Back' button. Below the input fields are two main sections. The 'Note' section has a large text area with a red border and a message 'Min 10 characters.'. The 'Roadmap / Phases' section has a title, an 'Add' button, and three input fields. The first field contains 'full job'. Below these fields is a message 'Add at least 2 roadmap phases.'. The entire form is enclosed in a light green dashed border.

6) Session Booked :

HTML :

```
<form id="bookForm" method="get" action="session-book.html"
onsubmit="return validateBookingForm()">

    <div id="successBox" class="alert alert-success mt-3 d-none">
        Session booked successfully!
    </div>

    <div class="mb-3">
        <label class="form-label">Full Name</label>
        <input type="text" class="form-control" id="name" placeholder="Your
Name">
        <small class="text-danger fw-semibold" id="errname"></small>
    </div>

    <div class="mb-3">
        <label class="form-label">Email Address</label>
        <input type="email" class="form-control" id="email"
placeholder="example@mail.com">
        <small class="text-danger fw-semibold" id="erremail"></small>
    </div>

    <div class="mb-3">
        <label class="form-label">Contact Number</label>
        <input type="tel" class="form-control" id="contact"
placeholder="1234567890">
        <small class="text-danger fw-semibold" id="errcontact"></small>
    </div>

    <div class="mb-3">
        <label class="form-label">Preferred Date</label>
        <input type="date" class="form-control" id="date">
        <small class="text-danger fw-semibold" id="errdate"></small>
    </div>

    <div class="mb-3">
        <label class="form-label">Preferred Time</label>
        <input type="time" class="form-control" id="time">
        <small class="text-danger fw-semibold" id="errtime"></small>
    </div>
```

```
<div class="mb-3">
  <label class="form-label">Additional Message</label>
  <textarea class="form-control" id="message" rows="3" placeholder="Write
any notes..."></textarea>
  <small class="text-danger fw-semibold" id="errmessage"></small>
</div>

<button type="submit" class="btn btn-success w-100">Book Session</button>
</form>
```

JS :

```
<script>
function validateBookingForm() {
  var name = document.getElementById('name');
  var email = document.getElementById('email');
  var contact = document.getElementById('contact');
  var date = document.getElementById('date');
  var time = document.getElementById('time');
  var message = document.getElementById('message');

  var errName = document.getElementById('errname');
  var errEmail = document.getElementById('erremail');
  var errContact = document.getElementById('errcontact');
  var errDate = document.getElementById('errdate');
  var errTime = document.getElementById('errtime');
  var errMessage = document.getElementById('errmessage');

  var successBox = document.getElementById('successBox');

  const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';

  name.classList.remove("error", "success");
  email.classList.remove("error", "success");
  contact.classList.remove("error", "success");
  date.classList.remove("error", "success");
  time.classList.remove("error", "success");
  message.classList.remove("error", "success");
```

```
errName.innerHTML = "";
errEmail.innerHTML = "";
errContact.innerHTML = "";
errDate.innerHTML = "";
errTime.innerHTML = "";
errMessage.innerHTML = "";
successBox.classList.add("d-none");

var isValid = true;

if (name.value.trim() == "") {
    errName.innerHTML = `${icon} Please enter your name`;
    name.classList.add("error");
    isValid = false;
} else if (!isNaN(name.value)) {
    errName.innerHTML = `${icon} Name must contain letters only`;
    name.classList.add("error");
    isValid = false;
} else {
    name.classList.add("success");
}

var emailFormat = /^[a-zA-Z0-9._%+-]+@[a-zA-Z]+\.[A-Za-z]{2,}$/;
if (email.value.trim() == "") {
    errEmail.innerHTML = `${icon} Please enter your email`;
    email.classList.add("error");
    isValid = false;
} else if (!emailFormat.test(email.value)) {
    errEmail.innerHTML = `${icon} Enter valid email`;
    email.classList.add("error");
    isValid = false;
} else {
    email.classList.add("success");
}

if (contact.value.trim() == "") {
    errContact.innerHTML = `${icon} Enter phone number`;
    contact.classList.add("error");
    isValid = false;
} else if (contact.value.length != 10) {
```

```
errContact.innerHTML = `${icon} Phone must be 10 digits`;
contact.classList.add("error");
isValid = false;
} else {
    contact.classList.add("success");
}

if (date.value.trim() == "") {
    errDate.innerHTML = `${icon} Select a date`;
    date.classList.add("error");
    isValid = false;
} else {
    date.classList.add("success");
}

if (time.value.trim() == "") {
    errTime.innerHTML = `${icon} Select a time`;
    time.classList.add("error");
    isValid = false;
} else {
    time.classList.add("success");
}


if (message.value.trim() == "") {
    errMessage.innerHTML = `${icon} Please enter a message`;
    message.classList.add("error");
    isValid = false;
} else {
    message.classList.add("success");
}

if (isValid) {
    successBox.classList.remove("d-none");

    name.value = "";
    email.value = "";
    contact.value = "";
    date.value = "";
    time.value = "";
    message.value = "";
}
```

```
setTimeout(function () {  
    successBox.classList.add("d-none");  
}, 3000);  
  
return false;  
}  
  
return false;  
}  
</script>
```

Output :



Home Service About Contact

Book Your Session

Full Name
Your Name
❗ Please enter your name

Email Address
example@mail.com
❗ Please enter your email

Contact Number
1234567890
❗ Enter phone number

Preferred Date
dd-mm-yyyy
❗ Select a date

Preferred Time
--:-- --
❗ Select a time

Additional Message
Write any notes...
❗ Please enter a message

Book Session

Admin Side

1) Login :

HTML :

```
<form id="loginForm" action="dashboard.html" method="GET" onsubmit="return  
validateLogin()">  
  
    <div class="mb-3">  
        <label for="email" class="form-label">Email Address</label>  
        <input type="email" class="form-control" id="email"  
placeholder="admin@example.com">  
        <small id="errEmail" class="text-danger fw-semibold"></small>  
    </div>  
  
    <div class="mb-3">  
        <label for="password" class="form-label">Password</label>  
        <input type="password" class="form-control" id="password" placeholder="Enter  
password">  
        <small id="errPass" class="text-danger fw-semibold"></small>  
    </div>  
  
    <div id="successBox" class="alert alert-success d-none mt-3">  
        Login successful!  
    </div>  
  
    <button type="submit" class="btn btn-login w-100 mt-2">Login</button>  
  
</form>
```

JS :

```
<script>  
function validateLogin() {  
    let email = document.getElementById("email");  
    let pass = document.getElementById("password");  
  
    let errEmail = document.getElementById("errEmail");  
    let errPass = document.getElementById("errPass");  
    let successBox = document.getElementById("successBox");
```



```
let valid = true;
const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';

errEmail.innerHTML = "";
errPass.innerHTML = "";
successBox.classList.add("d-none");
email.classList.remove("error", "success");
pass.classList.remove("error", "success");

if (email.value.trim() == "") {
  errEmail.innerHTML = `${icon} Please enter your email.`;
  email.classList.add("error");
  valid = false;
} else {
  email.classList.add("success");
}

if (pass.value.trim() == "") {
  errPass.innerHTML = `${icon} Please enter your password.`;
  pass.classList.add("error");
  valid = false;
} else {
  pass.classList.add("success");
}

if (!valid) return false;

if (email.value !== "harshad@gmail.com" || pass.value !== "Harshad@2005") {
  errPass.innerHTML = `${icon} Incorrect email or password!`;
  pass.classList.add("error");
  return false;
}


successBox.classList.remove("d-none");

setTimeout(() => {
  document.getElementById("loginForm").submit();
}, 2000);

return false;
}
```

</script>

Output :



7) Forgot Psw :

7.1) Otp send :

HTML :

```
<form id="otpForm" action="fpsw.html" method="get" onsubmit="return validateOTP()">
```

```
  <div class="mb-4">
```

```
    <label class="form-label">Enter OTP</label>
```

```
    <div class="d-flex justify-content-between gap-2">
```

```
      <input type="text" id="otp1" maxlength="1" class="form-control text-center
```

```
fs-4">
```

```
      <input type="text" id="otp2" maxlength="1" class="form-control text-center
```

```
fs-4">
```

```
      <input type="text" id="otp3" maxlength="1" class="form-control text-center
```

```
fs-4">
```

```
fs-4">
    <input type="text" id="otp4" maxlength="1" class="form-control text-center
    </div>

    <small id="errOTP" class="text-danger fw-semibold"></small>
    </div>

    <div id="successBox" class="alert alert-success d-none">
        OTP Verified Successfully!
    </div>

    <button type="submit" class="btn btn-login w-100 mt-3">Verify OTP</button>

</form>
```

JS :

```
<script>
function validateOTP() {
    let o1 = document.getElementById("otp1");
    let o2 = document.getElementById("otp2");
    let o3 = document.getElementById("otp3");
    let o4 = document.getElementById("otp4");

    let errOTP = document.getElementById("errOTP");
    let successBox = document.getElementById("successBox");

    o1.classList.remove("error", "success");
    o2.classList.remove("error", "success");
    o3.classList.remove("error", "success");
    o4.classList.remove("error", "success");


    const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';

    errOTP.innerHTML = "";
    successBox.classList.add("d-none");

    let otp = o1.value + o2.value + o3.value + o4.value;
```

```
if (otp.trim().length < 4) {  
    errOTP.innerHTML = `${icon} Please enter all 4 digits of OTP.`;  
    o1.classList.add("error");  
    o2.classList.add("error");  
    o3.classList.add("error");  
    o4.classList.add("error");  
    return false;  
}  
  
else if (!/^[0-9]{4}$/.test(otp)) {  
    errOTP.innerHTML = `${icon} OTP must contain only numbers.`;  
    o1.classList.add("error");  
    o2.classList.add("error");  
    o3.classList.add("error");  
    o4.classList.add("error");  
    return false;  
}  
  
else {  
  
    o1.classList.add("success");  
    o2.classList.add("success");  
    o3.classList.add("success");  
    o4.classList.add("success");  
  
}  
  
successBox.classList.remove("d-none");  
  
setTimeout(() => {  
    document.getElementById("otpForm").submit();  
}, 2000);  
  
return false;  
}  
</script>
```

Output :



7.2) Reset Psw :

HTML :

```
<form id="pswForm" action="index.html" method="get" onsubmit="return
validatePassword()">
```

```
    <div class="mb-3">
      <label for="newPassword" class="form-label">New Password</label>
      <input type="password" class="form-control" id="newPassword"
placeholder="Enter new password">
      <small id="errNew" class="text-danger fw-semibold"></small>
    </div>
```

```
    <div class="mb-4">
      <label for="confirmPassword" class="form-label">Confirm Password</label>
      <input type="password" class="form-control" id="confirmPassword"
placeholder="Re-enter new password">
      <small id="errConfirm" class="text-danger fw-semibold"></small>
    </div>
```

```
    <div id="successBox" class="alert alert-success d-none">
```

```
    Password changed successfully!  
</div>
```

```
    <button type="submit" class="btn btn-login w-100 mt-2">Change  
Password</button>  
</form>
```

JS :

```
<script>  
function validatePassword() {  
    let newP = document.getElementById("newPassword");  
    let confirmP = document.getElementById("confirmPassword");  
  
    let errNew = document.getElementById("errNew");  
    let errConfirm = document.getElementById("errConfirm");  
    let successBox = document.getElementById("successBox");  
  
    let valid = true;  
  
    const icon = '<i class="bi bi-exclamation-circle-fill"></i> '  
  
    errNew.innerHTML = "";  
    errConfirm.innerHTML = "";  
    successBox.classList.add("d-none");  
  
    newP.classList.remove("error", "success");  
    confirmP.classList.remove("error", "success");  
  
    let strongPass = /^(?=.*[A-Z])(?=.*[a-z])(?=.*[0-9])(?=.*[@#$%^&+=!]).{8,}$/;  
  
    if (newP.value.trim() == "") {  
        errNew.innerHTML = `${icon} Please enter a new password.`;  
        newP.classList.add("error");  
        valid = false;  
    }  
    else if (!strongPass.test(newP.value.trim())) {  
        errNew.innerHTML = `${icon} Password must be at least 8 characters, include  
uppercase, lowercase, number, and symbol.`;  
    }  
}
```

```
newP.classList.add("error");
valid = false;
}
else {
    newP.classList.add("success");
}

if (confirmP.value.trim() == "") {
    errConfirm.innerHTML = `${icon} Please confirm your password.`;
    confirmP.classList.add("error");
    valid = false;
}
else if (newP.value !== confirmP.value) {
    errConfirm.innerHTML = `${icon} Passwords do not match!`;
    confirmP.classList.add("error");
    valid = false;
}
else {
    confirmP.classList.add("success");
}


if (!valid) return false;

successBox.classList.remove("d-none");

setTimeout(() => {
    document.getElementById("pswForm").submit();
}, 2000);

return false;
}
</script>
```

Output :



8) Meditation :

8.1) add Meditation :

HTML :

```
<form id="meditationForm" method="get" action="manage-meditation.html"
onsubmit="return validateMeditation()">
```

```
    <div class="mb-3">
        <label for="meditationTitle" class="form-label fw-semibold">Meditation
Title</label>
        <input type="text" class="form-control rounded-pill" id="meditationTitle"
placeholder="Enter title">
        <small id="errTitle" class="text-danger fw-semibold"></small>
    </div>
```

```
    <div class="mb-3">
        <label for="meditationDescription" class="form-label
fw-semibold">Description</label>
        <textarea class="form-control rounded-4" id="meditationDescription" rows="4"
placeholder="Enter description"></textarea>
        <small id="errDesc" class="text-danger fw-semibold"></small>
    </div>
```



```
<div id="successBox" class="alert alert-success d-none">
  Meditation details saved successfully!
</div>

<button class="btn btn-success w-100 rounded-pill">Add Meditation</button>

</form>
```

JS :

```
<script>
function validateMeditation() {
  let title = document.getElementById("meditationTitle");
  let desc = document.getElementById("meditationDescription");

  let errTitle = document.getElementById("errTitle");
  let errDesc = document.getElementById("errDesc");
  let successBox = document.getElementById("successBox");

  let valid = true;
  const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';

  errTitle.innerHTML = "";
  errDesc.innerHTML = "";
  successBox.classList.add("d-none");

  title.classList.remove("error", "success");
  desc.classList.remove("error", "success");

  if (title.value.trim() == "") {
    errTitle.innerHTML = `${icon} Please enter a title.`;
    title.classList.add("error");
    valid = false;
  }
  else if (!isNaN(title.value.trim())) {
    errTitle.innerHTML = `${icon} Title must contain letters.`;
    title.classList.add("error");
    valid = false;
  }
}
```

```
}
else if (title.value.length > 100) {
    errTitle.innerHTML = `${icon} Title must be under 100 characters.`;
    title.classList.add("error");
    valid = false;
}
else {
    title.classList.add("success");
}

if (desc.value.trim() == "") {
    errDesc.innerHTML = `${icon} Please enter a description.`;
    desc.classList.add("error");
    valid = false;
}
else if (desc.value.trim().length < 10) {
    errDesc.innerHTML = `${icon} Description must be at least 10 characters.`;
    desc.classList.add("error");
    valid = false;
}
else {
    desc.classList.add("success");
}

if (!valid) return false;

successBox.classList.remove("d-none");

title.value = "";
desc.value = "";

setTimeout(() => {
    successBox.classList.add("d-none");
    document.getElementById("meditationForm").submit();
}, 2500);

return false;
}

</script>
```

Output :

8.2) Add / Edit Meditation Steps :

HTML :

```
<form id="Add/editmeditation" method="get" action="manage-meditation.html"
onsubmit="return validateMeditationForm()">

<div class="mb-3">
  <label for="meditationTitle" class="form-label fw-semibold"> Title</label>
  <input type="text" class="form-control" id="meditationTitle" value="Mindful
Breathing">
  <small id="errTitle" class="text-danger"></small>
</div>

<div class="mb-3">
  <label for="meditationDescription" class="form-label fw-semibold">
Description</label>
  <textarea class="form-control" id="meditationDescription" rows="4">
A calming practice focusing on breath awareness to reduce stress.
</textarea>
```

```

<small id="errDesc" class="text-danger"></small>
</div>

<button type="button" class="btn btn-success btn-sm mb-3">
  <i class="bi bi-plus-circle"></i> Add Step
</button>

<div class="mb-3">
  <label class="form-label fw-semibold">Meditation Steps</label>

  <div class="scroll-container mb-3">

    <div class="step-card d-flex flex-column p-3 mb-3">
      <div class="d-flex align-items-center mb-2 gap-2">
        <input type="number" class="form-control form-control-sm rounded-pill
text-center" value="1"
          style="width: 60px;" placeholder="Step #">
        <input type="text" class="form-control form-control-sm rounded-pill fw-bold"
value="Breathing Exercise"
          placeholder="Step Title">
        <button type="button" class="btn btn-outline-success btn-sm ms-auto">
          <i class="bi bi-trash"></i>
        </button>
      </div>
      <textarea class="form-control rounded-4" rows="2"
        placeholder="Step Description">Sit comfortably, keep spine straight.</textarea>
    </div>

    <div class="step-card d-flex flex-column p-3 mb-3">
      <div class="d-flex align-items-center mb-2 gap-2">
        <input type="number" class="form-control form-control-sm rounded-pill
text-center" value="2"
          style="width: 60px;" placeholder="Step #">
        <input type="text" class="form-control form-control-sm rounded-pill fw-bold"
value="Breathing Exercise"
          placeholder="Step Title">
        <button type="button" class="btn btn-outline-success btn-sm ms-auto">
          <i class="bi bi-trash"></i>
        </button>
      </div>
      <textarea class="form-control rounded-4" rows="2"

```

```

placeholder="Step Description">Focus on breath and inhale deeply.</textarea>
</div>

<div class="step-card d-flex flex-column p-3 mb-3">
  <div class="d-flex align-items-center mb-2 gap-2">
    <input type="number" class="form-control form-control-sm rounded-pill
text-center" value="3"
      style="width: 60px;" placeholder="Step #">
    <input type="text" class="form-control form-control-sm rounded-pill fw-bold"
value="Breathing Exercise"
      placeholder="Step Title">
    <button type="button" class="btn btn-outline-success btn-sm ms-auto">
      <i class="bi bi-trash"></i>
    </button>
  </div>
  <textarea class="form-control rounded-4" rows="2"
    placeholder="Step Description">Scan body from head to toe.</textarea>
</div>

</div>

<small id="errSteps" class="text-danger"></small>
</div>

<div id="successBox" class="alert alert-success d-none">
  Meditation saved successfully!
</div>

<div class="d-flex gap-2 mt-2">
  <button type="submit" class="btn btn-success rounded-pill">
    <i class="bi bi-save"></i> Save Changes
  </button>
  <a href="manage-meditation.html" class="btn btn-secondary rounded-pill">
    <i class="bi bi-x-circle"></i> Cancel
  </a>
</div>

</form>
JS :

<script>

```

```
function validateMeditationForm() {
    const errTitle = document.getElementById("errTitle");
    const errDesc = document.getElementById("errDesc");
    const errSteps = document.getElementById("errSteps");
    const successBox = document.getElementById("successBox");

    errTitle.innerHTML = "";
    errDesc.innerHTML = "";
    errSteps.innerHTML = "";
    successBox.classList.add("d-none");

    let valid = true;
    const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';

    // Title
    const titleEl = document.getElementById("meditationTitle");
    const title = titleEl.value.trim();
    titleEl.classList.remove("error", "success");
    if (title == "") {
        errTitle.innerHTML = `${icon} Please enter a title.`;
        titleEl.classList.add("error");
        valid = false;
    } else {
        titleEl.classList.add("success");
    }
}

// Description
const descEl = document.getElementById("meditationDescription");
const desc = descEl.value.trim();
descEl.classList.remove("error", "success");
if (desc == "") {
    errDesc.innerHTML = `${icon} Please enter a description.`;
    descEl.classList.add("error");
    valid = false;
} else {
    descEl.classList.add("success");
}

// Steps
const steps = document.getElementsByClassName("step-card");
if (steps.length == 0) {
```

```
errSteps.innerHTML = `${icon} Please add at least one step.`;
valid = false;
} else {
  for (let i = 0; i < steps.length; i++) {
    const stepCard = steps[i];
    const stepNoEl = stepCard.getElementsByTagName("input")[0];
    const stepTitleEl = stepCard.getElementsByTagName("input")[1];
    const stepDescEl = stepCard.getElementsByTagName("textarea")[0];

    stepNoEl.classList.remove("error", "success");
    stepTitleEl.classList.remove("error", "success");
    stepDescEl.classList.remove("error", "success");

    const stepNo = stepNoEl.value.trim();
    const stepTitle = stepTitleEl.value.trim();
    const stepDesc = stepDescEl.value.trim();

    if (stepNo == "" || stepTitle == "" || stepDesc == "") {
      errSteps.innerHTML = `${icon} All steps must be fully filled.`;
      stepNoEl.classList.add("error");
      stepTitleEl.classList.add("error");
      stepDescEl.classList.add("error");
      valid = false;
      break;
    } else {
      stepNoEl.classList.add("success");
      stepTitleEl.classList.add("success");
      stepDescEl.classList.add("success");
    }
  }
}

if (!valid) return false;

successBox.classList.remove("d-none");

setTimeout(() => {
  successBox.classList.add("d-none");
  document.getElementById("Add/editmeditation").submit();
}, 1500);
```

```
return false;  
}  
</script>
```

Output :

Add / Edit Meditation

Dashboard / Self - Help Tools / Manage Meditation / Add - Edit Meditation

Title

Mindful Breathing

Description

Please enter a description.

Add Step

Meditation Steps

1

Step Title

Step Description

2

Breathing Exercise

Focus on breath and inhale deeply.

3

Breathing Exercise

Scan body from head to toe.

All steps must be fully filled.

Save Changes Cancel

9) Exercise :

9.1) add Exercise :

HTML :

```
<form method="get" id="exerciseform" action="manage-exercise.html" onsubmit="return
validateExerciseForm()">
  <div class="mb-3">
    <label for="exerciseTitle" class="form-label fw-semibold">Exercise Title</label>
    <input type="text" class="form-control rounded-pill" id="exerciseTitle"
placeholder="Enter title">
    <small id="titleError" class="text-danger d-none">* Title is required</small>
  </div>

  <div class="mb-3">
    <label for="exerciseDescription" class="form-label
fw-semibold">Description</label>
    <textarea class="form-control rounded-4" id="exerciseDescription" rows="4"
placeholder="Enter description"></textarea>
    <small id="descError" class="text-danger d-none">* Description is
required</small>
  </div>

  <button type="submit" class="btn w-100 btn-success rounded-pill">Add
Exercise</button>

  <br><br>

  <div id="successMsg" class="alert alert-success d-none">
    Exercise added successfully!
  </div>
</form>
```

JS :

```
<script>
```

```
function validateExerciseForm() {
  const title = document.getElementById("exerciseTitle");
  const desc = document.getElementById("exerciseDescription");

  const errTitle = document.getElementById("titleError");
  const errDesc = document.getElementById("descError");
  const successBox = document.getElementById("successMsg");

  const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';
  let valid = true;

  errTitle.innerHTML = "";
  errDesc.innerHTML = "";
  errTitle.classList.add("d-none");
  errDesc.classList.add("d-none");
  successBox.classList.add("d-none");


  title.classList.remove("error", "success");
  desc.classList.remove("error", "success");

  const titleVal = title.value.trim();
  if (titleVal == "") {
    errTitle.innerHTML = `${icon} Please enter a title.`;
    errTitle.classList.remove("d-none");
    title.classList.add("error");
    valid = false;
  } else if (!isNaN(titleVal)) {
    errTitle.innerHTML = `${icon} Title must contain letters.`;
    errTitle.classList.remove("d-none");
    title.classList.add("error");
    valid = false;
  } else if (titleVal.length > 100) {
    errTitle.innerHTML = `${icon} Title must be under 100 characters.`;
    errTitle.classList.remove("d-none");
    title.classList.add("error");
    valid = false;
  } else {
    title.classList.add("success");
  }

  const descVal = desc.value.trim();
```

```
if (descVal == "") {  
    errDesc.innerHTML = `${icon} Please enter a description.`;  
    errDesc.classList.remove("d-none");  
    desc.classList.add("error");  
    valid = false;  
} else if (descVal.length < 10) {  
    errDesc.innerHTML = `${icon} Description must be at least 10 characters.`;  
    errDesc.classList.remove("d-none");  
    desc.classList.add("error");  
    valid = false;  
} else {  
    desc.classList.add("success");  
}  
  
if (!valid) return false;  
  
successBox.classList.remove("d-none");  
  
title.value = "";  
desc.value = "";  
  
setTimeout(() => {  
    successBox.classList.add("d-none");  
    document.getElementById("exerciseform").submit();  
}, 1500);  
  
return false;  
}  
</script>
```

Output :



9.2) Add / Edit Exercise Steps :

HTML :

```
<form method="get" action="manage-exercise.html" id="addeditexercise"
onsubmit="return validateExerciseForm()">
```

```
<div class="mb-3">
  <label class="form-label fw-semibold">Exercise Title</label>
  <input type="text" class="form-control" id="exerciseTitle" value="Morning Stretch">
  <small id="errTitle" class="text-danger"></small>
</div>
```

```
<div class="mb-3">
  <label class="form-label fw-semibold">Exercise Description</label>
  <textarea class="form-control" id="exerciseDescription"
    rows="4">A set of simple stretches to wake up your body in the morning.</textarea>
  <small id="errDesc" class="text-danger"></small>
</div>
```

```
<button type="button" class="btn btn-success btn-sm mb-3"><i class="bi
bi-plus-circle"></i> Add Step</button>
```

```
<div class="mb-3">
```

```

<label class="form-label fw-semibold">Exercise Steps</label>

<div class="scroll-container mb-3" id="stepsContainer">

  <div class="step-card d-flex flex-column p-3 mb-3">
    <div class="d-flex align-items-center mb-2 gap-2">
      <input type="number" class="form-control form-control-sm rounded-pill
text-center" value="1"
      style="width: 60px;">
      <input type="text" class="form-control form-control-sm rounded-pill fw-bold"
value="title">
      <button type="button" class="btn btn-outline-success btn-sm ms-auto"><i
class="bi bi-trash"></i></button>
    </div>
    <textarea class="form-control rounded-4" rows="2">Stand tall, stretch arms
overhead.</textarea>
  </div>

  <div class="step-card d-flex flex-column p-3 mb-3">
    <div class="d-flex align-items-center mb-2 gap-2">
      <input type="number" class="form-control form-control-sm rounded-pill
text-center" value="2"
      style="width: 60px;">
      <input type="text" class="form-control form-control-sm rounded-pill fw-bold"
value="title">
      <button type="button" class="btn btn-outline-success btn-sm ms-auto"><i
class="bi bi-trash"></i></button>
    </div>
    <textarea class="form-control rounded-4" rows="2">Bend sideways gently to
stretch the sides.</textarea>
  </div>

  <div class="step-card d-flex flex-column p-3 mb-3">
    <div class="d-flex align-items-center mb-2 gap-2">
      <input type="number" class="form-control form-control-sm rounded-pill
text-center" value="3"
      style="width: 60px;">
      <input type="text" class="form-control form-control-sm rounded-pill fw-bold"
value="title">
      <button type="button" class="btn btn-outline-success btn-sm ms-auto"><i
class="bi bi-trash"></i></button>

```

```

    </div>
    <textarea class="form-control rounded-4" rows="2">Twist torso gently from left to
right.</textarea>
  </div>

  </div>
  <small id="errSteps" class="text-danger"></small>
</div>

<div id="successBox" class="alert alert-success d-none">
  Exercise updated successfully!
</div>

<div class="d-flex gap-2">
  <button type="submit" class="btn btn-success rounded-pill"><i class="bi
bi-save"></i> Save Changes</button>
  <a href="manage-exercise.html" class="btn btn-secondary rounded-pill"><i class="bi
bi-x-circle"></i>
    Cancel</a>
</div>
</form>

```

JS :

```

<script>
function validateExerciseForm() {
  const errTitle = document.getElementById("errTitle");
  const errDesc = document.getElementById("errDesc");
  const errSteps = document.getElementById("errSteps");
  const successBox = document.getElementById("successBox");

  errTitle.innerHTML = "";
  errDesc.innerHTML = "";
  errSteps.innerHTML = "";
  successBox.classList.add("d-none");

  let valid = true;
  const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';

```

```
const titleEl = document.getElementById("exerciseTitle");
const title = titleEl.value.trim();
titleEl.classList.remove("error", "success");
if (title == "") {
    errTitle.innerHTML = `${icon} Please enter a title.`;
    titleEl.classList.add("error");
    valid = false;
} else if (!isNaN(title)) {
    errTitle.innerHTML = `${icon} Title must contain letters.`;
    titleEl.classList.add("error");
    valid = false;
} else if (title.length > 100) {
    errTitle.innerHTML = `${icon} Title must be under 100 characters.`;
    titleEl.classList.add("error");
    valid = false;
} else {
    titleEl.classList.add("success");
}

const descEl = document.getElementById("exerciseDescription");
const desc = descEl.value.trim();
descEl.classList.remove("error", "success");
if (desc == "") {
    errDesc.innerHTML = `${icon} Please enter a description.`;
    descEl.classList.add("error");
    valid = false;
} else if (desc.length < 10) {
    errDesc.innerHTML = `${icon} Description must be at least 10 characters.`;
    descEl.classList.add("error");
    valid = false;
} else {
    descEl.classList.add("success");
}

const steps = document.getElementsByClassName("step-card");
if (steps.length < 1) {
    errSteps.innerHTML = `${icon} Please add at least one step.`;
    valid = false;
} else {
    for (let i = 0; i < steps.length; i++) {
```

```
const stepCard = steps[i];
const stepNoEl = stepCard.getElementsByTagName("input")[0];
const stepTitleEl = stepCard.getElementsByTagName("input")[1];
const stepDescEl = stepCard.getElementsByTagName("textarea")[0];

stepNoEl.classList.remove("error", "success");
stepTitleEl.classList.remove("error", "success");
stepDescEl.classList.remove("error", "success");

const stepNo = stepNoEl.value.trim();
const stepTitle = stepTitleEl.value.trim();
const stepDesc = stepDescEl.value.trim();

if (stepNo == "" || stepTitle == "" || stepDesc == "") {
  errSteps.innerHTML = `${icon} All steps must be fully filled.`;
  stepNoEl.classList.add("error");
  stepTitleEl.classList.add("error");
  stepDescEl.classList.add("error");
  valid = false;
  break;
} else {
  stepNoEl.classList.add("success");
  stepTitleEl.classList.add("success");
  stepDescEl.classList.add("success");
}
}
}
}

if (!valid) return false;

successBox.classList.remove("d-none");

setTimeout(() => {
  successBox.classList.add("d-none");
  document.getElementById("addeditexercise").submit();
}, 1500);

return false;
}
</script>
```


Output :

Add / Edit Exercise

Dashboard / Self - Help Tools / Manage Exercise / Add - Edit Exercise

Exercise Title

Morning Stretch

Exercise Description

Please enter a description.

Add Step

Exercise Steps

1

title

Stand tall, stretch arms overhead.

2

3

title

Twist torso gently from left to right.

All steps must be fully filled.

Save Changes

Cancel

10) Manage Knowledge Blog :

10.1) Add :

HTML :

```
<form id="add" method="get" action="manage-learn.html" onsubmit="return
validateAddForm()" id="addForm">

    <div class="mb-3">
        <label class="form-label">Title</label>
        <input type="text" class="form-control" id="addTitle">
        <small id="addErrTitle" class="text-danger"></small>
    </div>

    <div class="mb-3">
        <label class="form-label">What</label>
        <textarea class="form-control" rows="2" id="addWhat"></textarea>
        <small id="addErrWhat" class="text-danger"></small>
    </div>

    <div class="mb-3">
        <label class="form-label">Problems / Challenges</label>
        <textarea class="form-control" rows="2" id="addProblem"></textarea>
        <small id="addErrProblem" class="text-danger"></small>
    </div>

    <div class="mb-3">
        <label class="form-label">How to Overcome</label>
        <textarea class="form-control" rows="2" id="addOvercome"></textarea>
        <small id="addErrOvercome" class="text-danger"></small>
    </div>

    <div class="mb-3">
        <label class="form-label">Recommended</label>
        <textarea class="form-control" rows="2" id="addRecommended"></textarea>
        <small id="addErrRecommended" class="text-danger"></small>
    </div>

    <div id="addSuccess" class="alert alert-success d-none">Add successfully!</div>

    <div class="modal-footer px-0">
        <button type="button" class="btn btn-outline-success rounded-pill"
data-bs-dismiss="modal">Cancel</button>
        <button type="submit" class="btn btn-success rounded-pill">Save</button>
```

```
</div>
```

```
</form>
```

JS :

```
<script>
function validateAddForm() {
    const title = document.getElementById("addTitle");
    const what = document.getElementById("addWhat");
    const problem = document.getElementById("addProblem");
    const overcome = document.getElementById("addOvercome");
    const recommended = document.getElementById("addRecommended");

    const errTitle = document.getElementById("addErrTitle");
    const errWhat = document.getElementById("addErrWhat");
    const errProblem = document.getElementById("addErrProblem");
    const errOvercome = document.getElementById("addErrOvercome");
    const errRecommended = document.getElementById("addErrRecommended");
    const successBox = document.getElementById("addSuccess");

    const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';
    let valid = true;

    errTitle.innerHTML = "";
    errWhat.innerHTML = "";
    errProblem.innerHTML = "";
    errOvercome.innerHTML = "";
    errRecommended.innerHTML = "";
    errTitle.classList.add("d-none");
    errWhat.classList.add("d-none");
    errProblem.classList.add("d-none");
    errOvercome.classList.add("d-none");
    errRecommended.classList.add("d-none");
    successBox.classList.add("d-none");

    title.classList.remove("error", "success");
    what.classList.remove("error", "success");
    problem.classList.remove("error", "success");
    overcome.classList.remove("error", "success");
}
```

```
recommended.classList.remove("error", "success");

if (title.value.trim() == "") {
    errTitle.innerHTML = `${icon} Enter title`;
    errTitle.classList.remove("d-none");
    title.classList.add("error");
    valid = false;
} else {
    title.classList.add("success");
}

if (what.value.trim() == "") {
    errWhat.innerHTML = `${icon} Enter what`;
    errWhat.classList.remove("d-none");
    what.classList.add("error");
    valid = false;
} else {
    what.classList.add("success");
}

if (problem.value.trim() == "") {
    errProblem.innerHTML = `${icon} Enter problems`;
    errProblem.classList.remove("d-none");
    problem.classList.add("error");
    valid = false;
} else {
    problem.classList.add("success");
}

if (overcome.value.trim() == "") {
    errOvercome.innerHTML = `${icon} Enter how to overcome`;
    errOvercome.classList.remove("d-none");
    overcome.classList.add("error");
    valid = false;
} else {
    overcome.classList.add("success");
}

if (recommended.value.trim() == "") {
    errRecommended.innerHTML = `${icon} Enter recommendation`;
    errRecommended.classList.remove("d-none");
}
```

```
recommended.classList.add("error");
valid = false;
} else {
  recommended.classList.add("success");
}

if (!valid) return false;

successBox.classList.remove("d-none");

setTimeout(() => {
  successBox.classList.add("d-none");
  document.getElementById("add").submit();
}, 1500);

return false;
}
</script>
```

Output :

Add Knowledge Blog

Title

Enter title

What

Enter what

Problems / Challenges

Enter problems

How to Overcome

Enter how to overcome

Recommended

Enter recommendation

10.2) Edit :

HTML :

```
<form method="get" action="manage-learn.html" onsubmit="return editvalidateForm()" id="edit">
```

```
    <div class="mb-3">
      <label class="form-label">Title</label>
      <input type="text" class="form-control" id="habitTitle" value="Stress
Management">
      <small id="errTitle" class="text-danger"></small>
    </div>

    <div class="mb-3">
      <label class="form-label">What</label>
      <textarea class="form-control" rows="2"
id="habitWhat">Stress is a natural response to challenges...</textarea>
      <small id="errWhat" class="text-danger"></small>
    </div>

    <div class="mb-3">
      <label class="form-label">Problems / Challenges</label>
      <textarea class="form-control" rows="2" id="habitProblem">Leads to burnout,
anxiety...</textarea>
      <small id="errProblem" class="text-danger"></small>
    </div>

    <div class="mb-3">
      <label class="form-label">How to Overcome</label>
      <textarea class="form-control" rows="2" id="habitOvercome">Practice
mindfulness, journaling...</textarea>
      <small id="errOvercome" class="text-danger"></small>
    </div>

    <div class="mb-3">
      <label class="form-label">Recommended</label>
      <textarea class="form-control" rows="2" id="habitRecommended">"The
Stress-Proof Brain"</textarea>
      <small id="errRecommended" class="text-danger"></small>
    </div>

    <!-- Success Box -->
```

```
<div id="successBox" class="alert alert-success d-none">
  saved successfully!
</div>

<div class="modal-footer px-0">
  <button type="button" class="btn btn-outline-success rounded-pill"
data-bs-dismiss="modal">Cancel</button>
  <button type="submit" class="btn btn-success rounded-pill">Save</button>
</div>
</form>
```

JS :

```
<script>
function editvalidateForm() {
  const title = document.getElementById("habitTitle");
  const what = document.getElementById("habitWhat");
  const problem = document.getElementById("habitProblem");
  const overcome = document.getElementById("habitOvercome");
  const recommended = document.getElementById("habitRecommended");

  const errTitle = document.getElementById("errTitle");
  const errWhat = document.getElementById("errWhat");
  const errProblem = document.getElementById("errProblem");
  const errOvercome = document.getElementById("errOvercome");
  const errRecommended = document.getElementById("errRecommended");
  const successBox = document.getElementById("successBox");

  const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';
  let valid = true;

  errTitle.innerHTML = "";
  errWhat.innerHTML = "";
  errProblem.innerHTML = "";
  errOvercome.innerHTML = "";
  errRecommended.innerHTML = "";
  errTitle.classList.add("d-none");
  errWhat.classList.add("d-none");
```



```
errProblem.classList.add("d-none");
errOvercome.classList.add("d-none");
errRecommended.classList.add("d-none");
successBox.classList.add("d-none");

title.classList.remove("error", "success");
what.classList.remove("error", "success");
problem.classList.remove("error", "success");
overcome.classList.remove("error", "success");
recommended.classList.remove("error", "success");

if (title.value.trim() == "") {
    errTitle.innerHTML = `${icon} Enter title`;
    errTitle.classList.remove("d-none");
    title.classList.add("error");
    valid = false;
} else {
    title.classList.add("success");
}

if (what.value.trim() == "") {
    errWhat.innerHTML = `${icon} Enter what`;
    errWhat.classList.remove("d-none");
    what.classList.add("error");
    valid = false;
} else {
    what.classList.add("success");
}

if (problem.value.trim() == "") {
    errProblem.innerHTML = `${icon} Enter problems`;
    errProblem.classList.remove("d-none");
    problem.classList.add("error");
    valid = false;
} else {
    problem.classList.add("success");
}

if (overcome.value.trim() == "") {
    errOvercome.innerHTML = `${icon} Enter how to overcome`;
    errOvercome.classList.remove("d-none");
```

```
        overcome.classList.add("error");
        valid = false;
    } else {
        overcome.classList.add("success");
    }

    if (recommended.value.trim() == "") {
        errRecommended.innerHTML = `${icon} Enter recommendation`;
        errRecommended.classList.remove("d-none");
        recommended.classList.add("error");
        valid = false;
    } else {
        recommended.classList.add("success");
    }

    if (!valid) return false;

    successBox.classList.remove("d-none");

    setTimeout(() => {
        successBox.classList.add("d-none");
        document.getElementById("edit").submit();
    }, 1500);

    return false;
}
</script>
```

Output :

Edit Knowledge Blog - Stress Management

Title

Stress Management

What

Stress is a natural response to challenges...

Problems / Challenges

Leads to burnout, anxiety...

How to Overcome

! Enter how to overcome

Recommended

! Enter recommendation

Cancel Save

11) Specialists :

11.1) Add :

HTML :

```
<form id="specialistForm" method="get" action="manage-specialist.html"
onsubmit="return validateForm()">
  <div class="mb-2">
    <label>Category Select</label>
    <select class="form-control" id="category">
      <option value="">Select</option>
      <option>Psychologist</option>
      <option>Therapist</option>
      <option>Life Coach</option>
      <option>Group Session</option>
    </select>
    <small id="errCategory" class="text-danger"></small>
  </div>

  <div class="mb-2">
    <label>Name</label>
    <input type="text" class="form-control" id="name">
    <small id="errName" class="text-danger"></small>
  </div>

  <div class="mb-2">
    <label>Degree</label>
    <input type="text" class="form-control" id="degree">
    <small id="errDegree" class="text-danger"></small>
  </div>

  <div class="mb-2">
    <label>Specialization</label>
    <input type="text" class="form-control" id="specialization">
    <small id="errSpecialization" class="text-danger"></small>
  </div>

  <div class="mb-2">
    <label>Experience</label>
    <input type="text" class="form-control" id="experience">
    <small id="errExperience" class="text-danger"></small>
  </div>
```

```
<div class="mb-2">
  <label>Contact email</label>
  <input type="text" class="form-control" id="email">
  <small id="errEmail" class="text-danger"></small>
</div>

<div class="mb-2">
  <label>Contact number</label>
  <input type="text" class="form-control" id="phone">
  <small id="errPhone" class="text-danger"></small>
</div>

<div class="mb-2">
  <label>Profile pic</label>
  <input type="file" class="form-control" id="profilePic">
  <small id="errFile" class="text-danger"></small>
</div>

<div id="sucessadd" class="alert alert-success d-none">
  Added Sucessfully!
</div>

<button class="btn btn-success w-100 mt-2" type="submit">Add
Specialist</button>

</form>
```

JS :

```
function validateForm() {
    const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';

    let category = document.getElementById('category');
    let name = document.getElementById('name');
    let degree = document.getElementById('degree');
    let specialization = document.getElementById('specialization');
    let experience = document.getElementById('experience');
    let email = document.getElementById('email');
    let phone = document.getElementById('phone');
    let file = document.getElementById('profilePic');

    let errCategory = document.getElementById('errCategory');
    let errName = document.getElementById('errName');
    let errDegree = document.getElementById('errDegree');
    let errSpecialization = document.getElementById('errSpecialization');
    let errExperience = document.getElementById('errExperience');
    let errEmail = document.getElementById('errEmail');
    let errPhone = document.getElementById('errPhone');
    let errFile = document.getElementById('errFile');
    let successBox = document.getElementById('sucessadd');

    errCategory.innerHTML = "";
    errName.innerHTML = "";
    errDegree.innerHTML = "";
    errSpecialization.innerHTML = "";
    errExperience.innerHTML = "";
    errEmail.innerHTML = "";
    errPhone.innerHTML = "";
    errFile.innerHTML = "";
    successBox.classList.add("d-none");

    category.classList.remove("error", "success");
    name.classList.remove("error", "success");
    degree.classList.remove("error", "success");
    specialization.classList.remove("error", "success");
    experience.classList.remove("error", "success");
    email.classList.remove("error", "success");
    phone.classList.remove("error", "success");
    file.classList.remove("error", "success");
}
```

```
let valid = true;

if (category.value == "") {
    errCategory.innerHTML = `${icon} Please select a category.`;
    category.classList.add("error");
    valid = false;
} else {
    category.classList.add("success");
}

if (name.value.trim() == "") {
    errName.innerHTML = `${icon} Please enter name.`;
    name.classList.add("error");
    valid = false;
} else {
    name.classList.add("success");
}

if (degree.value.trim() == "") {
    errDegree.innerHTML = `${icon} Please enter degree.`;
    degree.classList.add("error");
    valid = false;
} else {
    degree.classList.add("success");
}

if (specialization.value.trim() == "") {
    errSpecialization.innerHTML = `${icon} Please enter specialization.`;
    specialization.classList.add("error");
    valid = false;
} else {
    specialization.classList.add("success");
}

if (experience.value.trim() == "") {
    errExperience.innerHTML = `${icon} Please enter experience.`;
    experience.classList.add("error");
    valid = false;
} else {
    experience.classList.add("success");
}
```

```
}

const emailRegex = /^[a-zA-Z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,4}$/i;
if (email.value.trim() == "") {
    errEmail.innerHTML = `${icon} Please enter email.`;
    email.classList.add("error");
    valid = false;
} else if (!emailRegex.test(email.value.trim())) {
    errEmail.innerHTML = `${icon} Please enter a valid email.`;
    email.classList.add("error");
    valid = false;
} else {
    email.classList.add("success");
}

if (phone.value.trim() == "") {
    errPhone.innerHTML = `${icon} Please enter phone number.`;
    phone.classList.add("error");
    valid = false;
} else if (!/^\\d{10}$/.test(phone.value.trim())) {
    errPhone.innerHTML = `${icon} Enter valid 10-digit number.`;
    phone.classList.add("error");
    valid = false;
} else {
    phone.classList.add("success");
}

if (!file || file.files.length == 0) {
    errFile.innerHTML = `${icon} Please upload a profile picture.`;
    file.classList.add("error");
    valid = false;
} else {
    const allowedExtensions = /(\\.(jpg|\\.jpeg|\\.png))$/i;
    if (!allowedExtensions.exec(file.files[0].name)) {
        errFile.innerHTML = `${icon} Only .jpg and .png files are allowed.`;
        file.classList.add("error");
        valid = false;
    } else {
        file.classList.add("success");
    }
}
```



```
if (!valid) return false;

successBox.classList.remove("d-none");

setTimeout(function () {
    successBox.classList.add("d-none");
    document.getElementById('specialistForm').submit();
}, 1500);

return false;
}
```

Output :

Add Specialist

Category Select

Select

Please select a category.

Name

Please enter name.

Degree

Please enter degree.

Specialization

Please enter specialization.

Experience

Please enter experience.

Contact email

Please enter email.

Contact number

Please enter phone number.

Profile pic

Choose File

No file chosen

Please upload a profile picture.

Add Specialist

11.2) Edit:

HTML :

```
<form id="editSpecialistForm" method="get" action="manage-specialist.html"
onsubmit="return validateEditForm()">
  <div class="mb-2">
    <label>Category Select</label>
    <select class="form-control" id="editCategory">
      <option value="Psychologist">Select</option>
      <option>Psychologist</option>
      <option>Therapist</option>
      <option>Life Coach</option>
      <option>Group Session</option>
    </select>
    <small id="errEditCategory" class="text-danger"></small>
  </div>

  <div class="mb-2">
    <label>Name</label>
    <input type="text" class="form-control" id="editName" value="Dr. Jane Doe">
    <small id="errEditName" class="text-danger"></small>
  </div>

  <div class="mb-2">
    <label>Degree</label>
    <input type="text" class="form-control" id="editDegree" value="Ph.D. Clinical
Psychology">
    <small id="errEditDegree" class="text-danger"></small>
  </div>

  <div class="mb-2">
    <label>Specialization</label>
    <input type="text" class="form-control" id="editSpecialization" value="Anxiety &
Stress Management">
    <small id="errEditSpecialization" class="text-danger"></small>
  </div>

  <div class="mb-2">
    <label>Experience</label>
    <input type="text" class="form-control" id="editExperience" value="10 Years">
    <small id="errEditExperience" class="text-danger"></small>
  </div>
```

```
<div class="mb-2">
  <label>Contact email</label>
  <input type="text" class="form-control" id="editEmail"
value="jane@example.com">
  <small id="errEditEmail" class="text-danger"></small>
</div>

<div class="mb-2">
  <label>Contact number</label>
  <input type="text" class="form-control" id="editPhone" value="9876543210">
  <small id="errEditPhone" class="text-danger"></small>
</div>

<div class="mb-2">
  <label>Profile pic</label>
  <input type="file" class="form-control" id="editProfilePic" value="file.png">
  <small id="errEditFile" class="text-danger"></small>
</div>

<div id="editspecialist" class="alert alert-success d-none">
  Updated Sucessfully!
</div>

<button class="btn btn-success w-100 mt-2" type="submit">Save
Changes</button>
</form>
```

JS :

```
function validateEditForm() {
  const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';

  let category = document.getElementById('editCategory');
  let name = document.getElementById('editName');
  let degree = document.getElementById('editDegree');
  let specialization = document.getElementById('editSpecialization');
  let experience = document.getElementById('editExperience');
```

```
let email = document.getElementById('editEmail');
let phone = document.getElementById('editPhone');
let file = document.getElementById('editProfilePic');

let errCategory = document.getElementById('errEditCategory');
let errName = document.getElementById('errEditName');
let errDegree = document.getElementById('errEditDegree');
let errSpecialization = document.getElementById('errEditSpecialization');
let errExperience = document.getElementById('errEditExperience');
let errEmail = document.getElementById('errEditEmail');
let errPhone = document.getElementById('errEditPhone');
let errFile = document.getElementById('errEditFile');
let successBox = document.getElementById('editspecialist');

errCategory.innerHTML = "";
errName.innerHTML = "";
errDegree.innerHTML = "";
errSpecialization.innerHTML = "";
errExperience.innerHTML = "";
errEmail.innerHTML = "";
errPhone.innerHTML = "";
errFile.innerHTML = "";
successBox.classList.add("d-none");

category.classList.remove("error", "success");
name.classList.remove("error", "success");
degree.classList.remove("error", "success");
specialization.classList.remove("error", "success");
experience.classList.remove("error", "success");
email.classList.remove("error", "success");
phone.classList.remove("error", "success");
file.classList.remove("error", "success");

let valid = true;

if (category.value == "") {
    errCategory.innerHTML = `${icon} Please select a category.`;
    category.classList.add("error");
    valid = false;
} else {
    category.classList.add("success");
```

```
}

if (name.value.trim() == "") {
    errName.innerHTML = `${icon} Please enter name.`;
    name.classList.add("error");
    valid = false;
} else {
    name.classList.add("success");
}

if (degree.value.trim() == "") {
    errDegree.innerHTML = `${icon} Please enter degree.`;
    degree.classList.add("error");
    valid = false;
} else {
    degree.classList.add("success");
}

if (specialization.value.trim() == "") {
    errSpecialization.innerHTML = `${icon} Please enter specialization.`;
    specialization.classList.add("error");
    valid = false;
} else {
    specialization.classList.add("success");
}

if (experience.value.trim() == "") {
    errExperience.innerHTML = `${icon} Please enter experience.`;
    experience.classList.add("error");
    valid = false;
} else {
    experience.classList.add("success");
}

const emailRegex = /^[a-zA-Z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,4}$/i;
if (email.value.trim() == "") {
    errEmail.innerHTML = `${icon} Please enter email.`;
    email.classList.add("error");
    valid = false;
} else if (!emailRegex.test(email.value.trim())) {
    errEmail.innerHTML = `${icon} Please enter a valid email.`;
```

```
email.classList.add("error");
valid = false;
} else {
    email.classList.add("success");
}

if (phone.value.trim() == "") {
    errPhone.innerHTML = `${icon} Please enter phone number.`;
    phone.classList.add("error");
    valid = false;
} else if (!/^\\d{10}$/.test(phone.value.trim())) {
    errPhone.innerHTML = `${icon} Enter valid 10-digit number.`;
    phone.classList.add("error");
    valid = false;
} else {
    phone.classList.add("success");
}

if (file && file.files.length > 0) {
    const allowedExtensions = /(\\.jpg|\\.jpeg|\\.png)$/i;
    if (!allowedExtensions.exec(file.files[0].name)) {
        errFile.innerHTML = `${icon} Only .jpg and .png files are allowed.`;
        file.classList.add("error");
        valid = false;
    } else {
        file.classList.add("success");
    }
}


if (!valid) return false;

successBox.classList.remove("d-none");

setTimeout(function () {
    successBox.classList.add("d-none");
    document.getElementById('editSpecialistForm').submit();
}, 1500);

return false;
}
```

Output :



Edit Specialist ✕

Category Select
Psychologist

Name

❗ Please enter name.

Degree
Ph.D. Clinical Psychology

Specialization
Anxiety & Stress Management

Experience

❗ Please enter experience.

Contact email
jane@example.com

Contact number

❗ Please enter phone number.

Profile pic
Choose File Screenshot 2025-11-08 095636.png

Save Changes

12) Session :

12.1) Add :

HTML :

```
<form id="addsessionForm" action="show-session.html" method="get"
onsubmit="return validateSessionForm()">
  <div class="mb-3">
    <label class="form-label">Session Title</label>
    <input type="text" class="form-control" id="sessionTitle" placeholder="Enter
session title">
    <small id="errSessionTitle" class="text-danger"></small>
  </div>
  <div class="mb-3">
    <label class="form-label">Date</label>
    <input type="date" class="form-control" id="sessionDate">
    <small id="errSessionDate" class="text-danger"></small>
  </div>
  <div class="mb-3 row g-2">
    <div class="col">
      <label class="form-label">Start Time</label>
      <input type="time" class="form-control" id="startTime">
      <small id="errStartTime" class="text-danger"></small>
    </div>
    <div class="col">
      <label class="form-label">End Time</label>
      <input type="time" class="form-control" id="endTime">
      <small id="errEndTime" class="text-danger"></small>
    </div>
  </div>
  <div class="mb-3">
    <label class="form-label">Description</label>
    <textarea class="form-control" id="sessionDescription" rows="3"
placeholder="Enter session description"></textarea>
    <small id="errSessionDescription" class="text-danger"></small>
  </div>

  <div id="successSessionMsg" class="alert alert-success d-none">
    Added Session Sucessfully!
  </div>
```

```
<button class="btn btn-success w-100" type="submit">Add Session</button>
</form>
```

JS :

```
<script>
function validateSessionForm() {
    let title = document.getElementById("sessionTitle");
    let date = document.getElementById("sessionDate");
    let start = document.getElementById("startTime");
    let end = document.getElementById("endTime");
    let desc = document.getElementById("sessionDescription");

    let errTitle = document.getElementById("errSessionTitle");
    let errDate = document.getElementById("errSessionDate");
    let errStart = document.getElementById("errStartTime");
    let errEnd = document.getElementById("errEndTime");
    let errDesc = document.getElementById("errSessionDescription");
    let successBox = document.getElementById("successSessionMsg");

    const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';
    let valid = true;

    errTitle.innerHTML = "";
    errDate.innerHTML = "";
    errStart.innerHTML = "";
    errEnd.innerHTML = "";
    errDesc.innerHTML = "";
    successBox.classList.add("d-none");

    title.classList.remove("error", "success");
    date.classList.remove("error", "success");
    start.classList.remove("error", "success");
    end.classList.remove("error", "success");
    desc.classList.remove("error", "success");

    if (title.value.trim() == "") {
        errTitle.innerHTML = `${icon} Please enter a session title.`;
        title.classList.add("error");
    }
}
```

```
valid = false;
} else if (!isNaN(title.value.trim())) {
    errTitle.innerHTML = `${icon} Title must contain letters.`;
    title.classList.add("error");
    valid = false;
} else if (title.value.length > 100) {
    errTitle.innerHTML = `${icon} Title must be under 100 characters.`;
    title.classList.add("error");
    valid = false;
} else {
    title.classList.add("success");
}

if (date.value == "") {
    errDate.innerHTML = `${icon} Please select a date.`;
    date.classList.add("error");
    valid = false;
} else {
    date.classList.add("success");
}

if (start.value == "") {
    errStart.innerHTML = `${icon} Please select start time.`;
    start.classList.add("error");
    valid = false;
} else {
    start.classList.add("success");
}

if (end.value == "") {
    errEnd.innerHTML = `${icon} Please select end time.`;
    end.classList.add("error");
    valid = false;
} else {
    end.classList.add("success");
}

if (desc.value.trim() == "") {
    errDesc.innerHTML = `${icon} Please enter a description.`;
    desc.classList.add("error");
    valid = false;
}
```

```

} else if (desc.value.trim().length < 10) {
    errDesc.innerHTML = `${icon} Description must be at least 10 characters.`;
    desc.classList.add("error");
    valid = false;
} else {
    desc.classList.add("success");
}

if (!valid) return false;

successBox.classList.remove("d-none");

setTimeout(function () {
    successBox.classList.add("d-none");
    document.getElementById("addsessionForm").submit();
}, 1500);

return false;
}

</script>

```

Output :

The screenshot displays the 'MindSpace' application interface. A modal window titled 'Add Session' is open, allowing a user to add a new session. The modal contains the following fields and validation messages:

- Session Title:** A text input field with the placeholder 'Enter session title' and a red error message: 'Please enter a session title.'
- Date:** A date picker field with the placeholder 'dd-mm-yyyy' and a red error message: 'Please select a date.'
- Start Time:** A time picker field with the placeholder '--:-- --' and a red error message: 'Please select start time.'
- End Time:** A time picker field with the placeholder '--:-- --' and a red error message: 'Please select end time.'
- Description:** A text area with the placeholder 'Enter session description' and a red error message: 'Please enter a description.'

At the bottom of the modal is a green button labeled 'Add Session'. The background shows a dashboard for 'Dr. Jane Doe' with a 'Session Booking list' and two existing sessions: 'Yoga Basics' (Trainer: Dr. Jane Doe, Date: 2025-10-01, Time: 10:00 - 11:00) and 'Pilates' (Trainer: Dr. John Doe, Date: 2025-10-05, Time: 16:00 - 17:00).

12.2) Edit :

HTML :

```
<form id="editSessionForm" method="get" action="show-session.html"
onsubmit="return validateEditSessionForm()">
<div class="mb-3">
  <label class="form-label">Session Title</label>
  <input type="text" class="form-control" id="editSessionTitle" value="Yoga
Basics">
  <small id="errEditSessionTitle" class="text-danger"></small>
</div>
<div class="mb-3">
  <label class="form-label">Date</label>
  <input type="date" class="form-control" id="editSessionDate"
value="2025-10-01">
  <small id="errEditSessionDate" class="text-danger"></small>
</div>
<div class="mb-3 row g-2">
  <div class="col">
    <label class="form-label">Start Time</label>
    <input type="time" class="form-control" id="editStartTime" value="10:00">
    <small id="errEditStartTime" class="text-danger"></small>
  </div>
  <div class="col">
    <label class="form-label">End Time</label>
    <input type="time" class="form-control" id="editEndTime" value="11:00">
    <small id="errEditEndTime" class="text-danger"></small>
  </div>
</div>
<div class="mb-3">
  <label class="form-label">Description</label>
  <textarea class="form-control" id="editSessionDescription" rows="3">Yoga
session</textarea>
  <small id="errEditSessionDescription" class="text-danger"></small>
</div>

<div id="editsuccessSessionMsg" class="alert alert-success d-none">
  Updated Session Sucessfully!
</div>

<button class="btn btn-success w-100" type="submit">Save Changes</button>
```

</form>

JS :

```
<script>
function validateEditSessionForm() {
    let title = document.getElementById("editSessionTitle");
    let date = document.getElementById("editSessionDate");
    let start = document.getElementById("editStartTime");
    let end = document.getElementById("editEndTime");
    let desc = document.getElementById("editSessionDescription");

    let errTitle = document.getElementById("errEditSessionTitle");
    let errDate = document.getElementById("errEditSessionDate");
    let errStart = document.getElementById("errEditStartTime");
    let errEnd = document.getElementById("errEditEndTime");
    let errDesc = document.getElementById("errEditSessionDescription");
    let successBox = document.getElementById("editsuccessSessionMsg");

    const icon = '<i class="bi bi-exclamation-circle-fill"></i> ' ;
    let valid = true;

    errTitle.innerHTML = "";
    errDate.innerHTML = "";
    errStart.innerHTML = "";
    errEnd.innerHTML = "";
    errDesc.innerHTML = "";
    successBox.classList.add("d-none");

    title.classList.remove("error", "success");
    date.classList.remove("error", "success");
    start.classList.remove("error", "success");
    end.classList.remove("error", "success");
    desc.classList.remove("error", "success");

    if (title.value.trim() == "") {
        errTitle.innerHTML = `${icon} Please enter a session title.`;
        title.classList.add("error");
        valid = false;
    } else if (!isNaN(title.value.trim())) {
```

```
errTitle.innerHTML = `${icon} Title must contain letters.`;
title.classList.add("error");
valid = false;
} else if (title.value.length > 100) {
errTitle.innerHTML = `${icon} Title must be under 100 characters.`;
title.classList.add("error");
valid = false;
} else {
title.classList.add("success");
}

if (date.value == "") {
errDate.innerHTML = `${icon} Please select a date.`;
date.classList.add("error");
valid = false;
} else {
date.classList.add("success");
}

if (start.value == "") {
errStart.innerHTML = `${icon} Please select start time.`;
start.classList.add("error");
valid = false;
} else {
start.classList.add("success");
}

if (end.value == "") {
errEnd.innerHTML = `${icon} Please select end time.`;
end.classList.add("error");
valid = false;
} else {
end.classList.add("success");
}

if (desc.value.trim() == "") {
errDesc.innerHTML = `${icon} Please enter a description.`;
desc.classList.add("error");
valid = false;
} else if (desc.value.trim().length < 10) {
errDesc.innerHTML = `${icon} Description must be at least 10 characters.`;
```

```

desc.classList.add("error");
valid = false;
} else {
desc.classList.add("success");
}

if (!valid) return false;
successBox.classList.remove("d-none");
setTimeout(function () {
    successBox.classList.add("d-none");
    document.getElementById("editSessionForm").submit();
}, 1500);

return false;
}
</script>

```

Output :

The screenshot displays the 'MindSpace' web application interface. A sidebar on the left contains navigation links: Dashboard, Self-Help Tools, Manage Specialist, Help & Feedback, Profile, and Logout. The main content area shows a 'Session Booking list' for 'Dr. Jane Doe' with a table listing sessions like 'Yoga Basics'. An 'Edit Session' modal is open, showing fields for Session Title, Date, Start Time, End Time, and Description. The 'Session Title' and 'Description' fields are highlighted with red borders and error messages: 'Please enter a session title.' and 'Please enter a description.' respectively. A 'Save Changes' button is at the bottom of the modal.

13) Profile :

13.1) Edit Profile :

HTML :

```
<form id="profileedit" action="profile.html" method="get" onsubmit="return
validateEditProfileForm()">
  <div class="row g-3">
    <div class="col-md-6">
      <label class="form-label text-success fw-semibold">Name</label>
      <input type="text" class="form-control" id="editProfileName" value="John Doe">
      <small id="errEditProfileName" class="text-danger"></small>
    </div>
    <div class="col-md-6">
      <label class="form-label text-success fw-semibold">Email</label>
      <input type="text" class="form-control" id="editProfileEmail"
value="john.doe@example.com">
      <small id="errEditProfileEmail" class="text-danger"></small>
    </div>
    <div class="col-md-6">
      <label class="form-label text-success fw-semibold">Phone Number</label>
      <input type="text" class="form-control" id="editProfilePhone"
value="9876543210">
      <small id="errEditProfilePhone" class="text-danger"></small>
    </div>
    <div class="col-md-6">
      <label class="form-label text-success fw-semibold">Company Name</label>
      <input type="text" class="form-control" id="editProfileCompany"
value="MindSpace Pvt Ltd">
      <small id="errEditProfileCompany" class="text-danger"></small>
    </div>
  </div>
  <br>

  <div id="successEditProfileMsg" class="alert alert-success d-none">
    Updated Successfully!
  </div>

  <!-- Modal Footer buttons inside form -->
```

```
<div class="modal-footer p-0 mt-3">
  <button type="button" class="btn btn-secondary rounded-pill"
data-bs-dismiss="modal">
    <i class="bi bi-x-lg"></i> Cancel
  </button>
  <button type="submit" class="btn btn-success rounded-pill">
    <i class="bi bi-check2"></i> Save Changes
  </button>
</div>
</form>
```

JS :

```
<script>

function validateEditProfileForm() {

  let name = document.getElementById("editProfileName");
  let email = document.getElementById("editProfileEmail");
  let phone = document.getElementById("editProfilePhone");
  let company = document.getElementById("editProfileCompany");

  let errName = document.getElementById("errEditProfileName");
  let errEmail = document.getElementById("errEditProfileEmail");
  let errPhone = document.getElementById("errEditProfilePhone");
  let errCompany = document.getElementById("errEditProfileCompany");
  let successBox = document.getElementById("successEditProfileMsg");

  const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';
  let valid = true;

  errName.innerHTML = "";
  errEmail.innerHTML = "";
  errPhone.innerHTML = "";
  errCompany.innerHTML = "";
  successBox.classList.add("d-none");

  name.classList.remove("error", "success");
  email.classList.remove("error", "success");
  phone.classList.remove("error", "success");
```

```
company.classList.remove("error", "success");

if (name.value.trim() == "") {
    errName.innerHTML = `${icon} Please enter your name.`;
    name.classList.add("error");
    valid = false;
} else if (!isNaN(name.value.trim())) {
    errName.innerHTML = `${icon} Name must contain letters.`;
    name.classList.add("error");
    valid = false;
} else {
    name.classList.add("success");
}

const emailRegex = /^[a-zA-Z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,4}$/i;
if (email.value.trim() == "") {
    errEmail.innerHTML = `${icon} Please enter your email.`;
    email.classList.add("error");
    valid = false;
} else if (!emailRegex.test(email.value.trim())) {
    errEmail.innerHTML = `${icon} Please enter a valid email.`;
    email.classList.add("error");
    valid = false;
} else {
    email.classList.add("success");
}

const phoneRegex = /^[\+]?[0-9]{10,15}$/;
if (phone.value.trim() == "") {
    errPhone.innerHTML = `${icon} Please enter phone number.`;
    phone.classList.add("error");
    valid = false;
} else if (!phoneRegex.test(phone.value.trim())) {
    errPhone.innerHTML = `${icon} Enter a 10-digit valid phone number.`;
    phone.classList.add("error");
    valid = false;
} else {
    phone.classList.add("success");
}

if (company.value.trim() == "") {
```

```
errCompany.innerHTML = `${icon} Please enter company name.`;
company.classList.add("error");
valid = false;
} else {
    company.classList.add("success");
}

if (!valid) return false;

successBox.classList.remove("d-none");

setTimeout(function () {
    successBox.classList.add("d-none");
    document.getElementById("profileedit").submit();
}, 1500);

return false;
}
</script>
```

Output :

The screenshot displays a web application interface with a sidebar on the left containing links for 'Manage Specialist', 'Help & Feedback', 'Profile', and 'Logout'. The main content area shows a user profile for 'John Doe' with a circular profile picture. Overlaid on this is a modal window titled 'Edit Profile'. The modal contains four input fields: 'Name' (with value 'Jo'), 'Email' (with value 'fvf'), 'Phone Number' (with value '9876543210ffff'), and 'Company Name'. Each field has a red border and a red error message below it: 'Please enter a valid email.' for Email, 'Enter a 10-digit valid phone number.' for Phone Number, and 'Please enter company name.' for Company Name. The 'Name' field has no error message. At the bottom of the modal are 'Cancel' and 'Save Changes' buttons. Below the modal, there are links for 'Change Password' and 'Edit Profile'.

13.2) Change Password :

HTML :

```
<form id="editPasswordForm" onsubmit="return validateEditPasswordForm()">
  <div class="row g-3">
    <div class="col-md-4">
      <label class="form-label text-success fw-semibold">Old Password</label>
      <input type="password" class="form-control" id="editOldPassword"
placeholder="Enter old password">
      <small id="errEditOldPassword" class="text-danger"></small>
    </div>
    <div class="col-md-4">
      <label class="form-label text-success fw-semibold">New Password</label>
      <input type="password" class="form-control" id="editNewPassword"
placeholder="Enter new password">
      <small id="errEditNewPassword" class="text-danger"></small>
    </div>
    <div class="col-md-4">
      <label class="form-label text-success fw-semibold">Confirm Password</label>
      <input type="password" class="form-control" id="editConfirmPassword"
placeholder="Confirm new password">
      <small id="errEditConfirmPassword" class="text-danger"></small>
    </div>
  </div>

  <!-- Success message -->
  <div id="successEditPasswordMsg" class="alert alert-success d-none mt-3">
    Password updated successfully!
  </div>

  <!-- Modal Footer inside the form -->
  <div class="modal-footer">
    <button type="button" class="btn btn-secondary rounded-pill"
data-bs-dismiss="modal">
      <i class="bi bi-x-lg"></i> Cancel
    </button>
    <button type="submit" class="btn btn-success rounded-pill">
      <i class="bi bi-check2"></i> Save Changes
    </button>
  </div>
</form>
```

JS :

```
<script>
function validateEditPasswordForm() {
    let oldPwd = document.getElementById("editOldPassword");
    let newPwd = document.getElementById("editNewPassword");
    let confirmPwd = document.getElementById("editConfirmPassword");

    let errOld = document.getElementById("errEditOldPassword");
    let errNew = document.getElementById("errEditNewPassword");
    let errConfirm = document.getElementById("errEditConfirmPassword");
    let successBox = document.getElementById("successEditPasswordMsg");

    const icon = '<i class="bi bi-exclamation-circle-fill"></i> ';
    let valid = true;

    errOld.innerHTML = "";
    errNew.innerHTML = "";
    errConfirm.innerHTML = "";
    successBox.classList.add("d-none");

    oldPwd.classList.remove("error", "success");
    newPwd.classList.remove("error", "success");
    confirmPwd.classList.remove("error", "success");

    if (oldPwd.value.trim() == "") {
        errOld.innerHTML = `${icon} Please enter old password.`;
        oldPwd.classList.add("error");
        valid = false;
    } else {
        oldPwd.classList.add("success");
    }
}

const pwdRegex = /^(?=.*[A-Za-z])(?=.*\d)(?=.*[@$!%*#?&]).{6,}$/;
if (newPwd.value.trim() == "") {
    errNew.innerHTML = `${icon} Please enter new password.`;
}
```

```
newPwd.classList.add("error");
valid = false;
} else if (!pwdRegex.test(newPwd.value.trim())) {
    errNew.innerHTML = `${icon} Password must be at least 6 characters and include a
letter, number, and special character.`;
    newPwd.classList.add("error");
    valid = false;
} else {
    newPwd.classList.add("success");
}

if (confirmPwd.value.trim() == "") {
    errConfirm.innerHTML = `${icon} Please confirm new password.`;
    confirmPwd.classList.add("error");
    valid = false;
} else if (newPwd.value.trim() != confirmPwd.value.trim()) {
    errConfirm.innerHTML = `${icon} Passwords do not match.`;
    confirmPwd.classList.add("error");
    valid = false;
} else {
    confirmPwd.classList.add("success");
}


if (!valid) return false;

successBox.classList.remove("d-none");

setTimeout(function () {
    successBox.classList.add("d-none");
    document.getElementById("editPasswordForm").submit();
}, 1500);

return false;
}
</script>
```

Output :



Change Password

Old Password:

New Password:

Confirm Password:

✖ Password must be at least 6 characters and include a letter, number, and special character.

✖ Passwords do not match.

✕ Cancel ✓ Save Changes

Change Password Edit Profile