1. **Write a PL/SQL block to use implicit cursor to update the salary by adding 500.**

```
DECLARE
        v_update_count NUMBER;
BEGIN
        UPDATE employees
        SET salary = salary + 500;
        v_update_count := SQL%ROWCOUNT;
        DBMS_OUTPUT.PUT_LINE(v_update_count || ' rows updated with new salary.');
END;
/
```

2. **Write a PL/SQL block to use cursor for empno, empname& salary of emp table and calculate salary to minus 1000 Whose empno is less than 110.**

```
DECLARE
    CURSOR emp_cursor IS
    SELECT empno, empname, salary FROM emp WHERE empno < 110;
        v_empno   emp.empno%TYPE;
        v_empname emp.empname%TYPE;
        v_salary  emp.salary%TYPE;
    BEGIN
        OPEN emp_cursor;
        LOOP
            FETCH emp_cursor INTO v_empno, v_empname, v_salary;
                EXIT WHEN emp_cursor%NOTFOUND;

            UPDATE emp SET salary = salary – 1000 WHERE empno = v_empno;
                DBMS_OUTPUT.PUT_LINE('Updated EmpNo: ' || v_empno || ', Name: ' ||
                v_empname || ', New Salary: ' || (v_salary - 1000));
        END LOOP;
        CLOSE emp_cursor;
END;
/
```

3. **Create a explicit cursor in student table to display s_no,s_name and total.**

```
DECLARE
CURSOR student_cursor IS
    SELECT s_no, s_name, total FROM student;
        v_s_no   student.s_no%TYPE;
        v_s_name student.s_name%TYPE;
        v_total  student.total%TYPE;
    BEGIN
        OPEN student_cursor;
        LOOP
            FETCH student_cursor INTOv_s_no,v_s_name,v_total;
            EXIT WHEN student_cursor%NOTFOUND;
            DBMS_OUTPUT.PUT_LINE('S_No: ' || v_s_no || ', Name:
            ' || v_s_name || ', Total: ' || v_total);
            END LOOP;
            CLOSE student_cursor;
            END;
            /
```

4. **Create a cursor to fetch record from table to display emp_no, emp_name and salary from emp Table using for or loop.**

```
DECLARE
    CURSOR emp_cursor IS
    SELECT emp_no, emp_name, salary FROM emp;
BEGIN
    FOR emp_record IN emp_cursor LOOP
    DBMS_OUTPUT.PUT_LINE('Emp_No: ' ||
emp_record.emp_no || ', Emp_Name: ' ||
emp_record.emp_name || ', Salary: ' ||
emp_record.salary);

END LOOP;
END;
/
```

5. **Write a PL SQL block that accept a number and display table of that number.**

```
DECLARE
  v_num NUMBER := 5; -- Change this value to display table of any number
BEGIN
  FOR i IN 1..10 LOOP
    DBMS_OUTPUT.PUT_LINE(v_num || ' x ' || i || ' = ' || (v_num * i));
  END LOOP;
END;
/
```

Write a PL/SQL block for Different Patterns.

<table>
<tr><th>1</th><th>2</th></tr>
<tr><td><pre>
DECLARE
        ch CHAR := 'A';
BEGIN
        FOR i IN REVERSE 1..5 LOOP
                DBMS_OUTPUT.PUT_LINE(LPAD(ch, i, ch));
                ch := CHR(ASCII(ch) + 1);
        END LOOP;
END;
/
</pre></td><td><pre>
BEGIN
        FOR i IN REVERSE 1..5 LOOP
                DBMS_OUTPUT.PUT_LINE(RPAD('*', i, '*'));
        END LOOP;
END;
/
</pre></td></tr>
</table>

3	4

DECLARE
    num CHAR := '1';
BEGIN
    FOR i IN REVERSE 1..5 LOOP
      DBMS_OUTPUT.PUT_LINE(RPAD(num, i, num));
      num := CHR(ASCII(num) + 1);
    END LOOP;
END;
/
	DECLARE
	    num CHAR := '5';
	BEGIN
	    FOR i IN REVERSE 1..5 LOOP
	        DBMS_OUTPUT.PUT_LINE(RPAD(num, i, num));
	        num := CHR(ASCII(num) - 1);
	    END LOOP;
	END;
	/

5	6

BEGIN
    FOR i IN 1..5 LOOP
     DBMS_OUTPUT.PUT_LINE(SUBSTR('54321', 1, 6 - i));
    END LOOP;
END;
/
	BEGIN
	    FOR i IN REVERSE 1..5 LOOP
	        DBMS_OUTPUT.PUT_LINE(SUBSTR('12345', 1, i));
	    END LOOP;
	END;
	/

7	8

BEGIN
  FOR i IN REVERSE 1..5 LOOP
    DBMS_OUTPUT.PUT_LINE(SUBSTR('ABCDE', 1, i));
  END LOOP;
END;
/
	DECLARE
	    str CONSTANT VARCHAR2(5) := 'ABCDE';
	BEGIN
	  FOR i IN REVERSE 1..5 LOOP
	    DBMS_OUTPUT.PUT_LINE(RPAD(SUBSTR(str, i, 1), i, SUBSTR(str, i, 1)));
	  END LOOP;
	END;
	/