

```
In [18]: print("""we the people of india
having resolved to constitute india
into asovreign socialist""")
```

```
we the people of india
having resolved to constitute india
into asovreign socialist
```

```
In [25]: a=int(input("enter first number"))
b=int(input("enter second number"))
print("sum=",a+b)
print("subtraction=",a-b)
print("multiplication=",a*b)
print("division=",a/b)
print("remainder=",a%b)
print("expo=",a**b)
if(a>b):
    print(f"{a} is greater",a)
else:
    print("b is greater",b)
```

```
enter first number5
enter second number2
sum= 7
subtraction= 3
multiplication= 10
division= 2.5
remainder= 1
expo= 25
5 is greater 5
```

```
In [ ]:
```

```
In [14]: print("harshad" end='')
print("civil")
```

```
File "<ipython-input-14-c6bd1105bc52>", line 1
    print("harshad" end='')
    ^
SyntaxError: invalid syntax
```

```
In [16]: a=25
b=3.14
c=5+6j
d="harshad civil"
e=["apple", "banana", 3, 4, True]
f=(40.2210, -36.2323)
g=range(1,10)
h={11,12,13,14,11,15,11}
i=False
k=b"helow"

print(a)
print(b)
print(c)
print(d)
print(e)
print(f)
print(g)
print(h)
print(i)
print(k)

print(type(a))
print(type(b))
print(type(c))
print(type(d))
print(type(e))
print(type(f))
print(type(g))
print(type(h))
print(type(i))
print(type(k))
```

```
25
3.14
(5+6j)
harshad civil
['apple', 'banana', 3, 4, True]
(40.221, -36.2323)
range(1, 10)
{11, 12, 13, 14, 15}
False
b'helow'
<class 'int'>
<class 'float'>
<class 'complex'>
<class 'str'>
<class 'list'>
<class 'tuple'>
<class 'range'>
<class 'set'>
<class 'bool'>
<class 'bytes'>
```

```
In [23]: if 5>2 && 6>2:  
         print("false")  
     else:  
         print("true")
```

```
File "<ipython-input-23-2a5e8c5a6076>", line 1  
    if 5>2 && 6>2:  
           ^  
SyntaxError: invalid syntax
```

```
In [ ]:
```