

Need to change field name , table name , database name according to your definition

File 1 : conn.php

```
<?php
define("server","localhost");
define("unm","root");
define("pwd","");
define("db","fy");

class db
{
    public $d;
    function __construct()
    {
        $con=mysqli_connect(server,unm,pwd,db);
        $this->d=$con;
        if(mysqli_connect_errno())
        {
            echo "fail con";
        }
    }
    public function fetch()
    {
        $s=mysqli_query($this->d,"select *from stud");
        return $s;
    }
}
```

```

    }

    public function insert($i,$n,$a)
    {
        if($i==null || $n==null || $a==null)
        {
            header("location:index.php");
        }
        else
        {
            $ins=mysqli_query($this->d,"insert into stud (id,name,std)
            values($i,'$n','$a')");

            return $ins;
        }
    }
}
?>

```

File 2 : Index.php (for select record and insert design)

```

<table align="center">
    <form action="ins.php">
        <tr>
            <td>ID</td><td><input type="text" name="id"></td>
        </tr>
        <tr><td>NAME</td><td><input type="text" name="nm"></td></tr>
        <tr><td>STD</td><td><input type="text" name="std"></td></tr>
        <tr><td align="center" colspan=2><input type="submit" name="s"></td></tr>
    </form>
</table>

<?php
    include('conn.php');
    $obj_s=new db(); //object of db class
    $sel=$obj_s->fetch();//call from conn.php file

```

```

while($r=mysqli_fetch_array($sel))
{
    echo $r[0];
    echo $r[1];
    echo $r[2];
}
?>

```

File 3 : ins.php (for insert record)

```

<?php
include('conn.php');
$obj_i=new db();
if(isset($_GET['s']))
{
    $i=$_GET['id'];
    $n=$_GET['nm'];
    $a=$_GET['std'];
    //call insert method to insert record
    $s=$obj_i->insert($i,$n,$a); //call from conn.php file
    if($s)
    {
        header("location:index.php");
    }
    else
        echo "error insert";
}
?>

```