```
Query OK, 0 rows affected (0.03 sec)
mysql> Desc Book;
Field
                       | Null | Key | Default | Extra
            Type
              int
                         YES
                                      NULL
 S_no
              char(20)
                                      NULL
 B_Name
                         YES
              char(12)
 Author
                         YES
                                      NULL
 Price
              int
                         YES
                                      NULL
 Publisher
              char(12)
                         YES
                                      NULL
5 rows in set (0.00 sec)
mysql> Commit;
Query OK, 0 rows affected (0.00 sec)
mysql> savepoint B;
Query OK, 0 rows affected (0.00 sec)
mysql> insert into Book values(1,'AAA','AAAA',120,'AAAA');
Query OK, 1 row affected (0.04 sec)
mysql> insert into Book values(2,'BBB','BBBB',250,'BBBB');
Query OK, 1 row affected (0.02 sec)
mysql> insert into Book values(3,'CCCC','CCCC',300,'CCCC');
Query OK, 1 row affected (0.04 sec)
mysql> insert into Book values(4,'DDDD','DDDD',500,'DDDD');
Query OK, 1 row affected (0.04 sec)
mysql> rollback to B;
```

ERROR 1305 (42000): SAVEPOINT B does not exist

mysql> create table Book(S_no int,B_Name char(20),Author char(12),Price int,Publisher char(12));