

# Pharmacy Queue Flow API Documentation

**Base URL** : <https://pharmacy-token-system.linkmecareq.com/>

## 1. API Overview

The **Pharmacy Queue Flow API** returns the current queue information for all four pharmacy display screens.

Each display contains three queue positions:

- **now** — Currently serving token
- **next** — Next token to be served
- **next2** — Second token waiting to be served

The API automatically uses the latest active pharmacy session.

---

## 2. Endpoint

**Method:** GET

**Endpoint:**

/api/queue-flow-all

Example:

GET /api/queue-flow-all

---

## 3. Request

### Headers

Accept: application/json

Content-Type: application/json

### Parameters

No parameters are required.

The API retrieves the latest active pharmacy session automatically.

---

## 4. Successful Response

**HTTP Status:** 200 OK

Example response:

```
{
  "displays": {
    "1": {
      "now": "M430",
      "next": "M438",
      "next2": "M439"
    },
    "2": {
      "now": "M433",
      "next": "M434",
      "next2": "M436"
    },
    "3": {
      "now": "M431",
      "next": "M435",
      "next2": "M440"
    },
    "4": {
      "now": "M428",
      "next": "M429",
      "next2": "M437"
    }
  }
}
```

---

## 5. Response Structure

displays

Contains queue information for all pharmacy displays.

| Field      | Type   | Description                     |
|------------|--------|---------------------------------|
| displays   | Object | Contains all pharmacy displays  |
| displays.1 | Object | Queue information for Display 1 |
| displays.2 | Object | Queue information for Display 2 |

| Field      | Type   | Description                     |
|------------|--------|---------------------------------|
| displays.3 | Object | Queue information for Display 3 |
| displays.4 | Object | Queue information for Display 4 |

## Display Object

Each display contains:

| Field | Type             | Description             |
|-------|------------------|-------------------------|
| now   | String / Integer | Currently serving token |
| next  | String / Integer | Next token              |
| next2 | String / Integer | Second token in queue   |

---

## 6. Example Display Data

For Display 1:

```
{
  "now": "M430",
  "next": "M438",
  "next2": "M439"
}
```

This means:

| Position    | Token |
|-------------|-------|
| Now Serving | M430  |
| Next        | M438  |
| Next 2      | M439  |

For Display 2:

```
{
  "now": "M433",
  "next": "M434",
  "next2": "M436"
}
```

For Display 3:

```
{
  "now": "M431",
```

```
    "next": "M435",
    "next2": "M440"
}
```

For Display 4:

```
{
  "now": "M428",
  "next": "M429",
  "next2": "M437"
}
```

---

## 7. No Active Session

If there is no active pharmacy session, the API returns all displays with 0 values.

**HTTP Status:** 200 OK

Example:

```
{
  "displays": {
    "1": {
      "now": 0,
      "next": 0,
      "next2": 0
    },
    "2": {
      "now": 0,
      "next": 0,
      "next2": 0
    },
    "3": {
      "now": 0,
      "next": 0,
      "next2": 0
    },
    "4": {
      "now": 0,
      "next": 0,
      "next2": 0
    }
  }
}
```

---

## 8. Queue Status Mapping

The API internally maps the queue status to the response fields:

| Database q_status | API Field | Meaning                 |
|-------------------|-----------|-------------------------|
| Serving           | now       | Currently serving       |
| Next              | next      | Next customer           |
| Next_2            | next2     | Second customer waiting |

---

## 9. Display Mapping

| Display Number | API Path   |
|----------------|------------|
| Display 1      | displays.1 |
| Display 2      | displays.2 |
| Display 3      | displays.3 |
| Display 4      | displays.4 |

For example, to get the currently serving token on Display 3:

displays.3.now

Result:

M431

---

## 10. Frontend Usage Example

JavaScript:

```
const response = await
fetch('https://pharmacy-token-system.linkmecareq.com/api/queue-flow-all');

const data = await response.json();

console.log(data.displays[1].now);
console.log(data.displays[1].next);
console.log(data.displays[1].next2);

console.log(data.displays[2].now);
console.log(data.displays[3].now);
console.log(data.displays[4].now);
```

Example output:

M430  
M438  
M439  
M433  
M431  
M428

---

## 11. cURL Example

```
curl -X GET  
"https://pharmacy-token-system.linkmecareq.com/api/queue-flow-all" \  
-H "Accept: application/json"
```

---

## 12. Summary

The API provides the queue status of **4 pharmacy displays** in a single request.

GET /api/queue-flow-all

Response structure:

```
displays  
├── 1  
│   ├── now  
│   ├── next  
│   └── next2  
├── 2  
│   ├── now  
│   ├── next  
│   └── next2  
├── 3  
│   ├── now  
│   ├── next  
│   └── next2  
└── 4  
    ├── now  
    ├── next  
    └── next2
```

This allows a single API call to update all four pharmacy queue displays.