

1. Why CSS? Inline vs Internal vs External CSS

index.html

```
<!DOCTYPE html>
<html>
<head>

<title>Community Portal</title>

<style>
/* Internal CSS */
body{
    background-color: lightgray;
}
</style>

<link rel="stylesheet" href="styles.css">

</head>

<body>

<!-- Inline CSS -->
<h1 style="color:red;">
    Community Event Portal
</h1>

<p class="content">
    Welcome to our portal
</p>

</body>
</html>
```

styles.css

```
/* Header Styles */
.content{
    color: blue;
    font-size: 20px;
}
```

2. CSS Syntax and Comments

styles.css

```
/* Style for Main Button */
```

```
.cta-button{
  background-color:#007BFF;
  color:white;
  padding:10px;
  border:none;
}
```

```
/* Style for Content */
```

```
.content{
  font-size:18px;
  color:black;
}
```

3. Selectors Playground

HTML

```
<h1 id="mainHeader">Community Portal</h1>
```

```
<div class="eventCard">
  Event 1
</div>
```

```
<h2>Music Event</h2>
```

```
<h3>Heading</h3>
<p>Paragraph</p>
```

CSS

```
/* Universal Selector */
*{
  margin:0;
  padding:0;
}
```

```
/* Element Selector */
h2{
  color:green;
}
```

```
/* ID Selector */
#mainHeader{
  background-color:blue;
  color:white;
}
```

```
/* Class Selector */
.eventCard{
```

```
border: 1px solid black;
padding: 10px;
}
```

```
/* Group Selector */
h3,p{
  font-family: Arial;
}
```

4. Color & Background Styling

CSS

```
body{
  background-color: #f0f0f0;
  background-image: url("city.jpg");
}
```

```
h1{
  color: #0066cc;
}
```

```
.eventCard{
  background-color: rgba(0,255,0,0.3);
}
```

```
.header{
  background:
    linear-gradient(to right,
    blue,green);
  color: white;
}
```

5. Typography: Fonts and Text

HTML

```
<link href="https://fonts.googleapis.com/css2?family=Poppins&display=swap"
rel="stylesheet">
```

CSS

```
body{
  font-family: 'Poppins', sans-serif;
}
```

```
h1{
  font-size: 32px;
  font-weight: bold;
}
```

```
p{
    font-style:italic;
    text-align:justify;
    text-transform:capitalize;
    letter-spacing:2px;
    line-height:1.8;
}
```

6. Link and List Styling

HTML

```
<ul class="menu">
    <li><a href="#">Home</a></li>
    <li><a href="#">Events</a></li>
    <li><a href="#">Contact</a></li>
</ul>
```

CSS

```
a:link{
    color:blue;
}
```

```
a:hover{
    color:red;
}
```

```
a:active{
    color:green;
}
```

```
a:visited{
    color:purple;
}
```

```
.menu{
    list-style-type:none;
}
```

```
.menu li{
    padding:10px;
    margin:5px;
}
```

7. Table Styling

HTML

```

<table>
<tr>
<th>ID</th>
<th>Name</th>
</tr>

<tr>
<td>101</td>
<td>Ram</td>
</tr>

<tr>
<td>102</td>
<td>Sam</td>
</tr>

</table>

```

CSS

```

table{
  border-collapse:collapse;
  width:50%;
}

th,td{
  border:1px solid black;
  padding:10px;
  text-align:center;
}

th{
  background-color:lightblue;
}

tr:nth-child(even){
  background-color:#f2f2f2;
}

```

8. Box Model & Layout Control

HTML

```

<div class="eventCard">
  Community Event
</div>

<input type="text">

```

CSS

```
.eventCard{  
  border:2px solid black;  
  padding:20px;  
  margin:20px;  
}
```

```
input:focus{  
  outline:3px solid red;  
}
```

```
.hidden{  
  visibility:hidden;  
}
```

```
.none{  
  display:none;  
}
```

9. Multiple Columns in Text

HTML

```
<div class="news">
```

Community events help residents connect.
Various activities including sports,
music and workshops are conducted
throughout the year.

```
</div>
```

CSS

```
.news{  
  
  column-count:2;  
  
  column-gap:30px;  
  
  column-rule:  
  1px solid gray;  
}
```

10. Responsive Web Design with Media Queries

HTML

```
<nav>  
  <a href="#">Home</a>  
  <a href="#">Events</a>
```

```
<a href="#">Contact</a>
</nav>
```

```

```

CSS

```
nav{
  display:flex;
  gap:20px;
}
```

```
img{
  width:50vw;
}
```

```
@media screen and (max-width:768px){
```

```
nav{
  flex-direction:column;
}
```

```
img{
  width:80%;
}
```

```
body{
  font-size:14px;
}
```

```
}
```