Rajalakshmi Engineering College

Name: Harshavarthini

Email: 240701181@rajalakshmi.edu.in

Roll no: 240701181 Phone: 9150394958

Branch: REC

Department: I CSE AH

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 3

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Bob is tasked with developing a company's employee record management system. The system needs to maintain a list of employee records using a doubly linked list. Each employee is represented by a unique integer ID.

Help Bob to complete a program that adds employee records at the front, traverses the list, and prints the same for each addition of employees to the list.

Input Format

The first line of input consists of an integer N, representing the number of employees.

The second line consists of N space-separated integers, representing the employee IDs.

Output Format

For each employee ID, the program prints "Node Inserted" followed by the current state of the doubly linked list in the next line, with the data values of each node separated by spaces.

Refer to the sample output for formatting specifications.

Sample Test Case

```
Input: 4
    101 102 103 104
    Output: Node Inserted
2401101
   Node Inserted
    102 101
    Node Inserted
    103 102 101
    Node Inserted
    104 103 102 101
    Answer
    #include <iostream>
    using namespace std;
    struct node {
      int info;
      struct node* prev, * next;
    };
    struct node* start = NULL;
    // You are using GCC
    void traverse() {
      //type your code here
      printf("Node Inserted\n");
      struct node*temp=start;
      while(temp){
       printf("%d ",temp->info);
        temp=temp->next;
```

```
240701181
return;
      printf("\n");
    void insertAtFront(int data) {
      //type your code here
      struct node*newnode=(struct node*)malloc(sizeof(struct node));
      newnode->info=data;
      newnode->next=NULL;
      newnode->prev=NULL;
      if(start==NULL){
        start=newnode;
        return;
24010 else{
      }, %
        start->prev=newnode;
        newnode->next=start;
        start=newnode;
      return;
    }
    int main() {
       int n, data;
       cin >> n;
       for (int i = 0; i < n; ++i) {
        cin >> data;
         insertAtFront(data);
         traverse();
       return 0;
```

Status: Correct Marks: 10/10

0101181

240/01/189

240701181