


`git add .` → dot
↳ track all files & folders

`git rm -r --cached .` → to untrack all files & folder
from staging area

Telegram




Discord



secret files & folders

isko home track nhi karana hai

ya heavy folders



cloud DB

pd, password

code → DB

.env

→ \$50,000

new file

.gitignore

source code
.gitignore → node
 .env

R

w/t

Docker

Satyam

npm ?

npm ?

node_modules → false

→ .gitignore

git show



commit + 9d

kya hua ha?

→ git status —

→ git add. —

→ git commit -m " ")

→ git push origin main ✓

→ git pull ✓

GitHub

Diagram

index.html
css

index.html
css

zip → unzip

DVCS
git

h1 → zoya

DVCS
git

Kanika

W/T

Zoya

h1 → Kanika

W/T


DVCS
git
Naina

W/T

16




DOCS



GitHub → source code → host / store
↓
online / cloud platform

github

account



store ✓

repo →

github → repo create
for site map

⊙
A
Dergram ✓
↳ Dergram X

⊙
B
Dergram

⊙
C

→ reponame
→ visibility

 **dergram** Public

 Pin

 Watch **0**

 Fork **0**

 Star **0**

 **Start coding with Codespaces**
Add a README file and start coding in a secure, configurable, and dedicated development environment.
[Create a codespace](#)

 **Add collaborators to this repository**
Search for people using their GitHub username or email address.
[Invite collaborators](#)

Quick setup — if you've done this kind of thing before
[Set up in Desktop](#) or [HTTPS](#) [SSH](#) <https://github.com/nishantsaini2331/dergram.git>
Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# dergram" >> README.md  
✓ git init  
[redacted] x git add .  
git commit -m "first commit"  
✓ git branch -M main  
✓ git remote add origin https://github.com/nishantsaini2331/dergram.git  
✓ git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/nishantsaini2331/dergram.git  
git branch -M main  
git push -u origin main
```


✓ git init
[redacted] x git add .

①

→ nishant

↓
repo link

②



```
→ Lecture 27 git:(main) git remote -v ✓  
✓origin  https://github.com/nishantsaini2331/dergram.git (fetch)  
✓origin  https://github.com/nishantsaini2331/dergram.git (push)
```

branch in git & github

✓ master ✓
✓ main

git config --global init.defaultBranch main

git config --global init.defaultbranch main

upstream, only for first time

git push -u origin main

git push origin main

git remote -v

```
graph TD; A[upstream, only for first time] --> B[git push -u origin main]; B --> C[git push origin main]; C --> D[git remote -v]
```

```
master
gabbarp@Mac lecture 27 % git push -u origin main
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.
```

Please make sure you have the correct access rights
and the repository exists.

One time verification

SSH

Flow
states

working directory → staging → commit
↳ git commit
-m 'message'

Untracked files:
(use "git add <file>..." to include in what will be committed)
style.css

Changes to be committed:
(use "git rm --cached <file>..." to unstage)
new file: index.html

git add "filename"


online shopping

website
product search



• Lecture 26 git:(main) ✕ git add index.html

2nd example



```
● → Lecture 26 git:(main) ✕ git add index.html
```

Lecture 26	
index.html	A → Added
# style.css	U → Untracked

```
● → Lecture 26 git:(main) ✕ git status
```

On branch main

No commits yet

Changes to be committed:

(use "git rm --cached <file>..." to unstage)
new file: index.html ✓

Untracked files:

(use "git add <file>..." to include in what will be committed)
style.css

→ `git commit -m "message"` photo clicked with label/
message

```
● → Lecture 26 git:(main) ✕ git commit -m "my first commit"
[main (root-commit) 2b1caf6] my first commit
1 file changed, 11 insertions(+)
create mode 100644 index.html
```

→ `git log` → to check history

```
✓ commit 2b1caf647ba6e232d36bc3049a987e9f9309d6a2 (HEAD -> main)
→ Author: Nishant Saini <ns0109375@gmail.com>
→ Date: Sat Aug 8 22:14:40 2026 +0530
    my first commit ✓
(END)
```

↳ to exit → press q button
or type shift + I and enter

```
commit e823d6b7ce3cd302f927b912af6c9815c08aca67 (HEAD -> main)
Author: Nishant Saini <ns0109375@gmail.com>
Date: Sat Aug 8 22:24:37 2026 +0530
```

```
    added product.html and style.css
```

```
→ commit 2b1caf647ba6e232d36bc3049a987e9f9309d6a2
Author: Nishant Saini <ns0109375@gmail.com>
Date: Sat Aug 8 22:14:40 2026 +0530
```

```
    my first commit
```

```
(END)
```

→ snapshots