
Earne₹s

form Handling

form Events

Telegram



Discord




eventype → submit


preventDefault()

↓

stops default browser behaviour

```
onsole.log({ name , password , email});
```





150 characters remaining


input → keystroke

eventType | ↳ pressing key

every keystroke it will fired

change eventtype

↳ fired once


eventType
focus
blur




↳ Frontend

formData

collect formData and check data validation

object

Backend



frontend

input tags

↳ required

```
function validUsername(username) {
    if (username.value.trim().length === 0) {
        errorMessage.textContent = "Enter your name"
        return false
    }
    return true
}


form.addEventListener("submit", (e) => {
    e.preventDefault();
    // const password = document.querySelector("#password").value

    const isUsernameValid  = validUsername(username);

    // const email = document.querySelector("#email").value
    // console.log({ username: username.value, password: password.value, email });


    if(isUsernameValid){
        console.log("Form is valid");
    }else {
        console.log("Form invalid");
    }
})
```


false
empty

true

true

send data to backed

error



if Email valid && if password

document

document . querySelector ( )

↓ search

↓ html code

→

 . querySelector(.)

```
function showError(input , errorMessage){
    input.parentElement.querySelector(".error-message").textContent = errorMessage
}

function clearError(input){
input.parentElement.querySelector(".error-message").textContent = ""
}
```

```
function validUsername(username) {
    if (username.value.trim().length === 0) {
        showError(username , "Please Enter you name")
        return false
    }
    if (username.value.trim().length < 3) {
        showError(username , "username must be at least 3 character")
        return false
    }
    clearError(username)
    return true
}
```

```
form.addEventListener("submit", (e) => {
    e.preventDefault();
    // const password = document.querySelector("#password").value

    const isUsernameValid = validUsername(username);
    // const email = document.querySelector("#email").value
    // console.log({ username: username.value, password: password.value, email });


    if (isUsernameValid) {
        console.log("Form is valid");
    } else {
        console.log("Form invalid");
    }
})
```

false

↳ element

valid html element .query

search

document.ques(?)

complete html code