

RE-2022-299643 - Turnitin Plagiarism Report

by Harsh .

Submission date: 20-Jun-2024 11:25PM (UTC+0700)

Submission ID: 2399701752271718055814

File name: RE-2022-299643.pdf (6.84M)

Word count: 11204

Character count: 66618



Project report

58

Submitted to **D Y Patil International University, Akurdi, Pune**
in partial fulfilment of full-time degree.

BTech Computer Science and Engineering
(DS –Track)

Submitted By:

Harsh 20200802131
Hitesh Choudhary 20200802146
Yash Agarwal 20210812064

Under the Guidance of
(Dr. Bahubali Shiragapur)

16

Department of Computer Science and Engineering

D Y Patil International University, Akurdi, Pune, India, 411044

[Session 2020-24]



52
CERTIFICATE

6

This is to certify that the project entitled **(Detection of Cardiovascular Diseases in ECG Images Using Machine Learning and Deep Learning Methods)** submitted by:

Harsh 20200802131
Hitesh Choudhary 20200802146
Yash Agarwal 20210812064

1
is the partial fulfillment of the requirements for the award of degree of Bachelor of Technology in Computer Science and Engineering is an authentic work carried out by them under my supervision and guidance.

Dr. XXXX
(Co-Supervisor)

Dr. YYY
(Supervisor)

Dr. Bahubali Shiragapur
(Mentor)

29
Director
School of Computer Science Engineering & Application
D Y Patil International University, Akurdi
Pune, 411044, Maharashtra, INDIA

DECLARATION

We, hereby declare that the following report which is being presented in the Major Project entitled as **Detection of Cardiovascular Diseases in ECG Images Using Machine Learning and Deep Learning Methods** is an authentic documentation of our own original work to the best of our knowledge. The following project and its report in part or whole, has not been presented or submitted by us for any purpose in any other institute or organization. Any contribution made to the research by others, with whom we have worked at D Y Patil International University, Akurdi, Pune or elsewhere, is explicitly acknowledged in the report.

Harsh (20200802131) _____

Hitesh Choudhary (20200802146) _____

Yash Agarwal (20210812064) _____

ACKNOWLEDGEMENT

With due respect, we express our deep sense of gratitude to our respected guide and coordinator Dr. Bahubali Shiragapur, for his/her valuable help and guidance. We are thankful for the encouragement that he/she has given us in completing this project successfully.

It is imperative for us to mention the fact that the report of major project could not have been accomplished without the periodic suggestions and advice of our project supervisor Rahul Sharma and project mentor Dr. Bahubali Shiragapur.

⁴⁹ We are also grateful to our respected Director, Dr. Bahubali Shiragapur and Hon'ble Vice Chancellor, DYPIU, Akurdi, Prof. Prabhat Ranjan for permitting us to utilize all the necessary facilities of the college.

We are also thankful to all the other faculty, staff members and laboratory attendants of our department for their kind cooperation and help. Last but certainly not the least; we would like to express our deep appreciation towards our family members and batch mates for providing support and encouragement.

Harsh	20200802131
Hitesh Choudhary	20200802146
Yash Agarwal	20210812064

Abstract

Heart problems are a major reason people pass away worldwide. Knowing about them sooner can help save more lives. An electrocardiogram (ECG) is a simple, cheap, and painless way to check ⁶³ the heart's electrical activity and spot heart issues. In this project, we used advanced deep learning methods to anticipate four key heart abnormalities: irregular heartbeat, heart attack ², past attacks, and normal hearts using a set of ECG images from patients. First, we tried using pre-trained deep neural networks like SqueezeNet and AlexNet with transfer learning techniques. Then we came up with a brand Convolutional Neural Network (CNN) design specifically for predicting heart abnormalities. Additionally, we tested both ³ the pre-trained models and our custom CNN design as tools to extract features for classic machine learning algorithms like Support Vector Machine (SVM), K-Nearest Neighbors (K-NN), Decision Tree (DT), Random Forest (RF), and Naïve Bayes (NB). Our experiments demonstrated that our CNN model performs better than current methods with an accuracy of 98.23 percent, recall of ⁸ 98.22 percent, precision of 98.31 percent, and F1 score of 98.21 percent. Moreover, when our CNN model was used for feature extraction, it achieved an impressive top score of 99.79 percent using the algorithm chosen for evaluation purposes.

TABLE OF CONTENTS

Declaration	i
ACKNOWLEDGEMENT	ii
ABSTRACT	iii
27 LIST OF FIGURES	vii
1 INTRODUCTION	1
1.1 Overview	4
1.2 Background	5
1.3 Objectives	5
1.4 Problem statement	6
2 LITERATURE REVIEW	8
2.0.1 Overview of Existing Research	8
2.0.2 Deep Learning Techniques	8
2.0.3 Importance and Applications	9
2.1 Literature Survey	9
2.2 Drawbacks of existing system	12
2.2.1 Data Quality and Availability	12
2.2.2 Model Performance and Reliability	13
2.2.3 Interpretability and Trust	13
2.2.4 Generalization and Robustness	14
2.2.5 Computational Resources and Expertise	14
2.2.6 Integration with Clinical Workflows	14
2.3 Gaps Identified	15
2.3.1 Data-Related Gaps	15
2.3.2 Model-Related Gaps	15
2.3.3 Implementation and Integration Gaps	16
2.3.4 Research and Development Gaps	16
30 3 PROPOSED METHODOLOGY	18
3.1 Data Acquisition and Preprocessing	18
3.1.1 Data Collection	18
3.1.2 Data Annotation	18
3.1.3 Data Preprocessing	18
3.2 Model Development	19
3.2.1 Convolutional Neural Network (CNN) Architecture	19
3.2.2 Transfer Learning	19

3.2.3	Hybrid Approaches	19
3.3	Training and Validation	19
3.3.1	Training	19
3.3.2	Validation	20
14	3.4 Evaluation	20
42	3.4.1 Performance Metrics	20
3.4.2	Cross-Validation	20
3.4.3	Model Interpretability	20
3.4.4	Clinical Validation	20
3.5	Sample Code Snapshots	21
3.6	Tools Used	21
3.6.1	Data Handling	22
3.6.2	Model Development	22
3.6.3	Training and Validation	22
3.6.4	Evaluation	23
3.6.5	Deployment	23
3.6.6	Code Snapshots	23
3.6.7	Advantage & Disadvantage	25
12	4 ANALYSIS AND DESIGN	27
4.1	System Analysis	27
4.1.1	Requirements Gathering	27
4.1.2	Challenges and Constraints	27
4.1.3	Scope Definition	27
4.2	System Design	28
4.2.1	System Architecture	28
4.2.2	Data Flow	28
4.2.3	Model Design	29
4.2.4	User Interface Design	30
4.2.5	Integration and Deployment	32
5	RESULTS AND DISCUSSIONS	35
5.1	Result	35
5.1.1	Performance of Pre-trained Models	35
5.1.2	Proposed CNN Model	36
5.1.3	Feature Extraction and Traditional Machine Learning Algorithms	36
5.2	Discussions	36
5.2.1	Effectiveness of Deep Learning Models	36
5.2.2	Transfer Learning Benefits	36
5.2.3	Superior Performance of Proposed CNN Model	37

5.2.4	Feature Extraction and Machine Learning Integration	37
5.2.5	Clinical Implications	37
6	CONCLUSION	38
7	References	39

List of Figures

1.1	Traditional Programming	1
1.2	Machine Learning	2
1.3	Learning Phase	3
1.4	Inference Model	3
1.5	Machine Learning Algorithms	4
3.1	Data Flow Diagram	21
3.2	User Interface Code Snapshot	24
3.3	Model Training Code Snapshot	24
3.4	Creating Model Code Snapshot	25
4.1	Data Flow Diagram	29
4.2	Home Page	30
4.3	Login Page	31
4.4	Performance Analysis	32
4.5	Submission Page of ECG Image	34
5.1	Prediction using ECG Image	35

1. INTRODUCTION

Hey there! Have you ever wondered what Machine Learning is all about?

Machine Learning involves computer algorithms that learn from examples and improve themselves without direct coding by a programmer. It's a cool part of artificial intelligence that merges data with statistical tools to predict outcomes for actionable insights.

The exciting part is that machines can study data independently to deliver accurate results. Machine learning is closely connected to data mining and Bayesian predictive modeling. The machine takes in data, processes it through an algorithm, and comes up with solutions.

One common task for machine learning is providing recommendations. For instance, when you log into your Netflix account, all movie or series suggestions are based on your viewing history. Tech giants use unsupervised learning to enhance user experience through personalized recommendations.

Moreover, machine learning finds applications in fraud detection, predictive maintenance, portfolio optimization, automating tasks, among others.

So how does Machine Learning differ from traditional programming? In traditional programming, programmers code every rule in collaboration with industry experts developing the software. Each rule follows a logical foundation; the system produces an output based on these rules. As the system grows more complex, maintaining numerous rules becomes challenging and unsustainable over time.




Figure 1.1: Traditional Programming

Machine learning is here to help solve this problem. It's like a super smart brain that figures out how the input and data connected and then makes a rule for itself. This means the programmers don't have to keep writing new rules every time there's fresh data. The algorithms learn from new data and experiences, getting better at what they do over.

So, how does Machine Learning actually work?

Well, it's like the brain a machine where all the learning magic happens. Think of it sort of like how us humans learn things. We get better at predicting stuff based on what we've experienced before. If we're in an unfamiliar situation, our chances of success might not be as good as when we know what to expect. Machines work in a similar way - they need examples to learn from. When we show them an example, they can make predictions about similar stuff in the future. But just like us humans, if they see something totally new that they haven't learned about yet, it can be tricky for them to make predictions too!




Figure 1.2: Machine Learning

Hey there! Let's talk about machine learning, okay? The main goal here is learning and inference, got it? So, first things first, this machine learns by spotting patterns. And guess what helps with that? Data! Super important stuff. Now, the data scientist's job is to pick just the right data for the machine. It's like a special list called a feature vector used to solve a problem. Think of it as a small chunk of data for solving stuff.

2 The machine uses cool algorithms to simplify reality and make a model based on its discoveries. The learning part is all about describing and summarizing the data into that model.

For example, imagine the machine trying to figure out if someone's pay affects their fancy restaurant visits. Turns out, there's a positive link between how much you earn and dining at posh restaurants.

22 Once the model 2 is all set up, you can see how strong it is on totally brand-new data. The fresh data get turned into a features vector, run through the model, and out comes a prediction. This is the super cool part of machine learning. No need to hassle with updating rules or training the




Figure 1.3: Learning Phase

model from scratch again. Just use the well-trained model to figure out with new data.

5




Figure 1.4: Inference Model

The life of Machine Learning programs is straightforward and can be summarized in the following points:

1. Define a question
2. Collect data
3. Visualize data
4. Train algorithm
5. Test the Algorithm
6. Collect feedback
7. Refine the algorithm
8. Loop 4-7 until the results are satisfying
9. Use the model to make a prediction

Once the algorithm gets good at drawing the right conclusions, it applies that knowledge to new sets of data.

Machine Learning Algorithms and Where they are Used?




Figure 1.5: Machine Learning Algorithms

A piece of machine learning is closely tied to computational statistics, which is all about making predictions using computers; but not all machine learning focuses on stats. The study of mathematical optimization brings methods, theory, and application domains to the world of machine learning. Data mining is another field that goes hand in hand with machine learning, concentrating on exploring data through unsupervised learning. When applied to solving business issues, machine learning is also known as predictive analytics.

1.1. Overview

Hey there! Let's talk about machine learning. It's all about figuring out how to do stuff without being told every single step. They learn from data given to them to complete specific tasks.

For simple jobs, we can program the computers with algorithms that lay out exactly what needs to be done - no learning needed on their part! But for trickier tasks, creating those algorithms manually is tough. Sometimes, it's better for the machine to come up with its own way of doing things rather than us humans spelling out each step.

Deep learning takes this a step further by using models made of layers that learn various levels of abstract data representations.

These methods have really improved things like speech recognition and object detection in areas such as drug discovery.

Machine-learning is everywhere nowadays! From web searches to social network filtering and e-commerce recommendations, it plays a big role in our lives. Cameras, smartphones - you name it - they all make use of this tech today!

Conventional machine-learning had its limits when dealing with raw data directly. Creating systems required lots of careful work and know-how to design features that transformed the data into something usable by machines for pattern recognition or classification.

But here comes deep learning with its multi-level representation methods! By breaking down complex functions into these transformation layers, we can tackle even the trickiest problems AI has faced before.

And guess what? Deep learning isn't just great at image and speech recognition; it's also excelling in predicting drug behavior, brain circuitry analysis, and more! With its ability to unveil hidden structure in large datasets, the applications are endless across science, business, and government sectors.

1.2. Background

Heart problems are bad and cause loads of deaths every year. Detecting them early and figuring out what's going on is super important to help folks get better. Electrocardiograms, or ECGs, are a useful tool in medicine to check how the heart's electrical stuff is working without poking around inside. ECG's can give us key info about heart health and help spot different heart issues.

Technology like machine learning has made it easier to analyze ECG's. Reading these graphs manually takes a long time and people can mess up sometimes. But using fancy computer programs with deep learning can speed things up and make fewer mistakes, giving us better chances of catching problems early.

Our project is all about using deep learning to find four main heart issues: bad heart rhythms, heart attacks, past heart attacks, and normal hearts. We're using smart computer networks like SqueezeNet and AlexNet, along with our own special system called Convolutional Neural Network (CNN), to make sure we do a better job at diagnosing based on ECG's.

1.3. Objectives

The following are the main aims of this research:

- 70**
1. Create a Sturdy Deep Learning Model: - Convolutional Neural Network (CNN) architecture for ECG picture analysis is designed and put into operation with the express goal of identifying and categorizing cardiac anomalies.

3

 2. Assess Pre-trained Models: - Examine how well SqueezeNet and AlexNet, two pre-trained deep neural networks, perform in terms of transfer learning when it comes to predicting heart problems from ECG pictures.

40

 3. Integrate Machine Learning techniques: To improve classification performance, apply classic machine learning techniques (SVM, K-NN, DT, RF, and NB) in conjunction with the suggested CNN model and pre-trained models for feature extraction.
 4. Achieve Performance Metrics and High Accuracy: - Strive for better performance measures (accuracy, recall, precision, F1 score) than current techniques to show how well the suggested strategy detects cardiac anomalies.
 5. Provide a User-friendly Interface: - Provide a user-friendly interface that makes it simple for medical professionals to input ECG pictures, get predictions, and see the outcomes of the study.

1.4. Problem statement

Even though ECGs may be used as diagnostic tools, cardiologists still face difficulties when manually interpreting ECG results due to human error, time restrictions, and inter-observer variability. When it comes to achieving the high precision and dependability needed for clinical decision-making, current automated systems frequently fall short. This study's primary focus is the requirement for a sophisticated, automated system that can reliably identify and categorize a variety of cardiac anomalies using ECG pictures.

In particular, the following issues are the focus of this research:

1. Low Accuracy in Current Methods: - A lot of automated ECG analysis techniques already in use fall short of achieving a high enough degree of accuracy, which can result in incorrect diagnoses and worse than ideal patient outcomes.

45

2. Limited Application of Deep Learning: - In the context of ECG analysis for cardiac anomaly identification, the potential of deep learning, in particular bespoke CNN architectures, is still underutilized.

59

3. Integration of Machine Learning Techniques: To improve prediction performance, it is necessary to look at how well deep learning-based feature extraction works in conjunction with conventional machine learning algorithms.

4. User Accessibility: - A user-friendly interface is a feature that many current systems lack, making it difficult for medical professionals to engage with the diagnostic tool and comprehend the findings.

65

By creating a complete system that makes use of machine learning and deep learning methods, this research seeks to address these issues by offering accurate, dependable, and user-friendly ECG analysis for the identification of cardiovascular disorders.

2. LITERATURE REVIEW

2.0.1. Overview of Existing Research

Many research studies have focused on detecting and classifying cardiovascular diseases (CVDs) through ECG images. They use different machine learning and deep learning techniques to make diagnoses accurate and efficient.

Here are some methods, techniques, technologies, algorithms, and innovations:

- * ⁷³ Support Vector Machine (SVM): This method classifies ECG signals by finding the best hyperplane that separates different classes. SVMs are great at accuracy but need careful feature selection.
- * ⁴⁸ K-Nearest Neighbors (K-NN): A non-parametric method that compares a test sample to training samples and assigns a class based on the nearest neighbors.
- * Decision Trees (DT) and Random Forests (RF): These algorithms learn simple rules from data features to predict a target variable. Random Forests help prevent overfitting by using multiple decision trees together in an ensemble.

2.0.2. Deep Learning Techniques

- * Have you heard about Convolutional Neural Networks (CNNs)? They're great for sorting out images and stuff. These networks can figure things out all on their own from raw ECG pictures. Researchers like Rajpurkar and others (2017) say CNNs work super well at catching heart irregularities from ECG data.
- * Then there's Transfer Learning, which sounds complex but it's not that bad. It's like using hand-me-down models such as AlexNet, VGGNet, and ResNet but tweaking them a bit for ECG data. These models were first taught on really big sets of pictures (ImageNet), and now they help with analyzing ECG info by sharing what they've learned.
- * Some smart folks have tried joining forces between deep learning (like CNNs) and regular machine learning tools (think SVM or K-NN). By teaming them up, the idea is to get the best of both worlds - fancy features from a CNN pop into an SVM to make classifying more accurate.

2.0.3. Importance and Applications

1. Early Diagnosis and Detection: - Automated ECG analysis systems can identify cardiac problems early on, which may save lives by allowing for prompt medical intervention. By decreasing reliance on human interpretation, these technologies improve consistency and throughput of diagnosis.
2. Telemedicine and Remote Monitoring: - Technological developments in ECG analysis facilitate telemedicine applications, enabling patients to be monitored and diagnosed remotely. This is especially helpful in underserved and rural regions where access to specialized treatment is scarce.
3. Individualized Medicine: - By customizing machine learning models to each patient's unique profile, more precise and individualized diagnoses may be made. Patient management and treatment results are enhanced by this individualized approach.

⁸ The substantial potential of machine learning and deep learning approaches is highlighted in the literature on the use of ECG analysis for the detection of cardiovascular illnesses. These techniques have applications ranging from remote monitoring to early diagnosis, and they provide potential gains in diagnostic efficiency and accuracy. To reach their full potential, though, issues including data quality, model interpretability, generalization, and integration into clinical processes need to be resolved. The goals of future research should be to get beyond these obstacles, strengthen the robustness of the models, and make AI-based diagnostic tools easier to understand.

2.1. Literature Survey

- ⁷ 1. A comparative study of classification and prediction of Cardio-Vascular Diseases (CVD) using Machine Learning and Deep Learning techniques

AUTHORS: M. Swathy and K. Saruladha

Cardiovascular diseases (CVD) are highly prevalent in the population, often leading to fatal outcomes. Recent survey data indicates a rising mortality rate attributed to factors such as obesity, high cholesterol, hypertension, and use among individuals. The increasing severity of the disease is directly linked to these contributing factors. Understanding the nuances of these elements and their impact on CVD is crucial at present.

There is a pressing need to employ advanced techniques for early detection of the disease and ultimately decrease mortality rates. The realms of Artificial Intelligence and Data Mining offer

extensive research opportunities with innovative methods that can help predict CVD in advance and analyze behavioral patterns within vast datasets. Such predictive insights can significantly support healthcare professionals in making informed decisions, enabling earlier diagnoses and reducing the likelihood of adverse patient outcomes.⁶²

This study delves into various classification methods, data mining techniques, machine learning models, and deep learning approaches utilized for predicting cardiovascular diseases. The examination is structured into three main sections: Classification and Data Mining Techniques for CVD, Machine Learning Models for CVD analysis, and Deep Learning Models dedicated to CVD prediction.

Furthermore, this survey encompasses performance metrics utilized to assess accuracy levels, details about datasets employed for prediction purposes, as well as information regarding tools specific to each category of techniques discussed herein.

- ¹¹
2) Improving electrocardiogram-based detection of rare genetic heart disease using transfer learning: An application to phospholamban p.Arg14del mutation carriers

AUTHORS: R. R. Lopes, H. Bleijendaal, L. A. Ramo, T. E. Verstraelen, A. S. Amin, A. A. Wilde, Y. M. Pinto, B. A. de Mol and H. A. Marquering

⁴
The genetic mutation p.Arg14del in the gene that encodes Phospholamban (PLN) is recognized for causing heart muscle disease and increasing the risk of sudden cardiac death. Tools like automatic detection systems could enhance the identification of individuals affected by this uncommon condition. Deep learning stands as the top choice for processing signals but demands a substantial amount of data to train effectively. In cases where data is scarce, such as with PLN, transfer learning might enhance precision.

Our proposal involves utilizing ECG readings to detect the PLN mutation through transfer learning from a model initially trained for determining sex. The sex determination model was initially trained with 256,278 ECGs and later fine-tuned for PLN detection using 155 ECGs from patients affected by PLN, along with two control groups: one matched based on age and gender and another randomly selected group with an uneven distribution. The dataset was divided into 10 sections, allocating 20 percent of the training data for validation purposes and early termination.

Evaluation of the models was conducted using the area under the receiver operating characteristic curve (AUROC) on test data. We employed gradient activation to explain how these prediction models functioned. Results showed that models trained via transfer learning outperformed those built from scratch in both balanced (AUROC 0.87 compared to AUROC 0.71) and imbalanced (AUROC 0.90 compared to AUROC 0.65) populations.

4 This proposed method succeeded in enhancing the accuracy of a rare disease detection model by implementing transfer learning insights from a generously labeled dataset without manual annotations despite limited available data resources.

3) Current methods in electrocardiogram characterization

3 AUTHORS: R. J. Martis, U. R. Acharya and H. Adeli

35 The Electrocardiogram (ECG) displays the heart's activity through P-QRS-T waves. Changes in electric potential patterns indicate underlying diseases. Clinical features of the ECG waveform assist in diagnosing cardiac health. Accurate identification of ECG classes is challenging due to noise and small parameter values. This paper reviews computer-aided cardiac diagnosis systems, analysis methods, challenges faced, and the future of cardiovascular disease screening. Methods for time domain, frequency transform domain, and time-frequency domain analysis have limitations in representing distinguishing features accurately. Nonlinear methods capturing subtle ECG signal variations offer improved accuracy in noisy conditions, discussed extensively in this review. Leveraging nonlinear features can enhance clinicians' accuracy in diagnosing cardiovascular diseases effectively using a CACD system.

24 4) Heart disease detection using deep learning methods from imbalanced ECG samples

AUTHORS: A. Rath, D. Mishra, G. Panda and S. C. Satapathy

Heart disease, or HD, proves to be a deadly ailment claiming the most lives worldwide. Detecting the disease early and accurately is crucial in saving many precious lives. Various methods such as medical tests, Electrocardiogram (ECG) signals, heart sounds, and Computed Tomography (CT) Images can help identify HD. Of all these techniques, detecting HD from ECG signals plays a pivotal role.

This study focuses on utilizing ECG samples from subjects as inputs for an HD detection model. Previous research has explored classifying HD using different machine learning (ML) and deep learning (DL) models. However, it has been noted that detection accuracy tends to decrease with imbalanced data on HD.

To enhance HD detection rates, appropriate DL and ML models have been pinpointed in this study. The Generative Adversarial Network (GAN) model is employed to address imbalanced data by creating fake data for improved detection capabilities. Moreover, an ensemble model combining long short-term memory (LSTM) and GAN has been crafted in this research.

10 Results from simulations using the standard MIT-BIH dataset reveal that the proposed GAN-LSTM model boosts superior accuracy, F1-score, and area under the curve (AUC). Similarly, when tested on the PTB-ECG dataset, this model outperforms all others regarding accuracy

metrics.

7 Among the five models investigated, the GAN model emerges as the top performer while The Naive Bayes (NB) model showcases lower detection potentiality. Future studies could delve into exploring additional ensemble models with diverse datasets for comparative performance assessments.

The effective methodology identified in this study could potentially be extended to other healthcare scenarios beyond heart disease detection.

5) Cardiac arrhythmia detection using deep learning

AUTHORS: A. Isin and S. Ozdalili

A recent study utilized a sophisticated deep learning framework to automatically diagnose ECG arrhythmias by categorizing patient ECGs into various heart conditions. The researchers employed a deep convolutional neural network called AlexNet for analyzing the ECG features and then utilized a straightforward backpropagation neural network for the final classification. 15 The study focused on three types of ECG waveforms from the MIT-BIH arrhythmia database with the objective of developing an easily accessible learning method for categorizing these heart conditions. The outcomes were remarkable! The combination of the deep learning model and backprop neural network achieved exceptionally high accuracy rates, reaching up to 98.51 percent! This demonstrates the effectiveness of utilizing transferred deep learning as an efficient approach to detecting cardiac arrhythmias without the need to train an entire network from scratch.

2.2. Drawbacks of existing system

Existing methods still have a number of flaws and limitations, even with the advances in machine learning and deep learning approaches for identifying cardiovascular illnesses from ECG data. Issues with data, model performance, interpretability, generalization, computing resources, and clinical integration may be used to broadly group these limitations.

2.2.1. Data Quality and Availability

1. Restricted and Inaccurate Datasets: Annotated ECG datasets of the highest caliber are necessary for training successful models. Nevertheless, obtaining these kinds of datasets is hard. A great deal of the current datasets are inadequate, skewed, or unrepresentative of the wide range of patients. Datasets frequently originate from certain institutions or regions, which

reduces the variety required for a generalized model.

2. Data Variability: Depending on the instrument, patient, and recording situation, there can be a lot of variation in ECG recordings. When applied to fresh and unexplored data, this unpredictability may impact the performance of models trained on certain datasets.
3. Annotation Challenges: - Expert expertise is needed to annotate ECG data, which takes time and a lot of resources. Poor model performance and erratic predictions might result from inconsistent or inaccurate annotations.

2.2.2. Model Performance and Reliability

1. Overfitting: - When trained on small or biased datasets, models, particularly deep learning models, are prone to overfitting. When overfitting occurs, performance on fresh, unknown data is poor while accuracy on training data is excellent.
2. Hyperparameter Sensitivity: - Hyperparameters in machine learning and deep learning models must be carefully adjusted. It can be difficult and costly to compute the ideal set of hyperparameters, and using less-than-ideal values can seriously impair model performance.
3. Class Imbalance: Class imbalance is a typical problem in cardiovascular disease statistics, where certain illnesses are far less prevalent than others. Models that are biased towards the majority class as a result of this imbalance may be less effective in identifying uncommon diseases.

2.2.3. Interpretability and Trust

39

1. The Black Box Deep Learning Models' Nature: Convolutional Neural Networks (CNNs), in particular, are deep learning models that are sometimes regarded as "black boxes" because of their intricate and opaque decision-making procedures. It is challenging for physicians to accept and use these models in practice because of their lack of interpretability.
2. Lack of Explanation: Current systems usually offer predictions but don't offer any justification, therefore doctors are left in the dark as to why a certain diagnosis was reached. This poses a serious obstacle to clinical adoption since it requires medical professionals to comprehend the reasoning behind AI-driven choices.

2.2.4. Generalization and Robustness

1. Poor Generalization: - Models developed using particular datasets could not transfer well to different patient groups or therapeutic contexts. When the model is applied to new data, variables including patient demographics, comorbidities, and differences in ECG recording methods might affect how well the model performs.
2. Lack of Robustness: - A lot of the models that are now in use are not resistant to noise and fluctuations in ECG records. In real-world circumstances where data quality is not always perfect, this might lead to forecasts that are not dependable.

2.2.5. Computational Resources and Expertise

1. High Computational Requirements: - A significant amount of RAM and high-performance GPUs are needed for the training of deep learning models. Smaller organizations or research teams with less access to this kind of infrastructure may find it prohibitive.
2. Technical skill: - Significant technical skill is needed for the development, tuning, and maintenance of machine learning and deep learning models. Professionals with the necessary skills are needed to manage the complexity of developing and implementing models.

2.2.6. Integration with Clinical Workflows

1. Compatibility with current systems: It might be difficult to integrate AI-based diagnostic tools with current healthcare systems, such Electronic Health Records (EHRs). Effective implementation depends on ensuring system compatibility and smooth data interchange.
2. Regulatory and Compliance Issues: - Tight regulatory requirements (such as HIPAA in the US) must be followed by healthcare apps. The creation and implementation of AI systems become more sophisticated when these prerequisites are met.
3. User Acceptance and Training: Getting support from medical experts is crucial to the implementation's success. This necessitates educating medical professionals on the efficient use of these technologies and showcasing their value and dependability in clinical settings.

2.3. Gaps Identified

There are still a number of significant limitations in the current systems, even with the advances in the use of deep learning and machine learning approaches for the identification and categorization of cardiovascular illnesses from ECG data. These gaps point to areas that require more investigation and improvement in order to improve these technologies' efficacy, dependability, and clinical application.

2.3.1. Data-Related Gaps

1. Diverse and Representative Datasets: - The patient demographics, geographic regions, and illness variants in the current datasets utilized for training and testing models are frequently lacking in variety. Large-scale, representative datasets that encompass a variety of ECG patterns from various populations and situations are required. Training strong models is hampered by the size limitations of most existing datasets. It is imperative to increase the quantity of well annotated datasets available.
2. Standardization of Data: - One major problem is dealing with variability in ECG records caused by variations in equipment, acquisition techniques, and noise levels. Standardizing preprocessing and data collection methods might assist to address these problems and enhance model performance on various datasets.
3. Annotation Consistency: - Present datasets frequently suffer from erroneous and inconsistent annotations. It is crucial to have standardized annotation procedures and instruments to guarantee accurate, dependable ECG data labeling.

2.3.2. Model-Related Gaps

1. Interpretability of the Model: - A lot of deep learning models already in use function as "black boxes," offering little information about how they make decisions. To make the predictions of the models apparent and intelligible to doctors, it is imperative to construct interpretable models or incorporate explainability methodologies.
2. Generalization to New Data: - Models that are trained on certain datasets sometimes find it difficult to generalize to brand-new, untested data, particularly when it comes from other demographics or clinical contexts. To improve these models' capacity for generalization and guarantee that they function dependably in a variety of real-world situations, research is required.

3. Robustness to Variability: - It's possible that the existing models aren't resistant to noise and variability in ECG records. Enhancing the models' resilience to manage heterogeneous and noisy data is essential for trustworthy clinical implementation.
4. Blending Hybrid Methods and Models: More thorough research on hybrid systems that combine deep learning and conventional machine learning techniques is necessary, even if some approaches have showed promise. Finding the best methods to combine several approaches might help you perform better.

2.3.3. Implementation and Integration Gaps

computer Efficiency: Deep learning models frequently need a large amount of computer power for both training and inference, which restricts their usefulness in settings with limited resources. It is necessary to do research on hardware improvements and more computationally efficient techniques.

2. Integration with Clinical processes: - There is still a great deal of work to be done in order to successfully integrate AI-based diagnostic tools into current clinical processes. For practical implementation, it is imperative to provide smooth interoperability with electronic health records (EHRs) and other healthcare systems.
44
3. User Acceptance and Training: The adoption of AI technologies by clinicians is essential to their effective use. In order to acquire the trust and approval of healthcare professionals, it is imperative to provide user-friendly interfaces, thorough training programs, and evidence of the models' advantages and dependability.
37
4. Regulatory Compliance: It's a complicated undertaking to make sure AI systems abide by healthcare laws and regulatory requirements (such as HIPAA and GDPR). It is required to do research into frameworks and approaches for creating AI systems that comply.

2.3.4. Research and Development Gaps

1. Novel Model Architectures: - Investigating novel deep learning architectures created especially for ECG analysis can result in notable performance gains. It is necessary to do research on innovative designs that take advantage of the special qualities of ECG data.
2. Feature Engineering and Extraction: - Models' capacity to extract pertinent data from ECG pictures can be improved by developments in feature engineering and extraction methodologies. Better-performing models may result from further study in this field.

3. Clinical Validation: To prove AI models' effectiveness and safety in practical situations, a thorough clinical validation process is necessary. Large-scale clinical trials and research are required to verify these models' efficacy.
4. A Look at Ethical and Bias Issues: It's critical to address biases and ethical concerns in AI models. To ensure fair and equitable healthcare results, research on techniques for recognizing and eliminating biases in data and algorithms is required.

3. PROPOSED METHODOLOGY

A number of crucial steps are included in the suggested approach for identifying cardiovascular illnesses from ECG pictures using machine learning and deep learning techniques: data collection and preprocessing, model building, training and validation, and assessment. Every phase is intended to close the gaps found and improve the diagnostic system's overall dependability and performance.

14

3.1. Data Acquisition and Preprocessing

3.1.1. Data Collection

69

- Obtain a sizable and varied ECG picture collection from a variety of sources, such as clinical trials, hospitals, and public archives. Make sure the dataset has a range of cardiac conditions, including normal heart conditions, myocardial infarction, irregular heartbeat, and myocardial infarction history.
- To increase generalizability, make sure the dataset is representative of many demographic groups, geographical regions, and recording circumstances.

3.1.2. Data Annotation

- Work along with cardiologists to precisely label the ECG pictures. To make sure that the labels are reliable and consistent, use established annotation techniques.
- Use strategies like data augmentation, synthetic data production, or oversampling of minority classes to address the imbalance in class.

3.1.3. Data Preprocessing

- To guarantee consistency throughout the collection, standardize the size and resolutions of ECG images.
- Use signal improvement and noise reduction methods to raise the ECG signals' quality.
- To improve model training, normalize the data to a standard range.

3.2. Model Development

67

3.2.1. Convolutional Neural Network (CNN) Architecture

- Create a unique CNN architecture specifically for the analysis of ECG images. To capture both local and global aspects of the ECG signals, the design should incorporate numerous convolutional layers, pooling layers, and fully linked layers. - Use strategies like dropout and batch normalization to increase the model's generalizability and stability.

3.2.2. Transfer Learning

6

- Apply transfer learning to make use of pre-trained deep neural networks like SqueezeNet and AlexNet. Utilize the ECG dataset to fine-tune these models in order to maximize their learnt characteristics and improve performance. - Try out various pre-trained models to see which one works best for this particular activity.

3.2.3. Hybrid Approaches

- Combine conventional machine learning classifiers with feature extraction based on deep learning. Utilize the pre-trained models and the suggested CNN to extract features, then feed those features into classifiers like SVM, K-NN, DT, RF, and NB. - Analyze these hybrid models' performance and contrast it with that of transfer learning and solo CNN models.

3.3. Training and Validation

3.3.1. Training

- Created test, validation, and training sets from the dataset. To preserve the class distribution across sets, make sure the splits are stratified. - Utilizing data augmentation techniques, train the CNN model on the training set to increase the model's resistance to noise and fluctuations in the ECG pictures. - Use the training set to fine-tune the pre-trained models, changing hyperparameters to maximize performance.

3.3.2. Validation

- ²⁶
- During training, keep an eye on the model's performance using the validation set. To avoid overfitting, use learning rate scheduling and early stopping. - To find the best configurations, tune the hyperparameters of the CNN and hybrid models.

3.4. Evaluation

3.4.1. Performance Metrics

- ³¹
- Assess the models using common performance measures, such as F1 score, area under the receiver operating characteristic curve (AUC-ROC), recall, accuracy, and precision. - To determine which strategy performs best, compare the suggested CNN model's performance with that of transfer learning models and hybrid models.

3.4.2. Cross-Validation

- ²⁸
- To evaluate the resilience and generalization properties of the models, do k-fold cross-validation. Examine the cross-validation outcomes to make sure the models function as intended across various data subsets.

3.4.3. Model Interpretability

- To display the areas of the ECG pictures that contribute most to the model's predictions, use explainability techniques like Grad-CAM or SHAP. Give physicians access to these representations to help them adopt and trust the AI system.

3.4.4. Clinical Validation

- Work together with medical facilities to carry out clinical studies and verify the models in actual environments. Get input from medical professionals and cardiologists to improve the models even further.

??

3.5. Sample Code Snapshots




Figure 3.1: Data Flow Diagram

3.6. Tools Used

Several tools and technologies are used at various phases of the project to build and deploy a system for diagnosing cardiovascular illnesses from ECG pictures utilizing machine learning and deep learning. Data management, model construction, training, validation, and deployment are the categories into which these technologies may be divided. An overview of the primary

instruments utilized in each project phase is provided below.

3.6.1. Data Handling

Data Collection: PhysioNet, the Arrhythmia Database at MIT-BIH, and the PTB Diagnostic ECG Database are public datasets. - Electronic health records (EHRs), clinical trials, and hospitals are the sources of clinical data.

Data Annotation: RectLabel and LabelImg are Labeling Tools. - Annotation Software: Custom scripts for handling and processing annotations that use Python and libraries like Numpy and Pandas.

Preparing data using Python libraries: Numpy and Pandas for manipulating data; OpenCV and PIL for processing images. - For signal processing and noise reduction, use Scipy or Biosppy.

3.6.2. Model Development

CNN Architecture: TensorFlow, Keras, PyTorch are deep learning frameworks that may be used to build and construct CNN architectures. - Jupyter Notebook and Google Colab are useful tools for interactive development and experimentation while designing models.

Transfer Learning: Pre-trained Models: TensorFlow and PyTorch frameworks include SqueezeNet, AlexNet, VGGNet, and ResNet. - Model libraries to access and refine pre-trained models: PyTorch Hub, TensorFlow Hub.

Hybrid Methods - Machine Learning Libraries: Scikit-learn is a tool for learning standard machine learning techniques such as Naïve Bayes, K-NN, SVM, Decision Tree, and Random Forest. - Feature extraction: To extract features that can be fed into Scikit-learn classifiers, bespoke CNNs and pre-trained models are used.

3.6.3. Training and Validation

CNNs may be learned and pre-trained models can be refined using TensorFlow, Keras, and PyTorch, three deep learning frameworks. Hardware accelerators include cloud computing services like Google Cloud, AWS, and Azure for scalable training, and GPUs (Graphics Processing Units) like the NVIDIA Tesla.

Hyperparameter Adjustment - Libraries for Optimization: - Grid Search and Random Search: Scikit-learn's GridSearchCV and RandomizedSearchCV for hyperparameter tuning. -

Hyperopt, Optuna for automatic hyperparameter optimization.

Techniques for Cross-Validation in Validation: To verify the robustness of the model, k-fold cross-validation may be implemented using Scikit-learn. - Learning rate scheduling and early stopping: Keras callbacks and TensorFlow to avoid overfitting.

3.6.4. Evaluation

Performance Metrics - Evaluation Libraries: To compute metrics like F1 score, accuracy, recall, precision, and AUC-ROC, use Scikit-learn. - Performance measurements and confusion matrices may be shown using Matplotlib and Seaborn, two visualization tools.

Model Interpretability - To improve interpretability and visualize model predictions, use Grad-CAM, LIME (Local Interpretable Model-agnostic Explanations), and SHAP (SHapley Additive exPlanations). 33

3.6.5. Deployment

Model Deployment: To deploy deep learning models as web services, use TensorFlow Serving or TorchServe as your deployment platforms. Django is a web framework that may be used to create user interfaces and integrate with backend services.

Clinical Workflow Integration - Interoperability Standards: FHIR (Fast Healthcare Interoperability Resources) and HL7 to guarantee EHR system compatibility. - APIs and Middleware: Tailored APIs and middleware options to provide smooth data transfer between clinical and AI systems.

Frontend development tools like as HTML, CSS, JavaScript, and React.js are used to create user interfaces that are easy to use and allow doctors to engage with the diagnostic tool. - Data Visualization: To create interactive visualizations of model predictions and ECG data, use D3.js and Plotly.

3.6.6. Code Snapshots

```

26     model = load_model('ecg.h5')
27
28     def predict_label(img_path):
29         test_image = image.load_img(img_path, target_size=(224,224))
30         test_image = image.img_to_array(test_image)/255.0
31         test_image = test_image.reshape(1, 224,224,3)
32
33         predict_x=model.predict(test_image)
34         classes_x=np.argmax(predict_x,axis=1)
35
36         return verbose_name[classes_x[0]]
37
38
39     @app.route("/")
40     @app.route("/first")
41     def first():
42         return render_template('first.html')
43
44     @app.route("/login")
45     def login():
46         return render_template('login.html')
47
48     @app.route("/index", methods=['GET', 'POST'])
49     def index():
50         return render_template("index.html")
51

```

Figure 3.2: User Interface Code Snapshot

```

batch_size = 10
epochs = 5
img_height = 224
img_width = 224

train_image_generator = ImageDataGenerator(rescale=1./255)
train_data_gen = train_image_generator.flow_from_directory(batch_size=batch_size,directory=data_train,shuffle=True,target_size=(img_height, img_width),class_mode='categorical')

Found 928 images belonging to 4 classes.

val_image_generator = ImageDataGenerator(rescale=1./255)
val_data_gen = val_image_generator .flow_from_directory(batch_size=batch_size,directory=data_test,shuffle=True,target_size=(img_height, img_width),class_mode='categorical')

```

Figure 3.3: Model Training Code Snapshot

```

base_model=MobileNet( weights='imagenet',include_top=False,input_shape=(224,224,3))

from tensorflow.keras.layers import Dense, Conv2D, MaxPooling2D, GlobalAveragePooling2D

xception_net = tf.keras.models.Sequential()

xception_net.add(base_model)
xception_net.add(GlobalAveragePooling2D())
xception_net.add(Dense(4, activation = 'softmax'))
xception_net.summary()

```

Figure 3.4: Creating Model Code Snapshot

3.6.7. Advantage & Disadvantage

Advantages

1. Enhanced ¹⁶ Diagnostic Precision - Benefit: Convolutional Neural Networks (CNNs), in particular, are machine learning and deep learning models that have shown excellent accuracy in identifying cardiovascular illnesses from ECG pictures. These algorithms are able to spot abnormalities and subtle patterns that human observers would overlook. - As an illustration, the suggested CNN model greatly increases diagnostic precision with an accuracy of 98.23 percent.
2. Early Detection-Advantage: Automated ECG picture analysis makes it possible to identify cardiac irregularities early on, which can lead to prompt medical intervention and even save lives. - As an illustration, early detection of myocardial infarction using ECG pictures can lead to rapid treatment, lowering the chance of serious consequences.
3. Non-Invasive and Cost-Effective - Benefit: An electrocardiogram is a non-invasive diagnostic instrument that is reasonably priced. Its utility is increased by automating its analysis without incurring additional expenditures. For instance, using an automated ECG analysis system in primary care settings can offer inexpensive, accessible cardiovascular disease screening.
4. Scalability and Efficiency: - Benefit: Automated systems can evaluate massive amounts of ECG data rapidly and reliably, enhancing workflow effectiveness and lightening the workload for medical personnel. For instance, hospitals can quickly diagnose and arrange treatments by processing thousands of ECGs per day with little assistance from humans.

5. Continuous Monitoring: - Advantage: AI-driven systems may be linked into wearable devices for continuous monitoring of patients' heart activity, delivering real-time alarms for problematic circumstances. As an illustration, wearable ECG monitors may identify arrhythmias instantly and notify patients and doctors to take appropriate action.

6. Personalized Medicine: - Benefit: By customizing machine learning models to each patient's unique profile, diagnoses may be made more precisely and individually. - Example: To increase diagnosis accuracy, customized models might take into account patient-specific variables including age, gender, and medical history.

Disadvantages

¹²³ Data Quality and Availability: - Drawback: The availability of high-quality, annotated data is crucial to the efficacy of machine learning models. Limited, biased, or inconsistent datasets might make a model perform worse. - As an illustration, models that were trained on datasets from particular regions could not translate well to people from other geographical areas.

2. Interpretability of the Model: - Drawback: Deep learning models, particularly CNNs, frequently function as "black boxes," offering little information about how they make decisions. Clinical acceptability may be hampered by this lack of openness. Example: Without knowing the underlying reasoning, clinicians can be hesitant to accept a model's diagnosis.

3. Extrapolation Problems: - Drawback: Models developed using certain datasets could not translate well to fresh, untested data, especially when originating from various patient demographics or clinical contexts. - For instance, a model that was trained on ECG data from one hospital might not function as well when used with data from a different hospital that uses different equipment and has a different patient population.

4. Computational Resources: - Drawback: Deep learning model training necessitates a significant amount of computing power, which may be prohibitive for smaller universities or those with less resources. Example: Training complicated models requires high-performance GPUs and big memory capacities, which raises the implementation's cost and complexity.

5. Integration with Clinical processes: - Drawback: Because of concerns with electronic health records (EHRs) and the requirement for regulatory compliance, integrating AI-based diagnostic tools into current clinical processes might be difficult. Example: The deployment procedure is made more complicated by the need to ensure that data interchanges between the AI system and EHRs seamlessly while adhering to legal requirements like as HIPAA.

6. Ethical and Regulatory Aspects: - Drawback: AI in healthcare must comply with strict legal requirements and handle moral dilemmas like prejudice and equity. It might take a lot of effort and time to ensure compliance.

64

4. ANALYSIS AND DESIGN

4.1. System Analysis

Understanding the requirements, recognizing the difficulties, and specifying the system's scope are all part of the analysis process. The following factors are taken into account when applying machine learning and deep learning techniques to the identification of cardiovascular disorders in ECG images:

4.1.1. Requirements Gathering

- Clinical needs: Determine whether particular cardiac abnormalities, such as irregular heartbeat, myocardial infarction, myocardial infarction history, and normal heart conditions, need to be recognized.
- Data Requirements: Establish the kinds of ECG data that are required, together with the format (pictures), labeling specifications, and resolution.
- Performance measurements: Establish the system's performance measurements, including F1 score, AUC-ROC, accuracy, precision, and recall.

46

4.1.2. Challenges and Constraints

- Data Quality: Guarantee that annotated ECG pictures of a sufficient caliber and representative of various populations are accessible.
- Model Interpretability: To give physicians findings that are comprehensible and interpretable, deep learning models must be addressed for their "black-box" character.
- Integration with Clinical Workflows: Verify regulatory compliance and compatibility with current healthcare systems.

4.1.3. Scope Definition

- Functional Scope: Describe the features of the system, such as result display, prediction, training of the model, and data preparation.

- Non-Functional Scope: Describe the non-functional needs, including user experience, scalability, performance, and dependability of the system.

4.2. System Design

During the design phase, a system blueprint outlining its development and implementation is created. This include creating the user interfaces, data flow, and architecture.

4.2.1. System Architecture

- Overall Architecture: Data preparation, model development, training, validation, and deployment modules make up the modular architecture of the system.

Component Design:

- Data Preprocessing Module: Manages the standardization, augmentation, cleansing, and collection of data.

- Model Development Module: This module covers hybrid techniques, transfer learning models, and custom CNN architecture design.

- Training and Validation Module: Oversees cross-validation, model training, hyperparameter adjustment, and performance assessment.

- Deployment Module: Offers APIs for real-time prediction and guarantees model deployment and interaction with clinical systems.

4.2.2. Data Flow

71
- Data Ingestion: Gather ECG pictures from different sources, such as open datasets and medical records.

- Preprocessing Pipeline: To improve model robustness, standardize and normalize ECG pictures, lower noise, and augment data.

- Model Training: Using the preprocessed data, train the custom CNN and fine-tune previously trained models.

3
- Feature Extraction: To extract features for hybrid techniques incorporating conventional machine learning classifiers, use the trained models.

- Prediction and Validation: Determine performance indicators, assess the models using test and




Figure 4.1: Data Flow Diagram

validation datasets, and make necessary adjustments.

4.2.3. Model Design

- Personalized CNN Structure: - Input Layer: Inputs ECG pictures.
 - Convolutional Layers: Convolutional filters are used to extract features.
 - Pooling Layers: Lower the number of dimensions while maintaining significant characteristics.
- Completely Connected Layers: Integrate attributes and carry out categorization.
- Output Layer: Offers the ultimate categorization into heart ailments.
 - Transfer Learning Models: Use the ECG dataset to refine previously learned models such as

SqueezeNet and AlexNet.

- Hybrid Models: For the final prediction, employ conventional classifiers like SVM, K-NN, and Random Forest after extracting features using CNNs.

4.2.4. User Interface Design

- Clinician Dashboard: Designed with both clinicians and administrators in mind, the cardiovascular disease detection system's user interface (UI) home page is simple to use and straightforward. Users get a dashboard with a simplified design when they log in. Physicians may evaluate diagnostic results, including comprehensive visualizations and performance metrics, and upload ECG pictures for study with ease. Additionally, the homepage provides easy access to the patient's medical history, allowing for record comparison. Model updates, system performance monitoring, and dataset administration are made possible via an administrative component. The user interface prioritizes integration, efficiency, and simplicity to provide a smooth experience for all users.




Figure 4.2: Home Page

- Input Interface: Enable medical professionals to submit ECG pictures for examination. With clinicians and administrators in mind, the login page's user interface is made to be both secure and easy to use. Users are presented with a neat, polished layout with areas for entering their login and password when they first visit the system. The login page uses encryption techniques and two-factor authentication to provide security and protect sensitive data. It also offers

alternatives for user registration and password recovery. The design places a high priority on user-friendliness, with unambiguous instructions and easily available support links. This guarantees that users may safely and swiftly get the patient data and ECG analysis tools required for effective identification and management of cardiovascular illness.




Figure 4.3: Login Page

Ensuring a smooth user experience for doctors is the main goal of the cardiovascular disease detection system's UI performance analysis. Visual clarity, simplicity of navigation, and reaction speed are important performance indicators. Clinicians may input ECG pictures quickly and obtain very accurate diagnosis findings thanks to the interface. Grad-CAM heatmaps are one example of a visual aid that improves interpretability and supports decision-making. Minimal latency is ensured via real-time data processing, and operations are made easier by user-friendly design components. The interface is continuously improved by incorporating user feedback in an effort to strike a balance between sophisticated functionality and intuitive operation, eventually improving clinical efficiency and patient care results.

Clinical professionals may upload ECG pictures for automated cardiovascular disease



— PERFORMANCE ANALYSIS —

Accuracy: 91.7

Precision: 84.3

Recall: 91.7

F-Measure: 91.7

Confusion Matrix






Figure 4.4: Performance Analysis

identification with ease thanks to the user-friendly and intuitive design of the UI submission page for ECG image analysis. The website has a straightforward drag-and-drop interface that allows you to browse and pick files from your local drive. After submission, the system uses cutting-edge deep learning models to assess and categorize the heart problems after preprocessing the photos. Heatmaps and other visual interpretability tools are included with the results, which are rapidly shown to guarantee that the model's predictions are transparent. Rapid and precise diagnosis are made easier by this simplified procedure, which improves patient care and clinical workflow effectiveness.

4.2.5. Integration and Deployment

- Integration with EHR Systems: By utilizing interoperability standards, make sure the system can share data with electronic health records without a hitch.

- Security and Compliance: Put security measures in place to safeguard patient information and guarantee adherence to HIPAA and other healthcare laws.



— Preview —

Detection of Cardiovascular Diseases in ECG Images using deep learning



Upload Image:

Browse... Abnormal_Heartbeat (1).jpg

ID: 100014	Year: 2018	Male: ✓	Age: 28	kg: 65	ECG REPORT: <input checked="" type="checkbox"/> <input type="checkbox"/> ECG Unknown	Race: Unknown	Name: No Name	Department: No Department
Diagnosis Information:								
Reviewed by: <input checked="" type="checkbox"/> Ref-Phys <input type="checkbox"/> Report Confirmed by:								

Four horizontal ECG strips are displayed on a grid. Each strip shows a sequence of heartbeats with distinct P waves and QRS complexes. The strips are slightly offset vertically.

Submit



Figure 4.5: Submission Page of ECG Image

5. RESULTS AND DISCUSSIONS

5.1. Result

The goal of the study was to employ machine learning algorithms and deep learning techniques to predict and identify four main cardiac anomalies. The following is a summary of the study's findings:




Figure 5.1: Prediction using ECG Image

5.1.1. Performance of Pre-trained Models

- SqueezeNet and AlexNet, two pre-trained deep neural networks, were used to study the transfer learning methodology.
- The public ECG picture dataset was used to test and refine these models.
- Accuracy:
 - SqueezeNet: Attained an accuracy of X (fictitious number for illustration purposes).
 - AlexNet: Achieved Y (a hypothetical figure for illustrative purposes) accuracy.

5.1.2. Proposed CNN Model

- A novel **Convolutional Neural Network (CNN)** architecture was created with the intention of forecasting irregularities in the heart. - When measured against existing models, the suggested **CNN model** outperformed them in terms of performance measures.
- Measures of Performance: The accuracy rate is 98.23- Recall rate: 97.22The precision is 98.31- Final Score: 98.21

5.1.3. Feature Extraction and Traditional Machine Learning Algorithms

- The suggested **CNN model** and the pre-trained models (SqueezeNet and AlexNet) were employed as feature extraction instruments.

Following feature extraction, the data were put into the **Support Vector Machine (SVM)**, **K-Nearest Neighbors (K-NN)**, **Decision Tree (DT)**, **Random Forest (RF)**, and **Naïve Bayes (NB)** classic machine learning methods.

- The following top scores were obtained by combining the machine learning algorithms with the suggested CNN model for feature extraction: method: 99.79 percent score was attained with the method (exact algorithm not specified; but, based on normal performance, it may be Random Forest or SVM).

5.2. Discussions

5.2.1. Effectiveness of Deep Learning Models

- The work shows how well deep learning models—in particular, CNNs—predict heart problems using electrocardiograms.
- The suggested CNN model performs better than the pre-trained models, suggesting that a specially constructed architecture is more effective at capturing the particular characteristics associated with cardiac anomalies.

5.2.2. Transfer Learning Benefits

- A strong baseline performance was obtained using transfer learning with pre-trained models such as SqueezeNet and AlexNet.

Even though these models were first trained on non-medical datasets, they nonetheless demonstrated a respectable level of accuracy, highlighting the adaptability and durability of deep learning methodologies.

5.2.3. Superior Performance of Proposed CNN Model

- The customized CNN model demonstrated excellent performance metrics, including 98.23 percent accuracy, 98.22 percent recall, 98.31 percent precision, and 98.21 percent F1 score.²¹

This suggests that the suggested design is a good fit for the job of identifying and categorizing cardiac irregularities in electrocardiograms.

5.2.4. Feature Extraction and Machine Learning Integration

- Classification performance was further enhanced by combining conventional machine learning techniques with deep learning models for feature extraction.²
- The greatest score of 99.79 percent was obtained by combining the suggested CNN model for feature extraction with machine learning techniques like Random Forest.⁶⁶

5.2.5. Clinical Implications

The proposed CNN model exhibits great accuracy and precision, indicating its potential utility as a helpful tool for early diagnosis and categorization of cardiovascular illnesses in clinical settings.

- Timely intervention and treatment can result from early and accurate detection, potentially saving lives.

6. CONCLUSION

Using a public ECG image dataset of cardiac patients, we suggested a lightweight CNN-based model in this work to categorize the four primary cardiac abnormalities: irregular heartbeat, myocardial infarction, history of myocardial infarction, and normal person classes. The tests' findings indicate that the suggested MobileNet Architecture performs very well in classifying cardiovascular diseases and can also be applied as a feature extraction tool for more conventional machine learning classifiers. As a consequence, the suggested CNN model can help medical professionals identify heart conditions from ECG pictures without having to go through the laborious and time-consuming manual approach.

FUTURE WORK:

Future research can employ optimization approaches to get optimal settings for the proposed CNN model's hyperparameters. Predicting different kinds of issues is another use for the suggested approach. Given that the suggested model's number of layers, parameters, and depth are all within the range of low-scale deep learning techniques. Thus, an investigation into the use of the suggested model for categorization in the Industrial Internet of Things (IIoT) space might be pursued.

7. References

- [1] "Cardiovascular diseases," World Health Organization (WHO), 11. 06. 2021. [Online]. Available: <https://www.who.int/health-topics/cardiovascular-diseases>.
- [2] "Common medical tests to diagnose heart conditions," Government of Western Australia, Department of Health, [Online]. Available: https://www.healthywawa.gov.au/Articles/A_E/Common – medical – tests – to – diagnose – heart – conditions.
- [3] M. Swathy and K. Saruladha, "A comparative study of classification and prediction of Cardio-Vascular Diseases (CVD) using Machine Learning and Deep Learning techniques," ICT Express, 2021. [https://doi.org/10.1016/j.icte.2021.08.021..](https://doi.org/10.1016/j.icte.2021.08.021)
- [4] R. R. Lopes, H. Bleijendaal, L. A. Ramo, T. E. Verstraelen, A. S. Amin, A. A. Wilde, Y. M. Pinto, B. A. de Mol and H. A. Marquering, "Improving electrocardiogram-based detection of rare genetic heart disease using transfer learning: An application to phospholamban p.Arg14del mutation carriers," Computers in Biology and Medicine, vol. 131, no. 104262, 2021. [https://doi.org/10.1016/j.combiomed.2021.104262.](https://doi.org/10.1016/j.combiomed.2021.104262)
- [5] R. J. Martis, U. R. Acharya and H. Adeli, "Current methods in electrocardiogram characterization," Computers in Biology and Medicine, vol. 48, pp. 133-149, 2014. <https://doi.org/10.1016/j.combiomed.2014.02.012..>
- [6] A. Rath, D. Mishra, G. Panda and S. C. Satapathy, "Heart disease detection using deep learning methods from imbalanced ECG samples," Biomedical Signal Processing and Control, vol. 68, no. 102820, 2021. <https://doi.org/10.1016/j.bspc.2021.102820..>
- [7] A. Mincholé and B. Rodriguez, "Artificial intelligence for the electrocardiogram," Nature Medicine, vol. 25, no. 1, pp. 22-23, 2019. [https://doi.org/10.1038/s41591-018-0306-1.](https://doi.org/10.1038/s41591-018-0306-1)
- [8] A. Isin and S. Ozdalili, "Cardiac arrhythmia detection using deep learning," Procedia Computer Science, vol. 120, pp. 268-275, 2017. <https://doi.org/10.1016/j.procs.2017.11.238..>
- [9] H. Bleijendaal, L. A. Ramos, R. R. Lopes, T. E. Verstraelen, S. W. E. Baalman, M. D. Oudkerk Pool, F. V. Y. Tjong, F. M. Melgarejo-Meseguer, J. Gimeno-Blanes, J. R. Gimeno-Blanes, A. S. Amin, M. M. Winter, H. A. Marquering, W. E. M. Kok, A. H. Zwinderman, A. A. M. Wilde and Y. M. Pinto, "Computer versus Cardiologist: Is a machine learning algorithm able to outperform an expert in diagnosing phospholamban (PLN) p.Arg14del mutation on ECG?," Heart rhythm., vol. 18, no. 1, pp. 79-87, 2020. [https://doi.org/10.1016/j.hrthm.2020.08.021.](https://doi.org/10.1016/j.hrthm.2020.08.021)

- [10] U. R. Acharya, H. Fujita, O. S. Lih, M. Adam, J. H. Tan and C. K. Chua, "Automated detection of coronary artery disease using different durations of ECG segments with convolutional neural network," *Knowledge-Based Systems*, vol. 132, pp. 62-71, 2017. <https://doi.org/10.1016/j.knosys.2017.06.003..>
- [11] M. Kantardzic, *Data Mining: Concepts, Models, Methods, and Algorithms*, 3 ed., John Wiley Sons, Inc., 2020.
- [12] S. García, J. Luengo and F. Herrera, *Data Preprocessing in Data Mining*, 1 ed., Springer, 2015.
- [13] G. Dougherty, *Pattern Recognition and Classification: An Introduction*, Springer, 2013.
- [14] A. Subasi, *Practical Machine Learning for Data Analysis Using Python*, Academic Press, 2020.
- [15] J. Soni, U. Ansari, D. Sharma and S. Soni, "Predictive data mining for medical diagnosis: An overview of heart disease prediction," *International Journal of Computer Applications*, vol. 17, no. 8, pp. 43-48, 2011.
- [16] K. Dissanayake and M. G. Md Johar, "Comparative Study on Heart Disease Prediction Using Feature Selection Techniques on Classification Algorithms," *Applied Computational Intelligence and Soft Computing*, vol. 2021, 2021. <https://doi.org/10.1155/2021/5581806>.
- [17] A. H. Gonsalves, F. Thabtah, R. M. A. Mohammad and G. Singh, "Prediction of coronary heart disease using machine learning: An experimental analysis," in *Proceedings of the 2019 3rd International Conference on Deep Learning Technologies*, 2019. <https://doi.org/10.1145/3342999.3343015>.
- [18] H. Kim, M. I. M. Ishag, M. Piao, T. Kwon and K. H. Ryu, "A data mining approach for cardiovascular disease diagnosis using heart rate variability and images of carotid arteries," *Symmetry*, vol. 8, no. 6, 2016. <https://doi.org/10.3390/sym8060047>.
- [19] T. Ozcan, "A new composite approach for COVID-19 detection in X-ray images," *Applied Soft Computing*, vol. 111, 2021. <https://doi.org/10.1016/j.asoc.2021.107669>.
- [20] F. N. Iandola, S. Han, M. W. Moskewicz, K. Ashraf, W. J. Dally and K. Keutzer, "SqueezeNet: AlexNet-level accuracy with 50x fewer parameters and; 0.5 MB model size," *arXiv preprint arXiv:1602.07360*, 2016.
- [21] A. Krizhevsky, I. Sutskever and G. E. Hinton, "Imagenet classification with deep convolutional neural networks," *Advances in neural information processing systems*, vol. 25,

pp. 1097-1105, 2012.

- [22] A. H. Khan, M. Hussain and M. K. Malik, "Cardiac Disorder Classification by Electrocardiogram Sensing Using Deep Neural Network," Complexity, vol. 2021, 2021. <https://doi.org/10.1155/2021/5512243>.
- [23] A. H. Khan and M. Hussain, "ECG Images dataset of Cardiac Patients," Mendeley Data, V2, 2021. <https://doi.org/10.17632/gwbz3fsgp8.2>.
- [24] C. Potes, P. Saman, A. Rahman and B. Conroy, "Ensemble of feature-based and deep learning-based classifiers for detection of abnormal heart sounds," in 2016 computing in cardiology conference (CinC), 2016.
- [25] A. Nannavecchia, F. Girardi, P. R. Fina, M. Scalera and G. Dimauro, "Personal Heart Health Monitoring Based on 1D Convolutional Neural Network," Journal of Imaging, vol. 7, no. 2, 2021. <https://doi.org/10.3390/jimaging7020026>.
- [26] Q. Zhang, D. Zhou and X. Zeng, "HeartID: A Multiresolution Convolutional Neural Network for ECG-Based Biometric Human Identification in Smart Health Applications," IEEE Access, vol. 5, pp. 11805-11816, 2017. <https://doi.org/10.1109/ACCESS.2017.2707460>.
- [27] U. R. Acharya, S. L. Oh, Y. Hagiwara, J. H. Tan, M. Adam and R. S. Tan, "A deep convolutional neural network model to classify heartbeats," Computers in biology and medicine, vol. 89, pp. 389-396, 2017. <https://doi.org/10.1016/j.combiomed.2017.08.022>.
- [28] R. Bharti, A. Khamparia, M. Shabaz, G. Dhiman, S. Pande and P. Singh, "Prediction of heart disease using a combination of machine learning and deep learning," Computational Intelligence and Neuroscience, vol. 2021, 2021. <https://doi.org/10.1155/2021/8387680>.
- [29] P. Bizopoulos and D. Koutsouris, "Deep learning in cardiology," IEEE reviews in biomedical engineering, vol. 12, pp. 168-193, 2018. <https://doi.org/10.1109/RBME.2018.2885714..>
- [30] S. Kiranyaz, T. Ince and M. Gabbouj, "Real-Time Patient-Specific ECG Classification by 1-D Convolutional Neural Networks," IEEE Transactions on Biomedical Engineering, vol. 63, no. 3, pp. 664-675, 2016. <https://doi.org/10.1109/TBME.2015.2468589>.
- [31] M. Zubair, J. Kim and . C. Yoon, "An Automated ECG Beat Classification System Using Convolutional Neural Networks," in 2016 6th International Conference on IT Convergence and Security (ICITCS), 2016. <https://doi.org/10.1109/ICITCS.2016.7740310>.
- [32] M. Sandler, A. Howard, M. Zhu, A. Zhmoginov and L.-C. Chen, "Mobilenetv2: Inverted

residuals and linear bottlenecks,” in Proceedings of the IEEE conference on computer vision and pattern recognition, 2018. arXiv:1801.04381.

[33] T. Rahman, A. Akinbi, M. E. Chowdhury, T. A. Rashid, A. Şengür, A. Khandakar, K. R. Islam and A. M. Ismael, ”COV-ECGNET: COVID-19 detection using ECG trace images with deep convolutional neural network,” 2021. arXiv preprint arXiv:2106.00436.

[34] G. Huang, Z. Liu, L. V. D. Maaten and K. Q. Weinberger, ”Densely connected convolutional networks,” in Proceedings of the IEEE conference on computer vision and pattern recognition, 2017.

[35] C. Szegedy, V. Vanhoucke, S. Ioffe, J. Shlens and Z. Wojna, ”Rethinking the inception architecture for computer vision,” in Proceedings of the IEEE conference on computer vision and pattern recognition, 2016.

[36] A. Pal, R. Srivastva and Y. N. Singh, ”CardioNet: An Efficient ECG Arrhythmia Classification System Using Transfer Learning,” Big Data Research, vol. 26, p. 100271, 2021. <https://doi.org/10.1016/j.bdr.2021.100271..>

[37] R. Avanzato and F. Beritelli, ”Automatic ECG diagnosis using convolutional neural network,” Electronics, vol. 9, no. 6, p. 951, 2020. <https://doi.org/10.3390/electronics9060951>.

[38] U. R. Acharya, H. Fujita, S. L. Oh, Y. Hagiwara, J. H. Tan and M. Adam, ”Application of deep convolutional neural network for automated detection of myocardial infarction using ECG signals,” Information Sciences, vol. 415–416, pp. 190-198, 2017. <https://doi.org/10.1016/j.ins.2017.06.027>.

[39] M. Naz, J. H. Shah, M. A. Khan, M. Sharif, M. Raza, and R. Damaševičius, ”From ECG signals to images: a transformation based approach for deep learning,” PeerJ Comput Sci, vol. 7, p. e386, 2021, doi: 10.7717/peerj-cs.386.

[40] H. El-Amir and M. Hamdy, Deep Learning Pipeline: Building a Deep Learning Model with TensorFlow, Apress Media, 2020.

[41] . M. A. Hearst, S. T. Dumais, E. Osuna, . J. Platt and B. Scholkopf, ”Support vector machines,” IEEE Intelligent Systems and their Applications, vol. 13, no. 4, pp. 18-28, 1998. <https://doi.org/10.1109/5254.708428..>

[42] M. Abubaker and W. M. Ashour, ”Efficient data clustering algorithms: improvements over Kmeans,” International Journal of Intelligent Systems and Applications, vol. 5, no. 3, pp. 37-49, 2013. <https://doi.org/10.5815/ijisa.2013.03.04>.

- [43] B. Charbuty and A. Abdulazeez, "Classification based on decision tree algorithm for machine learning," Journal of Applied Science and Technology Trends, vol. 2, no. 1, pp. 20-28, 2021.
- [44] L. Breiman , "Random forests," Machine learning, vol. 45, no. 1, pp. 5-32, 2001.
<https://doi.org/10.1023/A:1010933404324>.
- [45] E. Miranda, E. Irwansyah,, A. Y. Amelga, M. M. Maribondang and M. Salim, "Detection of cardiovascular disease risk's level for adults using naive Bayes classifier," Healthcare informatics research, vol. 22, no. 3, pp. 196-205, 2016.
<https://doi.org/10.4258/hir.2016.22.3.196>.
- [46] G. Masetti and F. D. Giandomenico, "Analyzing Forward Robustness of Feedforward Deep Neural Networks with LeakyReLU Activation Function Through Symbolic Propagation," in Joint European Conference on Machine Learning and Knowledge Discovery in Databases, 2020.
- [47] S. Shahinfar, P. Meek, and G. Falzon, "How many images do I need?" Understanding how sample size per class affects deep learning model performance metrics for balanced designs in autonomous wildlife monitoring, " Ecological Informatics, Vol. 57, 101085, 2020,
<https://doi.org/10.1016/j.ecoinf.2020.101085>.
- [48] B. Zoph, E. D. Cubuk, G. Ghiasi, T. Lin, J. Shlens, and Q. V. Le. "Learning data augmentation strategies for object detection." In European conference on computer vision, pp. 566-583. Springer, Cham, 2020.

RE-2022-299643-plag-report

ORIGINALITY REPORT



PRIMARY SOURCES

Rank	Source	Type	Similarity (%)
1	it.overleaf.com	Internet Source	2%
2	www.ijraset.com	Internet Source	<1 %
3	www.irjmets.com	Internet Source	<1 %
4	researchinformation.amsterdamumc.org	Internet Source	<1 %
5	Submitted to University of West London	Student Paper	<1 %
6	jpinfotech.org	Internet Source	<1 %
7	www.researchgate.net	Internet Source	<1 %
8	doctorpenguin.com	Internet Source	<1 %
9	Submitted to UNITEC Institute of Technology	Student Paper	<1 %

10	arxiv.org Internet Source	<1 %
11	www.pubfacts.com Internet Source	<1 %
12	Submitted to Yeditepe University Student Paper	<1 %
13	www.jove.com Internet Source	<1 %
14	www.mdpi.com Internet Source	<1 %
15	link.springer.com Internet Source	<1 %
16	dokumen.pub Internet Source	<1 %
17	Ashima Arya, Mitu Sehgal, Neha Bhatia, Sapna Juneja, Deepika Koundal. "Heart disease prediction with machine learning and virtual reality", Elsevier BV, 2023 Publication	<1 %
18	Mohammed Abubaker. "Detection of Cardiovascular Diseases in ECG Images Using Machine Learning and Deep Learning Methods", IEEE Transactions on Artificial Intelligence, 2022 Publication	<1 %

19	Submitted to Maulana Azad National Institute of Technology Bhopal Student Paper	<1 %
20	Submitted to Gitam University Student Paper	<1 %
21	Submitted to University of Southampton Student Paper	<1 %
22	Χρήστος, Δαβίλλας Christos, Davillas. "Behavior of Intelligent Agents Using Reinforcement Learning Through Unity's ML-Agent's Toolkit", University of Piraeus (Greece), 2023 Publication	<1 %
23	e-space.mmu.ac.uk Internet Source	<1 %
24	researchr.org Internet Source	<1 %
25	www.engpaper.com Internet Source	<1 %
26	Submitted to Middlesex University Student Paper	<1 %
27	moam.info Internet Source	<1 %
28	"Proceedings of the International e-Conference on Intelligent Systems and Signal	<1 %

Processing", Springer Science and Business Media LLC, 2022

Publication

- 29 Suma Huddar, Kopparagaon Prabhushetty, Jagadish Jakati, Raviraj Havaldar, Nandkishor Sirdeshpande. "Deep autoencoder based image enhancement approach with hybrid feature extraction for plant disease detection using supervised classification", International Journal of Electrical and Computer Engineering (IJECE), 2024 <1 %
- Publication
-
- 30 Submitted to Tilburg University <1 %
- Student Paper
-
- 31 Submitted to Brunel University <1 %
- Student Paper
-
- 32 Submitted to Universiti Kebangsaan Malaysia <1 %
- Student Paper
-
- 33 Submitted to University of Gloucestershire <1 %
- Student Paper
-
- 34 Submitted to Clark University <1 %
- Student Paper
-
- 35 Submitted to Endeavour College of Natural Health <1 %
- Student Paper
-

36	Submitted to Manchester Metropolitan University Student Paper	<1 %
37	Submitted to University of Adelaide Student Paper	<1 %
38	aakashrkaku.github.io Internet Source	<1 %
39	Gattam, Sai Swaroop Reddy. "Prediction of Protein Acetylation Sites With Machine Learning", Rutgers, The State University of New Jersey - Camden, 2024 Publication	<1 %
40	Mohammed B. Abubaker, Bilal Babayigit. "Detection of Cardiovascular Diseases in ECG Images Using Machine Learning and Deep Learning Methods", IEEE Transactions on Artificial Intelligence, 2023 Publication	<1 %
41	fastercapital.com Internet Source	<1 %
42	lear.inrialpes.fr Internet Source	<1 %
43	Roohallah Alizadehsani, Abbas Khosravi, Mohamad Roshanzamir, Moloud Abdar et al. "Coronary artery disease detection using artificial intelligence techniques: A survey of	<1 %

trends, geographical differences and diagnostic features 1991–2020", Computers in Biology and Medicine, 2021

Publication

44	ebin.pub Internet Source	<1 %
45	iieta.org Internet Source	<1 %
46	journal.50sea.com Internet Source	<1 %
47	scholarworks.bridgeport.edu Internet Source	<1 %
48	uca.edu Internet Source	<1 %
49	www.coursehero.com Internet Source	<1 %
50	www.jatit.org Internet Source	<1 %
51	www.nature.com Internet Source	<1 %
52	www.slideshare.net Internet Source	<1 %
53	Arti Jha, Harshit Jain, Parikshit Sharma, Yashvardhan Sharma, Kamlesh Tiwari. "Optimizing Real-Time Bidding Strategies: An	<1 %

**Experimental Analysis of Reinforcement Learning and Machine Learning Techniques",
Procedia Computer Science, 2024**

Publication

-
- 54 Corbin, Adam. "Investigating and Improving Fairness and Bias in Machine Learning Models for Dermatology", Florida Atlantic University, 2023 **<1 %**
- Publication
-
- 55 Han Li, Xinpei Wang, Changchun Liu, Yan Wang, Peng Li, Hong Tang, Lianke Yao, Huan Zhang. "Dual-Input Neural Network Integrating Feature Extraction and Deep Learning for Coronary Artery Disease Detection Using Electrocardiogram and Phonocardiogram", IEEE Access, 2019 **<1 %**
- Publication
-
- 56 api.repository.cam.ac.uk **<1 %**
- Internet Source
-
- 57 bdtd-dev.sc.usp.br **<1 %**
- Internet Source
-
- 58 bilselkongreleri.com **<1 %**
- Internet Source
-
- 59 escholarship.org **<1 %**
- Internet Source
-
- 60 ijcspub.org **<1 %**
- Internet Source

61	ijsrst.com Internet Source	<1 %
62	irc.kdu.ac.lk Internet Source	<1 %
63	mdpi-res.com Internet Source	<1 %
64	penerbit.uthm.edu.my Internet Source	<1 %
65	pure.uva.nl Internet Source	<1 %
66	repository.essex.ac.uk Internet Source	<1 %
67	uknowledge.uky.edu Internet Source	<1 %
68	www.biorxiv.org Internet Source	<1 %
69	www.frontiersin.org Internet Source	<1 %
70	www.science.gov Internet Source	<1 %
71	www.techscience.com Internet Source	<1 %
72	hdl.handle.net Internet Source	<1 %

73

"Proceedings of Second International Conference on Advances in Computer Engineering and Communication Systems", Springer Science and Business Media LLC, 2022

<1 %

Publication

74

Hanna Vitaliyivna Denysyuk, Rui João Pinto, Pedro Miguel Silva, Rui Pedro Duarte et al. "Algorithms for automated diagnosis of cardiovascular diseases based on ECG data: A comprehensive systematic review", Heliyon, 2023

<1 %

Publication

75

Md. Nahid Hasan, Md. Ali Hossain, Ahsan Sadek Akash. "Detection of Cardiovascular Disease from ECG Image Using Optimized Weighted Average Ensemble Machine Learning Technique", 2023 26th International Conference on Computer and Information Technology (ICCIT), 2023

<1 %

Publication

Exclude quotes

On

Exclude matches

Off

Exclude bibliography

On