TUBERRA

PIPES | FITTINGS | PLATES

POSTAL & WORK ADDRESS :

201, Somjj Building, Shop No. 5, S.V.P. Road,
Near Gol Deval Temple, Mumbai - 400 004,
Maharashtra, India

E-MAIL :

tuberra@tuberrasteel.com

Product Catalogue

LEADING MANUFACTURER, EXPORTER & SUPPLIER
OF STAINLESS STEEL PRODUCTS

Company Profile

Tuberra Steel Company is a leading manufacturer and exporter of high-quality steel pipes and pipe fittings. We specialize in delivering precision-engineered products designed to meet a wide range of industrial requirements. Our product portfolio includes Butt-Weld Fittings, Customized Long Radius Bends, Large Diameter Welded (2-Halves) Fittings, O'lets, CNC Machining Components, and more.

In addition to manufacturing, we offer a wide range of value-added services such as drawing, polishing, hot dip galvanizing, heat treatment, sand blasting, and precision machining. We are proud to be an ISO and PED approved manufacturer, ensuring compliance with international quality and safety standards.

Our Specialization

Tuberra Steel Company specializes in the manufacturing of:

- Pipes
- Pipe Fittings
- Customized Long Radius Bends
- Pipe Spools
- Flanges
- Forged Fittings
- Fasteners
- Machining Components

Vision & Mission

Our vision is to become a trusted leader in the industry by delivering exceptional quality, fostering innovation, and consistently exceeding customer expectations. We are committed to building long-term relationships with our clients by providing reliable solutions and outstanding service.

Quality Policy

At Tuberra, quality is at the core of everything we do. We are dedicated to supplying products that meet or exceed customer expectations and comply with international standards.

Our manufacturing processes are supported by stringent quality control systems, continuous monitoring, and rigorous testing at every stage—from design to final delivery. This ensures superior performance, durability, and reliability in all our products.

Sheets, Plates & Coils

Thickness :- 1MM - 100MM
Width :- 1000MM , 1219MM , 1500MM, 2000MM, 2500MM
Length :- 2000MM, 2440MM, 3000MM, 6000MM
Finish :- HR (Hot Rolled), CR (Cold Rolled),
Satin (Mat Finish With plastic coating)

Pipes

Size:- 3/8" NB - 60" NB
Thickness:- Sch-5 - Sch-XXS
Types :-

- Seamless
- ERW
- EFW
- LSAW
- SPIRAL
- Fabricated

Buttweld Fittings

Size: - 1/2" NB - 60" NB
Thickness: - Sch-5 - Sch-XXS
Dimensions: - ASME B16.9, MSS SP-43, MS SP-75
Type: - Elbows LR (Long Radius)
SR (Short Rad u) (45 Degree, 90 Degree & 180 degree Equal & Unequal Tee)
Concentric & Eccentric Reducer
Long & Short Stub-End, Barred Tee, Cross, Customized Bends
Long Radius Bends: - 2D, 3D, 5D, 10D, 20D (Customized dies



Tube Fittings

Size :- 1/8" - 2"

Type:- Caps, Plugs, Male Connector, Female Connector, Union, Bulkhead Union, Union Cross, Cross, Double Ferrule Fittings, 90 Degree Elbows, Tee

Forged Fittings

Size:- 1/8" - 4" (Rating- 2000# , 3000#, 6000#, 9000#)
End Connection:- Socket-Weld (SW) ,
Threaded (NPT, BSP, BSPT)
Dimensions:- ASME B16.11, MSS SP-83 & MSS SP-95
Type :- Elbows (45 Degree & 90 Degree),
Equal & Unequal Tee, Reducing Elbows, Half Coupling,
Full Coupling, Union, Swage Nipple, Hex & Round Head Plug

Olets

Size: -1/2" - 24"
Rating & Schedule: -
3000#, 6000#, 9000#
& Schedule-10 to Schedule-XXS.
Dimension: - MSS SP-97
Types: - Weld-Olet, Thread-Olet,
lat-Olet, Sock-Olet, Elb-Olet,
N -Olet, Sweep-Olet.

Flanges

Size: - 1/2" - 80"
Class: - 150#, 300#, 400#, 600#, 900#, 1500#, 2500#
Dimension: - ASME B16.5, B16.47 (Series-A & B), B16.48, EN1092-1, JIS, API-6A & AWWA.
Type: - Weld neck, Socket weld, Slip-On, Blind, Spectacle Blind, Threaded, Lap Joint, Tongue & Groove Orifice, Reducing & Customized Flange.

Valves

Size: - 1/2" - 60"
Pressure: - 150#, 300#, 400#, 600#, 900#, 1500#, 2500#
Type: - Butterfly, Globe, Non-Return, Gate, Ball, Check, Needle & Plug \Valve.

Pipe Spools

Size: - 1/2" - 48" In Required Schedules.
Specialization: - Customized spools as per your requirement.

Fasteners

Size: – M4 – M100 & 3/8”–4”
Dimensions: – DIN–933, DIN–3570, DIN–931, DIN–934, DIN–125, DIN–433
Types: – Allen Head Bolt, Hex Head Bolt, Stud, Hex Nut, Thin Nut, Lock Nut, Heavy Hex Nut, Washers, Spring Washer

Gaskets

Size: – 1/2” – 24”
Type: – Spiral Wound Gasket, Ring Type Gaskets, Corrugated Metal Gaskets, Solid Metal Gaskets, Double Jacketed Metal Gaskets, Silicon Gaskets.



Coating

3LPE COATING is done on internal & external side of carbon steel fittings as per DIN–30670.
PTFE lines are paste extruded confirms to standard resin specification ASTM D–4895 & is done on carbon steel & stainless–steel pipes.
Hot Dip Galvanizing is done on carbon steel pipes & fittings up to 80–100 microns.
Rubber Lining is done on stainless steel & carbon steel pipes & fittings to increase the life span, it is done as per ASTM D–7602.

MOC

Stainless Steel

ASTM A182, A240, A312, A358, A403, A213, A249, A269, A479, A276
202, 304, 304L, 304H, 316, 316L, 316H, 316Ti, 309, 310, 317, 347, 904L.

Duplex & Super Duplex

ASTM A815, A182, A790, UNS31803, UNS32205, UNS32760, UNS32750

Cupro Nickel

C70600 (90:10), C71500 (70:30), C71640.

Nickel & Monel

UNS N02200, N02201, N04400, N05500

INCONEL

UNS N06600, N06601, N06625, N08810, N08825, N08031

HASTELLOY

UNS N10276, N06022, N10665

Titanium

Titanium Grade 1/2/3, DIN-3.7025, DIN-3.7035, DIN-3.7055

Alloy Steel

ASTM A182/ SA234 GR-1, GR-5, GR-9, GR-11, GR-12, GR-22, GR-91.

Carbon Steel

ASTM A105, A106 GRADE A/B/C, SA234 WPB.

LTCS

ASTM A333 GRADE 3/6/9, A350 LF2, A420 WP 6, A5 GRADE 60/70

Email :- tuberra@tuberrasteel.com
Website :- www.tuberrasteel.com