

Problem and solutions statement.

August 28, 2026 5:03 PM

This file contains information that I feel is important. These are responses from Claude code. 500 page problem and solution statements are still let to be written.

Catching up on hackathon events and sessions - Claude

What survives: all of these validate an artifact **against a spec.** **None of them ask whether the runtime actually consumed it,** and none of them ask that question across git, registration, and load path **as one verdict.** Your novelty is the *composition* plus the *load-path inference from the project's own docs* — which nothing above does, because it can't be done with a schema. That's now your one-sentence differentiator, and it's narrower than it was an hour ago. Hand this to Gemini to attack.

your tool reasons about **whether the file is reachable by the runtime at all.**

What are the more things to watch: git log origin/main..HEAD = "commits I have that GitHub doesn't." Non-empty means unpushed. That single command is incidents #4 and #5. **Watch a git internals video today — an hour, and it's directly load-bearing for the demo.**

Already existing products to watch:

Include in Bob's plan:

Check Verdict

Git liveness


Script. git log origin/main..HEAD is exact. A model here can only be wrong.

Registration liveness

Script, once you know the schema. Model's only job is *finding* the schema.

Load-path liveness

Model — reading prose docs to infer intent is genuinely ambiguous. And it must be allowed to return unknown.



9. "Tier 1"

Your own strategy from July, which worked. Split the build so a demo exists no matter what breaks:

Tier	Content	Rule
Tier 1	Git + registration checks, CLI, text report. No external services, no LLM dependency.	Must be done and demoable before you start Tier 2
Tier 2	Load-path inference via document understanding + parallel subagents	The wow, but it can fail on stage without killing you
Tier 3	--json, second framework's rules	Only if genuinely free

Tier 1 is the guaranteed fallback. If Bobcoins run out or an API dies at hour 40, you still record a video.

Want Bob, to start tier 1, test properly - if I run out of time to record demo. (Which I think I most-likely will, I want to demo tier 1 product).

Dump everything to IBM bob and ask it to write the problem statement for me.

Write the problem statement. You have six real documented incidents — that's your entire differentiator over every other team saying "onboarding is slow." Name the repos, name the failure mode.

Joining the hackathon Slack workspace - Claude

Claude's