

Practical:10

AIM-Create an application to create JSON URL for Contact which have field(id, Name (First Name, Last Name), Phone No, Address) and should be minimum five contact details & display received contact data in RecyclerView. Add Google Map Activity which displays location which is received in JSON Data in google Maps activity and set the zoom level to 10.

To Generate JSON Data, Refer: <https://app.json-generator.com/>

1. Create MainActivity according to below UI design.
2. Use link generated from website for JSON Data
3. Create MapActivity by using this [instructions](#).
4. Create Class Person with member Variables like id, Name, Phone No, Email Id, Address, Latitude, Longitude. This class should be inherited from Serializable class.
5. Generate JSON data format according to below image.
6. Use RecyclerView or ListView Adapter
7. Add Internet Permission in Manifest file

Submitted By:- Ghadiya_Harshil
Enrollment number:- 21012021031



**Ganpat
University**

॥ विद्यया समाजोत्कर्षः ॥

**U.V. Patel
College of
Engineering**

Activity main.xml :-

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <TextView
        android:id="@+id/textView1"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_margin="20dp"
        android:text="@string/app_name"
        android:textSize="20sp"
        android:textAppearance="?attr/textAppearanceHeadline6"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

    <ListView
        android:id="@+id/listview_main"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        app:layout_constraintTop_toBottomOf="@+id/textView1"
        app:layout_constraintEnd_toEndOf="parent">

    </ListView>

    <com.google.android.material.floatingactionbutton.FloatingActionButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:id="@+id/autorenew_btn"
        android:src="@drawable/baseline_autorenew_24"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        android:layout_marginBottom="20dp"
```

```
android:layout_marginEnd="20dp"/>
</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity.kt :-

```
import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import android.widget.ListView
import com.google.android.material.floatingactionbutton.FloatingActionButton
import kotlinx.coroutines.CoroutineScope
import kotlinx.coroutines.Dispatchers
import kotlinx.coroutines.launch
import kotlinx.coroutines.withContext
import org.json.JSONArray
import org.json.JSONException
import org.json.JSONObject

class MainActivity : AppCompatActivity() {
    private lateinit var personListView : ListView
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_main)
        val btn= findViewById<FloatingActionButton>(R.id.autorenew_btn)
        btn.setOnClickListener(){
            CoroutineScope(Dispatchers.IO).launch {
                try {
                    val data = HttpRequest().makeServiceCall(
                        "https://api.json-generator.com/templates/qjeKFdjKXCdK/data",
                        "rbn0rerl1k0d3mcwgw7dva2xuwk780z1hxvyvrb1")
                    withContext(Dispatchers.Main) {
                        try {
                            if(data != null)
                                runOnUiThread{getPersonDetailsFromJson(data)}
                        } catch (e: Exception) {
                            e.printStackTrace()
                        }
                    }
                } catch (e: Exception) {
                    e.printStackTrace()
                }
            }
        }
    }
}
```

```
    }  
}  
  
    private fun getPersonDetailsFromJson(sJson: String) {  
        val personList = ArrayList<Person>()  
        try {  
            val jsonArray = JSONArray(sJson)  
            for (i in 0 until jsonArray.length()) {  
                val jsonObject = jsonArray[i] as JSONObject  
                val person = Person(jsonObject)  
                personList.add(person)  
            }  
            val personListView = findViewById<ListView>(R.id.listview_main)  
            personListView.adapter = PersonAdapter(this, personList)  
        } catch (ee: JSONException) {  
            ee.printStackTrace()  
        }  
    }  
}
```

activity_maps.xml :-

```
<?xml version="1.0" encoding="utf-8"?>  
<fragment xmlns:android="http://schemas.android.com/apk/res/android"  
    xmlns:tools="http://schemas.android.com/tools"  
    android:id="@+id/map"  
    android:name="com.google.android.gms.maps.SupportMapFragment"  
    android:layout_width="match_parent"  
    android:layout_height="match_parent"  
    tools:context=".MapsActivity"  
    tools:ignore="MissingClass" />
```

MapsActivity.kt:-

```
import androidx.appcompat.app.AppCompatActivity  
import android.os.Bundle  
import android.util.Log  
import com.example.mad_practical_10_21012021031.databinding.ActivityMapsBinding  
import com.google.android.gms.maps.CameraUpdateFactory
```

```
import com.google.android.gms.maps.GoogleMap
import com.google.android.gms.maps.OnMapReadyCallback
import com.google.android.gms.maps.SupportMapFragment
import com.google.android.gms.maps.model.BitmapDescriptorFactory
import com.google.android.gms.maps.model.LatLng
import com.google.android.gms.maps.model.MarkerOptions

class MapsActivity : AppCompatActivity(), OnMapReadyCallback {

    private lateinit var mMap: GoogleMap
    private lateinit var binding: ActivityMapsBinding
    private var lat:Double = 0.0
    private var log:Double = 0.0
    private var title = ""
    private val TAG = "MapsActivity"

    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)

        binding = ActivityMapsBinding.inflate(layoutInflater)
        setContentView(binding.root)
        val obj = intent.getSerializableExtra("Object") as Person
        Log.i(TAG, "onCreate: Object: $obj")
        lat = obj.latitude
        log = obj.longitude
        title = obj.name
        val mapFragment = supportFragmentManager
            .findFragmentById(R.id.map) as SupportMapFragment
        mapFragment.getMapAsync(this)
    }

    override fun onMapReady(googleMap: GoogleMap) {
        mMap = googleMap
        mMap.mapType= GoogleMap.MAP_TYPE_SATELLITE
        val sydney = LatLng(lat, log )
        mMap.addMarker(
            MarkerOptions().position(sydney)
                .title(title)
                .snippet(title)
                .icon(BitmapDescriptorFactory.fromResource(R.drawable.img))
        )
    }
}
```

```
mMap.moveCamera(CameraUpdateFactory.newLatLngZoom(sydney,16.0f))
    }
}
```

contact_item.xml:-

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout xmlns:android="http://schemas.android.com/
apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent">
<com.google.android.material.card.MaterialCardView
android:id="@+id/materialCardView"
android:layout_width="match_parent"
android:layout_height="wrap_content"
app:cardCornerRadius="20dp"
app:cardElevation="20dp"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent">
<androidx.constraintlayout.widget.ConstraintLayout
android:layout_width="match_parent"
android:layout_height="match_parent"
android:padding="20dp">

<com.google.android.material.button.MaterialButton
android:id="@+id/person_btn"
android:layout_width="60dp"
android:layout_height="60dp"
android:layout_marginStart="15dp"

android:backgroundTint="@color/cardview_dark_background"
android:drawableTint="@color/white"
app:icon="@drawable/baseline_person_24"
app:iconGravity="textStart"
app:iconSize="30dp"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintStart_toStartOf="parent"
```

```
app:layout_constraintTop_toTopOf="parent" />
```

```
<LinearLayout
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:orientation="vertical"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toStartOf="@+id/location_btn"
    app:layout_constraintStart_toEndOf="@id/person_btn"
    app:layout_constraintTop_toTopOf="parent">
```

```
<TextView
    android:id="@+id/name_textView"
    android:layout_width="200dp"
    android:layout_height="wrap_content"
    android:layout_marginStart="10dp"
    android:text="John Gill"
    android:textSize="20dp"
    android:textStyle="bold"
    app:layout_constraintBottom_toTopOf="@+id/number_textView"
    app:layout_constraintStart_toEndOf="@+id/person_btn"
    app:layout_constraintTop_toTopOf="parent" />
```

```
<TextView
    android:id="@+id/number_textView"
    android:layout_width="200dp"
    android:layout_height="wrap_content"
    android:layout_marginStart="10dp"
    android:text="+91 7983356739"
    app:layout_constraintBottom_toTopOf="@+id/email_textView"
    app:layout_constraintStart_toStartOf="@+id/name_textView"
    app:layout_constraintTop_toBottomOf="@+id/name_textView" />
```

```
<TextView
    android:id="@+id/email_textView"
    android:layout_width="200dp"
    android:layout_height="wrap_content"
    android:layout_marginStart="10dp"
    android:text="john123@gmail.com"
    app:layout_constraintBottom_toTopOf="@+id/address_textView"
    app:layout_constraintStart_toStartOf="@+id/name_textView"
```

```
app:layout_constraintTop_toBottomOf="@+id/number_textView" />
<TextView
    android:id="@+id/address_textView"
    android:layout_width="200dp"
    android:layout_height="wrap_content"
    android:layout_marginStart="10dp"
    android:text="S-2, Someshwar Banglows, \nAhemdabad"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintStart_toStartOf="@+id/number_textView"
    app:layout_constraintTop_toBottomOf="@+id/email_textView" />
```

```
</LinearLayout>
```

```
<com.google.android.material.button.MaterialButton
    android:id="@+id/location_btn"
    android:layout_width="60dp"
    android:layout_height="60dp"
    android:layout_marginEnd="4dp"
    android:backgroundTint="#0000ff"
    android:drawableTint="@color/white"
    app:icon="@drawable/baseline_location_on_24"
    app:iconGravity="textStart"
    app:iconSize="30dp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
```

```
</androidx.constraintlayout.widget.ConstraintLayout>
</com.google.android.material.card.MaterialCardView>
<com.google.android.material.divider.MaterialDivider
    android:layout_width="wrap_content"
    android:layout_height="10dp"
    app:layout_constraintTop_toBottomOf="@+id/materialCardView"
    app:layout_constraintStart_toStartOf="parent"
    app:dividerColor="@color/white">
</com.google.android.material.divider.MaterialDivider>
</androidx.constraintlayout.widget.ConstraintLayout>
```


Person.kt :-

```
import org.json.JSONObject
import java.io.Serializable

class Person (var id: String,
              var name: String,
              var emailId: String,
              var phoneNo: String,
              var address: String,
              var latitude: Double,
              var longitude: Double):Serializable{
    constructor(jsonObject: JSONObject):this("", "", "", "", "", 0.0, 0.0) {
        id = jsonObject.getString("id")
        emailId = jsonObject.getString("email")
        phoneNo = jsonObject.getString("phone")
        valprofileJson = jsonObject.getJSONObject("profile")
            name = profileJson.getString("name")
            address = profileJson.getString("address")
        vallocationJson = profileJson.getJSONObject("location")
            latitude = locationJson.getDouble("lat")
            longitude = locationJson.getDouble("long")
    }
}
```

PersonAdapter.kt :-

```
import android.annotation.SuppressLint
import android.content.Context
import android.content.Intent
import android.view.LayoutInflater
import android.view.View
import android.view.ViewGroup
import android.widget.ArrayAdapter
import android.widget.TextView
import com.google.android.material.button.MaterialButton
import java.util.ArrayList

class PersonAdapter(context:Context, valPersonarray : ArrayList<Person>):
    ArrayAdapter<Person>(context,0,Personarray) {
```

```
        override fun getView(position: Int, convertView: View?, parent: ViewGroup): View {
            val view=LayoutInflater.from(context).inflate(R.layout.contact_item, parent, false)
            view.findViewById<TextView>(R.id.name_textView).text = Personarray[position].name
            view.findViewById<TextView>(R.id.number_textView).text= Personarray[position].phoneNo
            view.findViewById<TextView>(R.id.email_textView).text= Personarray[position].emailId
            view.findViewById<TextView>(R.id.address_textView).text= Personarray[position].address
            view.findViewById<MaterialButton>(R.id.location_btn).setOnClickListener {
                Intent(context, MapsActivity::class.java).putExtra("Object",Personarray[position]).apply {
                    context.startActivity(this) }
            }
            return view
        }
    }
```

HttpRequest.kt :-

```
import android.util.Log
import java.io.*
import java.net.HttpURLConnection
import java.net.MalformedURLException
import java.net.ProtocolException
import java.net.URL

class HttpRequest {
    private val TAG = "HttpRequest"
    fun makeServiceCall(reqUrl: String?,token:String?=null): String? {
        var response: String? = null
        try {
            val url = URL(reqUrl)
            val conn = url.openConnection() as HttpURLConnection
            if(token != null){
                conn.setRequestProperty("Authorization", "Bearer $token");
                conn.setRequestProperty("Content-Type", "application/json");
            }
            conn.requestMethod= "GET"
            response = convertStreamToString(BufferedInputStream(conn.inputStream))
        } catch (e: MalformedURLException) {
            Log.e(TAG, "MalformedURLException: " + e.message)
        } catch (e: ProtocolException) {
            Log.e(TAG, "ProtocolException: " + e.message)
        }
    }
}
```



```
        } catch (e: IOException) {
Log.e(TAG, "IOException: " + e.message)
        } catch (e: Exception) {
Log.e(TAG, "Exception:" + .message)
        }
        return response
    }
    private fun convertStreamToString(`is`: InputStream): String {
val reader = BufferedReader(InputStreamReader(`is`))
valsb = StringBuilder()
        var line: String?
        try {
            while (reader.readLine().also { line = it } != null) {
sb.append(line).append('\n')
            }
        } catch (e: IOException) {
e.printStackTrace()
        } finally {
            try {
                `is`.close()
            } catch (e: IOException) {
e.printStackTrace()
            }
        }
        return sb.toString()
    }
}
```

AndroidManifest.xml :-

```
<meta-data
android:name="com.google.android.geo.API_KEY"
android:value="AIzaSyBVgO1713xHQ9FVaLQiV1Pp0AiA3ndOckw" />
```

Output :-

Light Theme:



DARK THEME

