2CEIT5PE5: MOBILE APPLICATION DEVELOPMENT

Practical: 2

AIM- Create Activity to display "Hello World" in <u>TextView</u> in the center of Activity screen with yellow layout background of Activity. <u>TextView</u> properties should be Holo Blue color. After creating Activity, demonstrate functions of <u>Activity Life Cycle</u> by using <u>Log</u> message, <u>Toast</u> message & <u>Snackbar</u> message. All methods of Activity life cycle should be printed in <u>Logcat</u>.

Submitted By :- Ghadiya Harshil Enrollment number :- 21012021031



Department of Computer Engineering

Create a "Hello World" application which has a yellow layout background with red color,20sp font size and display text on the center of the screen.

Activity_main.xml:-

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout</pre>
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout width="match parent"
    android: layout height="match parent"
    android:background="#FFF000"
    android:id="@+id/mainConstraint"
    tools:context=".MainActivity">
    <TextView
        android:layout width="wrap content"
        android:layout height="wrap content"
        android:textColor="@android:color/holo blue bright"
        android:textSize="35sp"
        android:textStyle="bold|italic"
        android:text="Hello World!"
        app:layout constraintBottom toBottomOf="parent"
        app:layout constraintEnd toEndOf="parent"
        app:layout constraintStart toStartOf="parent"
        app:layout constraintTop toTopOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity.kt:-

```
package com.example.mad_practical_2_21012011072


import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import android.util.Log
import android.widget.Toast
import androidx.constraintlayout.widget.ConstraintLayout
import com.google.android.material.snackbar.Snackbar

class MainActivity : AppCompatActivity() {
   val TAG = "MainActivity"
   override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
   }
}
```

Practical: 2

```
setContentView(R.layout.activity main)
        showMsq("onCreate method is called.")
    }
    override fun onStart() {
        super.onStart()
        showMsg("onStart method is called.")
    }
    override fun onResume() {
        super.onResume()
        showMsg("onResume method is called.")
    }
    override fun onPause() {
        super.onPause()
        showMsg("onPause method is called.")
    }
    override fun onStop() {
        super.onStop()
        showMsg("onStop method is called.")
    }
    override fun onDestroy() {
        super.onDestroy()
        showMsg("onDestroy method is called.")
    }
    override fun onRestart() {
        super.onRestart()
        showMsg("onRestart method is called.")
    }
    fun showMsg(message: String) {
        Log.i(TAG, message)
        Toast.makeText(this, message, Toast.LENGTH SHORT).show()
        val constraint : ConstraintLayout? =
findViewById(R.id.mainConstraint)
        if (constraint != null) {
Snackbar.make(constraint, message, Snackbar.LENGTH SHORT).show()
    }
```

Output:-





Log Message in LogCat



Toast Message

