Start: Dec 19, 12:01:34.227 pm End: Dec 19, 12:01:39.729 pm **Duration**: 5.502 s Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 2 SKIPPED - 0 SKIPPED - 0 SKIPPED - 4 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 10 28 % 100 100

Feature			Scenario Step						
Name	Duration	T	P	F	S	T	P	F	S
Visa Conformation Test Page	5.502 s	1	0	1	0	7	2	1	4

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Visa Conformation Test Page	Verify user should login successfully


TAG	Scenario				Feature				
Name	T	P	F	S	T	P	F	S	
@regression	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Visa Conformation Test Page	1	0	1	0	5.502 s

SCENARIOS SUMMARY -- 6




- 1 - 1	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	Visa Conformation Test Page	Verify user should login successfully	7	2	1	4	5.499 s

DETAILED SECTION -- 7 --

Visa Conformation Test Page

FAILED	DURATION - 5.502 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 12:01:34.227 pm //	′ 12:01:39.729 pm /	Pass - 0	1	Pass - 2	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

Verify user should login successfully



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I click on start button	PASSED	0.191 s
3	And I select a Nationality 'Australia'	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Step [I select a Nationality {string}] is defined with 0 parameters at 'gov.uk.check.visa.steps. VisaConfirmationSteps.iSelectANationalityAustralia()'. However, the gherkin step has 1 arguments: * 'Australia' Step text: I select a Nationality 'Australia' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:75) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	$at\ or g. testng. in ternal. invokers. Method Invocation Helper. invoke Method (Method Invocation Helper. java: 139)$		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	$at\ org. testng. internal. invokers. Test Method Worker. invoke Test Methods (Test Method Worker. java: 148)$		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
4	And I click on Continue button	SKIPPED	0.000 s
5	And I select reason 'Tourism'	SKIPPED	0.000 s
6	And I click on Continue button	SKIPPED	0.000 s
7	Then I verify result 'You will not need a visa to come to the UK'	SKIPPED	0.000 s
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.447 s
	Verify user should login successfully		

#	Step / Hook Details	Status	Duration
	Coatleas 40/01xX Now one was sell and an advantage of the coatleas of the coa		