```sql
--1 select All-------------------------------------

create proc PR_MST_City_SelectAll
as
begin
            select cityid,cityname,pincode,cityremarks,MST_city.stateid
            from
            MST_City inner join MST_State
            on
            MST_State.stateid=MST_City.stateid
end

exec  PR_MST_City_SelectAll

--2 Insert------------------------------------------

create proc PR_MST_City_Insert
@cityid                     int,
@cityname           varchar(50),
@pincode            varchar(6),
@stateid            int,
@cityremarks  varchar(500)
as
begin
            Insert into MST_City
            (
                    cityid,
                    cityname,
                    pincode         ,
                    stateid,
                    cityremarks
            )
            values
            (
                    @cityid,
                    @cityname,
                    @pincode,
                    @stateid,
                    @cityremarks
            )
end

exec  PR_MST_City_Insert 105,Bhuj,370001,1,'Very Excellent'

---3 UPDATE-----------------------------------------------------------

alter proc PR_MST_City_Update

@cityid                     int,
@cityname           varchar(50)
as
begin
            update MST_City
            set
            cityname=@cityname
            where
            cityid=@cityid
```

```
        end

        exec PR_MST_City_Update 105,abcd

---4 Delete-------------------------------------------------------------

        create proc PR_MST_City_Delete

        @cityid              int
        as
        begin
                    delete from
                    MST_City
                    where
                    cityid=@cityid
        end

        exec PR_MST_City_Delete 105




-----5 SelectByPK-------------------------------------------------------------

        create proc PR_MST_City_SelectByPK
        @cityid              int
        as
        begin
                    select *
                    from MST_City
                    where
                    cityid=@cityid
        end

        exec PR_MST_City_SelectByPK 1




-----6 SelectByPincodeStartWith360-------------------------------------------------------------


        create proc SelectByPincodeStartWith360
        as
        begin
                    select *
                    from MST_City
                    where
                    pincode like '360%'
        end

        exec SelectByPincodeStartWith360




-----7 SelectBycitynamePincode-------------------------------------------------------------

        create proc SelectBycitynamePincode
        @cityname              varchar(50),
        @pincode               varchar(6)
```

```sql
as
begin
            select *
            from MST_City
            where
            cityname=@cityname and pincode=@pincode
end

exec SelectBycitynamePincode Rajkot,360001
```

--------8 SelectBycityremarks--

```sql
create proc SelectBycityremarks
@cityremarks        varchar(50)
as
begin
            select *
            from MST_City
            where
            cityremarks=@cityremarks
end

exec SelectBycityremarks good
```

----------9 SelectBystateid---

```sql
create proc SelectBystateid
@stateid       int
as
begin
            select *
            from MST_City
            where
            stateid=@stateid
end

exec SelectBystateid 1
```

----------10 SelectBycityidstateid--

```sql
create proc SelectBycityidstateid
@stateid       int,
@cityid        int
as
begin
            select *
            from MST_City
            where stateid=@stateid
            and
            cityid=@cityid
end
```

```
exec SelectBycityidstateid 1,1
```