

Dashboard > ci-cd pipeline > Configuration

Definition

Pipeline script from SCM 

SCM ?

Git 

Repositories ?

Repository URL ? <https://github.com/Harshine-V/Jenkins.git>

Credentials ?

Save

Apply

Dashboard > ci-cd pipeline > Configuration

Add ▾

Script Path ?

jenkinsfile-2

☒ Lightweight checkout ?[Pipeline Syntax](#)

Advanced

Advanced ▾

Save

Apply



Console Output



Download



Copy

View as plain text

```
Started by user Harshine V
Obtained jenkinsfile-2 from git https://github.com/Harshine-V/Jenkins.git
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/lib/jenkins/workspace/ci-cd pipeline
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified
  > git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/ci-cd
pipeline/.git # timeout=10
Fetching changes from the remote Git repository
```

Dashboard > ci-cd pipeline > #6

```
[Pipeline] }  
[Pipeline] // script  
[Pipeline] }  
[Pipeline] // stage  
[Pipeline] stage  
[Pipeline] { (Declarative: Post Actions)  
[Pipeline] echo  
Pipeline executed successfully!  
[Pipeline] }  
[Pipeline] // stage  
[Pipeline] }  
[Pipeline] // withEnv  
[Pipeline] }  
[Pipeline] // withEnv  
[Pipeline] }  
[Pipeline] // node  
[Pipeline] End of Pipeline  
Finished: SUCCESS
```