```
In [53]: import pandas as pd
import warnings
warnings.filterwarnings("ignore")
```

In [54]: data=pd.read\_csv("/home/placement/Downloads/fiat500.csv")

In [55]: data.describe()

Out[55]:

	ID	engine_power	age_in_days	km	previous_owners	lat	lon	price
count	1538.000000	1538.000000	1538.000000	1538.000000	1538.000000	1538.000000	1538.000000	1538.000000
mean	769.500000	51.904421	1650.980494	53396.011704	1.123537	43.541361	11.563428	8576.003901
std	444.126671	3.988023	1289.522278	40046.830723	0.416423	2.133518	2.328190	1939.958641
min	1.000000	51.000000	366.000000	1232.000000	1.000000	36.855839	7.245400	2500.000000
25%	385.250000	51.000000	670.000000	20006.250000	1.000000	41.802990	9.505090	7122.500000
50%	769.500000	51.000000	1035.000000	39031.000000	1.000000	44.394096	11.869260	9000.000000
75%	1153.750000	51.000000	2616.000000	79667.750000	1.000000	45.467960	12.769040	10000.000000
max	1538.000000	77.000000	4658.000000	235000.000000	4.000000	46.795612	18.365520	11100.000000

In [56]: data.head(10)

Out[56]:

	ID	model	engine_power	age_in_days	km	previous_owners	lat	lon	price
0	1	lounge	51	882	25000	1	44.907242	8.611560	8900
1	2	pop	51	1186	32500	1	45.666359	12.241890	8800
2	3	sport	74	4658	142228	1	45.503300	11.417840	4200
3	4	lounge	51	2739	160000	1	40.633171	17.634609	6000
4	5	pop	73	3074	106880	1	41.903221	12.495650	5700
5	6	pop	74	3623	70225	1	45.000702	7.682270	7900
6	7	lounge	51	731	11600	1	44.907242	8.611560	10750
7	8	lounge	51	1521	49076	1	41.903221	12.495650	9190
8	9	sport	73	4049	76000	1	45.548000	11.549470	5600
9	10	sport	51	3653	89000	1	45.438301	10.991700	6000

In [57]: data1=data.loc[(data.previous\_owners==1)]
 data1

## Out[57]:

	ID	model	engine_power	age_in_days	km	previous_owners	lat	lon	price
0	1	lounge	51	882	25000	1	44.907242	8.611560	8900
1	2	pop	51	1186	32500	1	45.666359	12.241890	8800
2	3	sport	74	4658	142228	1	45.503300	11.417840	4200
3	4	lounge	51	2739	160000	1	40.633171	17.634609	6000
4	5	pop	73	3074	106880	1	41.903221	12.495650	5700
1533	1534	sport	51	3712	115280	1	45.069679	7.704920	5200
1534	1535	lounge	74	3835	112000	1	45.845692	8.666870	4600
1535	1536	pop	51	2223	60457	1	45.481541	9.413480	7500
1536	1537	lounge	51	2557	80750	1	45.000702	7.682270	5990
1537	1538	pop	51	1766	54276	1	40.323410	17.568270	7900

1389 rows × 9 columns

## Out[58]:

	model	engine_power	age_in_days	km	previous_owners	price
0	lounge	51	882	25000	1	8900
1	pop	51	1186	32500	1	8800
2	sport	74	4658	142228	1	4200
3	lounge	51	2739	160000	1	6000
4	pop	73	3074	106880	1	5700
1533	sport	51	3712	115280	1	5200
1534	lounge	74	3835	112000	1	4600
1535	pop	51	2223	60457	1	7500
1536	lounge	51	2557	80750	1	5990
1537	pop	51	1766	54276	1	7900

1389 rows × 6 columns

In [60]: data3

Out[60]:

	engine_power	age_in_days	km	previous_owners	price	model_lounge	model_pop	model_sport
0	51	882	25000	1	8900	1	0	0
1	51	1186	32500	1	8800	0	1	0
2	74	4658	142228	1	4200	0	0	1
3	51	2739	160000	1	6000	1	0	0
4	73	3074	106880	1	5700	0	1	0
1533	51	3712	115280	1	5200	0	0	1
1534	74	3835	112000	1	4600	1	0	0
1535	51	2223	60457	1	7500	0	1	0
1536	51	2557	80750	1	5990	1	0	0
1537	51	1766	54276	1	7900	0	1	0

1389 rows × 8 columns

```
In [61]: data2.shape
Out[61]: (1389, 6)
In [62]: #predicted value we removed from data frame
    y=data3['price']
    x=data3.drop('price',axis=1)
```

```
In [63]: y
Out[63]: 0
                    8900
                    8800
                    4200
           2
           3
                    6000
           4
                    5700
           1533
                    5200
           1534
                    4600
           1535
                    7500
           1536
                    5990
           1537
                    7900
           Name: price, Length: 1389, dtype: int64
In [64]: #divide the data into testing & training
          from sklearn.model_selection import train_test_split
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.33,random_state=42)
In [65]: x_test.head(5)
```

Out[65]:

	engine_power	age_in_days	km	previous_owners	model_lounge	model_pop	model_sport
625	51	3347	148000	1	1	0	0
187	51	4322	117000	1	1	0	0
279	51	4322	120000	1	0	1	0
734	51	974	12500	1	0	1	0
315	51	1096	37000	1	1	0	0

In [66]: x\_train.head(5)

Out[66]:

	engine_power	age_in_days	km	previous_owners	model_lounge	model_pop	model_sport
915	51	397	17081	1	1	0	0
12	51	456	18450	1	1	0	0
638	51	397	21276	1	1	0	0
190	51	821	19000	1	1	0	0
701	51	701	27100	1	1	0	0

```
In [67]: y_test.head(5)
Out[67]: 625
                 5400
         187
                 5399
         279
                 4900
         734
                10500
         315
                 9300
         Name: price, dtype: int64
In [68]: y_train.head(5)
Out[68]: 915
                10900
         12
                 9700
         638
                10850
         190
                 9990
         701
                10300
         Name: price, dtype: int64
```

```
In [69]: from sklearn.model selection import GridSearchCV
         from sklearn.linear model import ElasticNet
         elastic=ElasticNet()
         parameters={'alpha':[1e-15,1e-10,1e-8,1e-4,1e-3,1e-2,1,5,10,20]}
         elastic regressor=GridSearchCV(elastic, parameters)
         elastic regressor.fit(x train,y train)
Out[691:
                GridSearchCV
          ▶ estimator: ElasticNet
                ▶ ElasticNet
In [70]: elastic regressor.best params
Out[70]: {'alpha': 0.01}
In [71]: elastic=ElasticNet(alpha=0.01)
         elastic.fit(x train,y train)
         y pred elastic=elastic.predict(x test)
In [75]: from sklearn.metrics import mean squared error
         Elastic Error=mean squared error(y pred elastic,y test)
         Elastic Error
Out[75]: 515349.9787871871
In [74]: from sklearn.metrics import r2 score
         r2 score(y test,y pred elastic)
Out[74]: 0.8602162350730707
```


```
In [76]: Results=pd.DataFrame(columns=['Actual', 'predicted'])
    Results['Actual']=y_test
    #Results=pd.DataFrame(columns=['price', 'predicted'])
    #Results['price']=y_test
    Results['predicted']=y_pred_elastic
    #Results['km']=x_test['km']
    Results=Results.reset_index()
    Results['ID']=Results.index
    Results.head(10)
```

## Out[76]:

	index	Actual	predicted	ID
0	625	5400	5482.171479	0
1	187	5399	5127.531740	1
2	279	4900	4803.203231	2
3	734	10500	9662.825235	3
4	315	9300	9408.645424	4
5	652	10850	10350.952605	5
6	1472	9500	9806.127960	6
7	619	7999	8341.142824	7
8	992	6300	5913.786719	8
9	1154	10000	10149.093829	9

In [77]: import seaborn as sns
import matplotlib.pyplot as plt
sns.lineplot(x='ID',y='Actual',data=Results.head(50))#blue
sns.lineplot(x='ID',y='predicted',data=Results.head(50))#orange
plt.plot()

## Out[77]: []



In [ ]:	