Course:	Frontend development	careerpeala
Assessment:	Assessment 3	
Username:	G Harshini	
e-mail:	harshinigottimukkala25@gmail.com	
Is HTML case sensitive?	1/1	
O True		
False		
Correct Answer		
False		
Which HTML tag is used	d to define strike a line through deleted text? 1/	1
tag is asset		•
O < delete >		
< del >		
○ < through > ○ < line >		
Correct Answer		
< del >		
Which tag specifies an in	nline frame? 1 / 1	
○ < frame >		
○ < inlineframe >		
< iframe >		
O None		
Correct Answer		
< iframe >		

What is the correct syntax for< iframe > tag? 1 / 1		
	<pre>< iframe href="url" title="description" >< /iframe > < iframe link="url" title="description" >< /iframe > < iframe src="url" title="description" >< /iframe ></pre>	
	Correct Answer < iframe src="url" title="description" >< /iframe >	
	ch table cell is defined by a tag. 0 / 1 <pre></pre>	
	Correct Answer	
Which of the following HTML code will make an image clickable? 1 / 1 O < a href="https://www.sanfoundry.com/" > Sanfoundry Home Page< /a > O < img src="https://www.sanfoundry.com/sanfoundry-logo" > < a href="https://www.sanfoundry.com/" > Sanfoundry Home Page < /a > < img >		
	<pre>< a href="https://www.sanfoundry.com/" > Sanfoundry Home Page < /a > < img src="https://www.sanfoundry.com/sanfoundry-logo" / ></pre>	
	Correct Answer < a href="https://www.sanfoundry.com/" > < img src="https://www.sanfoundry.com/sanfoundry-logo" / > < /a >	

Which of the following HTML tag is used to add a row in a table? 1 / 1
<pre></pre>
\circ < tt >
Correct Answer
Which tag is used to create a blank line in HTML? 1 / 1
O < b >
○ < i >
<pre></pre>
Correct Answer < br >
Which of the following tag is used to create a text area in HTML Form? 1 / 1
<pre> < textarea > < /textarea > </pre>
<pre> <text> </text></pre>
<pre> <input type="text"/> <input type="textarea"/> </pre>
Correct Answer < textarea > < /textarea >
Which HTML element is used for YouTube videos? 1 / 1
○ < samp >

<pre> < small > </pre> <pre> < video > </pre>	
Correct Answer < iframe >	
Which of the following is not a type of a	ttribute for input tag? 0 / 1
DayMonthYearTime	
Correct Answer Day	
Which of the following is not a semantic	element? 1 / 1
<pre> < form > < article > < span > </pre>	
Correct Answer < span >	
- 140110	

	Inline Element		
W	hich tag is used to display a single-line text input field? 1 / 1		
	O < input type="textbox" >		
	<pre>< input type="checkbox" ></pre>		
	<pre> <input type="text"/></pre>		
	<pre>< input type="submit" ></pre>		
	Correct Answer		
	< input type="text" >		
W	hich of the following is true 1 / 1		
	○ In tables, header cells are centered by default and the data cells are right-aligned.		
	○ In the case of character formatting the tag< TW > is used for typewriter-like text		
	 Unordered list starts with < UL > and ends with < /UL > 		
	○ < SUPR > tag is used for superscripts text		
	- Correcting to account or caparocripto toxe		
	Correct Answer		
	Unordered list starts with < UL > and ends with < /UL >		

Correct Answer